3200

3200

INGLEWOOD SLADWORTHY

1931 - 1940

780601

Section **A** for the ... AIR M... ...RAINFALL ORGANIZATION.

COPY FOR OFFICIAL USE.

FORM 1090. **RE... 1931.**

Kept at Inglewoo... 667571/26

in the County of... No 3200

Diameter of Funnel of Ga...

Height of top of Gauge abo...

,, Ground ,,

THE MORNING ... DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·01	·16	—	·50	—	—	·06	·06	—	—	1
2	·01	·06	—	·66	·03	·73	·01	—	·80	·09	·04	·04	2
3	—	—	—	·08	—	·06	·21	—	1·16	—	·84	·54	3
4	—	·05	—	·59	—	·01	·10	·06	1·32	·07	·39	·37	4
5	—	·03	—	—	·23	1·02	·01	·75	·04	—	·01	·41	5
6	—	·24	·05	—	—	·22	·54	·02	·03	·47	·20	·01	6
7	—	·01	·06	—	—	·54	tr	·63	—	·36	·07	·10	7
8	·02	·21	·05	·03	·04	·01	·14	·28	—	·11	·19	·01	8
9	—	1·02	·14	·23	—	·19	tr	·44	·08	·04	·27	·01	9
10	·11	·17	·04	—	·16	·19	—	·11	·04	—	·25	—	10
11	·46	·89	—	tr	—	·07	·03	·01	·28	—	·68	—	11
12	·06	·31	—	·04	—	tr	·92	—	·04	·19	·25	—	12
13	—	—	·16	·01	·09	·02	·07	·02	tr	—	·01	—	13
14	·11	·05	·01	—	·05	·94	·06	·90	·01	—	·46	—	14
15	·28	·51	—	·05	·02	·01	·09	·34	tr	—	·02	·13	15
16	·78	·14	—	·55	·45	·51	·11	·89	·17	—	·01	·01	16
17	·01	·16	—	·37	·04	·09	·40	·38	·01	·01	·01	—	17
18	·24	·03	—	·34	—	·49	·41	·17	—	·01	·61	—	18
19	·11	·15	—	·04	—	—	·01	·39	·05	·03	·01	·01	19
20	·02	·25	·02	·05	—	·02	—	·28	·01	—	·07	·01	20
21	·35	·08	·02	—	·24	·12	·01	·12	—	—	·01	—	21
22	·33	·11	—	·01	·15	·02	·04	—	—	—	—	—	22
23	·59	·01	·01	·25	·18	·26	·28	—	·01	—	·55	·10	23
24	·12	·33	—	·16	·55	·01	·02	—	—	—	·01	·09	24
25	·15	1·15	—	·47	·21	—	·10	—	—	—	·33	·08	25
26	·07	·20	—	·22	—	—	·01	—	—	—	·39	·02	26
27	·51	·10	—	·03	·07	—	·51	—	—	·19	·78	·13	27
28	·32	·65	—	·10	·25	—	·08	—	—	·01	·01	·15	28
29	·30	×	·01	—	·24	—	·11	—	—	·57	·02	·01	29
30	·01	×	tr	·07	·15	—	tr	—	·01	·01	—	—	30
31	·75	×	—	×	·08	×	·01	—	×	·02	×	·10	31
TOTAL	5·74	6·91	·58	4·51	3·23	6·03	4·28	5·79	4·12	2·24	6·49	2·33	YEAR'S TOTAL 52·25
*Days with ·01 in. or more.	24	25	12	22	19	22	25	17	17	16	27	20	246
*Days with ·04 in. or more.	18	21	6	18	17	15	17	14	11	10	17	12	176

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Jas Woodhead

3200

Section **A** for the entry of Daily Observations. 667571/26. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Inglewood, Slaithwaite

in the County of Yorks W. R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 546 ft.

File Ref 667571/26

Station No 3200

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·01	·16	—	·50	—	—	·06	·06	—	—	1
2	·01	·06	—	·66	·03	·73	·01	—	·80	·09	·04	·04	2
3	—	—	—	·08	—	·06	·21	—	1·16	—	·84	·54	3
4	—	·05	—	·59	—	·01	·10	·06	1·32	·07	·39	·37	4
5	—	·03	—	—	·23	1·02	·01	·75	·04	—	·01	·41	5
6	—	·24	·05	—	—	·22	·54	·02	·03	·47	·20	·01	6
7	—	·01	·06	—	—	·54	tr	·63	—	·36	·07	·10	7
8	·02	·21	·05	·03	·04	·01	·14	·28	—	·11	·19	·01	8
9	—	1·02	·14	·23	—	·19	tr	·44	·08	·04	·27	·01	9
10	·11	·17	·04	—	·16	·19	—	·11	·04	—	·25	—	10
11	·46	·89	—	tr	—	·07	·03	·01	·28	—	·68	—	11
12	·06	·31	—	·04	—	tr	·92	—	·04	·19	·25	—	12
13	—	—	·16	·01	·09	·02	·07	·02	tr	—	·01	—	13
14	·11	·05	·01	—	·05	·94	·06	·90	·01	—	·46	—	14
15	·28	·51	—	·05	·02	·01	·09	·34	tr	—	·02	·13	15
16	·78	·14	—	·55	·45	·51	·11	·89	·17	—	·01	·01	16
17	·01	·16	—	·37	·04	·09	·40	·38	·01	·01	·01	—	17
18	·24	·03	—	·34	—	·49	·41	·17	—	·01	·61	—	18
19	·11	·15	—	·04	—	—	·01	·39	·05	·03	·01	·01	19
20	·02	·25	·02	·05	—	·02	—	·28	·01	—	·07	·01	20
21	·35	·08	·02	—	·24	·12	·01	·12	—	—	·01	—	21
22	·33	·11	—	·01	·15	·02	·04	—	—	—	—	—	22
23	·59	·01	·01	·25	·18	·26	·28	—	·01	—	·55	·10	23
24	·12	·33	—	·16	·55	·01	·02	—	—	—	·01	·09	24
25	·15	1·15	—	·47	·21	—	·10	—	—	—	·33	·08	25
26	·07	·20	—	·22	—	—	·01	—	—	—	·39	·02	26
27	·57	·10	—	·03	·07	—	·51	—	—	·19	·78	·13	27
28	·32	·65	—	·10	·25	—	·08	—	—	·01	·01	·15	28
29	·30	×	·01	—	·24	—	·11	—	—	·57	·02	·01	29
30	·01	×	tr	·07	·15	—	tr	—	·01	·01	—	—	30
31	·75	×	—	×	·08	×	·01	—	×	·02	×	·10	31
TOTAL	5·74	6·91	·58	4·51	3·23	6·03	4·28	5·79	4·12	2·24	6·49	2·33	YEAR'S TOTAL 52·25
*Days with ·01 in. or more.	24	25	12	22	19	22	25	17	17	16	27	20	246
*Days with ·04 in. or more.	18	21	6	18	17	15	17	14	11	10	17	12	176

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Jas Woodhead

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Inglewood, Slaithwaite

in the County of Yorks. W.R.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 546 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53	·02		·29	·46	—	·22	·02	·77	·35	·11	·06	1
2	1·10	—	—	·01	·52	—	—	·07	1·14	·10	·21	·37	2
3	·13	—	—	—	—	—	·20	—	·08	—	—	·16	3
4	·04	·02	—	·05	·01	—	·02	—	·03	·04	·16	·01	4
5	1·01	·01	·22	·39	·04	—	—	·01	·13	—	—	—	5
6	1·19	—	·21	·71	·04	—	·05	—	·15	—	—	—	6
7	·17	—	·84	·40	·08	—	—	—	·36	·27	·01	—	7
8	—	—	—	·14	—	—	—	—	·04	·41	·01	·01	8
9	·28	·22	·01	·15	·02	—	—	—	·03	·01	—	·04	9
10	·32	·04	—	·17	·02	—	—	—	·71	·32	·01	·04	10
11	·06	·05	·01	·56	·37	—	·80	—	·04	·02	·02	—	11
12	·50	—	—	·03	·33	·01	·15	—	·01	·61	·04	—	12
13	·01	·10	—	·17	·06	—	·12	·02	·25	·66	·04	·15	13
14	·09	·01	—	·04	—	—	·09	·01	—	·12	·21	—	14
15	—	—	—	·03	·19	—	—	—	—	·10	·14	·18	15
16	·36	—	—	·15	·02	—	·12	—	—	·11	·02	·10	16
17	—	—	—	·01	—	—	·53	·03	·04	·54	·01	—	17
18	—	—	—	—	·05	—	—	—	—	—	·02	—	18
19	—	—	—	·24	·04	—	·01	·03	—	·23	·01	—	19
20	—	—	—	·29	·38	—	·02	·71	—	·22	·06	—	20
21	·02	—	·16	·02	·59	—	·02	1·08	—	·89	·07	·06	21
22	—	—	·10	·19	·15	—	·05	—	·01	·03	·84	·13	22
23	—	·02	—	·15	·42	—	·03	—	—	·03	·14	·10	23
24	·03	·01	—	·04	·01	·07	·16	—	·21	—	·11	·01	24
25	—	·04	—	·17	·14	—	·02	·02	·05	·67	·17	—	25
26	—	·01	—	·19	·37	—	·30	—	·05	·39	·35	—	26
27	—	—	·35	·17	·61	·10	·38	—	—	·07	·11	·07	27
28	—	·01	·19	·03	·15	—	·29	·04	—	—	—	·04	28
29	·03	—	·60	·08	·12	·05	·10	·14	·16	·87	·17	·18	29
30	—	×	·20	·15	·01	·24	·05	·07	·08	·07	·43	·09	30
31	—	×	·23	×	·02	×	·26	—	×	—	×	·09	31
TOTAL	5·87	·56	3·12	5·12	5·22	·47	3·50	2·25	4·34	7·13	3·49	1·84	YEAR'S TOTAL 42·89
*Days with ·01 in. or more.	17	13	12	28	29	5	23	13	20	24	25	19	226
*Days with ·04 in. or more.	13	5	10	22	20	4	16	5	16	20	17	16	164

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Woodhead

P.T.O.

3200

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~3200~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

File No
667571/26

Kept at Inglewood Slaithwaite
in the County of York W.R.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 546 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
none

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·95	·02	—	—	—	—	—	·02	—	·20	—		1
2	·39	—	·27	·14	—	—	—	·02	—	—	·02	—		2
3	·02	·35	·14	—	·23	—	—	—	—	—	·05	—		3
4	·25	·20	·31	—	·20	—	—	·02	—	—	·01	—		4
5	·28	·24	·11	—	·08	—	—	—	—	—	—	—		5
6	·03	·06	·02	—	·13	—	—	—	—	—	—	·07		6
7	·16	·28	·21	—	·18	—	·10	·02	—	1·01	—	·01		7
8	·21	·12	·05	·08	·04	—	·56	·01	—	·01	—	·10		8
9	—	·61	—	·14	·05	·01	·48	·04	—	·67	·10	·01		9
10	·10	·09	—	—	—	·11	·11	—	—	·87	·06	—		10
11	—	—	—	—	—	—	·61	·04	—	·57	—	·01		11
12	—	—	—	—	—	·17	·10	—	—	·05	—	·04		12
13	·01	—	·02	—	·25	·03	·13	·02	·15	·22	·14	·01		13
14	·62	—	·03	—	·25	—	·06	·03	—	·01	·15	—		14
15	·72	—	·03	—	—	—	·01	·17	—	·27	·62	·08		15
16	·36	—	·21	·01	·09	·23	·05	·01	—	·34	·02	·01		16
17	·03	—	·83	·01	—	·63	—	·28	·03	—	·22	—		17
18	—	·13	·30	·01	·01	·85	—	·61	—	—	·11	—		18
19	—	·07	·63	·02	—	—	·07	·02	·04	—	·02	—		19
20	—	·09	—	·02	—	·01	—	·18	·66	—	·02	—		20
21	—	—	—	—	—	·11	—	·43	·01	·01	·01	—		21
22	—	—	—	—	·03	·20	—	·13	—	·12	—	—		22
23	—	·07	—	·08	·02	·01	—	·05	·19	·03	—	—		23
24	—	·95	—	·12	·02	·47	—	—	1·53	—	·02	·01		24
25	—	1·26	—	·12	—	—	—	—	·21	—	·01	·02		25
26	—	·88	—	·29	—	—	—	—	—	·27	·05	—		26
27	—	·04	—	·02	·22	—	—	—	·05	·02	·01	—		27
28	—	—	—	·02	—	—	·05	—	·02	·10	—	—		28
29	—	×	—	·07	·02	—	·14	—	—	·08	—	·03		29
30	·04	×	·03	—	·09	—	·29	—	—	·31	—	·22		30
31	·49	×	·15	×	—	×	·34	·06	×	·19	×	—		31
TOTAL	3·86	6·33	3·36	1·15	1·91	2·83	3·08	1·54	2·91	5·15	1·84	·62	Year's Total 34·58	
*Days with ·01 in. or more.	16	17	17	15	17	12	15	18	11	19	19	13	189	
*Days with ·04 in. or more.	12	13	11	8	12	8	14	9	7	14	10	5	127	

40-9999
*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.
(*Signed*) Jas Woodhead

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Inglewood · Slaithwaite

in the County of Yorks W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 546 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	—	·01	·01	—	—	—	·13	·08	·03	·01	·19		1
2	·01	·01	·09	—	—	—	—	·49	·06	—	·12	·32		2
3	·05	·01	·01	—	—	—	—	·02	—	·08	·03	·03		3
4	·21	—	·36	·14	·04	—	—	tr	·08	·83	—	·91		4
5	·01	—	·07	·01	·08	—	—	·26	—	·53	·05	·20		5
6	—	—	·19	·08	·64	·11	—	·53	tr	·11	·01	·44		6
7	·42	·04	·09	·02	—	·12	—	tr	·01	·28	·20	·47		7
8	—	—	·04	—	·08	·29	—	·05	—	·14	·69	·06		8
9	—	·06	·10	·11	—	—	—	·05	—	·01	·78	·04		9
10	—	—	·59	·27	—	—	—	·17	—	·34	·10	·01		10
11	·30	—	·22	·45	—	—	—	·08	—	·01	·36	·15		11
12	·01	—	·07	·16	—	—	·27	·01	—	·01	·01	·05		12
13	·25	—	—	·03	·16	—	·12	·02	·01	·17	·01	·07	·01	13
14	·26	—	·31	—	·06	·03	—	—	—	·41	·13	·05		14
15	·71	—	·55	—	·79	—	·01	·08	·06	·01	·03	·15		15
16	·37	—	·18	—	·26	—	—	—	—	·01	·08	·15		16
17	·44	—	·35	—	·14	—	·24	—	·11	·04	—	·22		17
18	·38	—	·31	·03	·42	·21	—	·02	·01	tr	—	·25		18
19	—	·01	·34	·03	·05	·35	—	·02	·15	·09	—	·02		19
20	·01	—	·03	·10	·28	—	—	·08	·06	·05	·01	—		20
21	·01	—	—	·01	·07	·47	—	·05	·05	·10	—	·01		21
22	—	—	·01	—	·01	—	—	·18	·38	·17	—	·01		22
23	—	—	·05	·41	—	·01	·41	·01	—	·14	·04	·14		23
24	—		·04	·09	—	·09	·03	—	·32	·04	—	·02		24
25	·09	·07	—	·06	·01	—	·46	—	·22	·34	—	·35		25
26	·29	·06	·04	·27	—	·10	·30	—	·23	·05	·06	·08		26
27	·01	—	—	·21	—	·29	·55	—	·04	·72	·02	·23		27
28	—	·04	—	·16	—	·04	·14	·11	—	·16	—	·41		28
29	—	—	·09	—	—	—	·09	·21	·32	·06	—	·13		29
30	·12	×	—	—	—	—	·14	·17	·09	·34	—	·37		30
31	·02	×	—	×	—	×	·21	—	×	·02	×	·15		31
TOTAL	4.13	·30	4.14	2.65	3.09	2.11	2.97	2.74	2.28	5.29	2.74	5.62	Year's Total. 38.06	
* Days with .01 in. or more.	21	8	24	20	15	12	13	21	18	29	19	30	230	
* Days with .04 in. or more.	14	5	20	13	13	10	11	15	15	22	11	23	172	

† Spare column, no entries required.

(*Signed*) J. Woodhead

40-9999

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 3200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at "Inglewood" Slaithwaite
in the County of Yorks W.R.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 546 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
·01

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·38	·24	·15	·05	—	·02	·03	—	·01	·75	·08	·57		1
2	·01	·07	·01	—	—	·20	·02	—	·03	·21	·07	·16		2
3	·05	·65	·07	·11	—	·02	·40	—	·20	·01	·18	·21		3
4	—	·01	·02	·03	—	·04	·16	—	·34	·52	·01	·02		4
5	—	·72	·14	·19	—	·16	·08	—	·08	·03	·07	·14		5
6	·06	·01	—	·05	—	·32	—	—	—	—	·01	·01		6
7	·01	—	—	·07	—	·53	—	—	—	·51	·45	·22		7
8	·01	—	—	·11	—	·01	—	—	—	·33	·04	·29		8
9	·01	—	·02	·49	—	·17	—	—	—	1·93	·10	·01		9
10	—	·04	·03	·52	—	·01	—	—	—	·69	·24	—		10
11	·78	·17	—	·01	—	·13	—	·01	—	·34	·23	·13		11
12	·01	·19	—	—	—	·47	—	—	·05	·01	·01	·02		12
13	·06	·06	—	—	·24	·03	—	—	·14	·09	·03	—		13
14	—	·02	—	·17	·13	·05	—	—	·16	·01	1·01	·12		14
15	—	1·61	—	·39	·07	·01	—	—	·36	·18	·17	·41		15
16	·01	·54	·13	·45	·09	·17	·17	—	·68	·01	·53	·01		16
17	—	·12	·01	·46	·36	·39	·18	—	·60	·04	·71	—		17
18	·02	—	—	·12	·02	·16	·03	—	·41	·75	·04	—		18
19	—	·11	—	·32	—	·19	·21	—	—	·25	·32	—		19
20	·01	·61	—	·33	—	·07	·04	—	—	—	1·04	—		20
21	—	·52	·01	·02	—	—	—	·09	·62	·16	·23	·13		21
22	—	·16	·36	—	—	—	—	—	·05	—	·61	—		22
23	·03	·01	·93	·31	—	—	—	·75	·02	·39	—	—		23
24	·57	·68	·01	—	—	—	—	—	1·51	·04	—	·10		24
25	·23	·10	·25	—	—	·13	—	—	·01	·01	·14	·08		25
26	·01	—	—	—	—	—	·07	—	·25	·73	·29	·19		26
27	—	·13	—	—	—	·07	·49	·80	·52	1·12	·56	·17		27
28	·02	·01	—	—	—	·01	—	—	·07	·49	·10	·06		28
29	·01	×	—	—	—	—	—	·07	·26	·79	·18	·10		29
30	·05	×	·08	·02	→	·23	—	·01	·28	·90	1·05	·06		30
31	·04	×	·01	×	—	×	—	·06	×	·59	×	·35		31
TOTAL	2·35	6·78	2·23	4·22	·91	3·59	1·88	1·79	6·65	11·88	7·90	3·56	Year's Total. 53·74	
* Days with .01 in. or more.	21	23	16	20	6	24	12	7	22	28	28	23	230	
* Days with .04 in. or more.	7	18	8	16	5	17	9	5	18	22	23	18	166	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Jas Woodhead

[P.T.O.]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at "Inglewood" Slaithwaite
in the County of Yorks. W. R
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 546 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	·06	·05	·78	—	—	—	·25	·06	—	·10	·60		1
2	—	·05	·06	·05	—	1·38 ~~tr~~	·01	·60	—	—	·02	·16		2
3	·04	—	—	—	—	·45	·01	·18	·57	—	—	·18		3
4	·30	·09	·13	—	—	·02	·01	·13	·48	·01	·21	·62		4
5	·08	·01	·65	—	·04	tr	—	·25	·34	·03	·02	·48		5
6	·15	—	·03	—	·03	·02	·17	·31	·75	—	·13	—		6
7	·07	—	·04	—	·01	—	·30	—	1·30	·01	·14	·16		7
8	·29	—	·10	—	—	—	—	—	·01	·01	·67	·08		8
9	·34	—	·04	—	tr	—	·01	—	·45	·02	1·28	—		9
10	·16	—	·01	—	—	—	·36	—	·01	·01	1·38	—		10
11	—	—	—	·05	—	·13	·18	tr	·05	—	·53	·01		11
12	—	—	—	·21	·04	·78	·41	—	·26	·05	·36	·04		12
13	·03	—	—	·11	tr	·12	·11	—	tr	·28	·01	·47		13
14	—	—	—	·17	—	·15	·07	—	·42	·13	·30	1·02		14
15	·21	[illegible]	·03	·17	·08	·12	·09	·13	·03	—	·69	·15		15
16	·11	·05	tr	·05	·01	tr	·08	tr	tr	·05	·81	·01		16
17	·12	·33	—	·01	·12	—	·04	·03	—	·85	·09	·28		17
18	—	·10	—	·01	—	·05	·12	·04	—	1·10	—	·04		18
19	·73	·25	·01	·01	—	·12	·15	·10	—	·18	—	—		19
20	·82	·07	—	·01	—	tr	—	tr	·03	·03	—	—		20
21	·07	·02	·01	·04	—	·01	—	—	—	·02	—	—		21
22	·16	·73	·03	·01	·03	1·83	·12	—	—	—	—	·05		22
23	—	·01	·28	·13	·12	tr	·52	·02	—	·05	—	tr	tr	23
24	·19	·07	—	·07	·33	—	·03	·02	·15	·81	—	·05		24
25	·16	—	·07	·06	·01	·01	·08	—	·53	·35	·01	·03		25
26	·02	·26	·56	·02	—	—	·02	—	·08	·73	·01	—		26
27	·83	—	·02	—	—	—	—	—	·10	·31	·03	—		27
28	·32	·77	·05	—	—	—	·25	—	—	—	—	·11		28
29	·10	·36	·89	—	·03	·57	·01	—	—	·06	·15	·11		29
30	·15	✕	·01	—	·41	·01	·26	—	—	·98	·22	·04		30
31	·02	✕	·06	✕	·03	✕	·04	—	✕	—	✕	·41		31
TOTAL	5·48	3·23	3·13	1·96	1·29	5·77	3·42	1·56	5·62	6·07	7·16	5·10	Year's Total 49·79	
* Days with .01 in. or more.	25	16	21	18	14	16	25	12	18	22	21	22	23	✓
* Days with .04 in. or more.	21	13	13	12	7	11	18	8	14	14	15	19	165	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Jas Woodhead

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Inglewood Slaithwaite

in the County of Yorks WR

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 546 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓ ·01

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·17	·13	·08	—	—	—	·01	—	·34	—	·02	·18		1
2	·50	·37	·12	·20	—	—	—	—	·01	—	·01	·15		2
3	tr	·11	·01	·11	·06	·53	·01	—	·02	—	—	·03		3
4	·56	·02	·14	·21	·17	·02	·01	·02	—	—	—	·32		4
5	1·56	tr	·13	·01	—	—	·02	—	—	—	·01	·05		5
6	·22	tr	·18	·01	·02	—	·13	·26	—	·02	·07	·41		6
7	·11	·45	·01	·33	·08	·05	·01	—	·14	—	·06	·05		7
8	—	·74	—	·09	—	·05	·11	—	—	tr	·04	·08		8
9	—	·21	·08	·08	·39	—	·16	·19	—	—	—	·03		9
10	·02	·13	·01	—	·03	·02	·01	—	—	·01	·04	·46		10
11	tr	—	1·45	—	·50	—	—	—	—	—	—	·07		11
12	·14	·18	·15	—	·20	·16	·04	·08	·21	—	—	·24		12
13	tr	·03	·01	—	·02	·53	—	·11	·01	—	—	·10		13
14	—	·10	·07	—	—	·01	—	·11	·09	—	—	·16		14
15	·32	·50	—	·20	—	—	1·03	—	·06	—	—	·08		15
16	·15	·72	·19	·52	—	·01	—	·14	·17	—	·01	·02		16
17	·05	·02	·28	·13	—	·09	—	·03	·39	—	—	·01		17
18	·73	·23	·25	·03	—	·01	—	·10	·19	—	·52	—		18
19	·13	·19	·01	·10	—	·14	·06	·05	·01	—	·62	—		19
20	·08	·44	—	·11	·67	·03	·05	—	—	—	·01	·07		20
21	·06	·12	·05	·05	·01	—	·38	—	—	—	—	·12		21
22	·04	—	·33	·04	·03	—	·27	—	—	·22	·31	·07		22
23	·15	—	·01	—	·11	—	·34	—	—	·92	·57	—		23
24	·19	·26	·22	—	·02	—	·02	—	·06	·30	·01	·04		24
25	·14	·68	·01	—	—	—	tr	·12	·03	·18	·01	—		25
26	—	·32	·13	—	·27	—	—	·01	tr	·01	—	·02		26
27	—	·85	—	·19	—	—	—	—	—	·72	·01	·02		27
28	·02	·46	—	—	—	·03	—	—	—	·15	—	—		28
29	·06	×	—	—	—	·04	—	—	—	·08	·05	·01		29
30	·32	×	—	—	—	·18	—	·15	—	·05	·48	·05		30
31	·38	×	—	×	—	×	—	·08	×	·15	×	·01		31
TOTAL	6·10	7·26	3·92	2·41	2·58	1·90	2·66	1·45	1·73	2·81	2·85	2·85	Year's Total 38·52	~~38·52~~
* Days with .01 in. or more.	23	23	23	17	15	16	17	14	14	12	18	26	218	~~218~~ ✓
* Days with .04 in. or more.	21	20	16	14	9	9	10	11	9	9	10	18	~~156~~	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Jas Woodhead [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Inglewood Slaithwaite

in the County of York W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 546 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·11	–	·03	·01	1·11	·02	·14	–	·06	·36	·45		1
2	·12	·11	–	·59	·09	·23	·02	trace	–	1·56	·15	·46		2
3	·04	·01	–	·01	–	·02	·04	–	·15	1·88	·20	·01		3
4	·07	–	–	·05	–	·03	·36	·91	·01	·88	·37	·96		4
5	·01	·03	–	·02	–	·05	·24	·60	·04	·87	·02	·13		5
6	·32	·02	–	–	–	·04	·50	·44	·01	·34	·01	·02		6
7	·47	·01	–	–	–	–	·35	·03	·42	·80	–	–		7
8	·38	–	–	–	–	–	·35	trace	–	1·13	–	·19		8
9	·17	·52	·17	–	–	·21	·13	·09	–	·17	–	·41		9
10	·01	·05	·01	–	–	·06	·46	·01	trace	·14	trace	·06		10
11	·22	·06	–	–	–	·01	·25	·04	·01	·16	·05	·09		11
12	·28	·01	–	–	·15	–	·01	·02	–	1·05	·19	·01		12
13	·03	·01	–	–	trace	trace	·02	trace	·21	·67	·28	·09		13
14	·42	·02	–	–	·03	–	·14	–	·10	·03	·05	·01		14
15	·65	trace	·02	–	·04	–	·24	·24	trace	·08	·01	·26		15
16	1·00	–	·11	–	·09	–	·34	·43	–	·04	·04	·09		16
17	–	·01	–	–	·29	–	·10	·24	·03	·44	·02	·01		17
18	·23	trace	–	–	·10	·11	·01	·46	·32	·60	·35	·01		18
19	·01	–	–	–	trace	·02	–	·39	·03	–	·01	·34		19
20	·21	–	·02	–	–	–	–	·03	·01	–	·48	·05		20
21	·01	–	·06	–	–	–	–	·02	–	–	·03	·09		21
22	trace	·01	–	·04	–	·23	–	–	–	–	·25	·07		22
23	·01	trace	–	·01	·23	·37	–	trace	·14	–	·90	·01		23
24	·29	·02	·30	–	·06	·08	·56	·55	·05	·01	·26	·02		24
25	·34	·20	·09	–	–	·03	·02	trace	trace	·36	·78	·02		25
26	·45	·51	·12	–	·02	·17	·01	–	·21	·27	·18	·04		26
27	·32	·28	·01	–	·87	·64	·25	·23	·03	·01	·41	–		27
28	·46	·20	·16	–	·50	·67	·04	·27	·21	–	·05	·07		28
29	·09	–	·25	–	1·52	·18	·07	–	·01	·05	·21	·27		29
30	·32		trace	–	·03	·04	·01	–	·27	·02	·37	·15		30
31	·46		·02		·36		–	–		·47		·57		31
TOTAL	7·40	2·19	1·34	·75	4·39	4·30	4·54	5·14	2·26	12·09	6·03	4·96	Year's Total 55·39	✓
* Days with .01 in. or more.	29	19	13	7	16	20	25	19	19	25	26	29	247	✓
* Days with .04 in. or more.	22	9	8	3	12	15	17	14	11	21	20	20	172	✓

† Spare column, no entries required.

(Signed) Jas Woodhead

* See Instruction 3 (f) on other side.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Inglewood Slaithwaite

in the County of Yorks. W. Riding

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 546 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: none

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	—	·36	·03	—	—	·02	·16	—	·02	—	·72		1
2	·05	—	·01	·10	—	—	·54	·24	·95	·07	·06	·10		2
3	·15	—	tr	·17	—	—	—	·26	·01	tr	·08	·92		3
4	·20	·01	·33	·78	—	—	·56	—	—	·23	·03	·71		4
5	—	—	·01	·01	·12	—	·20	·09	—	·66	·55	·09		5
6	·36	·21	·03	—	·01	—	·46	—	—	·01	·08	·01		6
7	·20	·23	·61	—	·30	—	·09	—	—	·03	·20	·25		7
8	·55	·22	·27	tr	—	—	1·03	·01	—	·05	·48	·37		8
9	·15	·61	—	—	—	—	·07	·49	—	·29	·10	·55		9
10	·58	·01	—	—	—	·13	—	·28	·50	·03	·01	·01		10
11	·29	·06	·17	—	·01	·40	—	—	·01	·02	·01	·02		11
12	·41	·34	—	—	—	·10	—	—	·01	·01	·06	tr		12
13	·06	·01	·02	·32	·04	·11	·03	—	—	·10	·04	—		13
14	·77	—	·05	·10	·31	·25	·09	—	—	·02	·21	—		14
15	·16	·10	·04	·54	·34	·46	·50	—	·04	tr	·10	—		15
16	·20	·01	·03	·07	·48	—	·08	—	tr	—	·04	—		16
17	·92	·31	·02	·06	·11	·06	·15	—	—	·31	·04	—		17
18	·21	·24	·03	—	—	·26	·27	—	tr	·04	·87	—		18
19	·14	tr	·01	—	—	·03	·54	—	·01	·01	·01	·02		19
20	·01	—	—	—	—	·46	·54	·27	·04	—	—	·01		20
21	·06	·20	·68	·18	·09	·02	·03	·15	·09	—	—	—		21
22	·09	·40	·24	·03	—	—	·05	tr	·01	·01	·48	—		22
23	·01	·67	·02	·17	—	·05	·33	tr	—	·49	·17	·01		23
24	·01	·12	·04	·09	—	·03	—	·02	—	·02	·01	—		24
25	·67	·35	·03	·01	—	·05	—	·07	—	—	1·98	·03		25
26	·07	·07	—	—	—	—	—	—	—	·14	1·02	—		26
27	·12	·85	·44	—	—	·28	·01	·04	—	·27	·48	·04		27
28	·01	·08	·39	·07	—	·30	·44	—	—	·01	·65	—		28
29	—		·01	·01	—	·02	1·15	tr	—	·26	·54	—		29
30	—	✕	—	—	—	·15	·23	—	—	tr	·32	—		30
31	—	✕	·01	✕	—	✕	·22	·03	✕	·12	✕	—		31
TOTAL	6·59	5·10	3·85	2·74	1·81	3·16	7·63	2·11	1·67	3·22	8·62	3·86	Year's Total 50·36 ✓	
* Days with .01 in. or more.	27	21	24	17	10	18	24	13	10	24	27	16	231 ✓	
* Days with .04 in. or more.	23	17	12	12	8	14	20	10	4	13	22	9	164 ✓	

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) Jas Woodhead

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 3200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

1940

Kept at Inglewood Slaithwaite

in the County of Yorks W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 546 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	—	.16	—	.13	—	—	.01	—	.01	—	.45	.20		1
2	—	.01	—	.21	—	—	.06	—	—	—	.63	.12		2
3	.17	.11	—	.14	—	—	.04	—	—	.16	.07	.07		3
4	—	.11	—	.13	—	—	.12	—	—	.24	.25	.30		4
5	—	.07	—	—	.07	—	.05	—	—	.57	.15	.59		5
6	.07	.23	—	—	—	—	.05	—	—	1.12	.03	.07		6
7	.06	.19	—	.15	.17	—	.02	.22	.14	.02	.01	.01		7
8	.02	.01	—	.10	.01	—	.01	.05	.01	.17	.01	.20		8
9	—	—	.18	.01	—	—	.36	.35	.27	.63	1.19	.20		9
10	—	—	.02	—	—	—	.28	.57	—	.08	.81	.98		10
11	—	.10	.12	.04	—	—	.22	—	.01	—	1.65	.02		11
12	—	—	.67	—	—	.02	.04	.01	.55	—	.88	tr		12
13	—	.04	.47	—	—	—	tr	.05	.48	—	.02	.01		13
14	—	.04	.10	.45	.12	—	.24	.07	.12	.01	.03	.48		14
15	—	—	.01	.02	.01	.07	—	—	—	.05	.15	.04		15
16	.15	—	.03	.02	—	.01	.41	—	1.17	.42	.23	.07		16
17	—	—	.39	—	—	—	.49	—	.25	—	.30	.01		17
18	.22	.21	.25	.81	—	—	.15	.16	.26	.05	.07	.30		18
19	—	.13	.41	.10	—	—	.39	.01	.64	.06	.38	.01		19
20	—	.07	.10	.56	—	tr	.55	.59	.12	.19	.04	—		20
21	.05	—	.31	.02	—	.30	.07	.02	.04	.04	.93	—		21
22	—	.09	.02	—	.03	.09	—	.03	.20	.03	.01	—		22
23	—	.40	.02	.04	.02	—	.06	—	.07	.06	.14	.02		23
24	.54	.01	tr	.03	—	—	tr	tr	.01	.01	.01	.07		24
25	.10	—	—	tr	.01	.08	—	—	—	.04	—	.01		25
26	.82	.06	—	.01	02	.06	—	.01	—	.01	.04	—		26
27	.62	.68	tr	—	—	—	—	—	—	.01	.17	—		27
28	.42	.28	—	tr	.15	—	—	.09	—	—	—	.02		28
29	.08	—	.14	.07	.22	.12	.01	—	—	.01	—	.52		29
30	.22	✕	.01	.22	—	—	—	—	—	.40	tr	.26		30
31	.09	✕	.21	✕	—	✕	—	.05	✕	.67	✕	.14		31
TOTAL	3.63	3.20	3.46	3.26	.83	.75	3.63	228	4.35	5.05	8.65	4.72	Year's Total 4381	
* Days with .01 in. or more.	15	20	18	20	11	8	21	15	17	24	26	25	220	
* Days with .04 in. or more.	14	17	12	14	5	6	17	10	13	17	19	17	161	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Jas Woodhead

[P.T.O.

3200/5

DEANHEAD RES.

1940

7 Vo602

Section **A** for the entr

AIR MIN

Station No. 3200/5

ALL ORGANIZATION

FORM 1090

REC

40

Kept at Deanhead Rese

in the County of Yorkshi

er and Manager,

,

Diameter of Funnel of Gauge.

Height of top of Gauge above

" Ground "

60/61/2C

THE MORNING MEAS

S DAY

An observer who does not confo

year in the space on the right

e following

Jan. 1, following

Date	Jan.	Feb.	Mar.								v.	Dec.		Date
	in.	in.	in.								in.	in.	†	
1									-	-	.61	.30		1
2									-	-	.87	.25		2
3									-	.16	.08	.16		3
4									-	.22	.26	.33		4
5									-	.79	.16	.75		5
6									-	1.15	.04	.08		6
7									.24	.06	-	-		7
8									-	.27	.03	.30		8
9									.39	.70	1.32	.25		9
10									-	.09	.91	.72		10
11									-	-	1.85	-		11
12									.78	-	.75	-		12
13									.36	-	.10	.08		13
14									.25	.01	-	.58		14
15									-	.02	.22	.10		15
16									1.66	.47	.23	.11		16
17									.26	.01	.58	-		17
18									-	.05	.07	.41		18
19									.70	.10	.47	.04		19
20									.26	.20	.23	-		20
21									.08	.05	.87	-		21
22									.40	.06	.01	.02		22
23									.10	.12	.23	.01		23
24									.01	.01	-	.08		24
25									-	.08	-	.01		25
26									.01	-	.07	-		26
27									-	-	.21	-		27
28									-	-	-	.04		28
29									-	.03	-	.80		29
30		✕							-	.46	-	.34		30
31		✕		✕		✕			✕	.85	✕	.09		31
TOTAL									5.50	5.96	10.17	5.85	Year's Total	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

up
mc
Calc
HR
8/8/45

* See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) James P. [illegible]

[P.T.O.

Section **A** for the entry of Daily Observations

Station No. 3260/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Deanhead Reservoir

in the County of Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 1007.05 ft.

J. P. Beveridge,
Waterworks Engineer and Manager,
24 Ramsden Street,
Huddersfield. § 660(61)26

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									-	-	.61	.30		1
2									-	-	.87	.25		2
3									-	.16	.08	.16		3
4									-	.22	.26	.33		4
5									-	.79	.16	.75		5
6									-	1.15	.04	.08		6
7									.24	.06	-	-		7
8									-	.27	.03	.30		8
9									.39	.70	1.32	.25		9
10									-	.09	.91	.72		10
11									-	-	1.85	-		11
12									.78	-	.75	-		12
13									.36	-	.10	.08		13
14									.25	.01	-	.58		14
15									-	.02	.22	.10		15
16									1.66	.47	.23	.11		16
17									.26	.01	.58	-		17
18									-	.05	.07	.41		18
19									.70	.10	.47	.04		19
20									.26	.20	.23	-		20
21									.08	.05	.87	-		21
22									.40	.06	.01	.02		22
23									.10	.12	.23	.01		23
24									.01	.01	-	.08		24
25									-	.08	-	.01		25
26									.01	-	.07	-		26
27									-	-	.21	-		27
28									-	-	-	.04		28
29									-	.03	-	.80		29
30		✕							-	.46	-	.34		30
31		✕		✕		✕			✕	.85	✕	.09		31
TOTAL									5.50	5.96	10.17	5.85	Year's Total	up mc calc HR, 8/8/45
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side. † Spare column, no entries required, except year's total.

(Signed) James P. Beveridge [P.T.O.

3201

Section A for the entry
AIR MINIST

FORM 1090.

REGIS

Kept at Bankfield, G

in the County of York

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

—

3201

HUDDERSFIELD
BANKFIELD GOLCAR
1931—40

780602

FOR OFFICIAL USE.
L ORGANIZATION.

following

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2	-	26	10	-	47	-	-	5	-	-	-	1
2	-	7	-	74	4	68	-	-	75	15	11	24	2
3	-	-	-	10	-	6	18	-	115	-	131	50	3
4	-	SNOW 6	-	43	-	-	13	-	140	6	1	40	4
5	-	-	-	-	19	103	5	11	5	9	-	43	5
6	-	23	SNOW 2	-	-	18	65	88	11	30	21	-	6
7	-	-	SNOW 1	-	-	66	3	75	-	30	13	12	7
8	SNOW. 4	17	SNOW 3	60	8	-	21	21	-	7	18	-	8
9	1	114	SNOW 13	16	-	19	-	34	-	2	25	-	9
10	7	17	-	-	12	15	-	14	23	-	24	-	10
11	28	90	-	-	-	9	4	-	-	-	48	-	11
12	-	41	-	-	-	-	130	-	1	20	12	-	12
13	-	5	16	-	9	2	5	4	-	-	-	-	13
14	12	40	-	-	5	68	9	84	-	-	54	5	14
15	18	20	-	5	1	1	22	50	-	-	-	9	15
16	64	23	-	42	27	46	8	77	15	-	-	-	16
17	-	12	-	43	-	7	29	20	-	-	5	-	17
18	16	2	-	28	-	40	30	20	-	1	42	-	18
19	10	16	-	1	-	-	-	34	5	11	-	-	19
20	-	25	-	5	-	3	-	33	-	-	6	-	20
21	25	SNOW 14	2	-	27	8	-	12	-	-	-	-	21
22	37	8	-	-	13	5	-	-	-	-	-	-	22
23	60	-	-	20	27	25	26	-	-	-	49	-	23
24	14	27	-	22	52	-	-	-	-	-	-	24	24
25	15	96	-	53	9	-	2	-	-	-	1	7	25
26	7	11	-	18	-	-	14	-	-	-	39	-	26
27	36	3	-	2	8	-	29	-	-	17	59	14	27
28	27	-	-	14	31	-	1	-	-	-	-	18	28
29	28	-	-	-	29	-	8	-	-	48	1	-	29
30	-	✕	-	8	9	-	-	-	-	-	-	-	30
31	48	✕	-	✕	11	✕	-	-	✕	2	✕	10	31 d
													YEAR'S TOTAL
TOTAL	4·59	6·17	63	4·74	3·01	5·56	4·42	5·77	3·95	1·98	5·60	2·56	48·98
*Days with ·01 in. or more.	~~20~~	~~22~~	~~7~~	~~19~~	~~18~~	~~19~~	~~20~~	~~15~~	~~10~~	~~13~~	~~19~~	~~12~~	~~194~~
*Days with ·04 in. or more.	18	20	3	17	17	16	17	15	9	10	16	12	170.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Maud J. R. Sykes. [P.T.O.

Section A **for the entry** 3201 FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Bank Field, Golcar.

in the County of Yorkshire.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground - ft 12 in.

,, Ground ,, Sea Level 400 ft.

d/yo

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2	-	26	10	-	47	-	-	5	-	-	-	1
2	-	7	-	74	4	68	-	-	75	15	11	24	2
3	-	-	-	10	-	6	18	-	115	-	131	50	3
4	-	SNOW 6	-	43	-	-	13	-	140	6	1	40	4
5	-	-	-	-	19	103	5	11	5	9	-	43	5
6	-	23	SNOW 2	-	-	18	65	88	11	30	21	-	6
7	-	-	SNOW 1	-	-	66	3	75	-	30	13	12	7
8	SNOW 4	17	SNOW 3	60	8	-	21	21	-	7	18	-	8
9	1	114	SNOW 13	16	-	19	-	34	-	2	25	-	9
10	7	17	-	-	12	15	-	14	23	-	24	-	10
11	28	90	-	-	-	9	4	-	-	-	48	-	11
12	-	41	-	-	-	-	130	-	1	20	12	-	12
13	-	5	16	-	9	2	5	4	-	-	-	-	13
14	12	40	-	-	5	68	9	84	-	-	54	5	14
15	18	20	-	5	1	1	22	50	-	-	-	9	15
16	64	23	-	42	27	46	8	77	15	-	-	-	16
17	-	12	-	43	-	7	29	20	-	-	5	-	17
18	16	2	-	28	-	40	30	20	-	1	42	-	18
19	10	16	-	1	-	-	-	34	5	11	-	-	19
20	-	25	-	5	-	3	-	33	-	-	6	-	20
21	25	SNOW 14	2	-	27	8	-	12	-	-	-	-	21
22	37	8	-	-	13	5	-	-	-	-	-	-	22
23	60	-	-	20	27	25	26	-	-	-	49	-	23
24	14	27	-	22	52	-	-	-	-	-	-	24	24
25	15	96	-	53	9	-	2	-	-	-	1	7	25
26	7	11	-	18	-	-	14	-	-	-	39	-	26
27	36	3	-	2	8	-	29	-	-	17	59	14	27
28	27	-	-	14	31	-	1	-	-	-	-	18	28
29	28	-	-	-	29	-	8	-	-	48	1	-	29
30	-	×	-	8	9	-	-	-	-	-	-	-	30
31	48	×	-	×	11	×	-	-	×	2	×	10	31 d
TOTAL	4·59	6·17	63	4·74	3·01	5·56	4·42	5·77	3·95	1·98	5·60	2·56	YEAR'S TOTAL 48·98
*Days with ·01 in. or more.	~~220~~	~~222~~	~~*7~~	~~219~~	~~x18~~	~~319~~	~~320~~	~~15~~	~~x10~~	~~312~~	~~219~~	~~12~~	~~194~~
*Days with ·04 in. or more.	18	20	3	17	17	16	17	15	9	10	16	12	170

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Maud J. R. Sykes. [P.T.O.

3201

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Bank Field. Golcar.

in the County of Yorkshire.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground – ft. 12 in.

,, Ground ,, Sea Level 400 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	63	5	-	23	51	-	17	6	81	40	13	15	1
2	91	-	-	-	49	-	-	-	110	4	20	30	2
3	10	-	-	-	-	-	15	-	8	-	4	21	3
4	2	2	-	-	-	-	-	-	2	-	9	-	4
5	100	-	21	55	4	-	2	-	10	-	-	-	5
6	114	-	22	64	12	-	2	-	9	-	-	-	6
7	10	-	65	39	2	-	-	-	29	25	1	-	7
8	-	-	-	13	4	-	-	-	16	36	-	-	8
9	32	SNOW 17	-	80	-	-	-	-	-	-	-	2	9
10	26	2	-	17	-	-	-	-	50	25	-	7	10
11	5	-	-	-	30	-	58	-	1	-	4	-	11
12	49	-	-	12	31	-	18	-	-	56	5	-	12
13	11	13	-	-	7	-	7	1	16	42	4	4	13
14	-	-	-	9	-	-	8	2	-	11	21	20	14
15	-	-	-	5	17	-	-	-	-	12	12	-	15
16	50	-	-	17	1	-	5	-	-	8	1	13	16
17	-	-	-	-	5	-	-	1	-	68	1	-	17
18	-	-	-	-	3	-	-	-	-	-	2	-	18
19	-	-	2	18	42	-	-	-	-	19	-	-	19
20	-	-	-	26	35	-	-	77	-	22	6	-	20
21	-	-	3	17	77	-	2	106	-	106	10	5	21
22	-	-	23	-	10	-	-	-	5	2	90	11	22
23	-	-	-	19	32	-	15	-	17	4	13	8	23
24	2	1	-	10	-	-	17	-	2	62	1	-	24
25	-	5	-	-	7	5	2	-	-	30	31	-	25
26	-	-	-	SNOW 23	50	-	27	-	1	7	33	-	26
27	-	-	24	17	60	9	30	-	-	-	-	-	27
28	-	-	18	20	16	-	29	6	-	-	5	6	28
29	-	-	51	9	13	2	13	11	17	54	22	15	29
30	-	×	14	-	-	10	2	-	7	4	35	9	30
31	-	×	21	×	2	×	36	-	×	-	×	8	31
TOTAL	5·65	·45	2·64	4·73	5·60	·26	3·05	2·10	3·81	6·27	3·43	1·74	YEAR'S TOTAL 39·73
*Days with ·01 in. or more.	14 ~~2~~	7 ~~3~~	11 ~~2~~	20 ~~7~~	24 ~~4~~	4 ~~1~~	19 ~~5~~	8 ~~3~~	17 ~~14~~	21 ~~1~~	23 ~~8~~	15 ~~7~~	186 ~~7~~
*Days with ·04 in. or more.	12	4	9	20	20	3	14	5	13	20	18	14	152

40-9999

(Signed) Maud J. R. Sykes. [P.T.O.

*See Instruction 2 (*f*) on other side.

3201

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No.** ~~3201~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Bank Field, Golcar.

in the County of Yorkshire.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground — ft 12 in.

" Ground " Sea Level 400 ft.

Days

J.S.Q. 25/1/34

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	52	-	-	-	-	-	-	-	-	15	-	1
2	48	-	30	11	-	-	-	-	-	-	-	-	2
3	2	28	12	-	24	-	-	-	-	-	-	-	3
4	24	22	17	-	26	-	-	19	-	-	-	-	4
5	21	19	13	-	8	-	-	-	-	-	-	-	5
6	-	12	28	-	18	-	-	-	-	-	-	8	6
7	15	23	1	-	23	-	-	-	-	113	-	-	7
8	18	15	3	9	7	-	49	-	-	-	-	12	8
9	-	67	-	8	1	-	45	-	-	72	-	-	9
10	-	9	-	-	-	-	10	-	-	93	-	-	10
11	-	-	-	-	-	8	48	5	-	59	-	-	11
12	-	-	-	-	-	20	10	-	-	2	-	5	12
13	68	-	2	-	27	3	8	1	-	17	23	-	13
14	66	-	-	-	10	-	5	1	24	-	17	-	14
15	-	-	7	-	-	-	1	14	-	24	57	-	15
16	SNOW 32	-	20	4	7	19	14	-	-	-	-	-	16
17	-	-	82	-	-	60	-	18	2	-	-	-	17
18	-	SNOW 19	30	-	2	45	-	1	-	-	26	-	18
19	-	SNOW 5	68	-	-	1	-	2	12	-	7	-	19
20	-	6	-	2	-	-	-	30	29	-	1	-	20
21	-	-	-	-	3	26	-	16	-	19	1	-	21
22	-	-	-	-	-	30	-	12	-	-	-	-	22
23	-	SNOW 19	-	5	-	-	-	5	33	-	-	-	23
24	-	SNOW 140	-	10	5	50	-	-	143	-	1	10	24
25	-	SNOW 160	-	11	-	-	-	-	8	-	-	-	25
26	-	SNOW 78	-	21	-	-	-	-	-	23	-	-	26
27	-	SNOW 5	-	1	27	-	-	-	1	6	-	-	27
28	-	-	-	3	-	-	-	-	-	8	-	-	28
29	-	-	-	13	1	-	1	-	-	1	-	-	29
30	-	×	-	-	8	-	52	-	-	27	-	30	30
31	115	×	7	×	-	×	12	-	×	17	×	-	31
TOTAL	4·23	6·79	3·20	·98	1·97	2·62	2·55	1·24	2·52	4·81	1·48	·65	YEAR'S TOTAL 33·04
*Days with ·01 in. or more.	11	17	14	12	16	10	12	12	8	14	9	5	~~140~~ 25
*Days with .04 in. or more.	10	17	11	9	12	8	10	8	6	12	6	5	114

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Maud J. R. Sykes.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Bank Field. Golcar.

in the County of Yorkshire.

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground - ft 12 in.

,, Ground ,, Sea Level 400 ft.

~~Days~~ ✓ alg

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17	1	-	-	-	-	-	13	-	1	10	12	1
2	-	-	12	-	-	-	-	9	8	-	-	16	2
3	5	1	-	-	-	-	-	2	4	7	-	1	3
4	14	-	37	17	3	-	-	-	-	90	-	89	4
5	-	-	10	-	6	-	-	27	-	44	-	27	5
6	-	-	23	4	61	13	-	20	-	10	-	41	6
7	44	-	18	5	-	23	-	-	-	16	25	28	7
8	-	-	1	-	9	17	-	6	-	16	52	5	8
9	-	10	SNOW 24	12	-	-	-	6	-	1	79	1	9
10	-	-	SNOW 50	25	-	-	-	17	-	19	10	1	10
11	32	-	12	57	-	-	-	-	-	-	20	10	11
12	-	-	7	5	-	-	41	-	-	-	-	4	12
13	28	-	32	-	18	-	8	2	-	13	-	-	13
14	17	-	27	-	-	5	-	-	-	25	12	6	14
15	70	-	39	-	73	-	-	5	8	7	-	19	15
16	43	-	14	-	32	-	34	-	-	-	9	4	16
17	34	-	33	-	13	-	-	-	-	7	-	22	17
18	44	-	26	9	32	19	2	2	-	-	-	19	18
19	-	-	31	20	4	19	-	2	32	8	-	-	19
20	-	-	1	8	25	2	-	7	6	2	-	-	20
21	-	-	-	-	9	30	-	4	9	-	-	-	21
22	-	-	12	-	-	-	-	16	29	22	-	-	22
23	-	-	-	32	-	-	38	-	-	10	-	15	23
24	-	5	-	9	-	7	-	-	22	2	-	-	24
25	-	-	-	8	-	-	39	-	20	32	-	30	25
26	21	-	-	32	-	7	16	-	21	16	8	-	26
27	-	-	-	19	-	52	39	-	-	54	-	26	27
28	-	-	-	18	-	22	30	8	2	15	-	44	28
29	-	-	10	-	-	-	5	29	29	-	-	10	29
30	11	×	-	-	-	-	19	35	6	32	-	59	30
31	-	×	-	×	-	×	19	-	×	4	×	12	31
TOTAL	3-80	-17	4-19	2-80	2-85	2-16	2-90	2-10	1-96	4-53	2-25	5-01	YEAR'S TOTAL 34-72
*Days with ·01 in. or more.	13-	42	202	16×	12×	12×	12×	18×	13×	24×	9-	243	[illegible]
*Days with .04 in. or more.	13	2	18	16	11	11	11	14	12	20	9	21	158

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Maud J. R. Sykes

P.T.O.

Section A

COPY FOR OFFICIAL USE.

for the entry of Daily Observations.

Station No. 3201.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Bank Field. Golcar. nr Hudd

in the County of Yorkshire.

Diameter of Funnel of Gauge — 6 in.

Height of top of Gauge above Ground – ft 12 in.

,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	32	20	15	8	-	2	10	-	2	71	9	60		1
2	-	8	-	-	-	19	-	34	5	19	8	17		2
3	-	56	7	-	-	1	31	-	19	-	14	15		3
4	-	-	8	-	-	8	17	-	17	73	6	8		4
5	2	69	10	-	-	18	5	-	8	-	-	-		5
6	7	-	-	33	-	30	-	-	-	-	-	-		6
7	2	-	-	9	-	45	-	-	-	47	47	13		7
8	-	-	-	27	-	-	-	-	-	22	5	25		8
9	-	-	1	48	-	18	-	-	-	189	11	-		9
10	80	1	-	62	-	-	-	-	-	66	16	-		10
11	SNOW 13	16	-	-	-	12	-	-	-	29	-	10		11
12	-	19	-	-	-	40	-	-	2	-	15	-		12
13	8	6	-	-	20	3	-	-	8	7	7	-		13
14	-	-	-	21	13	5	-	-	11	-	100	13		14
15	-	196	-	38	7	3	-	-	37	13	-	31		15
16	-	67	19	32	6	10	14	-	62	-	59	-		16
17	-	12	-	41	SNOW 36	46	18	-	60	-	65	-		17
18	2	-	-	11	2	13	6	-	37	82	-	-		18
19	-	12	-	25	-	15	21	-	-	18	33	-		19
20	-	57	-	37	-	6	-	-	-	-	97	-		20
21	-	40	-	1	-	-	-	7	54	13	14	7		21
22	-	SNOW 16	40	-	-	-	-	-	15	-	-	-		22
23	5	-	-	95	-	-	-	78	4	28	-	-		23
24	53	SNOW + RAIN 81	-	-	-	-	-	-	147	-	-	18		24
25	30	-	-	-	-	8	-	-	-	-	18	-		25
26	2	SNOW + RAIN 7	-	-	-	-	-	75	26	61	20	25		26
27	-	11	-	-	-	-	9	-	57	83	48	14		27
28	-	-	-	-	-	-	-	60	7	36	14	-		28
29	-	-	9	-	-	2	-	-	25	76	23	9		29
30	-	×	-	-	-	22	-	1	24	102	87	13		30
31	13	×	-	×	-	×	-	-	×	48	×	22		31
TOTAL	2·49	6·94	1·09	4·88	·84	3·26	1·31	2·55	6·27	10·83	7·16	3·00	Year's Total. 50·62	50·62
* Days with .01 in. or more.	13	18	8	15	6	21	9	6	21	20	22	16	~~16~~	~~175~~
* Days with .04 in. or more.	9	17	7	14	5	16	9	5	~~21~~ 19	20	22	16	~~175~~	159

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) Maud J. R. Sykes.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3201.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Bankfield. Golcar.
in the County of Yorkshire.

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground - ft 12 in.
,, Ground ,, Sea Level 400 ft.

Day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†		
1	-	7	9	68	-	133	-	-	6	-	5	70		1	
2	-	snow 3	4	5	-	30	-	2	-	-	-	14		2	
3	12	-	-	-	-	2	-	4	51	-	-	17		3	
4	23	12	10	-	-	-	-	38	54	2	18	61		4	
5	10	-	44	-	-	-	-	32	17	-	-	S+R 51		5	
6	10	-	-	-	3	-	16	17	83	1	-	-		6	
7	9	-	2	-	-	-	26	-	115	-	35	12		7	
8	25	-	17	-	-	-	-	-	45	-	60	-		8	
9	36	-	4	-	-	-	1	-	-	-	92	-		9	
10	-	-	-	-	-	-	33	-	-	-	113	-		10	
11	-	-	-	S. Rain 7	-	12	14	-	25	-	57	-		11	
12	-	-	-	20	5	75	46	-	19	5	28	9		12	
13	1	-	-	14	-	14	14	-	-	20	-	64		13	
14	-	-	-	21	-	10	6	-	43	6	20	96		14	
15	snow 28	-	-	21	6	8	3	14	1	6	64	8		15	
16	snow 4	5	-	3	3	-	7	-	-	-	86	9		16	
17	snow 14	38	-	-	21	-	4	-	-	87	-	27		17	
18	-	6	-	-	-	20	6	-	-	94	-	-		18	
19	snow 76	23	-	-	-	16	7	1	-	1	-	-		19	
20	36	11	-	-	-	-	-	-	-	-	-	-		20	
21	9	-	-	5	-	15	-	15	-	6	-	2		21	
22	-	79	9	-	7	-	33	-	-	-	-	6		22	
23	-	2	20	9	14	241	37	1	-	-	-	-		23	
24	21	6	7	7	34	-	3	-	-	90	-	3		24	
25	18	-	66	4	-	1	6	-	53	32	-	-		25	
26	36	21	-	-	-	-	-	-	8	71	-	-		26	
27	65	-	4	-	-	-	-	-	10	35	6	-		27	
28	22	98	10	-	-	-	79	-	-	-	-	8		28	
29	11	28	77	-	-	71	4	-	-	7	-	8		29	
30	10	×	7	-	44	-	20	-	-	98	20	5		30	
31	4	×	6	×	1	×	2	-	×	-	×	43		31	d
TOTAL	4·80	3·39	2·96	1·84	1·38	6·48	3·67	1·24	5·30	5·61	6·04	5·13	Year's Total. 47·84		✓ (47·84)
* Days with .01 in. or more.	22	14	16	12	10	14	21	9	14	16	13	19	~~23~~		180 ✓
* Days with .04 in. or more.	21	12	15	11	7	12	17	6	13	13	13	17	157		✓

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Maud J. R. Sykes.

[P.T.O.

X HUDDERSFIELD (BANK FIELD, GOLCAR) X

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3201

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

NR 1937 f673613/26

Jan + Feb totals est'd from nearby stations

Kept at Bank Field, Golcar
in the County of Yorkshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
,, Ground ,, Sea Level 400 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1			-	-	8	128	11	14	-	15	58	27		1
2			-	58	-	13	-	-	-	162	19	49		2
3			-	-	-	-	4	-	12	215	-	-		3
4			-	-	-	-	41	7	9	73	34	78		4
5			-	5	-	-	14	91	-	55	-	1		5
6			-	-	-	8	60	20	-	52	-	4		6
7			-	-	-	-	29	-	44	49	-	-		7
8			-	-	-	-	20	4	-	120	-	15		8
9			11	-	-	21	29	-	-	16	-	23		9
10			-	-	-	-	34	9	-	16	-	9		10
11			-	-	-	-	17	4	-	17	6	1		11
12			-	-	-	-	-	4	-	92	37	-		12
13			-	-	4	-	-	-	20	65	24	11		13
14			1	-	15	-	66	-	11	-	12	9		14
15			-	-	-	-	19	14	-	11	-	-		15
16			8	-	-	-	41	30	2	-	3	-		16
17			5	-	28	-	11	20	7	39	-	-		17
18			-	-	-	11	-	30	-	71	39	-		18
19			-	-	9	-	-	40	5	-	-	-		19
20			-	-	-	-	-	3	-	-	47	SNOW 20		20
21			-	-	-	-	-	10	-	-	5	-		21
22			-	-	-	22	-	-	-	-	20	20		22
23			-	-	17	20	-	-	20	-	96	-		23
24			30	-	3	7	-	46	-	-	15	-		24
25			-	-	-	-	63	-	8	40	90	-		25
26			7	-	-	44	-	-	22	21	13	-		26
27			-	-	77	41	20	44	11	-	36	-		27
28			10	-	86	66	4	21	8	-	-	13		28
29			-	-	152	14	-	-	-	-	28	22		29
30		✕	19	-	8	6	-	-	26	5	35	SNOW RAIN 22		30
31		✕	-	✕	39	✕	-	-	✕	54	✕	56		31
TOTAL	(6·60)	(2·00)	·91	·63	4·46	4·01	4·83	4·11	2·05	11·88	6·18	3·90	Year's Total ~~42·96~~	(51·56)
* Days with .01 in. or more.			~~1~~	~~0~~	~~1~~	~~0~~	~~0~~	~~1~~	~~1~~	~~0~~	~~0~~	~~2~~	~~6~~	Print
* Days with .04 in. or more.	(23)	(9)	7	2	11	13	17	17	13	20	18	15	~~133~~	(165)

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) J. R. Sykes

X MISS M. J. R. SYKES X

CB 3/3

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3200

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Bank Field, Golcar

in the County of Yorkshire

Diameter of Funnel of Gauge 4 in.

Height of top of Gauge above Ground - ft. 10 in.

„ Ground „ Sea Level 400 ft.

Observer left Bank Field 3/39 may continue later when settled in new house.

Letter sent 5/3/40 J.G.F. obs from new address

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	21	.	36											1
2	-	.	-											2
3	SNOW 30	.	-											3
4	SNOW 10	-	.											4
5	52	.	.											5
6	11	22	25											6
7	.	-	45											7
8	63	42	-											8
9	14	48	20											9
10	SNOW 123	.	-											10
11	S&R 35	150	10											11
12	37	-	-											12
13	-	-	5											13
14	81	-	1											14
15	23	20	40											15
16	19	1	.											16
17	109	5	1											17
18	21	.	7											18
19	13	-	3											19
20	1	30	9											20
21	5	2	10											21
22	.	-	35											22
23	-	1	.											23
24	.	2	.											24
25	40	7	14											25
26	26	10	.											26
27	-	20	33											27
28	-	40	-											28
29	13	6												29
30	1	✕												30
31	-	✕		✕		✕			✕		✕			31
TOTAL	7·48	4·06	2·94										Year's Total 14·48	
* Days with .01 in. or more.	22	16	16										[illegible]	
* Days with .04 in. or more.	20	12	13										45	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Maud J. R. Sykes [P.T.O.

3202

Section A for the entry

AIR MINIS

FORM 10

REG

1.

FOR OFFICIAL USE.

ALL ORGANIZATION.

3202

HUDDERSFIELD A.P.

RAVENSKNOWLE

1931 — 40

780602

Kept at Hudders

in the County of W.

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

„ Ground „ Se

THE MORNING MEA

Y.

An observer who does not conform

year in the space on the right of

following

Jan. 1, following

Date	Jan.	Feb.	Marc								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				·72									2
3											·73	·31	3
4									1·82				4
5								1·07					5
6													6
7						1·01							7
8													8
9		·75	·15										9
10													10
11													11
12							·72						12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23	·47												23
24					·48								24
25													25
26													26
27													27
28													28
29										·23			29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.64	3·99	0.43	3.67	2·53	4·90	2.80	4·71	4.17	1·06	3·94	1.46	YEAR'S TOTAL 36.30
*Days with ·01 in. or more.	22	24	9	19	19	17	20	15	13	12	21	17	208
*Days with ·04 in. or more.	15	19	6	13	13	13	15	13	7	7	16	8	145
40-9999	67·1	101·3	10·9	93·2	64·3	124·5	71·1	119·6	105·9	26·9	100·1	37·1	922·0

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

3202

Section | **A** | **for the entry**

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1

REGISTER OF RAINFALL IN 1931.

Kept at Huddersfield A. B.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2				·72									2
3											·73	·31	3
4									1·82				4
5								1·07					5
6													6
7						1·01							7
8													8
9		·75	·15										9
10													10
11													11
12							·72						12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23	·47												23
24					·48								24
25													25
26													26
27													27
28													28
29		×								·23			29
30		×											30
31		×		×		×			×		×		31
TOTAL	2.64	3·99	0.43	3.67	2·53	4·90	2.80	4·71	4.17	1·06	3·94	1.46	YEAR'S TOTAL 36·30
*Days with ·01 in. or more.	22	24	9	19	19	17	20	15	13	12	21	17	208 X
*Days with ·04 in. or more.	15	19	6	13	13	13	15	13	7	7	16	8	145
40-9999	67·1	101·3	10·9	93·2	64·3	124·5	71·1	119·6	105·9	26·9	100·1	37·1	922·0

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

3202

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

122

Kept at Huddersfield

in the County of W. R. Yorks.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2									·49				2
3												·28	3
4													4
5													5
6	·82												6
7			·43										7
8													8
9				·48									9
10		·13											10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21					·90			·83		·95			21
22											·51		22
23						tr							23
24													24
25													25
26													26
27						·03							27
28													28
29		×				·01							29
30		×				·15							30
31		×		×		×	·46		×		×		31 YEAR'S TOTAL
TOTAL	2·92	0·44	1·76	3·24	4·63	0·19	2·81	1·83	1·71	4·14	1·70	1·03	26·40
*Days with ·01 in. or more.	19	13	14	26	23	3	21	11	17	20	21	18	206
*Days with ·04 in. or more.	10	4	10	21	17	1	16	5	9	14	10	8	129
40-9999	74·2	11·2	44·7	82·3	117·6	4·8	71·4	46·5	43·4	105·2	43·2	26·2	670·9

(Signed) ....

P.T.O.

*See Instruction 2 (*f*) on other side.

3202

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Huddersfield A.

in the County of Yorks W.R.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7					·34					·95			7
8							·42						8
9													9
10													10
11													11
12													12
13													13
14													14
15	·66										·76		15
16													16
17			0.61										17
18													18
19													19
20													20
21								·31					21
22													22
23													23
24						·38			1.45				24
25													25
26		1.16											26
27													27
28													28
29				1.22									29
30		×										·14	30
31		×		×		×			×		×		31
TOTAL	2.54	5.51	2.00	1.78	2.07	1.67	1.43	0.72	2.17	3.56	1.58	0.46	YEAR'S TOTAL 25.49
*Days with ·01 in. or more.	15	17	15	12	16	12	13	11	10	17	17	11	166
*Days with ·04 in. or more.	11	16	9	5	10	8	8	6	5	13	8	4	103
40-9999	64.5	140.0	50.8	45.2	52.6	42.4	36.3	18.3	55.1		40.1	11.7	

(Signed) ....

*See Instruction 2 (*f*) on other side.

D

[P.T.O.

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

3202

Kept at Huddersfield A.P.

in the County of Yorks. W.R.

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4										·49		·82	4
5								·23					5
6					·37								6
7													7
8													8
9											·82		9
10													10
11				·47									11
12													12
13													13
14			·29										14
15	·40												15
16													16
17							·55						17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27		·05				·33							27
28													28
29									·36				29
30		×											30
31		×		×		×			×		×		31
TOTAL	2·16 ✓	0·12 ✓	2·57 ✓	2·22 ✓	1·41	1·07 ✓	1·58 ✓	1·00 ✓	1·37 ✓	2·46	17·78 1·82 ✓	3·77 ✓	YEAR'S TOTAL 21·55 ✓
*Days with ·01 in. or more.	17	6	18	15	14	11	12	14	13	24	14	25 ~~28~~	183 ✓
*Days with ·04 in. or more.	12	1	17	12	8	10	10	7	9	14	6	17	123
40-9999	54·9	3·0	65·3	56·4	35·8	27·2 ✓	40·1	25·4	34·8	62·5	46·2	95·8	

*See Instruction 2 (*f*) on other side.

(Signed)..............................

[P.T.O.

122

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** Station No. 3202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1935.

Kept at , Huddersfield P.P.

in the County of Yorks W.R

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 325 ft.

T. L 1

122.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1												·58		1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9										1·23				9
10														10
11	·64													11
12														12
13														13
14														14
15		·94												15
16														16
17					·33	·46								17
18														18
19														19
20											1·05			20
21														21
22														22
23			·41					·52						23
24									1·28					24
25														25
26														26
27							0·21							27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL	1·61	3·95	1·27	3·51	0·63	2·14	0·92	1·10	5·61	5·98	5·63	2·59	Year's Total 34·94	
*Days with ·01 in. or more.	19	21	11	19	6	19	13	5	19	24	25	19	200	
*Days with .04 in. or more.	8	16	9	15	4	16	8	3	17	18	19	14	145	

41·0 100·0

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

T.L.

Kept at Huddersfield (A.P.)
in the County of Yorks, W.R.
Diameter of Funnel of Gauge ______ in.
Height of top of Gauge above Ground ______ ft ______ in.
,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

· Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0·64										1
2						1·32								2
3														3
4														4
5														5
6									0·59					6
7														7
8														8
9														9
10											·75			10
11														11
12														12
13												165		13
14														14
15								0·30						15
16														16
17														17
18										0·65				18
19	0·67													19
20														20
21														21
22														22
23														23
24														24
25														25
26			0·64											26
27														27
28		0·66					0·47							28
29														29
30		X			0·43									30
31		X		X		X			X		X			31
													Year's Total.	
TOTAL	3·58	2·92	2·05	1·46	1·29	4·51	2·35	1·26	3·78	3·64	4·22	2·92	33·98	
* Days with .01 in. or more.	25	17	21	11	12	15	20	8	17	20	19	21	206	
* Days with .04 in. or more.	20	11	13	7	7	10	11	8	12	9	12	13	133	

40-9999

† Spare column, no entries required. 107·2

* See Instruction 2 (f) on other side.

(*Signed*) ______

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

TL. 122 ✓

Kept at Huddersfield (A.P.) (Ravensknowle)

in the County of Yorks, W.R.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ..... ft 11½ in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6								·16						6
7														7
8														8
9														9
10												·25		10
11			1·07											11
12														12
13														13
14														14
15							·99							15
16				·40										16
17									·76					17
18	·75													18
19											·57			19
20					·67	·50								20
21														21
22														22
23										1·01				23
24														24
25														25
26														26
27		1·25												27
28														28
29														29
30		X												30
31		X		X		X			X		X			31
													Year's Total	
TOTAL	3·86	5·65	2·60	2·42	2·37	1·59	2·09	·80	1·47	2·59	1·92	1·74	29·10 ✓	✓
*Days with ·01 in. or more.	23	22	20	18	13	13	13	10	9	11	12	24	188 ✓	✓
*Days with ·04 in. or more.	20	18	14	11	8	6	8	8	6	8	7	16	130 ✓	✓

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) .....

[P.T.O.

122

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Kept at Huddersfield (A.P. Ravensknowle)

in the County of Yorks W.R.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 11½ in.

,, Ground ,, Sea Level 325 ft.

T L

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						1.09								1
2				·23										2
3										1·64				3
4								·79						4
5														5
6														6
7									·41					7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16	·45						·58							16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24			·17											24
25											·71			25
26		·33												26
27														27
28														28
29					1·11									29
30		✕												30
31		✕		✕		✕			✕		✕	·54		31
													Year's Total	
TOTAL	4·12	·98	·48	·23	3·45	2·73	3·23	4·68	2·41	7·41	4·14	3·07	36·93	
* Days with .01 in. or more.	26	14	9	1	13	15	19	18	13	22	20	21	191	
* Days with .04 in. or more.	21	6	4	1	9	11	15	14	12	17	18	18	146	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3202

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

T.L.

Kept at Huddersfield (A.P. Ravensknowle)

in the County of Yorks W.R.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 11½ in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2									1·05					2
3												·46		3
4				·70										4
5														5
6														6
7														7
8							·93							8
9										·42				9
10														10
11						·78								11
12														12
13														13
14					·65									14
15														15
16														16
17	·90													17
18														18
19														19
20														20
21			·37					·29						21
22														22
23														23
24														24
25											1·05			25
26														26
27		·45												27
28														28
29														29
30														30
31														31
TOTAL	5·45	2·10	2·37	1·51	1·91	2·12	5·44	1·33	1·26	2·30	5·33	2·11	Year's Total 33·23	
* Days with .01 in. or more.	23	17	23	14	9	14	23	11	7	19	21	14	195	
* Days with .04 in. or more.	21	13	10	11	8	11	19	8	3	13	18	12	147	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

122

Section **A** for the entry of Daily Observations

Station No. 3202 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Huddersfield (A.P. Ravensknowle)

in the County of Yorks W.R.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 11½ in.

,, Ground ,, Sea Level 325 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6										·71				6
7														7
8														8
9											1·02			9
10												·49		10
11														11
12														12
13														13
14														14
15														15
16									·49					16
17			·42				·49							17
18				·67										18
19														19
20								·30						20
21						·22								21
22														22
23														23
24														24
25														25
26														26
27	84	·41												27
28														28
29					·25									29
30		×												30
31		×		×		×			×		×			31
	✓	✓	✓	✓		✓	✓	✓	✓		✓		Year's Total	
TOTAL	2·64	2·55	2·25	2·39	·59	·43	2·56	·80	2·46	3·69 ~~9·37~~	5·99	1·99	28·34 ✓	✓
* Days with .01 in. or more.	14	18	17	17	8	4	14	7	15	22	22	22	180 ✓	✓
* Days with .04 in. or more.	10	13	12	9	5	4	12	6	10	13	20	11	125 ✓	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

Section A **for the entry of Daily**

AIR MINISTRY.

FORM 1090.

REGIS

Kept at LANGLEY TE

in the County of Y

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

„ Ground „ Sea Le

THE MORNING MEAS

An observer who does not conform t

year in the space on the right of this

Records

3203

HUDDERSFIELD, LANGLEY TERRACE

1931 — 40

780602

FOR OFFICIAL USE.

NIZATION. 3203.

231.

— 73797/30

DAY.

following

...red to

...refer.

Jan, 1, following

Date.	Jan.	Feb.	March								Nov.	Dec.	Date.
	in.	in.	in.								in.	in.	
1								—					1
2					0.04								2
3	0.01									0.12			3
4				1.31			0.32						4
5									3.29			1.30	5
6						2.28							6
7		0.35	0.18								1.44		7
8								1.93					8
9					0.30								9
10	0.05									0.91			10
11				0.26			1.37						11
12									0.34			0.08	12
13						1.35							13
14		2.20	0.31								1.58		14
15								1.82					15
16					0.53								16
17	0.90									0.17			17
18				1.00			1.90						18
19									0.17			0.14	19
20						1.82							20
21		1.15	0.02								0.60		21
22								1.47					22
23					0.73								23
24	1.14									0.08			24
25				0.98			0.45						25
26									0.02			0.15	26
27						0.35							27
28		↑	Tr								1.31		28
29		1.29						—					29
30		X		0.33	1.22	—		—	—		·01		30
31	1.20	X	—	X	0.02	X	0.23	—	X	0.53	X	0.30	31
TOTAL	3.30	4.99	0.51	3.88	2.84	5.80	4.27	5.22	3.82	1.81	4.94	1.97	YEAR'S TOTAL 43.35
Days with ·01 in. or more.													
Days with ·04 in. or more.													

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) S. Morris Bower

P.T.O.

Section **A** for the entry of Daily

FOR OFFICIAL USE. 3203.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 19~~2~~31.

Kept at LANGLEY TERRACE, HUDDERSFIELD

File no 73797/30

in the County of YORK (W.R.)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 761 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Amount entered to last day of period to which they refer.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								—					1
2					0·04								2
3	0·01									0·12			3
4				1·31			0·32						4
5									3·29			1·30	5
6						2·28							6
7		0·35	0·18								1·44		7
8								1·93					8
9					0·30								9
10	0·05									0·91			10
11				0·26			1·37						11
12									0·34			0·08	12
13						1·35							13
14		2·20	0·31								1·58		14
15								1·82					15
16					0·53								16
17	0·90									0·17			17
18				1·00			1·90						18
19									0·17			0·14	19
20						1·82							20
21		1·15	0·02								0·60		21
22								1·47					22
23					0·73								23
24	1·14									0·08			24
25				0·98			0·45						25
26									0·02			0·15	26
27						0·35							27
28		↑	Tr								1·31		28
29		1·29						—					29
30		✕		0·33	1·22	—		—	—		·01		30
31	1·20	✕	—	✕	0·02	✕	0·23	—	✕	0·53	✕	0·30	31
TOTAL	3·30	4·99	0·51	3·88	2·84	5·80	4·27	5·22	3·82	1·81	4·94	1·97	YEAR'S TOTAL 43·35
Days with ·01 in. or more.													
Days with ·04 in. or more.													

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed) S. Morris Bower

[P.T.O.

WEEKLY GAUGE 3203

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 3203

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at LANGLEY TERRACE, HUDDERSFIELD

in the County of YORK W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 761 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·22			**1**
2	·97			·24			·11						**2**
3									1·23			·60	**3**
4						Tr							**4**
5			·13								·31		**5**
6		·04						·05					**6**
7					·95								**7**
8										·61			**8**
9	2·07			1·86			·17						**9**
10									·91			·09	**10**
11						nil							**11**
12			·67								·09		**12**
13		·36						·03					**13**
14					·62								**14**
15										1·21			**15**
16	·92			·44			1·02						**16**
17									·15			·28	**17**
18						nil							**18**
19			·03								·31		**19**
20		·01						1·07					**20**
21					1·47								**21**
22										2·08			**22**
23	·01			·77			·31						**23**
24									·15			·12	**24**
25						Tr							**25**
26			·28								1·33		**26**
27		·06						·67					**27**
28					1·56								**28**
29		·01								1·04			**29**
30	·02	×		·82		·33	1·01		·41		·40		**30**
31	Tr	×	·98	×	·26	×	·19	·21	×	·12	×	·27	**31**
TOTAL	3·99	0·48	2·09	4·13	4·86	0·33	2·81	2·03	2·85	5·28	2·44	1·36	YEAR'S TOTAL 32·65
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side,

(Signed)

[P.T.O.

Section **A** for the entry of Daily Observations. Weekly No 1 **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Station No. 3203

Gauge No 1.

Kept at LANGLEY TERRACE HUDDERSFIELD

in the County of YORK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 761 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·01			nil						1
2									·02			nil	2
3						·01							3
4		·90	·42								·20		4
5								·10					5
6					·80								6
7	·91									1·02			7
8				·12			·56						8
9									·01			·18	9
10						·09							10
11		1·06	·24								·11		11
12								·05					12
13					·55								13
14	·46									2·00			14
15				·04			1·20						15
16									·24			·08	16
17						·78							17
18		·13	1·06								1·04		18
19								·25					19
20					·22								20
21	·95									·46			21
22				·09			·31						22
23									·45			·02	23
24						1·29							24
25		3.26 (CORRECTED)	·54								·08		25
26								·62					26
27					·43								27
28	·01	·70								·48			28
29		×		·68			·06						29
30		×		·06		nil			1·23		·02	·26	30
31	·63	×	·04	×	·17	×	·39	·02	×	·32	×	Tr	31
TOTAL	2·96	6·05	2·30	1·00	2·17	2·17	2·52	1·04	1·95	4·28	1·45	0·54	YEAR'S TOTAL 28·43
Days with ·01 in. or more.													
Days with ·04 in. or more.													

40-9999

(Signed) [P.T.O.

Section **A** for the entry of Daily Observations. Weekly No 1

FOR OFFICIAL USE.
Station No. 3203

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 19~~2~~34.

Kept at LANGLEY TERRACE, HUDDERSFIELD
in the County of YORK (WR)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ Ground „ Sea Level 761 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1									Tr			·07	1
2						nil							2
3		·07	·08								·17		3
4								·50					4
5					·05								5
6	·20									1·30			6
7				·19			nil						7
8									·13			1·91	8
9						·48							9
10		·08	1·48								1·60		10
11								·65					11
12					·57								12
13	·77									·50			13
14				·85			·60						14
15									·08			·60	15
16						·07							16
17		·02	1·07								·40		17
18								·10					18
19					1·32								19
20	1·39									·68			20
21				·17			·38						21
22									·76			·43	22
23						·68							23
24		·04	·66								·04		24
25								·31					25
26					·24								26
27	·18									1·18			27
28		·04		1·12			1·40						28
29		X							·89			1·03	29
30		X		·03		·72			·04		·06		30
31	·16	X	·07	X	·01	X	·51	·66	X	·50	X	·26	31 W.
TOTAL	2·70	0·25	3·36	2·36	2·19	1·95	2·89	2·22	1·90	4·16	2·27	4·30	YEAR'S TOTAL ~~30·35~~ 30·55
Days with ·01 in. or more.													
Days with ·04 in, or more.													✓

Amounts entered to last day of period to which they refer.

(Signed) S. Morris Brown

P.T.O.

Weekly Gauge No 1

FOR OFFICIAL USE.

2

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~2~~35.

County No. York. WR.
River Dist. 8
Station No. 3203

Kept at HUDDERSFIELD (LANGLEY TERRACE) No 1.
in the County of YORK (W.R.)
by S. MORRIS BOWER

Lat. 53°39' N Long. 1°50' W
Time of Observation 9 am Sundays
Nearest Railway Station Longwood [in adjoining parish]
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 761' ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·04							1
2		·23	·15								·16		2
3								·01					3
4					nil								4
5	·32									1·64			5
6				·27			·57						6
7									·53			1·02	7
8						1·15							8
9		·96	·20								·70		9
10								nil					10
11					nil								11
12	1·00									2·83			12
13				1·26			·02						13
14									·26			·47	14
15						·85							15
16		2·53	·17								1·79		16
17								Tr					17
18					·84								18
19	·13									1·28			19
20				1·91			·60						20
21									2·33			·18	21
22						·97							22
23		1·12	1·10								1·78		23
24								·70					24
25					·02								25
26	·65									·94 ~~[illegible]~~			26
27				1·66			·33						27
28		·98 X							2·60			·77	28
29		~~·98~~	·23			·10							29
30		X		·02		·24			·46		1·69		30
31	·14	X	·02	X	nil	X	nil	1·14	X	2·82	X	·31	31
TOTAL	2·24	5·82	1·87	5·12	0·86	3·35	1·52	1·85	6·18	9·51	6·12	2·75	YEAR'S TOTAL 47·19
Days with ·01 in. or more.													
Days with ·04 in. or more													

Totals entered to last day of period to which they refer.

S. Morris Bower.

3203

FOR OFFICIAL USE.

AIR MINISTRY.

Form 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 19~~2~~36.

County No. ....
River Dist. ....
Station No. 3203

Kept at Huddersfield (Langley Terrace) No1
in the County of York (WR)
by S. Morris Bower

Lat. 53° 39' N Long. 1° 50' W.
Time of Observation 9h. G.M.T. (Sundays & and 1sts.)
Nearest Railway Station Longwood [In adjoining parish]
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 761 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·07						·17					1
2					nil								2
3										nil			3
4	·21			·62			·01						4
5									1·34			1·47	5
6						1·48							6
7			·62								·65		7
8		·29						·84					8
9					·06								9
10										·05			10
11	1·02			·08			·80						11
12									2·17			·20	12
13						1·04							13
14			·24								3·22		14
15		·10						·23					15
16					·14								16
17										·81			17
18	·43			·74			·99						18
19									·62			2·01	19
20						·44							20
21			·06								1·38		21
22		1·33						·26					22
23					·41								23
24										1·44			24
25	1·44			·20			·72						25
26									·94			·13	26
27						1·90							27
28			1·04								·05		28
29		1·35						Tr					29
30		X		nil	·78	·56			·13		·25		30
31	1·11	X	·64	X	·03	X	·93	nil	X	2·42	X	·47	31 W
TOTAL	4·21	3·14	2·60	1·64	1·42	5·42	3·45	1·50	5·20	4·72	5·55	4·28	YEAR'S TOTAL 43·13
Days with ·01 in. or more.													
Days with ·04 in. or more													

Readings entered to last day of period to which they refer

S. Morris Bower

Weekly Readings.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3203

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at HUDDERSFIELD (LANGLEY TERRACE) No1

in the County of YORK (W.R)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 761 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1					nil									1
2	·51									nil				2
3				·50			·01							3
4									·21			·54		4
5						·32								5
6		·53	·60								·05			6
7								·22						7
8					·32									8
9	1·58									·01				9
10				·52			·44							10
11									·11			1·14		11
12						·38								12
13		1·46	2·31								·12			13
14								·47						14
15					1·11									15
16	·33									·02				16
17				1·00			2 1·~~8~~2							17
18									1·18			·63		18
19						1·01								19
20		1·56	·57								1·02			20
21								·25						21
22					·78									22
23	1·15									1·10				23
24				·24			1·04							24
25									·11			·34		25
26						·07								26
27		2·34	·70								·82			27
28		·50						·27						28
29		X			·38									29
30	·65	✕		·19		·11			·04	2 1·~~4~~7	·24			30
31	·45	✕	Tr	✕	nil	✕	·03	·22	✕	·21	✕	·14		31
TOTAL	4·67	6·39	4·18	2·45	2·59	1·89	2·74	1·43	1·65	2·61	2·25	2·79	Year's Total 35·64	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

Amounts entered to last day of period to which they refer

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3203

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Huddersfield (Langley Terrace) No 1

in the County of Yorks W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 761 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	Tr									·06				1
2				·38			·22							2
3									·13			·56		3
4						1·25								4
5		·24	·01								1·24			5
6								1·26						6
7					·04									7
8	1·04									6·26				8
9				·01			1·65							9
10									·61			1·23		10
11						·30								11
12		·49	·08								·36			12
13								·30						13
14					·08									14
15	1·51									1·60				15
16				nil			1·61							16
17									·36			·34		17
18						·12								18
19		·05	·07								·71			19
20								1·21						20
21					·65									21
22	·93									·83				22
23				·04			·13							23
24									·33			·46		24
25						·38								25
26		·43	·48								2·48			26
27								·98						27
28		·35			1·73									28
29	1·37	X								·54				29
30		✗		nil		1·75	·81		·65		1·15			30
31	·70	✗	·25	✗	1·67	✗	nil	·37	✗	·56	✗	1·05		31
TOTAL	5·55	1·56	0·89	0·43	4·17	3·80	4·42	4·12	2·08	9·85	5·94	3·64	Year's Total 46·45	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

Amounts entered to last day of period to which they refer.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) S. Tomi Bowe

[P.T.O.

COPY FOR OFFICIAL USE WEEKLY READINGS ENTERED TO LAST DAY OF PERIOD.

Section A for the entry of Daily Observations **Station No.** 3203

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at LANGLEY TERRACE, HUDDERSFIELD No1.
in the County of YORK
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 761 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				0·04			0·02							1
2									0·71			0·60		2
3						nil								3
4		0·01	0·37								0·43			4
5								0·67						5
6					0·13									6
7	1·08									0·76				7
8				0·92			2·05							8
9									0·01			2·10		9
10						0·04								10
11		1·05	0·81								1·26			11
12								0·54						12
13					0·44									13
14	2·95									0·54				14
15				0·56			0·62							15
16									0·28			0·02		16
17						1·48								17
18		0·47	0·19								1·22			18
19								0·02						19
20					1·05									20
21	1·46									0·28				21
22				0·31			2·12							22
23									0·10			0·03		23
24						0·80								24
25		1·10	0·62								2·26			25
26								0·70						26
27					0·06									27
28	0·67	0·78								0·52				28
29		X		0·28			1·56							29
30		✕		Tr		0·66			nil		2·03	0·13		30
31	nil	✕	0·53	✕	nil	✕	0·28	0·06	✕	0·01	✕	nil		31
TOTAL	6·16	3·41	2·52	2·11	1·68	2·98	6·65	1·99	1·10	2·11	7·20	2·88	Year's Total 40·79	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

30.7.40

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Louis Bowe

[P.T.O.

COPY FOR OFFICIAL USE

123

Station No. 3205

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Huddersfield Oakes

in the County of Yorks. W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 761 ft.

T/L

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6										·92				6
7					·16									7
8														8
9														9
10												·60		10
11											1·12			11
12			·54											12
13														13
14														14
15														15
16									·89					16
17														17
18														18
19														19
20				·60			·52	·43						20
21						·30								21
22														22
23														23
24														24
25														25
26	·88													26
27		·53												27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
													Year's Total	
TOTAL	2·90	2·90	2·64	2·82	·65	·63	2·93	1·43	3·34	4·65	6·92	2·87	34·68	✓
* Days with .01 in. or more.	13	19	15	19	10	6	16	13	14	23	21	19	188	✓
* Days with .04 in. or more.	9	16	13	13	7	5	11	6	13	16	20	16	145	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

FORM 1090. B

3204

—

3204

HUDDERSFIELD
CROSLAND ROAD
1931 —— 34

780602

, The following register of mo
is required if daily or
cannot be given on the

n (especially if a change has
n its exposure), and also the

RAINFALL IN 1

NOTE.—Records taken in milli
be entered on Form

At Crosland Road

In the County of Yor

Rain Gauge.
Diameter of Funnel
Height of Top above Ground
Height of Ground above Sea Level

s register should be sent :—

Huddersfield

de 1° 50' W

...in Summer 10 am

1 m Direction S

½ m Direction E N E

Direction

Month.	Total Depth.	Greatest Fal in 24 hours.			
	Inches.	Inches.	Da		
JAN.	3·18				
FEB.	4·81				
MAR.	0·50				
APR.	3·90				
MAY	2·89				
JUNE	5·66				
JULY	4·35				
AUG.	5·07				
SEPT.	3·76				
OCT.	1·75				
NOV.	4·97				
DEC.	1·91				
Total	42·75				

Heights of objects	18-20 ft	17 ft		
Distances	30 ft	30 ft		
Directions	N	NE		

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in ***British Rainfall,*** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(*a*) Is it known that the gauge was empty at the beginning of the measured rainfall?
(*b*) What note was made of the times of beginning and end of this fall?
(*c*) When was the measurement made?

Signature S Morris Bower

M.O. 7
8 FEB 1932

D INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, *i.e.*, the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "total number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace."*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1926. *Price 1d. net.*

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birchin Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

Form 1090. **B** 3204

*** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.*

RAINFALL IN 1931

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Crosland Road, Huddersfield,

In the County of York

Rain Gauge.
Diameter of Funnel 4 in.
Height of Top above Ground 1 ft. 0 in.
Height of Ground above Sea Level 761 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.		
Jan.	3.18				
Feb.	4.81				
Mar.	0.50				
Apr.	3.90				
May	2.89				
June	5.66				
July	4.35				
Aug.	5.07				
Sept.	3.76				
Oct.	1.75				
Nov.	4.97				
Dec.	1.91				
Total	42·75				

Signature S Morris Bower

** Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible :—*

Name and Address to which any inquiry relating to this register should be sent :—
S Morris Bower
10, Langley Terrace, Oakes, Huddersfield

Latitude of Station 53° 39' N Longitude 1° 50' W

Hour of observation by the clock—in Winter 9 a.m. in Summer 10 a.m.

Nearest Railway Station Longwood Distance 1 m. Direction S

Nearest Parish Church Lindley Distance ½ m. Direction E N E

If gauge has been moved during the year state—

Date of move Distance Direction

Nature of objects nearest to gauge	Trees	Trees		
Heights of objects	18 - 20 ft	17 ft		
Distances	30 ft	30 ft		
Directions	N	N E		

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in ***British Rainfall,*** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

- (*a*) Is it known that the gauge was empty at the beginning of the measured rainfall?
- (*b*) What note was made of the times of beginning and end of this fall?
- (*c*) When was the measurement made?

M.O. 7
8 FEB 1932

D INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st ; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, *i.e.*, the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005 ; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "total number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace."*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London : Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses : Adastral House, Kingsway, London, W.C.2 ; York Street, Manchester ; 1, St. Andrew's Crescent, Cardiff ; or 120, George Street, Edinburgh ; or through any Bookseller. 1926. *Price 1d. net.*

Printed under the authority of His Majesty's Stationery Office by Waterlow & Sons Limited, Birchin Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

FORM 1090. **B** Monthly Summary. **C** Particulars of Station. 3204

*** *The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.*

RAINFALL IN 1932

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Crosland Road, Huddersfield. No 2.

In the County of York W.R.

Rain Gauge.
Diameter of Funnel 4 in.
Height of Top above Ground 1 ft. 0 in.
Height of Ground above Sea Level 761 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.		
JAN.	3·90				
FEB.	0·46				
MAR.	2·10				
APR.	4·07				
MAY	4·69				
JUNE	0·31				
JULY	2·75				
AUG.	2·04				
SEPT.	2·84				
OCT.	5·30				
NOV.	2·41				
DEC.	1·34				
Total	32·21				

Signature S. Morris Bower.

* *Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible :—*

Name and Address to which any inquiry relating to this register should be sent :—
S. Morris Bower.
Longley Terrace, Oakes, Huddersfield.

Latitude of Station 53° 39' W. Longitude 1° 50' W.
Hour of observation by the clock—in Winter 9 A. in Summer 10 A.
Nearest Railway Station [Longwood] Distance 1 mile Direction S
Nearest Parish Church Lindley Distance 1/3 mile Direction E.N.E.
If gauge has been moved during the year state— * in adjoining [illegible]
Date of move none Distance Direction

Nature of objects nearest to gauge	Trees	Trees		
Heights of objects	17-20 ft	17 feet		
Distances	30 ft	30 ft		
Directions	N	N.E. & E.		

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in *British Rainfall,* please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(*a*) Is it known that the gauge was empty at the beginning of the measured rainfall?
(*b*) What note was made of the times of beginning and end of this fall?
(*c*) When was the measurement made?

OK.

D INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st ; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, *i.e.*, the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005 ; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "total number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace."*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London : Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses : Adastral House, Kingsway, London, W.C.2 ; York Street, Manchester ; 1, St. Andrew's Crescent, Cardiff ; or 120, George Street, Edinburgh ; or through any Bookseller. 1926. *Price 1d. net.*

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birchin Lane, London, E.C.3.

(140ws) (335403) Wt. 9586/14345/631 Gp. 127 13000 9-26 W & S Ltd.

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals &c., is required if daily or weekly values are not given on the other side.

RAINFALL IN 1933

At CROSLAND ROAD, HUDDERSFIELD

In the County of YORK

Rain Gauge
Diameter of Funnel 4 in.
Height of Top above Ground 1 *ft.* 0 *in.*
Height of Ground above Sea Level 761 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches.	Inches.	Date.		
JAN.	2·91				
FEB.	5·97				
MAR.	2·26				
APRIL	0·98				
MAY	2·20				
JUNE	2·19				
JULY	2·56				
AUG.	1·06				
SEPT.	2·00				
OCT.	4·21				
NOV.	1·40				
DEC.	0·53				
Total	28·27				

Signature ST Louis Bowe

C Particulars of Station.

Station No. 3204

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
ST Louis Bowe
Langley Terrace,
Oakes,
Huddersfield.

Hour of observation by the clock—in Winter 9 am in Summer 10 am

Nearest Railway Station Longwood (in next township) Distance 1 mile Direction from gauge S

Nearest Parish Church at Lindley Distance 1/3 mile Direction from gauge ENE

Nature of objects nearest to gauge	Trees	Trees		
Heights of objects	18-20 ft	17 ft.		
Distances	30 ft	30 ft		
Directions from gauge	N	NE&E		

If gauge has been moved during the year state—

Date of move none Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

February record corrected for a heavy snow.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17/18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. *Price* 1*d.* net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(164) Wt.2398/185/162 14,000 5/29. Gp. 119/110.

40-9999

3204

FORM 1090.

B

Monthly Summary.

*** *The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.*

RAINFALL IN 19~~2~~34

NOTE.—Records taken in millimetres should be entered on Form 1091.

At CROSLAND ROAD, HUDDERSFIELD

In the County of YORK (W.R.)

Rain Gauge
- Diameter of Funnel 4 in.
- *Height of Top above Ground* 1 ft. 0 in.
- *Height of Ground above Sea Level* 761 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in or more
	Inches.	Inches.	Date.		
JAN.	2·51				
FEB.	0·21				
MAR.	3·12				
APR.	2·31				
MAY	2·20				
JUNE	2·01				
JULY	2·74				
AUG.	2·41				
SEPT.	1·91				
OCT.	3·61				
NOV.	2·05				
DEC.	4·03				
Total	29·11				

✓

Signature S. Morris Bower

C

Particulars of Station.

* *Every observer is requested to fill in this section (especially if a change has been made in the position of the gauge or in its exposure), and also the space for notes as far as possible :—*

Name and Address to which any correspondence relating to this register should be sent :—

S. Morris Bower.
Langley Terrace,
Oakes,
Huddersfield.

Latitude of Station .... Longitude .... Hour of observation Winter 9h Summer 10h

Nearest Railway Station Longwood (In next township) Distance 1 mile Direction S

Nearest Parish Church Lindley Distance 1/3 mile Direction E.N.E.

If gauge has been moved during the year state—

Date of move — Distance — Direction —

Nature of objects nearest to gauge	Trees	Trees		
Heights of objects	18-20 feet	17 feet		
Distances ...	30 feet	30 feet		
Directions...	N	NE & E		

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



If you know of any record of rainfall not quoted in ***British Rainfall,*** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

(b) *The raingauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

M.O.7
23 MAR 1935

(c) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "total number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace."*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London : Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses : Adastral House, Kingsway, London, W.C.2 ; 28, Abingdon Street, London, S.W.1 ; York Street, Manchester ; 1, St. Andrew's Crescent, Cardiff ; or 120, George Street, Edinburgh ; or through any Bookseller. 1925. *Price 1d. net.*

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

(*651) Wt. 10147—12525/772. 11,500. 12/25. T.S. 128.

3205.

HUDDERFIELD OAKES

1931 – 40

780602

Section **A** for the entry

AIR MINIST

FORM 1090.

REGIS

FOR OFFICIAL USE.

ORGANIZATION.

3205

12

Kept at *Huddersf*

in the County of *York*

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

An observer who does not conform … *following year in the space on the right of this paragraph.*

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	01	08	13		34			·04	03			1
2		04	02	·78	04	68			89	08	11	·47	2
3				07		06	17		1·21		·96	10	3
4		07		33			15	33	115	03		30	4
5		03			16	·98	04	74				35	5
6		25	03			21	1·02	01	02	33	20		6
7			02			83	01	63		40	13	07	7
8		07	03	09	06	02	24	18		04	16		8
9		·94	·12	16	07	24	01	25	10	02	22		9
10	02	13	08		07	13		14	02		17		10
11	08	65				11	06		18		45		11
12	04	27					101		01	16	06		12
13			10		09	02	05	12					13
14	03	01	01		05	70	10	·77			54	03	14
15	14	62		03	02	03	09	53			01	07	15
16	50	15		31	30	47	07	58	10				16
17	01	04		48	02	11	23	19			07		17
18	08	02		13		37	28	18		01	45		18
19	06	09		04		14	01	30	05	06		02	19
20		16		03				22			04	01	20
21	16	09		01	23	06		03					21
22	29	05			12		02						22
23	·56			12	·36	28	25		01		36	04	23
24	06	12		20	·36	01	02				01	06	24
25	11	63		58	07		15					03	25
26	08			11			01				38		26
27	24	17		04	08		15			17	55	10	27
28	30	31		13	28		01					14	28
29	15	X		01	34		05			34	01	01	29
30	01	X		07	09					01			30
31	28	X		X	02	X			X	01	X	05	31
TOTAL	3·22	4·92	0·49	3.85	2·83	5·79	4·20	5·20	3·78	1·69	4·88	1·85	YEAR'S TOTAL 42·70
Days with ·01 in. or more.	21	23	9	21	20	20	24	16	12	14	19	16	215
Days with ·04 in. or more.	16	19	4	17	17	16	17	14	8	8	16	11	163
40-9999	81·8	125·0	12·4	97·8	71·9	147·1	106·7	132·1	96·0	42·9	124·0	47·0	1084·7

(Signed)

P.T.O.

3205

Section **A** for the entry
AIR MINIST

FOR OFFICIAL USE.
ORGANIZATION.

125

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Huddersfield. Oakes.
in the County of Yorks. W. Riding.
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	01	08	13		34			04	03			1
2		04	02	·78	04	68			89	08	11	·47	2
3				07		06	17		1·21		·96	10	3
4		07		33			15	33	115	03		30	4
5		03			16	·98	04	74				35	5
6		25	03			21	1·02	01	02	33	20		6
7			02			83	01	63		40	13	07	7
8		07	03	09	06	02	24	18		04	16		8
9		·94	·12	16	07	24	01	25	10	02	22		9
10	02	13	08		07	13		14	02		17		10
11	08	65				11	06		18		45		11
12	04	27					101		01	16	06		12
13			10		09	02	05	12					13
14	03	01	01		05	70	10	·77			54	03	14
15	14	62		03	02	03	09	53			01	07	15
16	50	15		31	30	47	07	58	10				16
17	01	04		48	02	11	23	19			07		17
18	08	02		13		37	28	18		01	45		18
19	06	09		04		14	01	30	05	06		02	19
20		16		03				22			04	01	20
21	16	09		01	23	06		03					21
22	29	05			12		02						22
23	·56			12	·36	28	25		01		36	04	23
24	06	12		20	·36	01	02				01	06	24
25	11	63		58	07		15					03	25
26	08			11			01				38		26
27	24	17		04	08		15			17	55	10	27
28	30	31		13	28		01					14	28
29	15	×		01	34		05			34	01	01	29
30	01	×		07	09					01			30
31	28	×		×	02	×			×	01	×	05	31
TOTAL	3·22	4·92	0·49	3.85	2·83	5·79	4·20	5·20	3·78	1·69	4·88	1·85	YEAR'S TOTAL 42·70
Days with ·01 in. or more.	21	23	9	21	20	20	24	16	12	14	19	16	215
Days with ·04 in. or more.	16	19	4	17	17	16	17	14	8	8	16	11	163
40-9999	81·8	125·0	12·4	97·8	71·9	147·1	106·7	132·1	96·0	42·7	124·0	47·0	1084·7

(Signed)..........

[P.T.O.

3205

123

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Huddersfield. Oakes
in the County of Yorks. W. Riding
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	52	02		06	40		08	06	42	22	07	19	1
2	41			17	30		02		·71	06	12	10	2
3	05			01	11		14		08		08	·32	3
4	03			04	02		01			01	04	01	4
5	79	02	13	17	04				05				5
6	1·00	01	13	53	07		02		13				6
7	01		·52	28	01				21	24	02		7
8				08					02	27		01	8
9	23	·16	01	·69	03				12			05	9
10	16	04		13					36	20	01	02	10
11	02	03		02	27		·50		01		02		11
12	31		01	02	26		27			51	03		12
13	02	11	01	07	08		09	02	12	35	02	07	13
14	05			06			07	03		10	12	12	14
15				02	17					04	12	04	15
16	30			13	01		06			03	02	07	16
17				08			03	01	01	53			17
18					02						03		18
19			02	20	02			03		12			19
20			02	19	43			·96		22	05		20
21			23	01	·77		02	66		1·11	11	01	21
22			05	12	05		13	01	01	01	·73	07	22
23				15	26		09			04	05	04	23
24	01	01		04	01		19		13		03		24
25		04		07	05				04	54	13		25
26				19	53		09		05	27	25	[illegible]	26
27			25	19	40	10	33			01	02	01	27
28			14	16	21	01	32	08				01	28
29			31	08	22	02	05	10	15	20	20	14	29
30		×	09	07	01	·20	02	03	17	12	16	08	30
31		×	19	×	02	×	19		×		×	04	31
TOTAL	3·91	0·44	2·11	4·03	4·77	·33	2·72	1·99	2·79	5·20	2·43	1·40	YEAR'S TOTAL 32·12
*Days with ·01 in. or more.	15	9	15	29	27	4	21	11	18	22	23	19	213
*Days with ·04 in. or more.	10	4	10	24	18	2	15	5	14	18	14	13	147
40-9999	99·3	11·2	53·6	102·4	121·2	8·4	69·1	50·5	70·9	132·1	61·7	35·6	

(Signed).......... [P.T.O.

*See Instruction 2 (*f*) on other side.

3205

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

123.

Kept at Huddersfield (Oakes)
in the County of Yorks W.R.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 761 ft.

24

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	57							01		11		1
2	30	01	24	05		01					03		2
3	03	14	07		22						06		3
4	14	17	08		29			10					4
5	16	10	08		02		01				01		5
6	01	12	15		28		01					06	6
7	07	13	01		24		14			1·01		02	7
8	09	07	01	06	04		40					10	8
9		60		04	01		·45			55	04		9
10	03	06				09	15			97	05		10
11							32	02		36			11
12						25	09			07		02	12
13					28	02	06	01	23	04	16	02	13
14	32				07		03	02			12		14
15	33		03				08	09		21	·53	04	15
16	0·55		17	08	11	14	26			23	03		16
17	07		·58		01	36		10	02		17	01	17
18		16	24	01	03	33		02			05		18
19		02	53			01	05	01	06		02		19
20		04						11	01		02		20
21						20		·29	01	01	01	01	21
22					02	26		10		20.			22
23		11		12	02			12	34	01			23
24		94		13	06	·49			1·15		01	02	24
25		{2·15}		·16					05		01	03	25
26		65		14					01	16	02		26
27		04		01	·33				02	04			27
28	01	01		04			03		01	07			28
29	02	X		07	03		03			01		02	29
30	04	✕	02	06	13		31			24		·19	30
31	53	✕	01	✕		✕	08	02	✕	07	✕		31
TOTAL	2·84	{6·09}	2·22	0·97	2·19	2·16	2·50	1·01	1·92	4·25	1·45	0·54	YEAR'S TOTAL 28·14
*Days with ·01 in. or more.	17	19	14	13	18	11	17	13	12	17	18	12	181
*Days with ·04 in. or more.	12	16	9	11	11	8	12	7	5	14	9	4	118
40-9999	121	(154·7)	56·4	24·6	55·6	54·9	63·5	25·7	48·8	108·0	36·8	13·7	

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

24

Kept at Huddersfield (Oakes)
in the County of Yorks W.R.
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 761 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	10						[illegible]	10		03	01	06		1
2		01	08				[illegible]	35	06		13	15		2
3	03	02					[illegible]	05		04	01	11		3
4	09		31	14	03				06	·73		·91		4
5			09	01	03		[illegible]	28		26	03	13		5
6			09	02	47	09	[illegible]	09		17	01	37		6
7	27	·05	15	01	02	08					26	18		7
8	01		01		06	32	[illegible]	06		21	46	05		8
9		03	38	08	01		[illegible]	08		01	·72	03		9
10			·48	19			[illegible]	12		17	07			10
11	19		09	·55			[illegible]	02		01	15	08		11
12	02		05	02			·54	02				19		12
13	29		01	01	12		05	03	02	09				13
14	04		29		03	05				32	11	04		14
15	·50		24		·53			02	08	01	02	24		15
16	31		10		32					12	05	02		16
17	25		29		11		34		10	04	05	17		17
18	21		26	05	17	20		03				14		18
19			27	05	02	15		02	24	04		03		19
20			02	05	15	06		10	04	04		01		20
21	01			02	05	23		05	05	07		01		21
22					01	01		13	·32	10		08		22
23	01		08	29		01	32		01	09	03	04		23
24		03	01	08		06	02		16	03		02		24
25	03		02	11	02	01	30		18	23		25		25
26	13			28		12	18		19	20	04	06		26
27		04	02	17		·40	30		03	46	01	13		27
28				17		11	24	07		05		43		28
29		X	04	01			07	30	29	01		07		29
30	11	X		02			23	28	04	28		19		30
31	02	X		X	·	X	17		X	05	X	06		31
TOTAL	2·62	·18	3·38	2·33	2·15	1·90	2·76	2·20	1·87	3·86	2·16	4·25	Year's Total 29·66	
*Days with ·01 in. or more.	19	6	23	21	17	15	12	20	16	27	17	29	222	
*Days with .04 in. or more.	12	2	17	13	9	12	11	14	13	21	10	23	157	

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

40-9999

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

Daily No 5

FOR OFFICIAL USE.
Station No. 3205

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 19~~2~~34.

~~Duplicate~~

Kept at OAKES, HUDDERSFIELD
in the County of York (W.R.)
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 761 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

24 T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15				Daily Totals reported on Form 3202									15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2·62	0·18	3·38	2·33	2·15	1·90	2·76	2·20	1·87	3·86	2·16	4·25	YEAR'S TOTAL 29·66
Days with ·01 in. or more.	19	6	23	21	17	15	12	20	16	27	17	29	222
Days with ·04 in, or more.	12	2	17	13	9	12	11	14	13	21	10	23	157

(Signed)........................ [P.T.O.

123

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations.

Station No. 3205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

123

Kept at Huddersfield (Oakes)

in the County of Yorks W.R.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 761 ft.

24

T. L

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	†	
1	27	13	14	04		04	08		06	74	09	·58		1
2	01	09	03	01		20		01		18	07	19		2
3		32	05	05		03	22		19	01	13	04		3
4		02	07	05		08	17		10	63				4
5	03	60	09	09		18	08		17	01	03	05		5
6	04	01		04		24	02		01					6
7	02			10		41				30	40	08		7
8	01			27			01			16	06	22		8
9			02	43		18				1·64	08	02		9
10		02	01	41		03				32	15			10
11	0·88	13				20				21	08	05		11
12	03	14				35			01			02		12
13	07	10		01	11	02			18	05	04			13
14	01	06		22	12	04			08	01	81	15		14
15		1·51		38	04		03		21	10	02	19		15
16	01	55	18	28	07	20	08		58		69	02		16
17		10	20	36	0·38	0·46	13		65	03	47			17
18	02			11	04	10	13		34	83	02			18
19		12		24		14	23			16	29			19
20	01	53		36		05	01				·87			20
21		27		03				06	54	14	12	05		21
22		11	36						17	10	01			22
23	02		0·58	1·61				0.65	05	30				23
24	42	63	01						1·47	03		18		24
25	15	14	12			07					15	13		25
26	06	03					05	59	27	37	03	25		26
27		13				02	0·28	05	57	67	40	19		27
28	03	05						46	05	22	05	03		28
29	02	×	10					02	27	66	16	07		29
30	04	×		02		23		01	19	85	60	07		30
31	04	×	02	×		×			×	42	×	20		31
TOTAL	2·19	5·79	1·98	5·11	0·76	327	1·52	1·85	6.16	9·14	5·82	2·78	Year's Total 46·37	
*Days with ·01 in. or more.	21	23	15	21	6	21	14	8	21	26	25	21	222	
*Days with ·04 in. or more.	9	19	10	17	6	17	10	5	19	21	20	17	170	

135%

40-9999

*See Instruction 21(*f*) on other side.

† Spare column, no entries required.

M

(*Signed*) .... [P. T. O.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1935.

County No. Yorks W.R.
River Dist. 8
Station No. 3205

Kept at HUDDERSFIELD (OAKES)
in the County of YORK (W.R.)
by S. MORRIS BOWER

Lat. 53° 39' Long. 1° 50' W
Time of Observation 9 am G.M.T.
Nearest Railway Station ~~Longwood~~ [In adjoining parish]
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 761 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14				Daily readings reported on Form 3202.									14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.19	5.79	1.98	5.11	0.76	3.27	1.52	1.85	6.16	9.14	5.82	2.78	YEAR'S TOTAL 46.37
Days with ·01 in. or more.	*21	23	15	21	6	21	14	8	21	26	25	21	222
Days with ·04 in. or more	9	19	10	17	6	17	10	5	19	21	20	17	170

S. Morris Bower

COPY FOR OFFICIAL USE.

Section ◣ for the entry of Daily Observations. Station No. 3205

123

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Huddersfield (Oaks)

in the County of Yorks W.R.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 761 ft.

T.L.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		06	16	0·58			01	16	05		03	40		1
2		05	04	04		1·34		05	01		02	13		2
3	05		01			09		11	59			14		3
4	15	18	11		02	02		08	56		17	51		4
5	04	04	28		02	03		0·38	10	03	22	27		5
6	06	02	01		02		17	21	71		12			6
7	10		02				18	01	0·77	02	09	12		7
8	22		18				01			03	41	02		8
9	31	10	05						26	03	70			9
10	20						36		03	01	1.12			10
11				08		12	06		16		54			11
12				26	05	78	0·56		19	02	22	06		12
13				10		14	14		02	10	01	65		13
14				19		12	05		48	02	21	·76		14
15	24		02	15	10	05	05	23	05		55	19		15
16	13	04		02			05	01	01	03	79	03		16
17	04	34		01	26		06	02	01	63	03	28		17
18		03				08	04	02		75	01	02		18
19	0·62	26	02			18	03	19		04				19
20	21	08				01		02	03	03				20
21	07		02	03		14				01		04		21
22	16	62	07		07	1·74	36			01		04		22
23		02	21	08	10	01	28			02				23
24	22	12		05	0·34		02		24	58		04		24
25	16	02	12	03			01		56	62	02	01		25
26	08	15	49				01		11	53				26
27	61	02	03				01		11	35	03			27
28	24.	0·76	11		01		0·56		02			05		28
RP. 29	08	30	0·50		10	58	19			06	04	07		29
30	08	×	02		33	03	12			0·86	20	03		30
31	02	×	07	×	03	×	03		×		×	33		31
TOTAL	4·09	3·21	2·54	1·62	1·45	5·46	3·36	1·49	5·07	4·78	5·53	4·19	Year's Total. 42·79	
* Days with .01 in. or more.	23	19	21	13	13	17	24	13	22	22	21	22	230	
* Days with .04 in. or more.	22	5 14	13	9	8	12	16	8	15	10	14	17	157	

140·5

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

123

FORM 1090.

REGISTER OF RAINFALL IN 1937.

T. L.

Kept at Huddersfield (Oakes)

in the County of Yorks. W. R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 781 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	25	15	05				01		20		02	25		1
2	26	30	06	25	01						01	07		2
3	04 ~~05~~	08		28	09	30						01		3
4	30 ~~45~~	02	12	13	08	02		03			02	2 ~~21~~		4
5	·99		16	01			01					04		5
6	08		16	07	05		04	19	02	02	04	58		6
7	02	33	03	27	09	02			08		06	10		7
8		53	02	02		03	19				04	06		8
9		11	13	02	41		19	·25	02			03		9
10		10	03		02	04	01	03	02	02	03	25		10
11		01	1·85		53		03					10		11
12	13	26	12	01	14	29	01	03	22			22		12
13		03	07	01	01	·71		07				10		13
14		02	06			01		10	04			18		14
15	15	40		·40			1·29		05			10 ~~02~~		15
16	03	46	15	25				05	17			02 ~~01~~		16
17	04	03	20	32		11		03	·65			01		17
18	73	08	09	08				15	08		·50			18
19	06	15		03	02	21	06	02	02		·50			19
20	08	27	06	10	·73	08	05				02	10		20
21	06	08	06	02	01		28					11		21
22	03	02	28	01	02		18			18	29	07		22
23	19		06		07		46			·91	38			23
24	12	24	11		04		01		05	28	02	05		24
25	11	69					01	23	05	10	01	01		25
26	02	35	21		25			04		01		05		26
27	02	·97		19				02	02	60		03		27
28		47				04				18		02		28
29	03	X								07	02	01		29
30	37	X				06		08		03	20	05		30
31	44	X		X		X		14	X	20	X	01		31
TOTAL	4·55	6·15	4·08	2·47	2·57	1·92	2·83	1·46	1·69	2·60	2·16	2·84	Year's Total 35·32 ✓	✓
*Days with ·01 in. or more.	24	25	22	19	17	13	16	16	15	12	16	28	223 ✓	✓
*Days with ·04 in. or more.	18	19	19	11	11	9	9	10	10	8	8	19	151 ✓	✓

† Spare column, no entries required.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*).. [P.T.O.

123

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 3205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1

REGISTER OF RAINFALL IN 1938

Kept at Huddersfield (Oakes)

in the County of Yorks W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 761 ft.

T L

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		15			04	1·12	15			06	60	20		1
2	14	06		·38		10				127	21	40		2
3	06					01	04	[illegible]	13	1·91	15	01		3
4	07			01		02	35	33	01	48	18	52		4
5		01				03	08	68	12	52	02	09		5
6	28	02				03	·65	21	02	30	03	02		6
7	20	01					22	11	·48	50		03		7
8	35	04					21	03		111		17		8
9	05	·36	07			14	12	14	01	11		22		9
10	01	05	01			08	30	01		10	01	07		10
11	21	03				02	12	03		11	03	03		11
12	29				08			03		74	28			12
13	03	04					01	03	20	36	21	10		13
14	38	03					18		11	02	08			14
15	52		01		10		29	11		08	01	11		15
16	73		06		05		48	29		08	03	09		16
17	01	61			40		11	09	03	52	01	01		17
18	07				09	11		24	11	19	33	02		18
19	01				01			33	02	02		20		19
20	16		03					05	01		45	06		20
21			03					26			03	17		21
22				03		19					21	06		22
23				01	16	05			17	02	·90	03		23
24	34	02	·23		05	03	40	44	07	02	13	01		24
25	23	07	10			02	03	01	01	40	61	04		25
26	24	34	07		01	31	08		22	12	08			26
27	19	18			71	61	19	27	04	02	25			27
28	32	15	05		79	54	02	36	08		04	08		28
29	08	✕	19		1·24	13	03		01	01	20	14		29
30	19	✕	01		05	13			29	03	67	10		30
31	47	✕		✕	38	✕			✕	53	✕	·70		31
TOTAL	5·63	1·57	·86	·43	4·16	3·67	4·06	4·05	2·14	9·63	5·75	3·68	Year's Total 45·63	
* Days with .01 in. or more.	26	17	12	4	15	19	21	21	20	27	26	27	235	
* Days with .04 in. or more.	22	10	7	1	13	12	17	15	12	20	18	19	166	

† Spare column, no entries required,

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3205

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

T.L.

Kept at Huddersfield (Oakes)

in the County of Yorks. W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 761 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	17		22	04			02	02		01	01	·53		1
2	05		02	10			38	13	·71	06	06	07		2
3	17		02	21				·43		02	09	·53		3
4	13		15	·66			22	02		18	02	40		4
5			04	02	14		05	10		·44	59	08		5
6	64	18	02				35	01		01	07	01		6
7	07	15	·42		37		08			04	21	30		7
8	67	17	20				91			06	34	33		8
9	22	32	02				01	37		39	02	35		9
10	·61	02				04		15	23	02	01			10
11	30	18	15			·78				01				11
12	24	07			-	11			02		05	01		12
13		01	02	12	08	13	06			05	02			13
14	·81		03	05	·40	16	15			02	19			14
15	15	05	03	34	26	27	36		03		07			15
16	15	02	10	03	31		17		02		04			16
17	63	21	02	12	04	02	06			23	01			17
18	32	12	03			23	23			05	83			18
19	19	02				10	1·12	01						19
20	06					40	47	13	02					20
21	05	08	·42	13	06	03	02	30	06					21
22	07	44	15	01			08				38	01		22
23	01	36	03	14		06	10	01		18	18	01		23
24	03	10		09		01		02		01	01			24
25	26	22	01	01		08		25			1·53	10		25
26	09	04	01			01				09	70			26
27	10	·69	30			18		03		24	34	01		27
28	07	05	21	04		32	38				42			28
29		✕	02	01			102			20	36			29
30		✕				09	11			01	22			30
31		✕		✕		✕	13	05	✕	07	✕			31
TOTAL	6·26	3·50	2·64	2·12	1·66	3·02	6·48	2·03	1·09	2·39	6·77	2·74	Year's Total 40·70	
* Days with .01 in. or more.	26	21	24	17	8	18	23	16	7	22	26	14	222	
* Days with .04 in. or more.	24	17	11	12	8	14	20	9	3	14	19	9	160	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

123 [illegible]

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 123

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Huddersfield (Oakes) (New Site)

in the County of Yorks.

Diameter of Funnel of Gauge..................in.

Height of top of Gauge above Ground.........ft..........in.

,, Ground ,, Sea Level ....ft.

May onwards old site? Inc.

? Dup

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		19		13							33	09		1
2		01		23			03				62	04		2
3	07	14		13			03			13	05	02		3
4		18		17						18	35	23		4
5		04			06		07			50	19	45		5
6	03	30					03			92	02	07		6
7	04	17		06	16			14	15	02		01		7
8	01			07				04		12		10		8
9			09				30	19	10	61	93	10		9
10			01				30	39		04	52	60		10
11		12	09			02	15				112	05		11
12			·57				02		59		52			12
13		02	34	19				02	26		05			13
14		04	10	29	13		07	02	05	02		30		14
15				04						07	15	04		15
16	11	18	06				41		89	36	19	05		16
17			42		01		50		16	01	25			17
18	12	17	17	70			04	11	17	03	08	19		18
19		18	21	10			36	01	44	09	36	02		19
20		16	10	66			52	43	13	14	06			20
21	05		26	01		30	02		08	14	88			21
22		09	01		05	07		01	23	03				22
23		25	02	03	04		08		06	10	10			23
24	24			02					03	02				24
25	03					11				05				25
26	64	03			03	07		01			06			26
27	·84	·59			01						09			27
28	28	22		01	04			03						28
29			11	05	12	06				01		25		29
30	17	✕		17						35		17		30
31	09	✕	16	✕		✕		03	✕	71	✕	09		31
TOTAL	2·72	3·08	2·72	3·06	0·65	0·63	2·93	1·43	3·34	4·65	6·92 ~~[illegible]~~	2·87	Year's Total 35·00	
* Days with .01 in. or more.	14	19	16	18										
* Days with .04 in. or more.	11	16	13	14										

h.p
imp.
WH

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

3206

Section A **for the entry**

AIR MINIS

FORM 1090.

REG

FOR OFFICIAL USE.

LL ORGANIZATION.

I.

Kept at Moss Moor

in the County of W.R

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

An observer who does not conform
year in the space on the right of

Y.

following

Jan. 1, following

3206
LINSGREAVE MOSS MOOR
1931 — 40

780602

Date	Jan.	Feb.	Marc								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·05				1
2						1·68							2
3		·11									2·14		3
4								·02					4
5					·26								5
6	·06									1·20			6
7				1·24			·98						7
8									3·47			1·73	8
9						2·30							9
10		2·34	·18								1·39		10
11								2·22					11
12					·38								12
13	·88									·96			13
14				·53			1·24						14
15									·67			·20	15
16						2·04							16
17		1·62	·23								1·69		17
18								3·12					18
19					1·01								19
20	2·82									·06			20
21				1·12			1·42						21
22									·41			·03	22
23						1·40							23
24		1·47	·14								1·90		24
25								1·73					25
26					1·20								26
27	2·48									·27			27
28		1·87		1·26			1·57						28
29									·01			·56	29
30		×		·15					·06		1·75		30
31	1·12	×	·01	×	·52	×	·31		×	·80	×	·16	31
TOTAL	7·36	7·41	·56	4·30	3·37	7·42	5·52	7·09	4·67	3·29	8·87	2·68	YEAR'S TOTAL 62·54
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2(*f*) on other side.

(*Signed*) C. Clemesha Smith
Waterworks Engineer

P.T.O.

3206

Section **A** for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE. ...LL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Moss Moor, Sinsgreave

in the County of W. R. Yorkshire 8.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1264 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·05				1
2						1·68							2
3		·11									2·14		3
4								·02					4
5					·26								5
6	·06									1·20			6
7				1·24			·98						7
8									3·47			1·73	8
9						2·30							9
10		2·34	·18								1·39		10
11								2·22					11
12					·38								12
13	·88									·96			13
14				·53			1·24						14
15									·67			·20	15
16						2·04							16
17		1·62	·23								1·69		17
18								3·12					18
19					1·01								19
20	2·82									·06			20
21				1·12			1·42						21
22									·41			·03	22
23						1·40							23
24		1·47	·14								1·90		24
25								1·73					25
26					1·20								26
27	2·48									·27			27
28		1·87		1·26			1·57						28
29									01			·56	29
30		×		·15		–			·06		1·75		30
31	1·12	×	·01	×	·52	×	·31		×	·80	×	·16	31
TOTAL	7·36	7·41	·56	4·30	3·37	7·42	5·52	7·09	4·67	3·29	8·87	2·68	YEAR'S TOTAL 62·54
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

P.T.O.

f 666310/26 [illegible] 3206

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Moss Moor, Linsgreave

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1264 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·24		1
2		·02						·07					2
3					·87								3
4													4
5	3·75			·72			·85						5
6									3·43	·71		·47	6
7													7
8			·84								·51		8
9		·10						·01					9
10					·23								10
11										1·53			11
12	2·80			1·98			1·56						12
13									2·35			·67	13
14						·37							14
15			·09								·60		15
16		·22						·08					16
17					1·95								17
18										2·41			18
19	·47			·56			·46						19
20									·09			·35	20
21													21
22			·47								1·19		22
23		·03						1·35					23
24					1·89								24
25										2·82			25
26	·08			·90			1·45						26
27									·44			·55	27
28						·14							28
29		·08	1·51								1·24		29
30		×		·42		·55		·48	·34		·36		30
31	·12	×	·40	×	1·33	×	1·03		×	1·60	×	·66	31
TOTAL	7·22	·45	3·31	4·58	6·27	1·06	5·35	1·99	6·65	9·07	4·14	2·70	YEAR'S TOTAL 52·79
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2 (*f*) on other side.

(Signed) C. Clemesha Smith

P.T.O.

3206

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Moss Moor, Linsgreave

in the County of W. R. Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1264 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·04					1
2					·02								2
3	·78												3
4				·29									4
5									·08				5
6													6
7		2·99	1·53								·43		7
8								·19					8
9					1·35								9
10	1·28									3·04			10
11				·46			2·58						11
12												·18	12
13						·49							13
14		·60	·20								·82		14
15								·11					15
16					·36								16
17	·89									1·40			17
18				·04			·78						18
19									·28			·09	19
20						2·12							20
21		·09	2·24								1·13		21
22								1·45					22
23					·12								23
24										·18			24
25				·75			·03						25
26									1·55			·10	26
27						1·22							27
28		1·13									·11		28
29													29
30		×			·39				·06				30
31	·52	×	·21	×		×	1·11	·14	×	·92	×	·25	31
TOTAL	3·47	4·81	4·18	2·53	2·24	3·83	4·50	1·93	1·97	5·54	2·49	·62	YEAR'S TOTAL 38·11
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

M D

(*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Moss Moor, Sinagreave

in the County of W.R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1264 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·18									·17			2
3				·01									3
4									·18			2·28	4
5													5
6		·06	·62								·39		6
7								1·54					7
8					·97								8
9	·65									2·00			9
10				·62									10
11									·09			1·47	11
12						·85							12
13		·14	1·08								2·23		13
14								·74					14
15					1·05								15
16	2·07									1·44			16
17				·68			1·09						17
18									·99			1·18	18
19						·87							19
20		·02	1·71								·29		20
21								·48					21
22					1·74								22
23	·87									·94			23
24				·88			·64						24
25									1·97			·65	25
26						1·13							26
27		·26	·28								·22		27
28								·73					28
29					·02								29
30	·37	×		·78		·45			1·20	1·55			30
31	·01	×	·06	×		×	2·57	·77	×	·04	×	1·53	31
TOTAL	4·15	0·48	3·75	2·97	3·78	3·30	4·30	4·26	4·43	6·14	3·13	7·11	YEAR'S TOTAL 47·80
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side,

M

(*Signed*) A. G. Beaumont

P.T.O.

Wakefield [illegible]

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 109

REGISTER OF RAINFALL IN 1935.

Kept at Moss Moor, Sinsgreave

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1264 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·61									1·15				1
2				·05			·04							2
3									·79			·78		3
4						·42								4
5		1·93	·43								·56			5
6								·02						6
7														7
8	·19									1·38				8
9				1·26			·97							9
10									·60			·82		10
11						2·00								11
12		·52	·02								·87			12
13														13
14					·29									14
15	·71									3·62				15
16				1·89			·21							16
17									2·12			·69		17
18						1·98								18
19		3·04	·15								2·92			19
20														20
21					·75									21
22	·08									1·09				22
23				1·80			·94							23
24												·23		24
25						1·13			3·00 ↑					25
26		1·89	1·58								1·60			26
27								1·78						27
28		·18												28
29	·89									3·94				29
30		×		·03		·32	·68		2·00		1·57			30
31	·17	×	·11	×		×		·34	×	1·15	×	1·31		31
TOTAL	2·65	7·56	2·29	5·03	1·04	5·85	2·84	2·14	8·51	12·33	7·52	3·83	Year's Total 61·59	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

43

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1936.

Kept at Moss Moor, Linsgreave

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1264 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									·08			·35		1
2						1·14								2
3			·06								·29			3
4		·28						1·06						4
5					·09									5
6										·02				6
7	·76			·58			·62							7
8									3·98			1·48		8
9						·48								9
10			1·17								3·40			10
11								·87						11
12					·10									12
13										·65				13
14	·89			·56			1·72							14
15									1·35			2·12		15
16						1·26								16
17			·12								2·80			17
18		·61						·59						18
19					·11									19
20										2·27				20
21	1·10			·39			·94							21
22									·06			·47		22
23						2·18								23
24			·46								·01			24
25		·89						·42						25
26					·54									26
27										2·86				27
28	2·44			·43			1·17							28
29		1·50							1·12			·48		29
30		×				·76					·42			30
31	·47	×	1·79	×	·68	×	·49	·02	×	1·11	×	·55	W	31
TOTAL	5·66	3·28	3·60	1·96	1·52	5·82	4·94	2·96	6·59	6·91	6·92	5·45	Year's Total. 55·61	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(Signed) A. G. Beaumont [P.T.O.

43

Travelling Forms – Wakefield Corporation W.W.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Moss Moor, Linsgreave

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 1264 ft.

TRAV ORM.

VALUES F LD MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						·01								1
2		·72	·23								·01			2
3														3
4					·17									4
5	2·30									·02				5
6				·56			·18							6
7									·72			1·13		7
8						1·13								8
9		1·59	·45								·17			9
10								1·16						10
11														11
12	·44				·93					·02				12
13				·72			·59							13
14									·42			1·08		14
15						1·55								15
16		1·80	·96								·01			16
17								·62						17
18					·03									18
19	1·02									·01				19
20				1·63			·96							20
21									1·02			·48		21
22						·59								22
23		·83	1·13								1·70			23
24								·40						24
25					·88									25
26	·43									1·46				26
27				·43			1·20							27
28		1·66							·31			·38		28
29						·09								29
30		✕	·39			·33					1·01			30
31	·65	✕		✕	·56	✕		·51	✕	1·13	✕	·08		31
TOTAL	4·84	6·60	3·16	3·34	2·57	3·70	2·93	2·69	2·47	2·64	2·90	3·15	Year's Total 40·99	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

43

Travelling Form – [illegible]

COPY FOR OFFICIAL USE

Station No. 3206

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Moss Moor, Linsgreave

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1264 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07									·25			1
2								·09						2
3					·11									3
4	·23									4·12				4
5				·78			1·02							5
6									·32			2·40		6
7						1·62								7
8		·17	·01								1·00			8
9								1·31						9
10														10
11	1·59									3·50				11
12							2·45							12
13									·60			1·02		13
14						·38								14
15		·86	·27								·97			15
16								·89						16
17					1·06									17
18	2·64									3·34				18
19							·88							19
20									61			·54		20
21						·13								21
22		·03	·19								1·48			22
23								1·34						23
24					·39									24
25	·83									·51				25
26				·03			·63							26
27									·37			·15		27
28						3·30								28
29		1·57	1·23								2·79			29
30		✕				·45		1·08	·53		·40			30
31	1·88	✕	·09	✕	3·26	✕	·53		✕	1·14	✕	1·54		31
TOTAL	7·17	2·64	1·79	·81	4·82	5·88	5·51	4·71	2·43	12·61	6·89	5·65	Year's Total 60·91	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

43 [illegible] COPY FOR OFFICIAL USE Wakefield W.W.

Section **A** for the entry of Daily Observations

Station No. 3206

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Moss Moor, Linsgreave

in the County of W.R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1264 ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·10						1
2														2
3	·30									·06				3
4				·79			1·30							4
5									·78			2·16		5
6														6
7		·70	1·27								1·12			7
8								·78						8
9					·39									9
10	1·60									1·08				10
11				·04			2·03							11
12									·83			1·76		12
13						·83								13
14		1·38	·50								·97			14
15								1·10						15
16					1·11									16
17	3·13									·45				17
18				1·47			·75							18
19									·11			·02		19
20						1·94								20
21		·97	·68								1·08			21
22								·19						22
23														23
24	·68				·17					·82				24
25				·54			·82							25
26									·14			·14		26
27						·70								27
28		3·41	·94								4·94			28
29								·16						29
30		☒		·03	·01	·61					1·16			30
31	·21	☒	·03	☒		☒	2·65	·02	☒	·83	☒	·03		31
TOTAL	5·92	6·46	3·42	2·87	1·68	4·08	7·55	2·35	1·86	3·24	9·27	4·11	Year's Total 52·81	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A.G. Beaumont [P.T.O.

JH

f 66631o/26

Clim 32

43 Wakefield W.W. T.E.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3206 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Moss Moor, Linsgreave
in the County of W. R. Yorks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1264 ft.

Jan. amended by observer.

TRAVELLING FORM
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2				·47			·11							2
3									·02			·68		3
4						–								4
5			·02								1·80			5
6		·56 EST												6
7					·29									7
8										2·34				8
9	·24 S			·48			1·32							9
10									·58			1·94		10
11						·01								11
12			1·16 S								4·06			12
13		·37 S						1·50						13
14					·28									14
15										·66				15
16	·02 S			·40			1·51							16
17									3·39			·65		17
18						·02								18
19			1·70								1·58			19
20		·45 S						1·30						20
21					·01									21
22										·83				22
23	·05 S			·85			2·21							23
24									1·81			·49		24
25						·53								25
26			·57								1·05			26
27		1·40						·16						27
28					·45									28
29		·45 S					·16			·20				29
30		✕		·44		·45			·03		·10			30
31	2·51 EST ~~2·31~~	✕	·49	✕	·23	✕		·24	✕	1·39	✕	1·21		31
TOTAL	2·82 ~~2·62~~	3·23	3·94	2·64	1·26	1·01	5·31	3·20	5·83	5·42	8·59	4·97	Year's Total 48·22	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. J. Beaumont

P.T.O.

3207

Section **A** **for the entry of**
AIR MINISTRY

FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090.

REGIST

—

3207

G. WALDEN EDGE, RISHWORTH

1931 — 40

780602

Kept at Rishworth G. Wal

in the County of W. R.

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of this

owing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.01	.02	.06		.52			.04	.13			1
2	.02	.12		.82	.04	1.08	.01		1.26	.10	.07	.08	2
3				.07		.15	.32		.57	.02	1.59	.63	3
4		.08		.40		.01	.11		1.34	.22	.43	.51	4
5		.06			.23	1.13	.03	.57	.04			.43	5
6		.26	.02			.37	.62	.03	12	.66	.18		6
7		.02	.02			.74	.04	.34		.32	.07	.23	7
8	.03	.45	.06	.06	.10		.33	.57	.01	.13	.40		8
9		.96	.05	.30		.08	.01	.39	.13	.07	.35	.07	9
10	.20	.21	.08		.23	.30		.26	.03		.36		10
11	.73	.62		.03		.10	.05	.02	.30		.65	.01	11
12	.03	.10		.03		.02	.51		.15	.37	.35		12
13			.23	.01	.07	.01	.17	.04					13
14	.18	.02		.01	.08	.84	.02	1.08	.04		.44	.02	14
15	.51	.44		.17	.14	.01	.10	.35			.05	.08	15
16	.94	.21		.38	.58	.55	.08	.95	.30				16
17	.09	.14		.29	.05	.03	.56	.33	.05	.01	.06		17
18	.41	01		.30		.52	.55	.12		.01	.90		18
19	.20	.21		.07			.02	1.21	.04	.04		.02	19
20	.04	.25	.01	.04		.08		.16			.14	.01	20
21	.42	.10	.13		.12	.14	.02	.35			.03		21
22	.27	.17		.01	.20	.10	.02				.01		22
23	.54	.03	.01	.31	.14	.44	.43		01		.95	.22	23
24	.18	.45		.09	.69		.08				.03	.15	24
25	.14	1.28		.34	.04		.16				.08	.12	25
26	.09	.14		.28							.58	.06	26
27	.65	.07		.04	.07		.44			.29	1.08	.18	27
28	.48	.28	.01	.13	.22		.25				.01	.08	28
29	.34				.15		.17			.75	.03		29
30	.02	×		.12	.01				.04		.01		30
31	.19	×		×	.18	×	.02		×	.03	×	.12	31
TOTAL	6.76	6.69	.64	4.36	3.34	7.22	5.12	6.77	4.47	3.15	8.85	3.02	YEAR'S TOTAL 60.39
*Days with .01 in. or more.	24	26	11	24	19	21	26	16	17	15	25	18	242
*Days with .04 in. or more.	20	21	5	19	18	16	18	14	14	11	19	14	189

40-9999

M

*See Instruction 2 ( ) on other side.

(Signed) C. Clemesha Smith [P.T.O.
Waterworks Engineer

3207

Section **A** for the entry of FOR OFFICIAL USE.
AIR MINISTRY—METEOROLOGICAL OFFICE. BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rishworth & Walden Edge
in the County of W.R. Yorkshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 2 in.
,, Ground ,, Sea Level 1135 ft.

Old Gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.01	.02	.06		.52			.04	.13			1
2	.02	.12		.82	.04	1.08	.01		1.26	.10	.07	.08	2
3				.07		.15	.32		.57	.02	1.59	.63	3
4		.08		.40		.01	.11		1.34	.22	.43	.51	4
5		.06			.23	1.13	.03	.57	.04			.43	5
6		.26	.02			.37	.62	.03	.12	.66	.18		6
7		.02	.02			.74	.04	.34		.32	.07	.23	7
8	.03	.45	.06	.06	.10		.33	.57	.01	.13	.40		8
9		.96	.05	.30		.08	.01	.39	.13	.07	.35	.07	9
10	.20	.21	.08		.23	.30		.26	.03		.36		10
11	.73	.62		.03		.10	.05	.02	.30		.65	.01	11
12	.03	.10		.03		.02	.51		.15	37	.35		12
13			.23	.01	.07	.01	.17	.04					13
14	.18	.02		.01	.08	.84	.02	1.08	.04		.44	.02	14
15	.51	.44		17	.14	.01	.10	.35			.05	.08	15
16	.94	.21		.38	.58	.55	.08	.95	.30				16
17	.09	.14		29	.05	.03	56	.33	.05	.01	.06		17
18	.41	01		.30		.52	.55	.12		.01	.90		18
19	.20	.21		.07			.02	1.21	.04	.04		.02	19
20	.04	25	.01	.04		.08		.16			.14	.01	20
21	.42	.10	.13		.12	.14	.02	.35			.03		21
22	.27	.17		.01	.20	.10	.02				.01		22
23	.54	.03	.01	.31	.14	.44	.43		.01		.95	.22	23
24	.18	.45		09	.69		.08				.03	.15	24
25	.14	1.28		.34	.04		.16				.08	.12	25
26	.09	.14		.28							.58	.06	26
27	.65	.07		.04	.07		.44			.29	1.08	.18	27
28	.48	.28	.01	.13	.22		.25				.01	.08	28
29	.34				.15		17			.75	.03		29
30	.02	×		.12	.01				04		.01		30
31	.19	×		×	.18	×	.02		×	.03	×	.12	31
TOTAL	6.76	6.69	.64	4.36	3.34	7.22	5.12	6.77	4.47	3.15	8.85	3.02	YEAR'S TOTAL 60.39
*Days with .01 in. or more.	24	26	11	24	19	21	26	16	17	15	25	18	242
*Days with .04 in. or more.	20	21	5	19	18	16	18	14	14	11	19	14	189

40-9999 M

*See Instruction 2 (A) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3207

Section **A** **for the entry of Daily Observations.** COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rishworth, G Walden Edge

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 1135 ft.

Old Gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·53	·01		·38	·34		·29	·01	·90	·44	·21	·02	1
2	1·12				·61		·01	·04	1·52	·10	·27	·38	2
3	·20						·27		·08			·16	3
4	·06	·02		·01			·11		·03	·07	·23	·03	4
5	1·24	·01	·15	·29	·03		·01	·01	·18	·01		·01	5
6	1·27		·17	·54	·14		·01		·36				6
7	·12		·65	·27					·70	·23	·02		7
8				·16					·09	·67	·02		8
9	·19	·09		·87	·07				·02	·01		·07	9
10	·55	·05	·02	·09	·04				·66	·50	·01	·06	10
11	·03	·05	·01	·08	·57	·20	1·32		·23	·03	·04		11
12	·52	·01		·03	·58	·27	·11	·06	·02	·59	·04	·01	12
13		·05		·18	·17		·09	·01	·39	·63	·04	·28	13
14	·06			·03			·08	·01	·02	·08	·18	·01	14
15				·05	·42					·17	·19	·15	15
16	·34			·09	·01		·12	·01		·20	·03	·15	16
17				·01			·08	·10	·04	·67	·01		17
18					·07			·01	·03		·02		18
19		·01		·26	·24			·02		·35	·01		19
20				·25	·46		·05	·53		·26	·12		20
21	·04		·29	·04	·47		·13	·80		·82	·10	·05	21
22	·02		·18	·17	·08		·11			·09	·86	·13	22
23		·02		·10	·39		·08			·14	·12	·12	23
24	·04			·04		·07	·50		·28	·01	·09	·03	24
25		·06		·11	·10	·02	·08	·02	·08	·97	·22	·02	25
26		·01		·17	·33		·47		·09	·42	·32		26
27			·48	·21	·57	·10	·21			·11	·08	·17	27
28		·01	·26	·05	·20	·01	·19	·01				·08	28
29	·07		·62	·08	·08	·11	·38	·63	·27	1·07	·20	·28	29
30		×	·13	·05		·38	·09	·03	·03	·15	·42	·16	30
31	·02	×	·24	×	·02	×	·12		×		×	·11	31
TOTAL	6·42 ✓	·40 ✓	3·20 ✓	4·61 ✓	5·99 ✓	1·16 ✓	4·91 ✓	2·30 ✓	6·02 ✓	8·79 ✓	3·85 ✓	2·48 ✓	YEAR'S TOTAL 50·13 ✓
*Days with ·01 in. or more.	18	13	12	27	23	8	24	16	21	26	25	22	235
*Days with ·04 in. or more.	15	5	10	23	20	6	21	6	15	22	18	15	176

40-9999

(Signed) C. Clemesha Smith

P.T.O.

*See Instruction 2 (*f*) on other side.

3207

Section | **A** | **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rishworth, Gt. Walden Edge (Old gauge)

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 1135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	86	·04					·02	·10		·30		1
2	·57		·29	·25	·02	·02		·06			·03		2
3	·02	·54	·39	·01	·34						·04		3
4	·23	·21	·26		·17			·03					4
5	·24	·25	·11	·01	·18						·01		5
6	·03	·11	·02		·27			·01			·01	·07	6
7	·18	·55	·21		·15		·10	·05		·98		·04	7
8	·34	·14	·10	·04	·09		·35	·02		·01	·01	·03	8
9		·42		35	·13	·01	·75	·07		·90	·13	·01	9
10	·17	·05			·01	·17	·20			1·02	·21		10
11							·87			·51		·03	11
12	·02					·27	·20			·04		·05	12
13	·01		·04		23	04	·32	·04	·07	·30	·29		13
14	·42		·05		·07		·10			·04	·19		14
15	·55		·05			·02	·03	·09		·27	·63	·01	15
16	·20	02	·23	·02	·06	·29	·14			·20	·05	·01	16
17	·07		·74	·01	·02	·67		·17	·11		·05		17
18		·04	·45		·06	·70		·06			·12	·01	18
19		·01	·58	·01		·31	·04		·02		·05	·02	19
20		·13		·01				·26	·12		·03		20
21		·01				·12		·64	·09		·02	·01	21
22						·31		·10		·15		·02	22
23		·04		·27	·07			·13	·26	·04			23
24		·06		·16	·10	·64			·77	·01		·01	24
25		·46		·20	·01				·29		·02	·04	25
26		·35		·59						·29	·04	·01	26
27		·05		·01	·01				·04	·01			27
28				·19			·09		·02	·13			28
29				·02	·03		·08			·06		·07	29
30	·04	×	·12	·02	·34		·30			·31		·13	30
31	·38	×	·06	×		×	·52	·11	×	·21	×		31
TOTAL	3·57	4·30	3·74	2·17	2·36	3·57	4·09	1·86	1·89	5·48	2·42	·57	YEAR'S TOTAL 36·02
*Days with ·01 in. or more.	17	19	17	17	20	13	15	16	11	19	19	17	200
*Days with ·04 in. or more.	13	16	16	8	14	10	14	12	9	16	12	6	146

40-9999

*See Instruction 2 (*f*) on other side.

M D

(Signed) A. G. Beaumont. '23.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 3207

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109[illegible].

REGISTER OF RAINFALL IN 1934.

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks.

Old Gauge.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 1135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·18		·03	·01				·11	·01	·16	·03	·40	1
2	·01	·02	·10					·78	·07		·18	·62	2
3	·13	·02	·03					·05	·01	·11	·07	·07	3
4	·14		·34	·08	·04				·06	·70		·86	4
5			·06	·01	·10			·33		·59	·04	·28	5
6			·13	·07	·60	·13		·20	·01	·26		·40	6
7	·31	·05	·15	·05		·02				·17	·20	·45	7
8		·01	·06		·11	·44		·13	·03	·21	1·26	·08	8
9		·05	·08	·10				·19	·04	·02	·72	·05	9
10		·01	·46	·25				·24		·51	·11	·01	10
11	·21	·01	·14	·44				·13		·03	·04	·18	11
12	·04		·08	·19			·58	·07		·05		·06	12
13	·44			·03	·13		·12	·03	·01	·29		·01	13
14	·21		·14		·05	·03				·37	·07	·08	14
15	·54	·02	·38		·77	·01		·14	·68	·01	·03	·20	15
16	·46		·20		·23					·01	·10	·09	16
17	·45		·30	·01	·15		·14		·27	·08		·30	17
18	·44		·32	·06	·58	·17	·11	·09				·25	18
19	·01	·01	·35	·05	·12	·48			·40	·17		·08	19
20			·04	·13	·42			·13	·13	·19	·02	·01	20
21	·02		·01		·11	·58		·09	·05	·12		·01	21
22	·04		·03		·03	·01		·52	·45	·13	·01	·01	22
23	·02		·07	·50	·01	·01	·60	·06		·14	·08	·09	23
24		·20	·06	·15		·10	·02		·50	·16		·03	24
25	·08	·05		·13	·02		·38		·19	·47		·37	25
26	·22		·08	·30		·22	·63		·59	·11	·07	·11	26
27	·01	·03		·20		·30	·64		·06	·47	·03	·21	27
28				·08		·10	·27	·14		·10		·70	28
29			·03				·15	·55	·37	·07		·11	29
30	·09	×	·02				·17	·54	·12	·11		·17	30
31	·01	×		×		×	·39		×	·05	×	·17	31
TOTAL	4·06 ✓	0·48 ✓	3·69 ✓	2·84 ✓	3·47 ✓	2·60 ✓	4·20 ✓	4·52 ✓	4·05 ✓	5·86 ✓	3·06 ✓	6·46 ✓	YEAR'S TOTAL 45·29 ✓
*Days with ·01 in. or more.	22	12	26	20	16	14	13	20	20	29	17	31	240 ✓
*Days with .04 in. or more.	16	4	20	16	13	9	12	19	15	25	12	25	186

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL ~~USE~~.

Section **A** for the entry of Daily Observations. Station No. 3207

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1096

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 2 in.

,, Ground ,, Sea Level 1135 ft.

Old Gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·51	·45	·06	·04	[illegible]	·01	·01		·08	1·03	·18	·33		1
2	·03	·11	·06		[illegible]	·25	·07		·08	·23	·06	·34		2
3	·09	·73	·08	·06	[illegible]	·03	·62	·02	·51	·01	·15	·25		3
4		·01	·10	·01	[illegible]	·12	·14		·26	·35		·01		4
5		·69	·21	·17	[illegible]	·58	·15		·25	·06	·24	·15		5
6	·02	·03		·09	[illegible]	·51						·01		6
7	·01			·26	[illegible]	·40				·31	·43	·37		7
8	·01			·12	[illegible]	·01				·24	·05	·28		8
9			·01	·48	[illegible]	·12				2·20	·15			9
10	·01	·08	·02	·44	·02	·02				·51	·10			10
11	·43	·19				·16				·44	·12	·11		11
12	·01	·16				·84			·06	·02		·01		12
13	·14	·11		·08	·23				·06	·13	·03			13
14		·02		·34	·07	·15			·08	·01	1·22	·18		14
15		2·09		·40	·08				·52	·30	·18	·25		15
16	·01	·47	·16	·40	·02	·44	·16		·66	·01	·44			16
17		·06		·53	·46	·22	·04		·52	·06	·62			17
18	·02	·02		·17	·07	·18	·31		·47	·70	·11			18
19	·01	·18		·48		·30	·25			·25	·20			19
20	·02	1·05		·25		·17	·18				·80			20
21		·18	·01	·01				·02	·81	·21	·25	·13		21
22		·14	·16	·01					·09					22
23	·03		·86	·28				·50	·02	·28				23
24	·67	·44	·02						1·80	·08	·01	·11		24
25	·15	·08	·36			·52					·08	·19		25
26	·01						·12	1·20	·49	·90	·28	·26		26
27		·08				·13	·51		·46	1·33	·45	·21		27
28	·03	·04				·01		·50	·14	·65	·25	·04		28
29	·01		·10					·01	·14	·78	·09	·16		29
30	·06	×		·04		·18		·14	·49	·76	·80	·09		30
31	·05	×	·03	×		×			×	·34	×	·27		31
TOTAL	2·33	7·41	2·24	4·66	·93	5·35	2·56	2·39	7·99	12·19	7·29	3·75	Year's Total 59·09	
*Days with ·01 in. or more.	22	23	15	21	6	22	12	7	21	27	25	21	222	
*Days with ·04 in. or more.	8	19	10	18	5	17	11	4	20	23	23	18	176	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3207

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10[illegible].

REGISTER OF RAINFALL IN 1936.

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks

Old gauge.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 1135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	·09	·07	·59			·01	·34	·06		·20	·34		1
2	·02	·05	·02	·05		1·11		·19	·03		·04	·22		2
3	·04					·49	·05	·14	·68			·18		3
4	·41	·12	·24			·03	·03	·15	·41	·01	·30	·39		4
5	·07	·01	·36		·05	·01		·14	·67	·02	·18	·17		5
6	·20		·15		·02	·02	·18	·51	·76		·13			6
7	·05		·09		·01		·27		1·14		·13	·18		7
8	·34		·17						·04	·02	·46	·21		8
9	·30		·06						·11	·02	·87			9
10	·14		·01			·01	·41		·01	·01	1·20			10
11			·01	·03		·14	·30	·03	·04		·79	·03		11
12				·11	·05	·58	·75	·04	·54	·09	·33	·06		12
13	·07		·01	·12	·02	·07	·11			·30	·01	·57		13
14			·01	·20		·23	·06	·07	·44	·24	·33	·96		14
15	·16		·04	·16	·01	·14	·18	·30	·10		·52	·15		15
16	·07		·01	·07	·01	·01	·03			·06	·93			16
17	·04	·44	·02	·02	·10		·19	·14		·90	·09	·25		17
18		·09		·01		·07	·17	·08		·80		·07		18
19	·46	·43	·04	·02		·17	·19	·25		·16				19
20	·25	·05		·03			·02	·01	·04	·06		·01		20
21	·12		·01	·04						·08		·01		21
22	·26	·58	·03	·02	·05	2·10	·12			·02		·11		22
23		·03	·39	·20	·13		·75	·01		·09				23
24	·15	·06		·10	·32		·08	·10	·20	·98		·08		24
25	·33	·01	·05	·08		·08	·14		·54	·24		·04		25
26	·02	·21	·43	·03			·01		·13	·77	·01			26
27	·64	·01	·04						·17	·25				27
28	·68	·45	·09				·12				·01	·19		28
29	·17	·58	·86			·66	·01			·10	·22	·12		29
30	·31	×	·07		·65	·03	·27			·90	·15	·04		30
31	·02	×	·03	×	·01	×	·18	·01	×		×	·46		31
TOTAL	5·35	3·21	3·31	1·88	1·43	5·95	4·63	2·51	6·11	6·12	6·90	4·84	Year's Total. 52·24	
* Days with .01 in. or more.	26	16	26	18	13	18	25	17	19	22	20	223	243	
* Days with .04 in. or more.	22	12	16	11	7	12	19	13	17	16	17	220	182	

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(Signed) A. G. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3207

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Rishworth, G. Walden Edge, Old Gauge.
in the County of W. R. Yorks.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
,, Ground ,, Sea Level 1135 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·28	·08			·01	·06		·48	·01	·01	·28		1
2	·41	·43	·09	·17			·02		·02	·01		·13		2
3	·01	·19	·03	·10	·04	·92	·02		·02			·02		3
4	·29	·04	·05	·21	·12	·02	·05	·05				·51		4
5	1·33		·21	·01			·03		·01			·03		5
6	·16		·16	·09	·05			·47	·02	·01	·09	·20		6
7	·06	·28	·01	·47	·08	·06			·16		·02	·10		7
8		·59	·01	·07	·01	·13	·07				·07	·07		8
9	·03	·18	·09	·06	·30	·01	·34	·55				·02		9
10	·03	·06	·01		·06	·09	·02			·01	·01	·10		10
11			·32		·32		·01	·01				·06		11
12	·20	·26	·23	·02	·05	·16	·07	·02	20			·24		12
13		·12	·10	·04	·09	1·18		·07	·05			·28		13
14		·11	·17	·01		·01		·23	·14	·01		·08		14
15	·35	·46	·01	·31	·01		·83		·14			·10		15
16	·15	·48	·14	·64		·01		·23	·03			·06		16
17	·03	·04	·46	·15		·19		·05	·55			·01		17
18	·40	·27	·33	·24		·01	·01	·33	36		·36			18
19	·09	·27	·06	·17		·19	·09	·06	·07		·70			19
20	·14	·18	·01	·13	·61	·29					·01	·01		20
21	·04	·11	·06	·08	·05		·40					·23		21
22	·02		·20	·08	·04		·28			·43	·21	19		22
23	·08		·01		·18		·47			·77	·52			23
24	·07	12	·17				·05		19	·09		·06		24
25	·11	·63					·02	·10	·05	·11		·02		25
26		·45	·09		·47		·01	·11	·04	·01		·07		26
27		·43		·18					·01	·62	·01	·02		27
28	·02	·05	·01			·02				·18				28
29	·02				·04	·04				·10	·16	·02		29
30	·14					·28		·23		·15	·91	·05		30
31	38				·01			·06		·15		·01		31
TOTAL	4·63	6·03	3·11	3·23	2·53	3·62	2·85	2·57	2·54	2·66	3·08	2·97	Year's Total 39·82	✓
* Days with .01 in. or more.	25	23	26	20	18	18	19	15	18	15	13	27	239	✓
* Days with .04 in. or more.	18	23	18	17	15	11	11	13	12	9	8	18	173	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3207

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Rishworth G. Walden Edge

in the County of W. R. Yorks

Old Gauge.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 1135 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·05		·08		·96	·01	·10		·01	·24	·30		1
2	·09	·10		·54	·09	·44	·04			1·40	·12	·44		2
3	·04		·01			·05	·14		·20	1·70	·29	·06		3
4	·07	·01		·08		·04	·47	·50		·46	·49	1·41		4
5		·02		·08		·07	·12	·94	·04	·67	·03	·14		5
6	·21	·01				·04	·37	·10	·04	·30	·02	·02		6
7	·36						·60	·01	·40	·44		·01		7
8	·39	·01					·39	·02		1·18		·24		8
9	·24	·51	·18			·22	·18	·07		·17		·25		9
10	·01	·13	·02			·07	·72		·01	·16	·01	·07		10
11	·15	·12				·01	·40	·02	·05	·13	·08	·07		11
12	·43				·24		·01	·08	·01	1·26	·40	·02		12
13	·01	·01			·02		·01		·08	·61	·30	·20		13
14	·32	·03			·12		·19		·13	·03	·08	·10		14
15	·50		·01		·01		·24	·33		·10	·01	·27		15
16	1·18		·10		·27		·21	·40		·04	·11	·15		16
17		·01			·16		·17	·22	·10	·63	·05	·02		17
18	·10				·19	·13		·50	·27	·60	·32	·01		18
19	·01							·36	·17	·01		·08		19
20	·18							·05	·05		·55	·05		20
21	·05		·08			·01		·06			·07	·03		21
22	·01	·01		·01		·23					·33	·02		22
23	·02			·01	·22	·59			·13		·61	·01		23
24	·09	·01	·32		·07	·19	·45	·33	·09		·30		33	24
25	·38	·34	·08			·10	·09	·08		·48	·77	·04		25
26	·25	·53	·24		·02	·07	·08		·20	·36	·28	·10		26
27	·35	·35	·02		·80	·98	·23	·19	·04	·01	·50			27
28	·44	·22	·20		·72	·86	·07	·34	·20	·02	·05	·13		28
29	·10		·30		1·52	·25	·17		·01	·12	·20	·35		29
30	·42	✕			·10	·19	·02		·31	·02	·37	·14		30
31	·34	✕	·07	✕	·44	✕			✕	·58	✕	·82		31
TOTAL	6·74	2·47	1·63	·80	4·99	5·50	5·38	4·70	2·53	11·49	6·58	5·55	Year's Total 58·36	
* Days with .01 in. or more.	28	18	13	6	16	20	24	20	20	26	26	29	246	
* Days with .04 in. or more.	23	9	9	4	13	18	20	17	17	20	22	21	193	

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3207

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Fo[illegible]090

REGISTER OF RAINFALL IN 1939

Kept at Rishworth, Walden Edge

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 1135 ft.

Old Gauge.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30		·30	·03			·06	·09	·07	·01	·01	·80		1
2	·06		·03	·12			·75	·50	·57	·05	·12	·11		2
3	·02			·13				·22	·09		·05	·60		3
4	·04		·38	·70			·49	·01	·01	·04	·04	·62		4
5				·01	·26		·19	·06		·24	·28	·09		5
6	·47	·23	·04				·58			·02	·36			6
7	·35	·38	·28		·07		·10			·02	·26	·20		7
8	·57	·20	·26	·02			1·03	·03		·18	·36	·63		8
9	·10	·67					·07	·35		·56	·08	·65		9
10	·05	·04	·02			·11		·74	·69	·10	·04	·08		10
11	·62	·12	·27			·33		·05	·08	·02	·01	·03		11
12	·80	·75			·01	·22			·01	·01	·05	·01		12
13	·09		·05	·36	·15	·18	·04		·03	·10	·04			13
14	·77	·01	·03	·07	·33	·35	·08			·05	·36			14
15	·16	·10	·05	·72	·14	·84	·15		·06		·11	·01		15
16	·23		·07		·25	·01	·03		·01		·08	·01		16
17	·80	·35	·03	·06	·08	·09	·27			·31	·05			17
18	·18	·28	·05			·15	·37		·01	·02	·85			18
19	·25		·01			·01	·35		·01	·01		·01		19
20	·02		·01			·32	·18	·16	·04					20
21	·09	·18	·51	·13	·18	·02	·01	·32	·12			·01		21
22	·12	·32	·21	·03	·01		·14	·01	·02	·02	·61	·02		22
23	·04	·51	·09	·27		·02	·11	·01		·60	·20	·03		23
24	·01	·06	·02	·15		·08	·01	·01		·03	·02	·01		24
25	1·08	·30	·02			·04		·02			1·80	·01		25
26	·03	·03	·01		·03			·05		·24	·71	·09		26
27	·06	1·86	·34			·23	·09	·06		·20	·39	·05		27
28	·02	·17	·40	·05		·47	·64				·82			28
29			·03			·04	1·29			·26	·60			29
30		✕	·01			·12	·19				·39			30
31		✕		✕		✕	·27	·03	✕	·09	✕			31
TOTAL	7·33	5·96	3.52	2·85	1·51	3·63	7·79	2·72	1·82	3·18	8·69	4·07	Year's Total 53·07	
* Days with .01 in. or more.	27	19	26	15	11	19	25	18	15	23	27	21	246	
* Days with .04 in. or more.	22	17	15	11	8	15	22	11	8	14	24	11	178	

*See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3207

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 090

REGISTER OF RAINFALL IN 1940.

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

,, Ground ,, Sea Level 1135 ft.

Old Gauge.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·15 S		·19	·01		·12		·03		·54	·28		1
2		·02 S		·23			·04				·67	·16		2
3	·05 S	·03 S	·01	·14			·21			·16	·09	·21		3
4		·05 S	·01	·12			·11		·02	·26	·28	·26		4
5		·07			·16		·04		·02	·74	·14	·53		5
6	·11	·35		·01			·10			·98	·09	·08		6
7	·10	·23		·18	·15		·01	·34	·18	·05	·02			7
8	·02	·01	·03 S	·06	·01		·59	·05		·25	·06	·25		8
9			·22	·01			·40	·40	·32	·48	1·34	·24		9
10			·05				·37	·59	·04	·13	·58	·63		10
11		·08 S	·09	·08		·01	·10				1·39	·01		11
12		·02 S	·80					·03	·71		·47			12
13		·05 S	·25 S				·05	·09	·40		·08			13
14		·07 S	·03 S	·22	·22			·12	·14	·01	·08	·47		14
15			·08 S	·03	·09	·02	·49			·01	·06	·06		15
16	·03 S	·04 S	·06	·09			·35		1·45	·46	·20	·09		16
17		·02 S	·56	·01			·09		·21	·01	·53			17
18	·04 S	·13 S	·22	·38			·44	·38	·21		·03	·36		18
19	·01 S	·11 S	·25 S	·09			·98		·59	·09	·36	·02		19
20		·15	·09 S	·44			·08	·72	·31	·13	·22	·01		20
21	·02 S		·40	·06		·33		·10	·05	·16	·83			21
22		·08	·08	·02	·06	·17	·13	·07	·52	·06	·01	·01		22
23		·40	·06	·09	·03				·12	·12	·19	·02		23
24	·32 S	·03	·01	·05	·02				·01	·03		·09		24
25	·08 S				·01	·04	·04			·09		·01		25
26	·25 S	·10	·01	·01	·07	·05	·06	·04	·02	·01	·05			26
27	·96 S	·54		·13					·01		·14	·01		27
2·60 28	·98 S	·65 S		·02	·41		·07	·17				·06		28
29	·07 S		·29	·04	·24	·39			·01	·01		·70		29
30	·09 S	✕		·23						·49	·01	·40		30
31	·17 S	✕	·20	✕	·01	✕		·09	✕	·84	✕	·10		31
TOTAL	3·30	3·38	3·80	2·93	1·49	1·01	4·87	3·19	5·37	5·57	8·46	5·06	Year's Total 48·43	
* Days with .01 in. or more.	16	23	22	25	14	7	22	14	21	23	26	25	238	
* Days with .04 in. or more.	12	17	16	18	8	5	21	13	14	17	22	18	181	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. Beaumont

[P.T.O.

X RISHWORTH (G. WALDEN

(3207/1

WR 8

Section **A** for the entry of

AIR MINISTRY

FORM 1090.

REGIST

Kept at Rishworth G

in the County of W.R. Yor

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of thi

3207/1

RISHWORTH. G. WALDEN EDGE

CHECK A

1932 - 40

780602

PY FOR OFFICIAL USE.

ORGANIZATION.

continued 31/12/31)

letter to Met. Office 6/1/32

ow.

20. see 35 A. of files

owing

Jan. 1, following

OK/print

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.				in.	in.	in.	in.	in.	in.	
1	·56	·01		·41	·33		·29	·01	·94	·44	·23	·02	1
2	1·21				·59		·01	·04	1·57	·10	·27	·37	2
3	·22						·27		·08			·17	3
4	·06	·02		·01			·11		·03	·07	·23	·03	4
5	1·18	·01	·15	·29	·03		·01	·01	·17	·01		·01	5
6	1·31		·17	·58	·13		·01		·36				6
7	·12		·65	·27					·76	·22	·02		7
8				·16					·08	·70	·02		8
9	·19	·09		·87	·07				·02	·01		·07	9
10	·55	·06	·02	·09	·03				·67	·53	·01	·06	10
11	·03	·05	·01	·09	·56	·20	1·32		·23	·03	·04		11
12	·47	·01		·03	·58	·26	·11	·06	·02	·61	·04	·01	12
13		·05		·17	·17		·09	·01	·41	·65	·04	·28	13
14	·06			·03			·08	·01	·02	·08	·17	·01	14
15				·04	·42					·19	·18	·14	15
16	·31			·08	·01		·12	·01		·21	·02	·14	16
17				·01			·08	·10	·04	·68	·01		17
18					·07			·01	·03		·02		18
19		·01		·27	·24			·02		·36	·01		19
20				·25	·46		·05	·52		·28	·12		20
21	·04		·29	·04	·46		·13	·78		·81	·10	·05	21
22	·02		·18	·17	·08		·11			·09	·88	·14	22
23		·02		·10	·38		·08			·13	·12	·12	23
24	·04			·04		·07	·50		·29	·01	·09	·03	24
25		·06		·11	·09	·02	·08	·02	·08	1·00	·24	·02	25
26		·01		·17	·33		·48		·08	·41	·32		26
27			·50	·22	·56	·10	·21			·11	·08	·17	27
28		·01	·27	·05	·20	·01	·19	·01				·08	28
29	·06		·65	·08	·08	·11	·40	·63	·27	1·04	·20	·27	29
30		×	·13	·05		·38	·09	·03	·03	·15	·42	·16	30
31	·02	×	·23	×	·02	×	·11		×		×	·11	31
TOTAL	6·45	·41	3·25	4·68	5·89	1·15	4·93	3·27	6·18	8·92	3·88	2·46	YEAR'S TOTAL 50·47
*Days with ·01 in. or more.	18	13	12	27	23	8	24	16	21	26	25	22	235
*Days with ·04 in. or more.	15	5	10	23	19	6	21	6	15	22	18	15	175

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) C. Clemesha Smith

X C. CLEMESHA SMITH ESQ., C.E.

[F.T.O.

X RISHWORTH (G. WALDEN (3207/1

Section **A** for the entry of [redacted] PY FOR ~~OFFICIAL~~ USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. WR 8

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rishworth G. Walden Edge

in the County of W.R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1135 ft.

~~New Gauge~~ (Discontinued 31/12/31)

"1932" Gauge (See letter to Met. Office 6/1/32

gauge moved 1/1/32 from 3208 site & now

Check g. on same site as 3207. see 35 A. of files

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: OK

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56	·01		·41	·33		·29	·01	·94	·44	·23	·02	1
2	1·21				·59		·01	·04	1·57	·10	·27	·37	2
3	·22						·27		·08	—		·17	3
4	·06	·02		·01			·11		·03	·07	·23	·03	4
5	1·18	·01	·15	·29	·03		·01	·01	·17	·01		·01	5
6	1·31		·17	·58	·13		·01		·36				6
7	·12		·65	·27					·76	·22	·02		7
8				·16					·08	·70	·02		8
9	·19	·09		·87	·07				·02	·01		·07	9
10	·55	·06	·02	·09	·03				·67	·53	·01	·06	10
11	·03	·05	·01	·09	·56	·20	1·32		·23	·03	·04		11
12	·47	·01		·03	·58	·26	·11	·06	·02	·61	·04	·01	12
13		·05		·17	·17		·09	·01	·41	·65	·04	·28	13
14	·06			·03			·08	·01	·02	·08	·17	·01	14
15				·04	·42					·19	·18	·14	15
16	·31			·08	·01		·12	·01		·21	·02	·14	16
17				·01			·08	·10	·04	·68	·01		17
18					·07			·01	·03		·02		18
19		·01		·27	·24			·02		·36	·01		19
20				·25	·46		·05	·52		·28	·12		20
21	·04		·29	·04	·46		·13	·78		·81	·10	·05	21
22	·02		·18	·17	·08		·11			·09	·88	·14	22
23		·02		·10	·38		·08			·13	·12	·12	23
24	·04			·04		·07	·50		·29	·01	·09	·03	24
25		·06		·11	·09	·02	·08	·02	·08	1·00	·24	·02	25
26		·01		·17	·33		·48		·08	·41	·32		26
27			·50	·22	·56	·10	·21			·11	·08	·17	27
28		·01	·27	·05	·20	·01	·19	·01				·08	28
29	·06		·65	·08	·08	·11	·40	·63	·27	1·04	·20	·27	29
30		✕	·13	·05		·38	·09	·03	·03	·15	·42	·16	30
31	·02	✕	·23	✕	·02	✕	·11		✕		✕	·11	31
TOTAL	6·45 ✓	·41 ✓	3·25 ✓	4·68 ✓	5·89 ✓	1·15 ✓	4·93 ✓	2·27 ✓	6·18 ✓	8·92 ✓	3·88 ✓	2·46 ✓	YEAR'S TOTAL 50·47 ✓
*Days with ·01 in. or more.	18	13	12	27	23	8	24	16	21	26	25	22	235
*Days with ·04 in. or more.	15	5	10	23	19	6	21	6	15	22	18	15	175

40-9999

N

(Signed) C. Clemesha Smith

X C. CLEMESHA SMITH ESQ., C.E. X

P.T.O.

*See Instruction 2 (*f*) on other side.

3207/1 ~~3208~~

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rishworth, Gt Walden Edge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1135 ft.

(1932 gauge) Check gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·87	·03					·02	·10		·31		1
2	·57		·29	·30	·02	·02		·06			·03		2
3	·02	57	·39	·01	·34						·03		3
4	·23	·22	·28		·18			·03					4
5	·24	·27	·10	·01	·19						·01		5
6	·03	·11	·02		·27			·01			·01	·07	6
7	·20	·55	·23		·15		·10	·05		·97		·04	7
8	·37	·15	·09	·04	·09		·35	·02		·01	·01	·03	8
9		·44		·39	·13	·01	·76	·07		·95	·13	·01	9
10	·17	·05			·01	·17	·21			1·05	·21		10
11							·90			·53		·03	11
12	·02					·27	·21			·04		·05	12
13	·01		·03		·23	·04	·35	·04	·07	·32	·29		13
14	·43		·05		·07		·10			·04	·20		14
15	·58		·04			·02	·03	·09		·28	·64	·01	15
16	·18	·02	·23	·02	·06	·29	·15			·21	·05	·01	16
17	·06		·73	·01	·02	·68		·17	·10		·23		17
18		·04	·48		·05	·72		·06			·11	·01	18
19		·01	·60	·01		·31	·04		·02		·05	·02	19
20		·14		·01				·26	·12		·02		20
21		·01				·12		·64	·09		·02	·01	21
22						·31		·09		·15		·02	22
23		·04		·30	·07			·12	·26	·04			23
24		·08		·17	·10	63			·77	·01		·01	24
25		·40		·22	·01				29		·02	·04	25
26		·28		·61						·30	·04	·01	26
27		·06		·01	·01				·04	·01			27
28				·19			·09		·02	·12			28
29				·02	·03		·08			·06		·07	29
30	·04	×	·12	·02	·35		·30			·33		·15	30
31	·36	×	·06	×		×	·57	·12	×	·21	×		31
TOTAL	3·61 ✓	4·31 ✓	3·77 ✓	2·34 ✓	2·38 ✓	3·59	4·24 ✓	1·85 ✓	1·88 ✓	5·63 ✓	2·41 ✓	·59 ✓	YEAR'S TOTAL 36·60 ✓
*Days with ·01 in. or more.	17	19	17	17	20	13	15	16	11	19	19	17	200
*Days with ·04 in. or more.	13	16	14	8	14	10	14	12	9	14	11	6	141

40-9999

*See Instruction 2 (*f*) on other side.

M D

(*Signed*) A. G. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3207/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1135 ft.

Check gauge.

"1932"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15		.03	.01				.12	.01	.16	.03	.39	1
2	.01	.02	.09					.80	.07		.18	.70	2
3	.12	.02	.03					.05	.01	.11	.07	.07	3
4	.14		.36	.08	.04				.06	.76		.83	4
5			.07	.01	.10			.32		.60	.04	.28	5
6			.13	.07	.60	.13		.19	.01	.25		.40	6
7	.31	.05	.15	.05		.02				.19	.20	.45	7
8		.01	.06		.11	.48		.13	.03	.21	1.30	.08	8
9		.05	.08	.10				.19	.04	.02	.71	.04	9
10		.01	.45	.25				.25		.58	.11	.01	10
11	.21	.01	.14	.44				.13		.04	.04	.18	11
12	.04		.08	.20			.58	.07		.06		.06	12
13	.46			.03	.13		.12	.03	.01	.35		.01	13
14	.22		.13		.06	.03				.42	.07	.08	14
15	.60	.02	.38		.79	.01		.14	.70	.01	.03	.20	15
16	.43		.19		.23					.01	.10	.09	16
17	.45		.32	.01	.16		.14		.31	.08		.29	17
18	.46		.34	.06	.63	.17	.11	.09				.26	18
19	.01	.01	.35	.05	.12	.50			.39	.20		.08	19
20			.04	.13	.45			.13	.14	.20	.02	.01	20
21	.02		.01		.13	.61		.09	.04	.11		.01	21
22	.04		.03		.03	.01		.56	.44	.15	.01	.01	22
23	.02		.07	.51	.01	.01	.60	.06		.15	.08	.09	23
24		.20	.06	.15		.09	.02		.50	.16		.03	24
25	.08	.05		.13	.02		.42		.19	.47		.39	25
26	.23		.09	.28		.22	.66		.58	.11	.07	.12	26
27	.01	.03		.19		.31	.68		.06	.50	.03	.22	27
28				.08		.10	.27	.14		.10		.69	28
29			.03				.15	.56	.38	.07		.11	29
30	.09	X	.02				.17	.55	.12	.11		.17	30
31	.01	X		X		X	.42		X	.05	X	.17	31
TOTAL	4.11	0.48	3.73	2.83	3.62	2.69	4.34	4.60	4.09	6.23	3.09	6.52	YEAR'S TOTAL 46.33
*Days with ·01 in. or more.	22	12	26	20	16	14	13	20	20	29	17	31	240
*Days with .04 in. or more.	16	4	20	16	13	9	12	19	15	26	12	25	187

40-9999

M

(Signed) A. G. Beaumont

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 3207/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109.

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth, Walden Edge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1135 ft.

Check Gauge.

"1932"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†.	
1	·52	·46	·06	·04		·01	·01		·08	1·01	·19	·30		1
2	·03	·11	·05			·25	·07		·08	·25	·06	·31		2
3	·10	·72	·08	·06		·03	·59	·02	·51	·01	·16	·22		3
4		·01	·10	·01		·12	·14		·25	·35		·01		4
5		·70	·21	·17		·58	·14		·24	·06	·24	·14		5
6	·02	·03		·09		·53						·01		6
7	·01			·26		·40				·31	·41	·37		7
8	·01			·12		·01				·25	·05	·24		8
9			·01	·49		·12				2·18	·16			9
10	·01	·08	·02	·42		·02				·50	·10			10
11	·45	·18				·16				·43	·12	·11		11
12	·01	·16				·82			·06	·02		·01		12
13	·12	·10		·08	·23				·06	·13	·03			13
14		·02		·34	·07	·15			·08	·01	1·27	·19		14
15		2·08		·42	·08				·48	·28	·20	·23		15
16	·01	·46	·16	·40	·02	·44	·16		·66	·01	·43			16
17		·06		·53	·47	·23	·04		·47	·06	·59			17
18	·02	·02		·17	·07	·18	·30		·45	·65	·10			18
19	·01	·18		·48		·31	·26			·23	·22			19
20	·02	1·05		·26		·16	·18				·82			20
21		·18	·01	·01				·02	·81	·21	·27	·14		21
22		·14	·16	·01					·09					22
23	·03		·85	·28				·50	·02	·30				23
24	·68	·44	·02						1·79	·08	·01	·11		24
25	·17	·08	·35			·53					·08	·19		25
26	·01						·12	1·19	·49	·86	·28	·28		26
27		·08				·13	·49		·47	1·20	·45	·21		27
28	·03	·04				·01		·49	·14	·63	·25	·04		28
29	·01		·10					·01	·14	·74	·09	·16		29
30	·06	×		·04		·18		·14	·47	·74	·75	·09		30
31	·05	×	·03	×		×			×	·34	×	·29		31
TOTAL	2·38	7·38	2·21	4·68	·94	5·37	2·50	2·37	7·84	11·84	7·33	3·65	Year's Total 58·49	
*Days with ·01 in. or more.	22	23	15	21	6	22	12	7	21	27	25	21	222	
*Days with ·04 in. or more.	8	19	10	18	5	17	11	4	20	23	23	18	176	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 3207/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1936.

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1135 ft.

Check gauge.

"1932"

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·09	·07	·59			·01	·34	·06		·20	·32		1
2	·02	·05	·02	·05		1·10		·19	·03		·04	·22		2
3	·04					·48	·05	·14	·69			·19		3
4	·43	·11	·26			·03	·03	·15	·43	·01	·31	·41		4
5	·07	·01	·36		·05	·01		·14	·68	·02	·18	·17		5
6	·21		·15		·02	·02	·18	·52	·76		·13			6
7	·05		·09		·01		·27		1·13		·13	·18		7
8	·37		·17						·04	·02	·47	·21		8
9	·30		·06						·11	·02	·87			9
10	·12		·01			·01	·42		·01	·01	1·18			10
11			·01	·03		·14	·30	·03	·04		·81	·03		11
12				·11	·05	·57	·77	·04	·54	·09	·34	·06		12
13	·07		·01	·12	·02	·07	·11			·30	·01	·58		13
14			·01	·20		·23	·06	·07	·42	·25	·34	·98		14
15	·15		·04	·16	·01	·14	·18	·30	·09		·52	·15		15
16	·07		·01	·07	·01	·01	·03			·06	·95			16
17	·04	·44	·02	·02	·10		·19	·14		·89	·09	·24		17
18		·09		·01		·07	·17	·08		·78		·07		18
19	·46	·43	·04	·02		·17	·19	·25		·16				19
20	·25	·05		·03			·02	·01	·04	·06		·01		20
21	·13		·01	·04						·08		·01		21
22	·25	·58	·03	·02	·05	2·12	·12			·02		·11		22
23		·03	·41	·21	·13		·75	·01		·09				23
24	·15	·06		·10	·32		·08	·10	·20	·99		·08		24
25	·33	·01	·05	·08		·08	·14		·55	·23		·04		25
26	·02	·22	·43	·03			·01		·13	·77	·01			26
27	·64	·01	·04						·17	·25				27
28	·70	·46	·09				·12				·01	·19		28
29	·17	·56	·89		·64	·66	·01			·10	·22	·12		29
30	·33	✕	·08		·01	·03	·27			·89	·15	·04		30
31	·02	✕	·03	✕		✕	·18	·01	✕		✕	·45		31
TOTAL	5·42	3·20	3·39	1·89	1·42	5·94	4·66	2·52	6·12	6·09	6·96	4·86	Year's Total. 52·47	
* Days with .01 in. or more.	26	16	26	18	13	18	25	17	19	22	20	23	243	
* Days with .04 in. or more.	22	12	16	11	7	12	19	13	17	16	17	20	182	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) A. G. Beaumont [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3207/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 1135 ft.

Check Gauge.

"1932"

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·07	·28	·08			·01	·06		·49	·01	·01	·27		1
2	·42	·43	·09	·17			·02		·02	·01		·13		2
3	·01	·18	·03	·10	·04	·90	·02		·02			·02		3
4	·29	·04	·05	·21	·12	·02	·05	·05				·50		4
5	1·34		·21	·01			·03		·01			·03		5
6	·16		·16	·09	·05			·47	·02	·01	·09	·20		6
7	·06	·26	·01	·49	·08	·06			·16		·02	·10		7
8		·60	·01	·07	·01	·13	·07				·07	·07		8
9	·03	·18	·09	·06	·30	·01	·34	·55				·02		9
10	·03	·06	·01		·06	·09	·02			·01	·01	·11		10
11			·30		·32		·01	·01				·06		11
12	·20	·25	·23	·02	·05	·16	·07	·02	·21			·22		12
13		·12	·10	·04	·09	1·18		·07	·05			·28		13
14		·11	·17	·01		·01		·23	·14	·01		·08		14
15	·36	·48	·01	·32	·01		·83		·13			·10		15
16	·15	·50	·12	·65		·01		·23	·02			·06		16
17	·03	·04	·47	·14		·19		·05	·54			·01		17
18	·40	·28	·34	·24		·01	·01	·32	·35		·36			18
19	·09	·27	·06	·17		·19	·09	·06	·07		·70			19
20	·14	·17	·01	·13	·61	·29					·01	·01		20
21	·04	·11	·06	·08	·05		·40					·23		21
22	·02		·20	·08	·04		·28			·44	·21	·19		22
23	·08		·01		·18		·47			·77	·52			23
24	·07	·12	·17				·05		·19	·09		·06		24
25	·11	·64					·02	·10	·05	·11		·02		25
26		·46	·09		·48		·01	·11	·04	·01		·07		26
27		·40		·18					·01	·62	·01	·02		27
28	·02	·05	·01			·02				·18				28
29	·02				·04	·04				·10	·16	·02		29
30	·14	✕				·28		·23		·15	·90	·05		30
31	·38	✕		✕	·01	✕		·06	✕	·15	✕	·01		31
TOTAL	4·66	6·03	3·09	3·26	2·54	3·60	2·85	2·56	2·52	2·67	3·07	2·94	Year's Total 39·79	
* Days with .01 in. or more.	25	23	26	20	18	18	19	15	18	15	13	27	237	
* Days with .04 in. or more.	18	23	18	17	15	11	11	13	12	9	8	18	173	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. G. Beaumont [P.T.O.

Waterworks Engineer

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3207/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1135 ft.

Check Gauge. "1932"

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED ~~TO THE~~ PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·05		·08		·97	·01	·10		·01	·24	·30		1
2	·09	·10		·54	·09	·42	·04			1·42	·12	·44		2
3	·04		·01			·05	·14		·19	1·72	·29	·06		3
4	·07	·01		·08		·04	·46	·50		·46	·51	1·39		4
5		·02		·08		·07	·12	·96	·03	·68	·03	·14		5
6	·21	·01				·04	·37	·10	·03	·30	·02	·02		6
7	·36						·60	·01	·39	·44		·01		7
8	·39	·01					·39	·02		1·22		·24		8
9	·24	·51	·18			·22	·18	·07		·17		·25		9
10	·01	·13	·02			·07	·71		·01	·16	·01	·07		10
11	·15	·12				·01	·40	·02	·04	·12	·08	·07		11
12	·42				·24		·01	·08	·01	1·27	·40	·02		12
13	·01	·01			·02		·01		·07	·60	·30	·20		13
14	·31	·03			·11		·19		·12	·03	·08	·10		14
15	·50		·01		·01		·24	·33		·10	·01	·27		15
16	1·20		·10		·26		·21	·40		·04	·11	·15		16
17		·01			·16		·17	·21	·09	·63	·05	·02		17
18	·10				·19	·13		·49	·28	·60	·31	·01		18
19	·01							·35	·17	·01		·08		19
20	·18							·05	·05		·54	·05		20
21	·05		·08			·01		·06			·07	·03		21
22	·01	·01		·01		·23					·34	·02		22
23	·02			·01	·22	·59			·13		·60	·01		23
24	·09	·01	·32		·07	·19	·45	·32	·09		·29			24
25	·38	·34	·08			·10	·09	·08		·47	·77	·04		25
26	·25	·53	·24		·02	·07	·08		·20	·36	·28	·10		26
27	·35	·36	·02		·81	·96	·23	·19	·04	·01	·51			27
28	·43	·22	·20		·73	·88	·17	·34	·21	·02	·05	·13		28
29	·10		·30		1·55	·26	·02		·01	·12	·20	·36		29
30	·42	✕			·10	·19			·31	·02	·37	·14		30
31	·33	✕	·07	✕	·47	✕			✕	·58	✕	·80		31
TOTAL	6·72	2·48	1·63	·80	5·05	5·50	5·36	4·68	2·47	11·56	6·58	5·52	Year's Total 58·35	
* Days with .01 in. or more.	28	18	13	6	16	20	24	20	20	26	26	29	246	
* Days with .04 in. or more.	23	9	9	4	13	18	20	17	15	20	22	21	191	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. G. Beaumont
Waterworks Engineer

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3207/1

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

For[illegible]090

REGISTER OF RAINFALL IN 1939.

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1135 ft.

Check Gauge "1932"

TRAVELLING E

VALU MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.30		.30	.03			.06	.09	.07	.01	.01	.82		1
2	.06		.03	.12			.76	.51	.57	.05	.12	.11		2
3	.02			.13				.22	.09		.05	.60		3
4	.04		.39	.69			.77	.01	.01	.04	.04	.61		4
5				.01	.26		.19	.06		.24	.28	.09		5
6	.46	.23	.04				.58			.02	.36			6
7	.35	.38	.28		.07		.10			.02	.26	.20		7
8	.57	.20	.25	.02			1.04	.03		.18	.35	.63		8
9	.10	.66					.07	.35		.58	.08	.66		9
10	.05	.04	.02			.11		.74	.71	.10	.04	.08		10
11	.60	.12	.27			.33		.05	.08	.02	.01	.03		11
12	.79	.15			.01	.22			.01	.01	.05	.01		12
13	.09		.05	.36	.15	.18	.04		.03	.10	.04			13
14	.76	.01	.03	.07	.32	.36	.08			.05	.36			14
15	.16	.10	.05	.72	.14	.85	.15		.06		.11	.01		15
16	.23		.07		.24	.01	.03		.01		.08	.01		16
17	.80	.35	.03	.06	.08	.09	.27			.31	.05			17
18	.18	.28	.05			.14	.38		.01	.02	.85			18
19	.26		.01			.01	.35		.01	.01		.01		19
20	.02		.01			.31	.18	.16	.04					20
21	.09	.18	.51	.13	.18	.02	.01	.32	.12			.01		21
22	.12	.32	.21	.03	.01		.14	.01	.02	.02	.61	.02		22
23	.04	.53	.09	.27		.02	.11	.01		.60	.20	.03		23
24	.01	.06	.02	.15		.08	.01	.01		.03	.02	.01		24
25	1.04	.31	.02			.04		.02			1.81	.01		25
26	.03	.03	.01		.03			.05		.23	.71	.09		26
27	.06	1.84	.34			.23	.09	.06		.20	.39	.05		27
28	.02	.17	.40	.05		.48	.65				.84			28
29			.03			.04	1.30			.25	.62			29
30		✕	.01			.12	.19				.40			30
31		✕		✕		✕	.27	.03	✕	.09	✕			31
TOTAL	7.25	5.96	3.52	2.84	1.49	3.64	7.82	2.73	1.84	3.18	8.74	4.09	Year's Total 53.10	
* Days with .01 in. or more.	27	19	26	15	11	19	25	18	15	23	27	21	246	
* Days with .04 in. or more.	22	17	15	11	8	15	22	11	8	14	24	11	178	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont [P.T.O.

JH

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3207/1 ~~2~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~2~~40.

Kept at Rishworth, S. Walden Edge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1135 ft.

Check Gauge: "1932"

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·15 s		·19	·01				·03		·54	·28		1
2		·02 s		·23			·12				·64	·16		2
3	·05 s	·03 s	·01	·14			·04			·16	·09	·21		3
4		·05 s	·01	·12			·20		·02	·26	·27	·26		4
5		·07			·16		·11		·02	·73	·14	·52		5
6	·11	·35		·01			·04			·97	·09	·08		6
7	·10	·22		·18	·15		·10	·33	·18	·05	·02			7
8	·02	·01	·03 s	·06	·01		·01	·05		·25	·06	·25		8
9			·22	·01			·60	·40	·32	·48	1·36	·24		9
10			·05				·39	·57	·04	·13	·56	·62		10
11		·08 s	·09	·08		·01	·37				1·36	·01		11
12		·02 s	·81				·10	·03	·70		·46			12
13		·05 s	·24 s					·09	·39		·08			13
14		·07 s	·03 s	·21	·22		·05	·12	·14	·01	·08	·46		14
15			·08 s	·03	·09	·02				·01	·06	·06		15
16	·03 s	·04 s	·06	·09			·48		1·44	·45	·19	·09		16
17		·02 s	·57	·01			·35		·20	·01	·53			17
18	·04 s	·12 s	·22	·37			·09	·38	·21		·03	·36		18
19	·01 s	·11 s	·25 s	·09			·45		·59	·09	·34	·02		19
20		·15	·09 s	·44			·98	·70	·30	·13	·22	·01		20
21	·02 s		·40	·06		·33	·08	·10	·05	·16	·82			21
22		·08	·08	·02	·06	·17		·07	·53	·06	·01	·01		22
23		·40	·06	·09	·03		·13		·12	·12	·19	·02		23
24	·32 s	·03	·01	·05	·02				·01	·03		·09		24
25	·08 s				·01	·04				·09		·01		25
26	·25 s	·10	·01	·01	·07	·05	·04	·04	·02	·01	·05			26
27	·96 s	·54		·13			·06		·01		·14	·01		27
28	·98 s	·64 s		·02	·41			·17				·06		28
29	·07 s		·28 s	·04	·23	·39	·07		·01	·01		·69		29
30	·09 s	✕		·23						·48	·01	·41		30
31	·17 s	✕	·20	✕	·01	✕		·09	✕	·85	✕	·10		31
TOTAL	3·30	3·35	3·80	2·91	1·48	1·01	4·86	3·14	5·33	5·54	8·34	5·03	Year's Total 48·09	–
* Days with .01 in. or more.	16	23	22	25	14	7	22	14	21	23	26	25	238	–
* Days with .04 in. or more.	12	17	16	18	8	5	21	13	14	17	22	18	181	–

2·60 ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side. X Wakefield Corpn. W.W. X (Signed) A. J. Beaumont [P.T.O.

3207/2

RISHWORTH. G WALDEN EDGE
S. GAUGE

1932 — 35

780602

X RISHWORTH (G. WALDEN EDG

(3207/

Section **A** for the entry of

AIR MINISTRY

PY FOR OFFICIAL USE.

ORGANIZATION.

WR/8

FORM 1090.

REGIST

Kept at Rishworth, Great

in the County of W. R. Y

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

5 yds SE of old g

Turfwall fence.

THE MORNING MEASU

An observer who does not conform to t
year in the space on the right of this

wing

Jan. 1, following

OK print

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.			in.	in.	in.	in.	in.	in.	in.	
1	·60	·01		·60	·35		·29	·01	·89	·47	·22	·02	1
2	1·20				·66		·01	·04	1·57	·10	·27	·37	2
3	·24						·27		·08			·17	3
4	·06	·02		·01			·11		·03	·07	·23	·03	4
5	1·25	·01	·16	·29	·03		·01	·01	·19	·01		·01	5
6	1·37		·15	·57	·14		·01		·35				6
7	·12		·66	·30					·76	·24	·02		7
8				·17					·09	·71	·02		8
9	·19	·12		·89	·07				·02	·01		·07	9
10	·56	·07	·02	·09	·04				·67	·52	·01	·06	10
11	·03	·05	·01	·11	·59	·20	1·32		·23	·03	·04		11
12	·51	·01		·03	·62	·28	·12	·06	·02	·61	·09	·01	12
13		·06		·18	·19		·10	·01	·40	·63	·07	·30	13
14	·05			·03			·11	·01	·02	·08	·23	·01	14
15				·05	·44					·19	·24	·15	15
16	·33			·10	·01		·12	·01		·21	·03	·14	16
17				·01			·08	·10	·04	·69	·01		17
18					·07			·01	·03		·02		18
19		·01		·27	·25			·02		·37	·01		19
20				·26	·47		·06	·58		·27	·12		20
21	·04		·29	·04	·50		·13	·93		·86	·10	·05	21
22	·02		·18	·18	·08		·11			·09	·84	·15	22
23		·02		·13	·40		·08			·14	·12	·12	23
24	·04			·04		·07	·52		·28	·01	·09	·03	24
25		·06		·11	·10	·02	·08	·02	·09	1·00	·23	·02	25
26		·01		·19	·35		·49		·09	·42	·31		26
27			·53	·23	·58	·10	·22			·11	·08	·17	27
28	~~·08~~	·01	·28	·06	·20	·01	·20	·01				·08	28
29	·08		·64	·08	·08	·11	·40	·64	·30	1·08	·20	·28	29
30		×	·13	·06		·42	·09	·03	·03	·15	·42	·15	30
31	·03	×	·24	×	·02	×	·12		×		×	·11	31
TOTAL	6·72 ✓	·46 ✓	3·29 ✓	5·08 ✓	6·24 ✓	1·21 ✓	5·05 ✓	2·49 ✓	6·18 ✓	9·07 ✓	3·99 ✓	2·50 ✓	YEAR'S TOTAL 52·28
*Days with ·01 in. or more.	18	13	12	27	23	8	24	16	21	26	25	22	235
*Days with ·04 in. or more.	15	5	10	23	20	6	21	6	15	22	18	15	176

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith [P.T.O.

X C. CLEMESHA SMITH ESQ, C.E. X

X RISHWORTH (G. WALDEN EDG

(3207/2

Section **A** for the entry of

PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

WR/8

Kept at Rishworth, Great Walden Edge

in the County of W. R. Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1135 ft.

"South" gauge
(fixed 1/1/32)

35 yds SE of old g
[illegible] fence.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
OK print

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60	·01		·60	·35		·29	·01	·89	·47	·22	·02	1
2	1·20				·66		·01	·04	1·57	·10	·27	·37	2
3	·24						·27		·08			·17	3
4	·06	·02		·01			·11		·03	·07	·23	·03	4
5	1·25	·01	·16	·29	·03		·01	·01	·19	·01		·01	5
6	1·37		·15	·57	·14		·01		·35				6
7	·12		·66	·30					·76	·24	·02		7
8				·17					·09	·71	·02		8
9	·19	·12		·89	·07				·02	·01		·07	9
10	·56	·07	·02	·09	·04				·67	·52	·01	·06	10
11	·03	·05	·01	·11	·59	·20	1·32		·23	·03	·04		11
12	·51	·01		·03	·62	·28	·12	·06	·02	·61	·09	·01	12
13		·06		·18	·19		·10	·01	·40	·63	·07	·30	13
14	·05			·03			·11	·01	·02	·08	·23	·01	14
15				·05	·44					·19	·24	·15	15
16	·33			·10	·01		·12	·01		·21	·03	·14	16
17				·01			·08	·10	·04	·69	·01		17
18					·07			·01	·03		·02		18
19		·01		·27	·25			·02		·37	·01		19
20				·26	·47		·06	·58		·27	·12		20
21	·04		·29	·04	·50		·13	·93		·86	·10	·05	21
22	·02		·18	·18	·08		·11			·09	·84	·15	22
23		·02		·13	·40		·08			·14	·12	·12	23
24	·04			·04		·07	·52		·28	·01	·09	·03	24
25		·06		·11	·10	·02	·08	·02	·09	1·00	·23	·02	25
26		·01		·19	·35		·49		·09	·42	·31		26
27			·53	·23	·58	·10	·22			·11	·08	·17	27
28	~~·08~~	·01	·28	·06	·20	·01	·20	·01				·08	28
29	·08		·64	·08	·08	·11	·40	·64	·30	1·08	·20	·28	29
30		×	·13	·06		·42	·09	·03	·03	·15	·42	·15	30
31	·03	×	·24	×	·02	×	·12		×		×	·11	31
TOTAL	6·72 ✓	·46 ✓	3·29 ✓	5·08 ✓	6·24 ✓	1·21 ✓	5·05 ✓	2·49 ✓	6·18 ✓	9·07 ✓	3·99 ✓	2·50 ✓	YEAR'S TOTAL 52·28
*Days with ·01 in. or more.	18	13	12	27	23	8	24	16	21	26	25	22	235
*Days with ·04 in. or more.	15	5	10	23	20	6	21	6	15	22	18	15	176

40-9999

*See Instruction 2 (*f*) on other side.

NN

(Signed) C. Clemesha Smith [P.T.O.

X C. CLEMESHA SMITH ESQ. C.E. X

3207/9

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rishworth, Gt. Walden Edge South gauge.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 1135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·82	·03					·02	·10		·30		1
2	·57		·32	·28	·02	·02		·06			·03		2
3	·02	·58	·43	·01	·36						·04		3
4	·23	·21	·29		·18			03					4
5	·25	·27	·11	·01	·19						·01		5
6	·03	·12	·02		·28			·01			·01	·07	6
7	·21	·55	·22		·15		·11	·05		1·02		·04	7
8	·37	·15	·09	04	·09		·36	·02		·01	·01	·03	8
9		·44		·38	·13	·01	·76	·07		·92	14	·01	9
10	·18	·07			·01	·17	·21			1·03	·22		10
11							·90			·52		·03	11
12	·02					·27	·21			·04		·05	12
13	·01		·04		·23	·04	·34	·04	·07	·31	·29		13
14	·43		·06		·07		·10			·04	·22		14
15	·56		·04			·02	·03	·09		·27	·69	·01	15
16	·22	·02	·23	·02	·06	29	·13			·20	·04	·01	16
17	·06		·78	·01	·02	·69		·18	·10		·26		17
18		·07	·49		·06	·70		·06			·15	·01	18
19		·01	·62	·01		32	·04		·02		·06	·02	19
20		·16		·01				·26	·13		·03		20
21		·01				·11		·64	·10		·02	·01	21
22						·31		·10		·15		·02	22
23		·03		·30	·07			·13	·27	·04			23
24		·11		·18	·10	·70			·79	·01		·01	24
25		·52		·21	·01				·30		·02	·04	25
26		·25		·60						·30	05	·01	26
27		·05		·01	·01				·04	·01			27
28				·19			·09		·02	·13			28
29				·02	·02		·08			·06		·07	29
30	·06	×	·12	·02	·35		·32			·33		·14	30
31	·38	×	·06	×		×	·42	·11	×	·21	×		31
TOTAL	3·70	4·44	3·95	2·30	2·41	3·65	4·10	1·87	1·94	5·60	2·59	·58	YEAR'S TOTAL 37·13
*Days with ·01 in. or more.	17	19	17	17	20	13	15	16	11	19	19	17	200
*Days with ·04 in. or more.	13	15	15	8	14	10	14	12	9	16	12	6	144

40-9999

M D

(Signed) A. G. Beaumont P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.**

Station No. 3207/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rishworth, G. Walden Edge

in the County of W. R. Yorks.

South gauge.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 1135 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16		·03	·01				·12	·01	·16	·03	·42	1
2	·01	·02	·10					·80	·07		·18	·66	2
3	·13	·02	·03					·05	·01	·11	·07	·07	3
4	·14		·35	·08	·04				·06	·72		·88	4
5			·07	·01	·10			·34		·60	·04	·28	5
6			·12	·07	·66	·13		·21	·01	·26		·41	6
7	·32	·05	·13	·05		·02				·19	·20	·50	7
8		·01	·06		·11	·47		·13	·03	·21	1·31	·08	8
9		·05	·08	·10				·19	·04	·02	·84	·05	9
10		·01	·46	·30				·25		·48	·12	·01	10
11	·23	·01	·15	·45				·13		·03	·04	·20	11
12	·04		·09	·20			·56	·07		·05		·06	12
13	·48			·03	·13	·03	·12	·03	·01	·29		·01	13
14	·22		·15		·06	·01				·39	·07	·08	14
15	·52	·02	·35		·83			·14	·69	·01	·03	·20	15
16	·43		·21		·23					·01	·10	·09	16
17	·47		·31	·01	·16		·14		·31	·07		·33	17
18	·48		·30	·06	·62	·17	·11	·08				·27	18
19	·01	·01	·39	·05	·12	·50			·41	·16		·08	19
20			·04	·13	·45			·13	·14	·19	·02	·01	20
21	·02		·01		·10	·60		·09	·04	·12		·01	21
22	·04		·03		·03	·01		·54	·45	·14	·01	·01	22
23	·02		·07	·49	·01	·01	·60	·06		·14	·08	·09	23
24		·20	·06	·15		·10	·02		·51	·16		·03	24
25	·09	·05		·13	·02		·36		·20	·49		·43	25
26	·24		·08	·33		·23	·59		·59	·11	·07	·12	26
27	·01	·03		·23		·30	·65		·06	·50	·03	·23	27
28				·08		·10	·26	·14		·10		·71	28
29			·03				·16	·54	·36	·07		·11	29
30	·09	×	·02				·17	·54	·12	·10		·16	30
31	·01	×		×		×	·39		×	·05	×	·17	31
TOTAL	4·16	0·48	3·72	2·96	3·67	2·68	4·13	4·58	4·12	5·93	3·24	6·76	YEAR'S TOTAL 46·43
*Days with ·01 in. or more.	22	12	26	20	16	14	13	20	20	29	17	31	240
*Days with ·04 in. or more.	16	4	20	16	13	9	12	19	15	25	12	25	186

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL ~~USE~~.

Section **A** for the entry of Daily Observations. Station No. 3207/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth & Walden Edge

in the County of W.R. Yorks.

South Gauge.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Discontinued

See letter to Meteorological Office 5 December 1934.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		✕												30
31		✕		✕		✕			✕		✕			31
TOTAL													Year's Total	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

AA

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

3208

Section A for the entry o
AIR MINISTR

FORM 1090.

REGIS

Kept at Rishworth, G.
in the County of W. R.
Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of th

3208
RISHWORTH, G. WALDEN EDGE
1931 (NEW GAUGE)
780602

FOR OFFICIAL USE.
ORGANIZATION.

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	·06	·01	·04	·06		·64			·04	·13			1
2	·02	·14		·78	·04	1·14	·01		1·23	·09	·07	·08	2
3				·09		·15	·34		·59	·02	1·44	·50	3
4		·07		·47		·01	·15		1·52	·19	·36	·46	4
5		·09				1·01	·03	·63	·05			·40	5
6		·36	·03		·26	·38	·57	·03	·12	·66	·18		6
7		·04	·02			·78	·04	·36		·34	·07	·21	7
8	·03	·41	·08	·07	·10		·35	·60	·01	·13	·38		8
9		·95	·06	·30		·09	·01	·41	·12	·07	·34	·05	9
10	·19	·22	·08		·23	·32		·26	·03		·35		10
11	·73	·62		·04		·10	·07	·02	·31		·66	·01	11
12	·04	·16		·03		·02	·55		·15	·37	·37		12
13			·21	·01	·07	·02	·13	·04					13
14	·20	·03		·01	·09	·82	·02	1·02	·04		·45	·02	14
15	·54	·48		·18	·13	·02	·09	·35			·06	·08	15
16	·89	·21		·42	·52	·56	·08	·90	·31				16
17	·09	·17		·31	·05	·04	·59	·33	·04	·01	·05		17
18	·41	·02		·31		·53	·58	·12		·01	·85		18
19	·20	·21		·06			·02	1·20	·04	·04		·02	19
20	·04	·22	·02	·04		·08		·16			·13	·01	20
21	·43	·10	·12		·12	·16	·02	·35			·02		21
22	·23	·17		·01	·20	·10	·03				·01		22
23	·56	·01	·01	·32	·15	·45	·45		·01		·76	·19	23
24	·18	·48		·09	·75		·08				·63	·13	24
25	·17	1·37		·33	·04		·15				·07	·11	25
26	·13	·18		·30							·58	·04	26
27	·60	·06		·05	·07		·47			·29	1·06	·17	27
28	·50	·30	·01	·15	·22		·26				·01	·09	28
29	·33				·16		·20			·75	·03		29
30	·02	×		·13	·01				·04		·01		30
31	·24	×		×	·15	×	·03		×	·02	×	·12	31
TOTAL	6·83	7·08	·68	4·56	3·36	7·42	5·32	6·78	4·65	3·12	8·34	2·69	YEAR'S TOTAL 60·83
*Days with ·01 in. or more.	24	26	11	24	19	21	26	16	17	15	25	18	242
*Days with ·04 in. or more.	21	22	6	20	18	17	18	14	14	11	19	14	194

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

33 [P.T.O.

Section A for the entry o

FOR OFFICIAL USE. 3208

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rishworth G Walden Edge

in the County of W. R. Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1078 ft.

New Gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·01	·04	·06		·64			·04	·13			1
2	·02	·14		·78	·04	1·14	·01		1·23	·09	·07	·08	2
3				·09		·15	·34		·59	·02	1·44	·50	3
4		·07		·47		·01	·15		1·52	·19	·36	·46	4
5		·09				1·01	·03	·63	·05			·40	5
6		·36	·03		·26	·38	·57	·03	·12	·66	·18		6
7		·04	·02			·78	·04	·36		·34	·07	·21	7
8	·03	·41	·08	·07	·10		·35	·60	·01	·13	·38		8
9		·95	·06	·30		·09	·01	·41	·12	·07	·34	·05	9
10	·19	·22	·08		·23	·32		·26	·03		·35		10
11	·73	·62		·04		·10	·07	·02	·31		·66	·01	11
12	·04	·16		·03		·02	·55		·15	·37	·37		12
13			·21	·01	·07	·02	·13	·04					13
14	·20	·03		·01	·09	·82	·02	1·02	·04		·45	·02	14
15	·54	·48		·18	·13	·02	·09	·35			·06	·08	15
16	·89	·21		·42	·52	·56	·08	·90	·31				16
17	·09	·17		·31	·05	·04	·59	·33	·04	·01	·05		17
18	·41	·02		·31		·53	·58	·12		·01	·85		18
19	·20	·21		·06			·02	1·20	·04	·04		·02	19
20	·04	·22	·02	·04		·08		·16			·13	·01	20
21	·43	·10	·12		·12	·16	·02	·35			·02		21
22	·23	·17		·01	·20	·10	·03				·01		22
23	·56	·01	·01	·32	·15	·45	·45		·01		·76	·19	23
24	·18	·48		·09	·75		·08				·03	·13	24
25	·17	1·37		·33	·04		·15				·07	·11	25
26	·13	·18		·30							·58	·04	26
27	·60	·06		·05	·07		·47			·29	1·06	·17	27
28	·50	·30	·01	·15	·22		·26				·01	·09	28
29	·33				·16		·20			·75	·03		29
30	·02	×		·13	·01				·04		·01		30
31	·24	×		×	·15	×	·03		×	·02	×	·12	31
TOTAL	6·83	7·08	·68	4·56	3·36	7·42	5·32	6·78	4·65	3·12	8·34	2·69	YEAR'S TOTAL 60·83
*Days with ·01 in. or more.	24	26	11	24	19	21	26	16	17	15	25	18	242
*Days with ·04 in. or more.	21	22	6	20	18	17	18	14	14	11	19	14	194

40-9999

M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

83

[P.T.O.

3208/5

Section **A** for the entry of
AIR MINISTR

FOR OFFICIAL USE.
ORGANIZATION.

W Riding / 8

FORM 10

REGIST

Kept at Rishworth, Long

in the County of W. R.

Nov 1933)

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea I

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

llowing

Jan. 1, following

3208/5

Rishworth, Long Clough

1934 — 40

780602

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·19									·04			2
3				·01									3
4									·15			2·22	4
5													5
6		·04	·88								·33		6
7								1·53					7
8					1·08								8
9	·74									2·49			9
10				·52									10
11									·02			1·59	11
12						·58							12
13		·12	·99								2·42		13
14								·79					14
15					1·24								15
16	2·48									1·45			16
17				·66			·81						17
18									·76			1·23	18
19						·85							19
20		·02	2·30								·20		20
21								·49					21
22					1·95								22
23	1·01									1·09			23
24				1·09			·50						24
25									2·12			·52	25
26						1·06							26
27		·25	·22								·21		27
28								·93					28
29		X			·01								29
30	·50	X		·69		·40			1·33	1·82			30
31	·02	X	·07	X		X	2·81	·66	X	·04	X	1·65	31
TOTAL	4·94	0·43	4·46	2·97	4·28	2·89	4·12	4·40	4·38	6·93	3·16	7·21	YEAR'S TOTAL 50·17
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

6K print

Printed
30" W

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A. G. Beaumont [P.T.O.

X WAKEFIELD CORPN. W.W. X

3208/5

Section **A** for the entry of ~~Daily Observations.~~ **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10●.

REGISTER OF RAINFALL IN 1934.

W Riding/

Kept at Rishworth, Long Clough

in the County of W. R. Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1000 ft.

(See letter 10 Nov 1933)

noted

Map 31. 2J

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·19									·04			2
3				·01									3
4									·15			2·22	4
5													5
6		·04	·88								·33		6
7								1·53					7
8					1·08								8
9	·74									2·49			9
10				·52									10
11									·02			1·59	11
12						·58							12
13		·12	·99								2·42		13
14								·79					14
15					1·24								15
16	2·48									1·45			16
17				·66			·81						17
18									·76			1·23	18
19						·85							19
20		·02	2·30								·20		20
21								·49					21
22					1·95								22
23	1·01									1·09			23
24				1·09			·50						24
25									2·12			·52	25
26						1·06							26
27		·25	·22								·21		27
28								·93					28
29					01								29
30	·50	×		·69		·40			1·33	1·82			30
31	·02	×	·07	×		×	2·81	·66	×	·04	×	1·65	31
TOTAL	4·94 ✓	0·43 ✓	4·46	2·97	4·28 ✓	2·89 ✓	4·12 ✓	4·40 ✓	4·38 ✓	6·93 ✓	3·16	7·21 ✓	YEAR'S TOTAL 50·17 ✓
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) A. G. Beaumont [P.T.O.

X WAKEFIELD CORPN. W.W. X

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3208/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth (Long Clough)

in the County of W. R. Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1000 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·49									·95				1
2				·03			·06							2
3									·83			·89		3
4						·32								4
5		2·17	·48								·50			5
6								·02						6
7														7
8	·15									1·68				8
9				1·40			·92							9
10									·44			·96		10
11						2·33								11
12		·67	·01								·78			12
13														13
14					·25									14
15	·86									3·74				15
16				1·96			·19							16
17									2·25			·54		17
18						1·72								18
19		3·70	·14								3·10			19
20														20
21					·69									21
22	·06									1·35				22
23				1·77			·75							23
24									3·35			·25		24
25		2·35				·77								25
26			1·67								1·49			26
27								2·04						27
28		·20												28
29	·97									4·39				29
30		×		·04		·34	·71		2·03		2·05			30
31	·22	×	·14	×		×		·36	×	1·29	×	1·10		31
TOTAL	2·75	9·09	2·44	5·20	·94	5·48	2·63	2·42	8·90	13·40	7·92	3·74	Year's Total. 64·91	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3208/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at RISHWORTH - LONG CLOUGH (EXPERIMENTAL).

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1010 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·97								·07			·51		1
2						1·12								2
3			·02								·25			3
4		·21						·99						4
5					·04									5
6										·02				6
7	·97			·53			·66							7
8									4·31			1·59		8
9						·34								9
10			1·21								4·45			10
11								·75						11
12					·06									12
13										·57				13
14	·94			·36			1·72							14
15									1·60			2·42		15
16						1·27								16
17			·09								3·06			17
18		·61						·52						18
19					·05									19
20										2·44				20
21	1·14			·32			·85							21
22									·04			·59		22
23						1·62								23
24			·54								·01			24
25		·92						·37						25
26					·40									26
27										3·03				27
28	2·46			·44			1·15							28
29		1·50							1·17			·42		29
30		☒				·64					·43			30
31	·60	☒	1·79	☒	·48	☒	·58	·01	☒	1·07	☒	·67	Year's Total	31
TOTAL	6·11	3·24	3·65	1·65	1·03	4·99	4·96	2·64	7·19	7·13	8·20	6·20	56·99	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont
Waterworks Engineer

WATERWORKS ENGINEER'S OFFICE
WAKEFIELD

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 3208/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Rishworth (Long Clough)
in the County of W. R. Yorkshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1000 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						.01								1
2		.87	.29								.01			2
3														3
4					.17									4
5	2.67									.02				5
6				.72			.18							6
7									.74			1.10		7
8						1.15								8
9		1.35	.35								.17			9
10								.90						10
11					.98									11
12	.52									.02				12
13				.69			.55							13
14									.39			1.42		14
15						1.80								15
16		2.15	.90								.01			16
17								.60						17
18					.01									18
19	.95									.01				19
20				1.46			1.04							20
21									1.00			.39		21
22						.31								22
23		.98	1.08								1.78			23
24								.43						24
25					.89									25
26	.40									1.54				26
27				.33			1.16							27
28		1.80	~~.30~~						.28			.33		28
29						.08								29
30		✕	.30			.26					.96			30
31	.63	✕		✕	.53	✕		.57	✕	1.11	✕	.07		31
TOTAL	5.17	7.15	2.92	3.20	2.58	3.61	2.93	2.50	2.41	2.70	2.93	3.31	Year's Total 41.41	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3208/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Rishworth, Long Clough

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1000 ft.

W

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·09									·29			1
2								·11						2
3					·07									3
4	·19									4·48				4
5				·86			·87							5
6									·28			2·59		6
7						1·78								7
8		·21	·01								1·18			8
9								1·18						9
10														10
11	1·84									4·08				11
12							2·47							12
13			·30						·60			1·08		13
14						·35								14
15		·83									1·04			15
16								·95						16
17					·93									17
18	3·02									3·75				18
19							·77							19
20									·58			·51		20
21						·17								21
22		·02	·22								1·48			22
23								1·50						23
24					·39									24
25	1·04									·46				25
26				·02			·70							26
27									·48			·17		27
28		1·65				3·23								28
29			1·32								2·84			29
30		×				·62		·96	·51		·39			30
31	2·27	×	·12	×	3·19	×	·61		×	1·25	×	1·67		31
TOTAL	8·36	2·80	1·97	·88	4·58	6·04	5·42	4·70	2·45	14·02	7·22	6·02	Year's Total. 64·46	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

WATERWORKS ENGINEER'S OFFICE MAR 1939

(Signed) A. G. Beaumont B.
Waterworks Engineer.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3208/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at RISHWORTH (LONG CLOUGH)

in the County of W.R. YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1000 ft.

WATERWORKS ENGINEER'S OFFICE
20 MAY 1940
WAKEFIELD

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·09						1
2														2
3	·31									·07				3
4				·86			1·45							4
5									·65			2·66		5
6														6
7		·74	1·49								1·19			7
8								·72						8
9					·25									9
10	1·80									1·24				10
11				·03			2·13							11
12									·78			1·74		12
13						·74								13
14		1·54	·47								·88			14
15								1·18						15
16					·72									16
17	2·95									·53				17
18				1·41			·83							18
19									·08			·01		19
20						1·97								20
21		1·08	·81								1·07			21
22								·40						22
23					·16									23
24	·78									·64				24
25				·57			·91							25
26									·15			·14		26
27						·71								27
28		3·93	·88								5·32			28
29								·07						29
30		✕		·04	·01	·56					1·12			30
31	·27	✕	·04	✕		✕	2·68	·02	✕	·68	✕	·04		31
TOTAL	6·11	7·29	3·69	2·91	1·14	3·98	8·00	2·48	1·66	3·16	9·58	4·59	Year's Total 54·59	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. G. Beaumont

[P.T.O.

43

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3208/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 0

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Rishworth (Long Clough)

in the County of ....

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1010 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				·45			·10							2
3									·02			·76		3
4														4
5			·01								1·97			5
6		·60												6
7					·32									7
8										2·66				8
9	·23			·52			1·21							9
10									·59			2·42		10
11						·01								11
12			1·22								4·50			12
13		·35						1·58						13
14					·25									14
15										·77				15
16	·04			·45			1·10							16
17									3·40			·85		17
18						·02								18
19			1·82								1·59			19
20		·37						1·20						20
21					·02									21
22										·79				22
23	·06			·92			2·28							23
24									1·84			·53		24
25						·68								25
26			·60								1·24			26
27		1·33						·12						27
28					·50									28
29		·53								·25				29
30		✕		·63		·38	·07		·03		·14			30
31	2·80	✕	·54	✕	·22	✕		·20	✕	1·47	✕	1·25		31
TOTAL	3·13	3·18	4·19	2·97	1·31	1·09	4·76	3·10	5·88	5·94	9·44	5·81	Year's Total 50·80	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side Wakefield Corpn. W. W (Signed) A. G. Beaumont [P.T.O.

3209

Section **A** for the entry o
AIR MINISTR

FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090. **REGIS**

Kept at Rishworth S
in the County of W.R. a

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of th

llowing

Jan. 1, following

3209

RISHWORTH, STOTT HALL
OLD G.
1931

780602

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·05				1
2						2·02							2
3		·09	·02								2·09		3
4													4
5					·31								5
6	·09									·94			6
7				1·33			1·14						7
8									3·10			1·72	8
9						2·69							9
10		2·13	·26								1·37		10
11								2·22					11
12					·33								12
13	·78									·93			13
14				·29			1·15						14
15									·41			·16	15
16						1·73							16
17		1·74	·19								1·44		17
18								2·75					18
19					·80								19
20	1·73									·05			20
21				1·33			1·06						21
22									·29			·02	22
23						1·20							23
24		1·14	·05								1·87		24
25								1·23					25
26					1·23								26
27	2·01									·27			27
28		1·52		1·29			1·02						28
29		✕										·53	29
30		✕		·09					·03		1·63		30
31	·91	✕	·03	✕	·93	✕	·20		✕	·66	✕	·13	31
TOTAL	5·52	6·62	·55	4·33	3·60	7·64	4·57	6·20	3·88	2·85	8·40	2·56	YEAR'S TOTAL 56·72
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

P.T.O.

Section **A** **for the entry o** FOR OFFICIAL USE.
AIR MINISTR ORGANIZATION.

3209

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rishworth, Stott Hall
in the County of W.R. Yorkshire S
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 937 ft.

Old Gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·05				1
2						2·02							2
3		·09	·02								2·09		3
4								-					4
5					·31								5
6	·09									·94			6
7				1·33			1·14						7
8									3·10			1·72	8
9						2·69							9
10		2·13	·26								1·37		10
11								2·22					11
12					·33								12
13	·78									·93			13
14				·29			1·15						14
15									·41			·16	15
16						1·73							16
17		1·74	·19								1·44		17
18								2·75					18
19					·80								19
20	1·73									·05			20
21				1·33			1·06						21
22									·29			·02	22
23						1·20							23
24		1·14	·05								1·87		24
25								1·23					25
26					1·23								26
27	2·01									·27			27
28		1·52		1·29			1·02						28
29												·53	29
30		✕		·09		-			·03		1·63		30
31	·91	✕	·03	✕	·93	✕	·20		✕	·66	✕	·13	31
TOTAL	5·52	6·62	·55	4·33	3·60	7·64	4·57	6·20	3·88	2·85	8·40	2·56	YEAR'S TOTAL 56·72
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith
Waterworks Engineer

P.T.O.

3210

Section **A** for the entry

AIR MINIST

FORM 1090.

REGI

Kept at Rishworth S

in the County of W R

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEA

An observer who does not conform

year in the space on the right of

—

3210

Rishworth Stott Hall

1931 — 40

780602

FOR OFFICIAL USE.

LL ORGANIZATION.

l.

Y.

following

Jan. 1, following

Date	Jan.	Feb.	Marc								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·05				1
2						1·98							2
3		·08	02								2·07		3
4													4
5					·29								5
6	·09									·94			6
7				1·33			1·14						7
8									3·06			1·70	8
9						2·64							9
10		2·09	·25								1·37		10
11								2·20					11
12					·32								12
13	·76									·92			13
14				·27			1·12						14
15									·40			·16	15
16						1·72							16
17		1·73	·19								1·43		17
18								2·74					18
19					·79								19
20	1·74									·05			20
21				1·33			1·02						21
22									·29			·02	22
23						1·21							23
24		1·14	·06								1·82		24
25								1·21					25
26					1·20								26
27	2·09									·27			27
28		1·50		1·32			1·01						28
29												·53	29
30		✕		·08					·03		1·61		30
31	·92	✕	·02	✕	·92	✕	·20		✕	·67	✕	·13	31
TOTAL	5·60	6·54	·54	4·33	3·52	7·55	4·49	6·15	3·83	2·85	8·30	2·54	YEAR'S TOTAL 56·24
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith

Waterworks Engineer

23 P.T.O.

3210

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rishworth Stott Hall

in the County of W. R. Yorkshire 8

New Gauge.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 935 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									·05				1
2						1·98							2
3		·08	·02								2·07		3
4													4
5					·29								5
6	·09									·94			6
7				1·33			1·14						7
8									3·06			1·70	8
9						2·64							9
10		2·09	·25								1·37		10
11								2·20					11
12					·32								12
13	·76									·92			13
14				·27			1·12						14
15									·40			·16	15
16						1·72							16
17		1·73	·19								1·43		17
18								2·74					18
19					·79								19
20	1·74									·05			20
21				1·33			1·02						21
22									·29			·02	22
23						1·21							23
24		1·14	·06								1·82		24
25								1·21					25
26					1·20								26
27	2·09									·27			27
28		1·50		1·32			1·01						28
29												·53	29
30		×		·08					·03		1·61		30
31	·92	×	·02	×	·92	×	·20		×	·67	×	·13	31
TOTAL	5·60	6·54	·54	4·33	3·52	7·55	4·49	6·15	3·83	2·85	8·30	2·54	YEAR'S TOTAL 56·24
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith Waterworks Engineer 23 [P.T.O.

3210

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rishworth, Stott Hall

in the County of W. R. Yorkshire 8

~~New Gauge~~

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 935 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·17		1
2		·01						·06					2
3					1·04								3
4										·44			4
5	3·10			·70			·75						5
6									3·21			·71	6
7													7
8			·88								·43		8
9		·19						·02					9
10					·09								10
11										1·39			11
12	2·62			1·93			1·18						12
13									2·01			·38	13
14						·22							14
15			·03								·51		15
16		·17						·08					16
17					1·85								17
18										2·10			18
19	·74			·46			·37						19
20									·04			·22	20
21													21
22			·33								1·02		22
23		·02						1·39					23
24					1·72								24
25										2·64			25
26	·04			·92			·92						26
27									·36			·49	27
28						·23							28
29		·06	1·44								1·35		29
30		✕		·34		·42		·39	·41		·02		30
31	·08	✕	·39	✕	1·33	✕	·94		✕	1·34	✕	·52	31
TOTAL	6·58 ✓	·45 ✓	3·07 ✓	4·35 ✓	6·03 ✓	·87 ✓	4·16 ✓	1·94 ✓	6·03 ✓	7·91 ✓	3·50 ✓	2·32 ✓	YEAR'S TOTAL 47·21 ✓
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2 (*f*) on other side.

(Signed) C. Cleme[illegible] Smith

B.

P.T.O.

3210

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rishworth, Stott Hall

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 935 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·01					1
2					·02								2
3	·69												3
4				·23									4
5									·07				5
6						·02							6
7		2·47	1·30								·23		7
8								·08					8
9					1·15								9
10	1·29									3·15			10
11				·25			2·40						11
12												·33	12
13						·53							13
14		·75	·15								·61		14
15								·15					15
16					·35								16
17	1·50									1·33			17
18				·04			·66						18
19									·23			·09	19
20						1·60							20
21		·10	2·29								1·08		21
22								1·11					22
23					·06								23
24										·20			24
25				·65			·03						25
26									1·55			·03	26
27						1·15							27
28		1·19									·05		28
29		×											29
30		×		·57	·55				·06				30
31	·46	×	·10	×		×	·76	·09	×	1·20	×	·26	31
TOTAL	3·94 ✓	4·51 ✓	3·84 ✓	1·74 ✓	2·13 ✓	3·30 ✓	3·85 ✓	1·44 ✓	1·91 ✓	5·88 ✓	1·97 ✓	·71 ✓	YEAR'S TOTAL 35·2~~7~~2 ✓
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

M O

(Signed) A. G. Beaumont [P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 3210

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rishworth, Stott Hall

in the County of W. R. Yorks

New Gauge.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 935 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·24									·02			2
3				·01									3
4									·15			1·69	4
5													5
6		·05	·73								·26		6
7								1·37					7
8					·86								8
9	·54									2·06			9
10				·45									10
11									·02			1·39	11
12						·61							12
13		·09	·99								2·42		13
14								·53					14
15					·97								15
16	1·97									·79			16
17				·64			·76						17
18									·57			·93	18
19						·68							19
20		·03	1·88								·24		20
21								·35					21
22					1·54								22
23	·80									·72			23
24				·81			·40						24
25									1·47			·46	25
26						·83							26
27		·26	·13								·10		27
28								·50					28
29					·01								29
30	·42	X		·79		·46			1·13	1·42			30
31	·01	X	·11	X		X	2·12	·81	X	·05	X	1·44	31
TOTAL	3·98	0·43	3·84	2·70	3·38	2·58	3·28	3·56	3·34	5·06	3·02	5·91	YEAR'S TOTAL 41·08
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side,

M

(Signed) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3210

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth, Stott Hall

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 935 ft.

New Gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·33									·96				1
2				·04			·04							2
3									·69			·64		3
4						·28								4
5		1·52	·38								·38			5
6								·03						6
7														7
8	·11									1·39				8
9				1·09			·65							9
10									·38			·70		10
11						1·76								11
12		·52	·03								·80			12
13														13
14					·28									14
15	·66									3·45				15
16				1·58			·13							16
17									1·84			·47		17
18						1·66								18
19		2·47	·16								3·10			19
20								·01						20
21					·63									21
22	·05									1·16				22
23				1·78			·63							23
24									3·45			·22		24
25						·58								25
26		2·40	1·24								1·60			26
27								1·91						27
28		·10												28
29	·58									2·61				29
30		×		·03		·25	·44		1·52		1·58			30
31	·09	×	·11	×		×		·26	×	1·23	×	·99	Year's Total	31
TOTAL	1·82	7·01	1·92	4·52	·91	4·53	1·89	2·21	7·88	10·80	7·46	3·02	53·97	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2(f) on other side.

† Spare column, no entries required.

(Signed) A. G. Beaumont
Waterworks Engineer.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3210

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 105

REGISTER OF RAINFALL IN 1936.

Kept at Rishworth, Stott Hall

in the County of W. R. Yorks

~~[illegible] gauge~~.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 935 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									·04			·32		1
2						1·53								2
3			·06								·12			3
4		·15						·80						4
5					·02									5
6										·04				6
7	·80			·86			·76							7
8									3·91			1·20		8
9						·47								9
10			1·09								3·44			10
11		·01						·68						11
12					·05									12
13										·37				13
14	·91			·55			1·45							14
15									1·45			2·42		15
16						1·51								16
17			·11								2·40			17
18		·72						·42						18
19					·07									19
20										2·06				20
21	1·00			·40			·49							21
22									·02			·42		22
23						1·97								23
24			·42								·02			24
25		1·00						·19						25
26					·52									26
27										2·27				27
28	1·87			·31			1·09							28
29		1·13							1·09			·31		29
30		✕				·69					·42			30
31	·45	✕	1·92	✕	·60	✕	·32	·01	✕	·88	✕	·57	W	31
TOTAL	5·03	3·01	3·60	2·12	1·26	6·17	4·11	2·10	6·51	5·62	6·40	5·24	Year's Total. 51·17	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3210

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Rishworth, Stott Hall

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 935 ft.

New Gauge

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·01								1
2		·20	·12											2
3														3
4					·15									4
5	2·00									·02				5
6				·95			·20							6
7									·76			1·15		7
8						·76								8
9		1·46	·64								·14			9
10								·79						10
11					1·14									11
12	·39									·02				12
13				·58			·30							13
14									·40			1·21		14
15						1·39								15
16		1·65	1·37											16
17								·52						17
18					·01									18
19	·92													19
20				1·00			1·09							20
21									·92			·38		21
22						·30								22
23		·74	1·05								1·94			23
24								·36						24
25					·90									25
26	·56									1·72				26
27				·20			·97							27
28		2·00							·20			·24		28
29						·09								29
30		✕	·25			·24					·73			30
31	·68	✕		✕	·52	✕		·60	✕	1·17	✕	·04	Year's Total	31
TOTAL	4·55	6·05	3·43	2·73	2·72	2·79	2·56	2·27	2·28	2·93	2·81	3·02	38·14	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont [P.T.O.

Waterworks Engineer

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3210

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Rishworth, Stott Hall

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 935 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

W

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·09									·48			1
2								·09						2
3					·08									3
4	·25									4·38				4
5				·62			·79 ·87							5
6									·32			2·14		6
7						1·76								7
8		·21									·80			8
9								1·80						9
10														10
11	1·34									3·41				11
12							2·12 ~~2·47~~							12
13									·63			1·02		13
14						·33								14
15		·48	·24								·96			15
16								·47						16
17					·91									17
18	2·65									3·65				18
19							·69 ~~·77~~							19
20									·39			·72		20
21						·16								21
22		·02	·11								1·35			22
23								1·65						23
24					·35									24
25	·88									·45				25
26				·01			·76 ~~·70~~							26
27									·51			·15		27
28		1·20				2·84								28
29			·92								2·55			29
30		✕				·62		1·11	·45		·56			30
31	1·45	✕	·04	✕	2·98	✕	·67 ~~·64~~		✕	1·06	✕	1·46		31
TOTAL	6·57	2·00	1·31	·63	4·32	5·71	~~5·42~~ 5·03	5·12	2·30	12·95	6·70	5·49	Year's Total 58·13	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

Regret error - please correct

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

4 JAN 1939

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3210

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Rishworth, Stott Hall

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 935 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·09						1
2														2
3	·27									·12				3
4				1·09			1·40							4
5									·89			2·14		5
6														6
7		·66	1·42								1·06			7
8								·77						8
9					·29									9
10	1·64									1·46				10
11							1·80							11
12									·65			1·61		12
13						·72								13
14		1·19	·41								·76			14
15								1·06						15
16					·85									16
17	3·08									·69				17
18				1·22			1·09							18
19									·06			·03		19
20						1·72								20
21		·85	·85								·99			21
22								·41						22
23					·24									23
24	·85									·54				24
25				·42			1·13							25
26									·14			·17		26
27						·52								27
28		3·16	1·00								4·13			28
29								·10						29
30		✕		·04	·01	·49					·87			30
31	·22	✕	·01	✕		✕	2·22	·03	✕	·74	✕	·05		31
TOTAL	6·06	5·86	3·69	2·77	1·39	3·45	7·64	2·46	1·74	3·55	7·81	4·00	Year's Total 50·42	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) O. G. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3210 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Rishworth, Stott Hall

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 935 ft.

Jan. amended by observer.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				·45			·11							2
3									–			·53		3
4						–								4
5			·02								1·93			5
6		·59												6
7					30									7
8										2·60				8
9	·24			·56			·84							9
10									·40			2·12		10
11						·01								11
12			1·15								3·50			12
13		·34						1·34						13
14					21									14
15										·68				15
16	·05 S			·39			1·46							16
17									2·75			·70		17
18						·01								18
19			1·44								1·33			19
20		·51						1·39						20
21					·01									21
22										·76				22
23	·07 S			1·09			2·07							23
24									1·69			·07		24
25						·51								25
26			·70								1·35			26
27		·63						·13						27
28					·62									28
29		1·09								·17				29
30		×		·77		·30	·03		·02		·19			30
31	2·90 ~~3·06~~ ✓	×	·46	×		×		·07	×	1·38	×	1·01		31
TOTAL	3·26 ~~3·42~~	3·16	3·77	3·26	1·14	·83	4·51	2·93	4·86	5·59	8·30	4·43	Year's Total 46·04	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

*See Instruction 3 (f) on other side. X Wakefield Corpn. W.W. (Signed) A. G. Beaumont [P.T.O.

3211

Section **A** for the entry of

AIR MINISTR

FORM 1090. **REGIS**

Kept at Rishworth

in the County of W.R.

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

3211

RISHWORTH LODGE
1931 — 40

780602

FOR OFFICIAL USE.
ORGANIZATION.

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·10		1·05			·04	·09			1
2	·01	·07		·68	·04	1·00	·01		·95	·08	·05	·11	2
3		·01		·07		·04	·28		·75		1·20	·35	3
4		·06		·55			·12	·04	1·20	·11	·11	·37	4
5		·04			·26	1·10	·07	·70	·01			·45	5
6		·28				·28	·39	·04	·05	·56	·20		6
7		·02	·01			·86	·01	·43		·36	·07	·13	7
8	·04	·28	·04	·12	·08		·22	·47		·11	·27		8
9		·99	·07	·17		·14		·41	·09	·05	·27	·04	9
10	·13	·20	·08		·18	·25		·24	·02		·31		10
11	·65	·81		·02		·09	·04	·02	·30		·73		11
12	·03	·29		·03			·66		·05	·31	·21		12
13			·18			·02	·09	·04					13
14	·18	·07		·01	·07	·80	·04	·90	·02		·48	·01	14
15	·49	·72		·11	·07	·02	·09	·43			·02	·10	15
16	·95	·21		·54	·49	·56	·10	·86	·22				16
17	·02	·11		·33	·05	·07	·55	·38	·01		·09		17
18	·36	·02		·19		·50	·38	·16		·02	·70		18
19	·13	·21		·04				1·07	·04	·01			19
20	·02	·27	·01	·03		·06		·18			·09	·02	20
21	·37	·12	·04		·16	·18	·01	·33					21
22	·29	·09		·02	·19	·06	·06				·02		22
23	·55			·36	·21	·33	·32				·58		23
24	·15	·38		·09	·63		·14				·02	·12	24
25	·13	1·27		·36	·02		[illegible]				·05	·10	25
26	·07	·14		·16							·41	·02	26
27	·58	·10		·06	·05		·43			·28	·97	·14	27
28	·49	·46		·07	·23		·23				·01	·11	28
29	·24				·17		·19			·59	·02		29
30	·01	✕		·11	·16				·01				30
31	·23	✕		✕	·20	✕	·01		✕	·01	✕	·11	31
TOTAL	6·16	7·22	·43	4·22	3·26	7·41	4·66	6·70	3·76	2·58	6·89	2·18	YEAR'S TOTAL 55·47
*Days with ·01 in. or more.	24	25	7	23	18	19	24	17	15	13	23	15	223
*Days with ·04 in. or more.	19	22	5	18	17	17	20	16	10	10	18	12	184

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3211

Section **A** for the entry o FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rishworth Lodge

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·10		1·05			·04	·09			1
2	·01	·07		·68	·04	1·00	01		·95	·08	·05	·11	2
3		·01		·07		·04	·28		·75		1·20	·35	3
4		·06		·55			·12	·04	1·20	·11	·11	·37	4
5		·04			·26	1·10	·07	·70	·01			·45	5
6		·28				·28	·39	·04	·05	·56	·20		6
7		·02	·01			·86	·01	·43		·36	·07	·13	7
8	·04	·28	·04	·12	·08		·22	·47		·11	·27		8
9		·99	·07	·17		·14		·41	·09	·05	·27	·04	9
10	·13	·20	·08		·18	·25		·24	·02		·31		10
11	·65	·81		·02		·09	·04	·02	·30		·73		11
12	·03	·29		·03			·66		·05	·31	·21		12
13			·18			·02	·09	·04					13
14	·18	·07		·01	·07	·80	·04	·90	·02		·48	·01	14
15	·49	·72		·11	·07	·02	·09	·43			·02	·10	15
16	·95	·21		·54	·49	·56	·10	·86	·22				16
17	·02	·11		·33	·05	·07	·55	·38	·01		·09		17
18	·36	·02		·19		·50	·38	·16		·02	·70		18
19	·13	·21		·04				1·07	·04	·01			19
20	·02	·27	·01	·03		·06		·18			·09	·02	20
21	·37	·12	·04		·16	·18	·01	·33					21
22	·29	·09		·02	·19	·06	·06				·02		22
23	·55			·36	·21	·33	·32				·58		23
24	·15	·38		·09	·63		·14				·02	·12	24
25	·13	1·27		·36	·02		·22				·05	·10	25
26	·07	·14		·16							·41	·02	26
27	·58	·10		·06	·05		·43			·28	·97	·14	27
28	·49	·46		·07	·23		·23				·01	·11	28
29	·24				·17		·19			·59	·03		29
30	·01	✕		·11	·16				01				30
31	·23	✕		✕	·20	✕	·01		✕	·01	✕	·11	31
TOTAL	6·16	7·22	·43	4·22	3·26	7·41	4·66	6·70	3·76	2·58	6·89	2·18	YEAR'S TOTAL 55·47
*Days with ·01 in. or more.	24	25	7	23	18	19	24	17	15	13	23	15	223
*Days with ·04 in. or more.	19	22	5	18	17	17	20	16	10	10	18	12	184

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3211

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rishworth Lodge

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

" Ground " Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·57	·01		·36	·43	·01	·29	·02	·72	·50	·14	·06	1
2	·97				·53		·01	·01	1·16	·05	·20	·26	2
3	·18						·21		·10		·03	·16	3
4	·05	·02			·01		·11		·02	·04	·15	·04	4
5	1·00		·18	·40			·01	·01	·14			·01	5
6	1·27		·17	·52	·08				·23				6
7	·14		·73	·39					·53	·25	·02		7
8				·17					·05	·50	·02		8
9	·19	·15		·82	·02				·02	·02		·05	9
10	·50	·05	·02	·11	·01				·64	·45	·01	·06	10
11	·04	·05	·01	·09	·41	·12	·94		·04	·02	·02		11
12	·39			·02	·41	·17	·13	·04	·01	·59	·04		12
13	·01	·05		·19	·11		·09	·01	·28	·56	·04	·26	13
14	·07			·05			·10	·01	·02	·12	·21	·04	14
15	·01			·06	·24			·01		·16	·17	·09	15
16	·37			·12	·01		·11	·01	·01	·11	·02	·11	16
17				·01			·03	·06	·01	·60		·01	17
18					·06			·01	·01		·02		18
19				·26	·14			·02	·01	·24			19
20				·26	·45		·05	·68		·25	·10		20
21	·03		·21	·02	·53		·11	·80		·92	·08	·04	21
22			·12	·19	·05		·11			·05	·75	·14	22
23			·01	·15	·35		·04			·08	·17	·10	23
24	·03			·04	·01	·08	·31		·24	·01	·08	·02	24
25		·05		·09	·15	·01	·03	·01	·07	·82	·17		25
26		·01		·18	·44		·37		·05	·39	·30		26
27			·40	·16	·56	·08	·20			·06	·09	·10	27
28			·29	·05	·19	·01	·19					·04	28
29	·03		·68	·08	·08	·07	·30	·37	·21	·84	·20	·24	29
30		×	·09	·03		·29	·05	·03	·03	·12	·38	·15	30
31		×	·24	×	·02	×	·18		×	·01	×	·09	31
TOTAL	5·85	·39	3·15	4·82	5·29	·84	3·97	2·10	4·60	7·76	3·41	2·07	YEAR'S TOTAL 44·25
*Days with ·01 in. or more.	18	8	13	26	24	9	23	16	23	26	24	21	231
*Days with ·04 in. or more.	13	5	10	22	18	6	19	5	14	22	17	18	169

40-9999 M

(Signed) C. Clemesha Smith

P.T.O.

*See Instruction 2 (*f*) on other side.

3211

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rishworth Lodge

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·73							·05		·25		1
2	·52		·35	·20		·01		·02			·02		2
3	·02	·39	·28	·01	·25						·03		3
4	·22	·20	·26		·16			·01					4
5	·23	·23	·11		·08								5
6	·02	·10	·07		·28							·10	6
7	·15	·37	·14		·19		·11	·02		·88		·02	7
8	·23	·12	·06	·03	·11		·37	·01				·12	8
9		·66		·28	·06	·02	·66	·04		·73	·11		9
10	·13	·08				·15	·05			·92	·05		10
11		·01					·76	·01		·65		·01	11
12						·32	·16			·07		·07	12
13	·01		·02		·25	·05	·24	·01	·20	·23	·23		13
14	·60		·04		·11		·15	·02		·01	·13		14
15	·72		·04			·01	·01	·05		·28	·62	·03	15
16	·32	·01	·22	·02	·08	·17	·09			·19	·04		16
17	·03		·92	·01		·82		·15	·05		·26		17
18		·10	·40		·02	·67		·04			·07		18
19		·01	·56	·01		·01	·01	·01	·02		·02		19
20		·09		·02				·25	·03		·02		20
21		·03				·08		·47	·03		·01	·01	21
22						·37		·09		·14		·01	22
23		·05		·23	·02			·07	·16	·03			23
24		·16		·14	·09	·55			·85		·01		24
25		·40		·15					·32		·02		25
26		·86		·47						·32	·02	·01	26
27		·14		·01	·07				·04	·01			27
28				·10			·06		·01	·09			28
29				·04	·02		·06			·05		·06	29
30	·02	×	·07	·01	·31		·29			·38		·18	30
31	·33	×	·04	×		×	·31	·09	×	·27	×		31
TOTAL	3·68	4·74	3·54	1·73	2·10	3·23	3·33	1·36	1·76	5·25	1·91	·62	YEAR'S TOTAL 33·2~~4~~5
*Days with ·01 in. or more.	16	20	16	16	16	13	15	17	11	17	17	11	185
*Days with ·04 in. or more.	11	16	15	8	13	9	13	9	7	14	9	5	129

40-9999

*See Instruction 2 (*f*) on other side.

M D

(*Signed*) A. G. Beaumont [P.T.O.

85.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rishworth Lodge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09		·01	·01				·07	·01	·04	·01	·29	1
2	·01	·01	·11					·72	·06		·20	·32	2
3	·07	·02	·01					·02		·06	·02	·05	3
4	·13		·36	·10	·04				·04	·82		·87	4
5			·09	·01	·11			·27		·52	·02	·24	5
6			·17	·03	·54	·11		·28		·17		·36	6
7	·33	·03	·10	·02		·05				·15	·33	·40	7
8			·03		·06	·37		·09	·01	·25	·73	·05	8
9		·06	·13	·07				·15		·02	·90	·04	9
10			·43	·25				·22		·41	·05		10
11	·25		·16	·44				·08		·02	·11	·17	11
12	·03		·10	·17			·44			·03		·06	12
13	·28			·02	·15		·08	·02	·01	·20		·02	13
14	·19		·21		·05	·03				·39	·08	·05	14
15	·57	·01	·30		·82			·06	·23		·03	·15	15
16	·38		·14		·29					·01	·09	·04	16
17	·42		·34	·01	·17		·19		·20	·07		·26	17
18	·57		·25	·02	·54	·20		·05				·24	18
19	·01	·01	·47	·03	·11	·35		·01	·33	·11		·02	19
20			·03	·09	·32			·10	·06	·09	·01		20
21	·03				·07	·48		·06	·04	·10		·01	21
22	·01				·01			·34	·33	·15		·01	22
23	·01		·03	·46	·01		·42	·01		·18	·04	·01	23
24		·14	·02	·11	·01	·07	·02		·41	·12		·01	24
25	·11	·10	·01	·15			·52		·19	·36		·31	25
26	·19		·06	·28		·16	·45		·36	·16	·05	·07	26
27		·03		·25		·51	·53		·03	·49	·02	·18	27
28				·13		·02	·24	·11		·12		·63	28
29			·08				·12	·55	·36	·06		·09	29
30	·10	×					·13	·31	·12	·21		·15	30
31	·01	×		×		×	·34		×	·02	×	·15	31
TOTAL	3·79	0·41	3·64	2·65	3·30	2·35	3·48	3·52	2·79	5·33	2·69	5·25	YEAR'S TOTAL 39·20
*Days with ·01 in. or more.	21	9	24	20	16	11	12	20	17	28	16	29	223
*Days with .04 in. or more.	14	3	17	12	13	9	11	16	13	23	10	23	164

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1009

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth Lodge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft 11 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·42	·29	·07	·03		·01	·01		·03	·94	·07	·52		1
2	·01	·12	·02			·20	·02	·01	·05	·23	·05	·21		2
3	·07	·64	·09	·09		·02	·49	·02	·58	·01	·12	·21		3
4		·01	·10	·01		·04	·18	·02	·22	·43				4
5		·72	·10	·18		·40	·13		·16	·03	·14	·12		5
6	·03	·01		·06		·42								6
7	·01			·16		·29				·33	·39	·29		7
8				·12		·01				·32	·08	·27		8
9			·02	·44		·15				2·05	·08			9
10		·06	·01	·42		·01				·47	·06			10
11	·64	·13				·19				·41	·10	·10		11
12	·01	·19				·80			·04	·01				12
13	·08	·07		·05	·23				·10	·07	·02			13
14	·01	·04		·25	·07	·08			·15		1·15	·12		14
15		1·89		·41	·05		·01		·30	·19	·19	·20		15
16	·02	·43	·12	·38	·06	·32	·12		·69		·66			16
17	·02	·05		·50	·46	·31	·10		·60	·05	·51			17
18		·01		·14	·03	·14	·15		·39	·60	·08			18
19		·15		·43		·22	·25			·25	·18			19
20	·02	1·01		·23		·10	·18				1·05			20
21		·24		·02					·90	·18	·24	·09		21
22		·08	·23						·09					22
23	·07		·83	·20				·63		·25				23
24	·54	·66	·01						1·80	·03	·01	·08		24
25	·18	·02	·22			·24					·12	·08		25
26							·10	1·04	·34	·81	·23	·25		26
27	·01	·04				·11	·47		·47	1·03	·47	·14		27
28	·01	·07				·01		·13	·07	·59	·14	·01		28
29	·01		·07						·30	·80	·12	·13		29
30	·06	X		·03		·16		·10	·36	·73	·70	·07		30
31	·08	X	·05	X		X			X	·45	X	·27		31
TOTAL	2·30	6·93	1·94	4·15	·90	4·23	2·21	1·95	7·64	11·26	6·96	3·16	Year's Total 53·63	
*Days with ·01 in. or more.	20	23	14	20	6	22	13	7	20	25	25	18	213	
*Days with .04 in. or more.	9	19	10	16	5	17	10	4	19	21	23	17	170	

† Spare column, no entries required.

(Signed) A/G. Beaumont
Waterworks Engineer

[P.T.O.

40-9999

*See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Rishworth Lodge

in the County of W.R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground - ft 11 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	·07	·73			·05	·28	·06		·11	·65		1
2		·04	·03	·03		1·27		·08	·01		·01	·20		2
3	·05					·37	·02	·25	·93			·16		3
4	·42	·08	·17			·02	·01	·15	·86	·03	·24	·54		4
5	·05	·01	·42		·03			·23	·48	·01	·19	·18		5
6	·20		·03		·01	·01	·21	·33	·73		·12			6
7	·05		·05				·37		1·15		·11	·18		7
8	·37		·20							·01	·60	·12		8
9	·20		·03						·28	·01	·97			9
10	·19						·43				1·35			10
11				·09		·15	·22		·02		·70	·01		11
12				·20	·06	·64	·73		·44	·06	·27	·04		12
13	·04			·14		·09	·10			·26	·13	·43		13
14				·21		·25	·07	·02	·43	·11	·19	·96		14
15	·21		·05	·19	·01	14	·13	·29	·18		·49	·11		15
16	·08	·09		·03			·02			·03	·85			16
17	·06	·41	·02	·02	·04		·15	·10		·77	·05	·27		17
18		·08				·09	·18	·05		·90				18
19	·46	·35	·03	·01		·11	·09	·14		·17				19
20	·22	·06		·02			·01		·03	·04				20
21	·07			·06		·01				·03		·01		21
22	·20	·58	·04	·01	·03	1·86	·23					·08		22
23			·32	·17	·13		·50	·03		·07				23
24	·18	·09		·07	·34		·06	·05	·25	·81		·08		24
25	·26		·09	·07		·02	·11		·64	·23		·01		25
26	·04	·23	·46	·01					·12	·66				26
27	·87		·01						·09	·36				27
28	·35	·81	·15				·15					·15		28
29	·17	·33	·68		·07	·66	·03			·03	·14	·10		29
30	·28	✕	·05		·46		·24			·85	·25	·03		30
31	·01	✕	·04	✕		✕	·09		✕		✕	·38		31
TOTAL	5·04	3·17	2·94	2·06	1·18	5·69	4·20	2·00	6·70	5·44	6·77	4·69	Year's Total. 49·88	
* Days with .01 in. or more.	25	14	20	17	10	15	24	13	17	20	18	21	214	
* Days with .04 in. or more.	23	12	13	10	6	11	19	11	14	13	17	17	166	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. G. Beaumont.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Kept at Rishworth Lodge
in the County of W. R. Yorks.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 11 in.
,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·21	·09			·01	·03		·49	·01		·25		1
2	·34	·34	·08	·19			·01					·05		2
3		·16	·01	·14	·02	·59						·02		3
4	·31	·04	·14	·22	·14	·01	·03	·04			·01	·40		4
5	1·14		·13	·01			·02					·01		5
6	·12		·12 ✓	·09	·02			·29			·07	·32		6
7	·09	·38	·01	·44	·15	·07			·16		·05	·07		7
8		·59		·04		·13	·06				·05	·07		8
9	·01	·12	·15	·05	·30		·30	·47				·03		9
10	·01	·09	·01		·04	·07	·01			·02	·02	·19		10
11			·77		·41			·02				·06		11
12	·16	·30	·18	·04	·14	·19	·05	·06	·16			·13		12
13		·04	·09 ✓	·01	·02	1·09		·06				·12		13
14		·07	·01					·13	·10			·15		14
15	·21	·46		·26			·82		·08			·05		15
16	·06	·53	·14	·51				·20	·18			·02		16
17	·01	·04	·45	·10		·10		·04	·46					17
18	·43	·16	·33	·08		·03	·01	·25	·15		·51			18
19	·09	·17	·01	·10		·16	·06	·08	·11		·67			19
20	·08	·41		·13	·60	·07						·05		20
21	·04	·11	·05	·06			·41			·01		·12		21
22	·04		·30	·03	·13		·29			·39	·25	·10		22
23	·09		·01		·18		·47			·77	·41			23
24	·16	·16	·21		·03	·01	·03		·09	·21		·04		24
25	·05	·72					·01	·16		·14		·01		25
26		·43	·12		·41			·04	·10		·01	·03		26
27		·55		·13						·61		·01		27
28	·01	·29				·04				·18				28
29	·02				·07	·04				·08	·06	·02		29
30	·19	✕			·01	·20		·20		·09	·59	·04		30
31	·38	✕		✕		✕		·08	✕	·14	✕			31
TOTAL	4·17	6·37	3·41	2·63	2·67	2·81	2·61	2·12	2·08	2·65	2·70	2·36	Year's Total 36·58	
* Days with .01 in. or more.	24	23	22	19	16	16	16	15	11	12	12	25	211	
* Days with .04 in. or more.	19	23	16	16	11	12	8	14	11	9	9	17	165	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. G. Beaumont [P.T.O.
Waterworks Engineer

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Rishworth Lodge

in the County of W.R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" Ground " Sea Level 950 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·07		·03		1·06	·02	·11		·07	·55	·32		1
2	·12	·08		·44	·07	·43	·04			1·32	·18	·45		2
3	·04					·03	·14		·19	1·61	·19	·01		3
4	·06			·05		·03	·39	·67		·39	·33	1·20		4
5	·01	·02		·03		·18	·19	·50	·02	·76	·01	·13		5
6	·29					·04	·41	·19		·31		·01		6
7	·29						·44	·04	·45	·32				7
8	·46	·02					·35			1·11		·21		8
9	·11	·59	·18			·24	·11	·05		·13		·24		9
10		·05				·12	·61			·16		·08		10
11	·20	·06				·03	·32	·12	·02	·12	·06	·04		11
12	·30				·19	·01		·02		·95	·33			12
13	·01	·01			·01		·02		·10	·46	·25	·22		13
14	·32	·06			·05		·10		·14	·02	·08			14
15	·40		·01		·02		·35	·20		·10		·25		15
16	·91		·09		·24		·13	·36		·03	·07	·11		16
17					·24		·12	·31	·10	·47	·02			17
18	·08				·13	·14		·28	·05	·58	·31			18
19								·36	·08			·23		19
20	·18							·04			·45	·06		20
21			·04			·01		·22			·03	·11		21
22		·01		·02		·23					·28	·06		22
23					·24	·37			·20		·71			23
24	·25	·01	·31		·07	·14	·46	·42	·05	·01	·31			24
25	·28	·19	·09			·06	·04			·44	·84	·01		25
26	·23	·49	·16		·02	·16	·13		·24	·29	·22	·03		26
27	·31	·25			·63	·83	·21	·17	·02		·37			27
28	·42	·17	·16		·61	·76	·06	·38	·09	·01	·04	·08		28
29	·10		·28		1·39	·31	·12			·06	·19	·27		29
30	·27	✕			·09	·22	·01		·29	·04	·45	·19		30
31	·31	✕	·05	✕	·37	✕			✕	·39	✕	·78		31
													Year's Total	
TOTAL	5·95	2·08	1·37	·57	4·37	5·40	4·77	4·44	2·04	10·15	6·27	5·09	52·50	
* Days with .01 in. or more.	24	15	10	5	16	21	23	18	15	25	23	23	218	
* Days with .04 in. or more.	22	10	9	2	13	16	20	17	12	21	20	19	181	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont [P.T.O.

Waterworks Engineer

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3211

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

Kept at Rishworth Lodge

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 950 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·29		·28	·03				·10	·04	·02		·67		1
2	·03		·02	·12			·73	·35	·69	·06	·06	·10		2
3	·13			·12				·22	·05		·09	·53		3
4	·22		·35	·83			·62			·07	·02	·58		4
5					·21		·20	·06		·49	·42	·05		5
6	·33	·20	·03				·61			·01	·22			6
7	·17	·27	·44		·02		·11			·02	·23	·26		7
8	·55	·19	·23	·01			·82	·02		·18	·21	·53		8
9	·18	·54					·07	·58		·35	·03	·54		9
10	·43	·02	·01			·09		·31	·47	·07		·03		10
11	·47	·13	·20			·38		·02	·03	·17		·01		11
12	·12	·17				·17					·05			12
13	·03		·02	·31	·10	·09	·03			·09	·01			13
14	·66		·04	·14	·29	·30	·04			·05	·25			14
15	·22	·07	·04	·61	·16	·62	·21		·06		·11			15
16	·17		·05	·05	·28		·19				·06			16
17	·87	·35	·04	·04	·08	·10	·10			·35	·04			17
18	·17	·27	·03			·14	·32			·01	·88			18
19	·21					·01	·42			·02				19
20						·38	·23	·29	·05					20
21	·08	·08	·61	·16	·11	·01	·21	·46	·12					21
22	·11	·32	·27	·03			·09		·01	·01	·44	·01		22
23	·01	·46	·03	·25		·05	·11	·01		·43	·15	·01		23
24		·16	·05	·07		·04	·01			·03				24
25	·49	·24	·02			·03		·07			1·57	·02		25
26	·05	·01	·02		·01			·02		·25	·70	·07		26
27	·05	1·44	·40	·01		·42	·08			·14	·38	·02		27
28	·01	·08	·33	·04		·30	·51				·65			28
29						·01	1·03			·28	·49			29
30		✕				·16	·20				·36			30
31		✕		✕		✕	·32	·02	✕	·09	✕			31
TOTAL	6·05	5·00	3·51	2·82	1·26	3·30	7·26	2·53	1·52	3·19	4·42	3·43	Year's Total 47·29	
* Days with .01 in. or more.	25	18	22	16	9	18	24	14	9	22	23	15	215	
* Days with .04 in. or more.	21	16	14	12	7	14	22	9	7	15	20	9	166	

† Spare column, no entries required.

* See Instruction 3 (*f*) on other side.

(*Signed*) A. J. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3211 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Accd

Kept at Rishworth Lodge
in the County of W. R. Yorks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground – ft. 11 in.
,, Ground ,, Sea Level 950 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·63 s		·16					·01		·59	·19		1
2		·06 s		·21			·09				·58	·13		2
3	·05 s	·03 s		·10			·01			·16	·08	·10		3
4		·05		·19			·09			·25	·21	·26		4
5		·04			·11		·06		·01	·51	·15	·45		5
6	·06	·32					·03			1·06	·06	·05		6
7	·07	·18		·15	·18		·09	·27	·17	·03	·01			7
8	·01			·06			·01	·05		·23	·03	·24		8
9			·18	·01			·49	·32	·21	·48	1·08	·22		9
10			·02				·31	·57	·02	·12	·11	·91		10
11		·28 s	·08	·05		·01	·15				1·24			11
12		·06 s	·72				·06		·65		·66			12
13		·03 s	·39 s					·06	·34		·06			13
14		·02 s	·01	·31	·22		·09	·08	·15		·05	·42		14
15			·07 s	·02	·01	·02					·09	·05		15
16	·13 s	·15 s	·03	·05			·44		1·18	·51	·18	·07		16
17		·02 s	·44				·38		·25		·55			17
18	·06 s	·18 s	·22	·64			·11	·25	·18	·01	·05	·34		18
19	·01 s	·16 s	·31 s	·08			·58		·75	·08	·27	·01		19
20		·06	·11	·47			·16	·64	·22	·16	·14			20
21	·01 s		·36	·02		·38	·04	·08	·04	·08	·80			21
22		·06	·05		·04	·25		·03	·41	·04				22
23		·32	·03	·06	·09		·09		·08	·08	·14	·01		23
24	·31 s	·01		·02	·01				·04	·01		·07		24
25	·08 s					·11				·07				25
26	·57 s	·07		·17	·03	·06		·01		·01	·04			26
27	x	·57		·21			·01				·16			27
2·41 28	1·61 x	·38 s			·44			·11				·06		28
29	x	·01	·24 s	·05	·18	·27	·02			·01		·45		29
30	x	✕		·23						·40		·28		30
31	·15 s	✕	·14	✕		✕		·07	✕	·81	✕	·09		31
TOTAL	3·12	3·69	3·40	3·26	1·31	1·10	3·91	2·54	4·71	5·11	7·99	4·40	Year's Total 44·54	✓
* Days with .01 in. or more.	16	23	17	21	10	7	21	13	17	21	24	20	210	✓
* Days with .04 in. or more.	13	17	13	17	7	5	16	11	14	16	22	18	169	✓

† Spare column, no entries required.

(*Signed*) A. G. Beaumont

[P.T.O.

* See Instruction 3 (f) on other side.

3212

Section **A** for the entry of

AIR MINISTRY

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1000.

REGIST

Rishworth

Kept at ~~Gauge~~ Green W

in the County of W.R.

Diameter of Funnel of Gauge

Height of top of Gauge above Groun

,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to … *llowing*

year in the space on the right of th

Jan. 1, following

3212

RISHWORTH

GREEN WITHENS RES

1931 —— 40

750602

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02	·02	·10		·48	·01		·05	·12			1
2	·04	·11		·82	·07	1·17	·03		1·07	·07	·09	·10	2
3		·01		·08		·10	·37		·60	·02	1·76	·47	3
4		·07		·33		·02	·10		1·38	·17	·30	·44	4
5		·07	·01		·24	1·35	·01	·68	·02			·38	5
6		·37	·03			·31	·64	·03	·08	·61	·18	·01	6
7		·02	·02			·77		·36		·27	·07	·18	7
8	·06	·42	·05	·07	·08		·32	·57	·01	·13	·46		8
9		1·00	·06	·33		·10	·02	·35	·10	·06	·36	·04	9
10	·14	·13	·07		·25	·30		·20	·02		·38		10
11	·51	·55		·03		·20	·09	·02	·23		·64	·01	11
12	·03	·14		·03		·02	·46		·16	·37	·20		12
13			·22	·01	·09	·02	·24	·04					13
14	·13	·12	·01	·02	·07	·78	·03	1·09	·03		·37	·02	14
15	·33	·45		·16	·17	·03	·12	·37			·07	·07	15
16	·62	·17		·30	·67	·51	·07	·70	·29				16
17	·04	·21		·25	·05	·07	·57	·36	·04	·01	·06		17
18	·32	·05		·28		·66	·47	·13		·02	·80		18
19	·18	·25		·09			·01	1·16	·03	·03			19
20	·02	·25	·02	·03		·05		·14			·12	·02	20
21	·45	·09	·13		·12	·15	·02	·40			·02		21
22	·29	·11		·01	·21	·08	·05				·01		22
23	·43	·02		·33	·11	·40	·41		·01		·79	·16	23
24	·14	·38		·13	·70		·08				·03	·11	24
25	·12	1·05		·32	·06		·16				·08	·09	25
26	·07	·09		·30			·01				·52	·03	26
27	·49	·10		·03	·07		·36			·30	1·02	·11	27
28	·35	·50	·02	·12	·24		·18				·01	·08	28
29	·27		·01		·19		·20			·65	·04		29
30	·02	×		·09	·05				·03		·01		30
31	·39	×		×	·21	×	·03		×	·02	×	·10	31
TOTAL	5·49	6·75	·67	4·26	3·65	7·58	5·06	6·60	4·15	2·85	8·39	2·42	YEAR'S TOTAL 57·87
*Days with ·01 in. or more.	24	27	13	24	19	21	27	16	17	15	25	18	246
*Days with ·04 in. or more.	21	23	5	17	19	17	18	13	10	10	20	13	186

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith

Waterworks Engineer

P.T.O.

3212

Section **A** for the entry of

AIR MINISTR

FOR OFFICIAL USE.

ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1931.

Kept at Rishworth ~~Gorag~~ (Green Withens Res.)

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1205 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·02	·02	·10		·48	·01		·05	·12			1
2	·04	·11		·82	·07	1·17	·03		1·07	·07	·09	·10	2
3		·01		·08		·10	37		·60	·02	1·76	·47	3
4		·07		·33		·02	·10		1·38	·17	·30	·44	4
5		·07	·01		·24	1·35	·01	·68	·02			·38	5
6		·37	·03			·31	·64	·03	·08	·61	·18	·01	6
7		·02	·02			·77		36		27	·07	·18	7
8	·06	·42	·05	·07	·08		·32	·57	·01	·13	·46		8
9		1·00	·06	·33		·10	·02	·35	·10	·06	·36	·04	9
10	·14	·13	·07		·25	·30		·20	·02		·38		10
11	·51	·55		·03		·20	·09	·02	·23		·64	·01	11
12	·03	·14		·03		·02	·46		·16	37	·20		12
13			·22	·01	·09	·02	·24	·04					13
14	·13	·12	·01	·02	·07	·78	·03	1·09	·03		·37	·02	14
15	·33	·45		·16	·17	·03	·12	·37			·07	·07	15
16	·62	·17		·30	·67	·51	·07	·70	·29				16
17	·04	·21		·25	·05	·07	·57	·36	·04	·01	·06		17
18	·32	·05		·28		·66	·47	·13		·02	·80		18
19	·18	·25		·09			·01	1·16	·03	·03			19
20	·02	·25	·02	·03		·05		·14			·12	·02	20
21	·45	·09	·13		·12	·15	·02	·40			·02		21
22	·29	·11		·01	·21	·08	·05				·01		22
23	·43	·02		·33	·11	·40	·41		·01		·79	·16	23
24	·14	·38		·13	·70		·08				·03	·11	24
25	·12	1·05		·32	·06		·16				·08	·09	25
26	·07	·09		·30			·01				·52	·03	26
27	·49	·10		·03	·07		·36			·30	1·02	·11	27
28	·35	·50	·02	·12	·24		·18				·01	·08	28
29	·27		·01		·19		·20			·65	·04		29
30	·02	✕		·09	·05				·03		·01		30
31	·39	✕		✕	·31	✕	·03		✕	·02	✕	·10	31
TOTAL	5·49 ✓	675 ✓	·67 ✓	4·26 ✓	3·65 ✓	7·58 ✓	5·06 ✓	6·60 ✓	4·15 ✓	2·85 ✓	8·39 ✓	2·42 ✓	YEAR'S TOTAL 57·87
*Days with ·01 in. or more.	24	27	13	24	19	21	27	16	17	15	25	18	246
*Days with ·04 in. or more.	21	23	5	17	19	17	18	13	10	10	20	13	188

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith

Waterworks Engineer

P.T.O.

3212

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rishworth, Green Withens Res.

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1205 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·48	·02		·36	·30		·20	·02	·78	·42	·18	·05	1
2	1·08				·64		·02	·03	1·28	·08	·25	·28	2
3	·20						·23		·11			·11	3
4	·07	·03	·01	·01			·09		·03	·06	·20	·03	4
5	1·05	·01	·11	·24	·03			·01	·13				5
6	1·24		·12	·53	·14				·35				6
7	·12		·62	·23					·67	·23	·03		7
8		·02		·13					·08	·67	·02	·01	8
9	·18	·09		·76	·08				·02	·02		·09	9
10	·51	·02	·02	·05	·03				·65	·40	·02	·07	10
11	·03	·04	·01	·10	·57	·27	1·28		·09	·02	·05		11
12	·40	·01		·02	·55	·12	·13	·04	·02	·48	·07	·02	12
13	·01	·05	·02	·14	·16		·10	·02	·31	·57	·06	·29	13
14	·04			·02			·10	·01	·02	·09	·21	·01	14
15				·05	·44					·13	·21	·14	15
16	·25			·09	·01		·16	·01		·16	·02	·10	16
17							·10	·07	·03	·71	·01	·01	17
18					·06			·01	·03		·03		18
19		·01		·19	·26		·01	·02	·02	·30	·01		19
20				·25	·45		·04	·70		·24	·10		20
21	·05		·32	·05	·48		·09	·93		·81	·08	·04	21
22	·02		·12	·13	·05		·11			·09	·74	·14	22
23		·02		·08	·37		·09			·12	·12	·09	23
24	·04			·06		·07	·38		·24	·02	·06	·02	24
25		·04		·10	·10	·01	·15	·02	·09	·95	·18		25
26		·01		·17	·38		·46		·16	·35	·16		26
27			·43	·28	·57	·08	·16			·08	·07	·15	27
28		·01	·26	·07	·19		·19	·01				·12	28
29	·06		·57	·09	·07	·09	·37	·60	·29	·75	·19	·26	29
30		✕	·14	·03		·40	·12	·04	·02	·13	·36	·17	30
31	·01	✕	·21	✕	·02	✕	·11		✕		✕	·11	31
TOTAL	5·84	·38	2·96	4·23	5·95	1·04	4·69	2·54	5·42	7·88	3·43	2·31	YEAR'S TOTAL 46·67
*Days with ·01 in. or more.	19	14	14	26	23	7	23	16	22	25	25	22	236
*Days with ·04 in. or more.	15	4	10	22	19	6	21	6	14	22	18	17	174

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) C. Clemesha Smith

P.T.O.

3212

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rishworth, Green Withens Res.

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1205 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·68	·04					·02	·08		·28		1
2	·49		·33	·21	·01	·05		·05			·03		2
3	·01	·49	·35		·36						·05		3
4	·17	·22	·22		·12			·01					4
5	·19	·18	·10	·01	·16						·01		5
6	·02	·09	·02		·24						·01	·08	6
7	·14	·52	·21		·16		·09	·03		·87		·03	7
8	·31	·13	·09	·03	·10		·33	·03		·01	·01	·09	8
9		·42		·33	·10	·04	·94	·06		·85	·12		9
10	·14	·08			·01	·11	·13			1·06	·17		10
11							·81	·01		·50		·02	11
12	·03		·03			·31	·21			·05		·06	12
13	·01		·06		·25	·05	·51		·07	·28	·30		13
14	·44		·05		·07		·13			·03	·27		14
15	·47		·22			·03	·03	·06		·30	·72	·03	15
16	·31	·02	1·03	·04	·07	·20	·12			·11	·05	·02	16
17	·06		·38	·02	·03	·58		·20	·06		·25	·01	17
18		·07	·49		·06	·64		·07			·10		18
19				·04		·54	·05	·02	·01		·07		19
20		·09		·02				·27	·08		·02		20
21		·01		·01		·17		·45	·09	·01	·02	·01	21
22						·36		·08		·15		·01	22
23		·03		·28	·07			·12	·25	·04			23
24		·04		·15	·11	·48			·75	·01	·02	·03	24
25		·14		·19	·01				·30		·02	·01	25
26		·62		·55						·30	·02	·01	26
27		·06		·02					·04	·01			27
28				·17			·08		·03	·17			28
29				·02	·06		·08			·07		·04	29
30	·03	×	·05	·01	·33		·26			·32		·12	30
31	·33	×	·06	×		×	·31	·09	×	·18	×		31
TOTAL	3·24	3·89	3·73	2·10	2·32	3·58	4·08	1·57	1·76	5·32	2·54	·57	YEAR'S TOTAL 34·70
*Days with ·01 in. or more.	17	18	17	17	19	13	15	16	11	20	20	15	198
*Days with ·04 in. or more.	12	15	15	9	15	12	14	10	9	15	11	5	142

40-9999

*See Instruction 2 (*f*) on other side.

M D

(Signed) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3212

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rishworth Green Withens Res.

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1205 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15		·04	·02				·12	·03	·17	·03	·36	1
2	·01	·02	·08	·01	·02			·68	·07		·18	·55	2
3	·10	·03	·04					·05	·02	·09	·07	·06	3
4	·11		·30	·11	·05				·05	·64		·84	4
5			·06	·01	·10			·35	·01	·46	·03	·27	5
6			·11	·05	·48	·14		·18	·01	·22		·47	6
7	·22	·03	·10	·03		·03				·17	·22	·41	7
8			·03		·10	·41		·12	·04	·23	1·04	·07	8
9		·05	·12	·11				·18	·02	·01	·86	·04	9
10		·02	·58	·31				·24		·37	·14	·01	10
11	·17	·01	·20	·45				·13		·02	·03	·15	11
12	·02	·01	·10	·17			·37	·04		·04		·07	12
13	·46		·01	·03	·13		·14	·03	·01	·21		·01	13
14	·14		·19		·04	·04				·41	·07	·11	14
15	·37	·01	·21		·69	·01		·09	·87		·04	·13	15
16	·35		·17		·25					—	·11	·07	16
17	·42		·27	·02	·16		·18		·25	·08		·26	17
18	·40		·18	·06	·57	·15	·07	·06				·24	18
19		·01	·39	·05	·11	·44			·39	·13		·10	19
20			·04	·12	·38	·01		·09	·14	·15	·02	·01	20
21	·03		·01		·07	·54		·08	·03	·08	·01	·01	21
22	·04		·04		·02			·45	·42	·14		·02	22
23	·02		·06	·41	·01	·01	·56	·06		·10	·07	·15	23
24		·20	·06	·12		·13	·01		·46	·16		·02	24
25	·10	·07		·13	·01		·36		·21	·36		·49	25
26	·23		·07	·37		·23	·42		·37	·07	·05	·11	26
27		·02		·25		·45	·44		·05	·40	·03	·24	27
28				·09		·05	·23	·13		·09		·68	28
29			·06				·14	·65	·34	·06		·09	29
30	·10	×	·02				·11	·48	·13	·19		·12	30
31	·01	×		×		×	·48		×	·05	×	·11	31
TOTAL	3·45 ✓	0·48 ✓	3·54 ✓	2·92 ✓	3·19 ✓	2·64 ✓	3·51 ✓	4·21 ✓	3·92 ✓	5·10 ✓	3·00 ✓	6·27 ✓	YEAR'S TOTAL 42·23 ✓
*Days with ·01 in. or more.	20	12	27	21	17	14	13	20	21	27	17	31	240
*Days with .04 in. or more.	15	3	23	15	13	10	12	19	14	25	11	25	185

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 3212

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth, Green Withens Res.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1205 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·44	·28	·07	·04		·04	·01		·13	·88	·14	·29		**1**
2	·02	·13	·02			·25	·03		·05	·23	·06	·18		**2**
3	·08	·57	·11	·05		·01	·45	·04	·36	·02	·15	·17		**3**
4		·01	·07	·02		·14	·13		·28	·30				**4**
5		·60	·20	·18		·77	·09		·19	·11	·18	·16		**5**
6	·03	·02	·01	·05		·57						·02		**6**
7	·02	·01		·17		·35				·26	·39	·30		**7**
8	·02			·10						·22	·06	·23		**8**
9	·01		·02	·45		·13				2·06	·20			**9**
10		·07	·02	·36		·02				·37	·11			**10**
11	·41	·13				·13				·36	·14	·18		**11**
12		·16				·78			·05	·02		·01		**12**
13	·10	·07		·09	·21				·04	·09	·04			**13**
14	·01	·02		·30	·09	·13			·07	·01	1·18	·16		**14**
15		1·78		·41	·09	·01			·52	·24	·14	·15		**15**
16	·02	·36	·14	·30	·04	·37	·11		·67	·01	·41			**16**
17		·05		·44	·54	·19	·02	·01	·60	·05	·74			**17**
18	·04	·02		·16	·06	·21	·34		·40	·49	·10			**18**
19	·01	·13		·38		·26	·21			·16	·32			**19**
20	·02	·90		·30		·15	·12				1·04			**20**
21		·16	·01	·01				·01	·84	·16	·35	·07		**21**
22		·14	·15	·01					·08			·01		**22**
23	·04		·78	·25				·51	·02	·29				**23**
24	·39	·65	·02						1·78	·06		·07		**24**
25	·11	·16	·27			·54					·09	·24		**25**
26							·10	1·07	·44	·65	·21	·30		**26**
27	·01	·10				·11	·40		·47	·91	·38	·17		**27**
28	·03	·06				·01		·39	·12	·47	·16	·04		**28**
29	·01		·10						·14	·69	·06	·20		**29**
30	·04	×		·05		·19		·13	·58	·61	·66	·10		**30**
31	·03	×	·02	×		×			×	·30	×	·31	Year's Total	**31**
TOTAL	1·89	6·58	2·01	4·12	1·03	5·36	2·01	2·16	7·83	10·02	7·31	3·36	53·68	
*Days with ·01 in. or more.	22	24	16	21	6	22	12	7	21	27	24	21	223	
*Days with ·04 in. or more.	9	19	9	18	6	18	9	5	20	23	24	18	178	

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3212

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Rishworth, Green Withens Res.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1205 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·03	·09	·08	·59			·01	·33	·06		·21	·37		1
2	·02	·03	·04	·05		1·12		·14	·04		·05	·22		2
3	·08					·46	·03	·25	·75			·16		3
4	·38	·09	·18		·01	·03	·01	·12	·77	·02	·27	·40		4
5	·07	·02	·34		·04	·01		·24	·57	·02	·14	·08		5
6	·18		·11		·02	·02	·17	·44	·73		·15	·01		6
7	·05		·10		·01		·31		1·06		·12	·19		7
8	·35		·18						·06	·02	·42	·15		8
9	·26		·05				·01		·11	·02	·87			9
10	·11		·01				·43		·02		1·04			10
11				·07		·13	·29	·04	·05		·83	·05		11
12				·13	·06	·63	·80	·01	·54	·07	·46	·04		12
13	·02		·01	·15	·02	·07	·15			·29	·02	·55		13
14			·02	·21		·29	·09	·09	·38	·19	·27	1·01		14
15	·16		·05	·15	·01	·13	·16	·50	·13		·55	·15		15
16	·05	·02	·01	·09	·01		·05			·06	·95	·01		16
17	·03	·41	·01	·02	·09		·23	·16		·78	·09	·26		17
18		·06		·01		·07	·20	·09		·74	·01	·04		18
19	·46	·32	·03	·02		·15	·14	·25		·16				19
20	·25	·05		·03		·02	·02	·01	·03	·05				20
21	·15		·02	·07						·07		·01		21
22	·26	·58	·02	·01	·04	1·78	·22			·02		·09		22
23		·02	·35	·18	·15		·70	·01		·09				23
24	·27	·07	·01	·09	·34	·01	·02	·10	·22	·74		·08		24
25	·32	·02	·07	·11	·01	·05	·10		·60	·15	·01	·03		25
26	·03	·30	·43	·02					·10	·65				26
27	·58	·02	·04						·18	·25				27
28	·54	·65	·09				·15				·01	·19		28
29	·18	·46	·72			·60				·09	·17	·10		29
30	·26	×	·09		·57	·04	·27			·92	·15	·05		30
31	·02	×	·01	×	·01	×	·14	·01	×		×	·41		31
TOTAL	5·11	3·21	3·07	2·00	1·39	5·61	4·70	2·79	6·40	5·40	6·79	4·65	Year's Total. 51·12	
* Days with .01 in. or more.	26	17	26	18	15	18	24	17	19	21	21	24	246	
* Days with .04 in. or more.	20	11	16	12	7	13	18	13	17	16	17	20	180	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3212

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Rishworth Green Withens Res.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 1205 ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·30	·11				·07		·44	·01	·01	·34		1
2	·42	·42	·10	·15					·04	·01		·11		2
3	·01	·16	·04	·12	·04	·80	·03		·02			·03		3
4	·24	·03	·08	·20	·10	·04	·06	·04				·49		4
5	1·32		·10	·02			·04		·01			·02		5
6	·13		·13	·09	·06			·59	·03	·01	·07	·19		6
7	·06	·26		·42	·04	·09			·12		·04	·05		7
8		·50	·02	·06	·01	·14	·06				·04	·05		8
9	·02	·12	·06	·06	·33	·01	·33	·48				·02		9
10	·02	·07			·05	·09	·02			·02	·01	·14		10
11			·16		·31		·01	·02				·03		11
12	·20	·27	·20	·03	·10	·17	·07	·05	·22			·05		12
13		·12	·11	·04	·07	·83		·04	·04			·17		13
14		·11	·08	·01				·22	·13			·16		14
15	·33	·48		·38	·01		·77		·17			·06		15
16	·11	·45	·21	·63		·01		·22	·13			·02		16
17	·03	·04	·40	·10		·18		·06	·38					17
18	·40	·27	·28	·27			·02	·37	·41		·38			18
19	·13	·22	·07	·18		·19	·10	·06	·08		·66			19
20	·11	·17	·03	·15	·63	·32						·02		20
21	·04	·08	·04	·10	·01		·46					·28		21
22	·02		·23	·05	·04		·22			·41	·23	·18		22
23	·08				·24		·49			·81	·47	·01		23
24	·07	·22	·14		·02	·02	·05		·16	·12	·02	·06		24
25	·10	·59					·03	·11	·02	·08		·04		25
26		·38	·09		·45			·16	·07	·01		·07		26
27		·62		·17					·01	·60	·01	·02		27
28		·04				·07				·17				28
29	·02				·02	·03				·09	·15	·02		29
30	·13	✕				·27		·51		·16	·80	·05		30
31	·40	✕		✕		✕		·07	✕	·15	✕	·01		31
TOTAL	4·45	5·92	2·68	3·23	2·53	3·26	2·83	3·00	2·48	2·65	2·89	2·69	Year's Total 38·61	✓
* Days with .01 in. or more.	24	23	21	20	18	16	17	15	18	14	13	27	226	✓
* Days with .04 in. or more.	18	22	19	17	13	12	12	14	13	9	9	17	175	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3212

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Rishworth, Green Withens Res.

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1205 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·06		·04		1·00	·08	·11			·37	·26		1
2	·08	·08		·49	·06	·31	·04			1·38	·12	·37		2
3	·04	·01				·08	·07		·19	1·67	·27	·06		3
4	·05	·01		·05		·04	·32	·49		·40	·39	1·08		4
5	·02	·02		·06		·07	·23	1·16	·04	·53	·03	·12		5
6	·19	·01				·03	·38	·09	·03	·35	·01	·02		6
7	·25						·52	·02	·41	·24				7
8	·49	·01					·38	·05		1·05		·23		8
9	·16	·45	·15			·20	·14	·07		·10		·28		9
10	·02	·10	·01			·07	·64		·01	·16		·07		10
11	·14	·09				·01	·21	·12	·04	·12	·07	·06		11
12	·37				·20			·04	·01	1·34	·37	·01		12
13		·02			·02		·03	·01	·07	·40	·27	·31		13
14	·27	·03			·11		·16		·11	·03	·13	·02		14
15	·38		·02		·01		·27	·31		·11	·01	·28		15
16	1·01		·09		·25		·21	·33		·04	·12	·12		16
17		·02			·18		·13	·21	·09	·48	·04	·02		17
18	·07				·14	·14		·41	·44	·61	·26	·01		18
19	·02	·01				·03		·30	·17	·02	·01	·17		19
20	·20							·06	·03		·49	·05		20
21	·01		·07					·18			·06	·02		21
22	·02			·01		·23					·33	·06		22
23	·02			·01	·23	·49			·12		·50			23
24	·12		·27		·04	·16	·45	·34	·08		·28	·01		24
25	·31	·35	·06			·11	·09	·09		·48	·69	·02		25
26	·19	·36	·21		·03	·10			·22	·23	·23	·08		26
27	·30	·32	·01		·72	1·08	·23	·21	·04		·48			27
28	·36	·19	·17		·63	·83	·07	·35	·18	·02	·05	·10		28
29	·08		·24		1·51	·44	·14			·11	·14	·34		29
30	·33	✕			·10	·18	·02		·29	·04	·35	·18		30
31	·28	✕	·09	✕	·45	✕			✕	·47	✕	·86		31
													Year's Total	
TOTAL	5·78	2·14	1·39	·66	4·68	5·60	4·81	4·95	2·57	10·38	6·07	5·21	54·24	✓
* Days with .01 in. or more.	28	18	12	6	16	20	22	21	19	24	26	28	240	✓
* Days with .04 in. or more.	22	9	9	4	13	17	20	19	15	21	22	20	191	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont
Waterworks Engineer.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3212

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Rishworth, Green Withens Res.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1205 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32		·27	·03			·04	·09	·07		·01	·63		1
2	·09		·05	·13			·73	·51	·59	·04	·11	·08		2
3	·03			·14				·23	·02		·06	·48		3
4	·04		·41	·68			·71	·01		·03	·05	·43		4
5			·02	·02	·32		·22	·07		·23	·29	·09		5
6	·39	·23	·02				·54			·02	·33			6
7	·34	·47	·17		·12		·08			·01	·21	·20		7
8	·54	·18	·25	·02			·85	·06		·15	·32	·65		8
9	·14	·63					·08	·29		·56	·03	·66		9
10	·06	·04	·02			·06		·62	·63	·12	·02	·07		10
11	·55	·07	·26			·31		·04	·07	·01		·02		11
12	·22	·15				·19					·04			12
13			·04	·31	·11	·20	·04		·02	·05	·03			13
14	·79	·01	·03	·05	·31	·42	·15			·04	·32			14
15	·16	·07	·03	·63	·13	·92	·14		·04	·02	·10			15
16	·21		·06	·01	·26	·01	·04		·01		·07	·02		16
17	·74	·31	·02	·05	·07	·02	·11			·27	·05			17
18	·17	·25	·03			·18	·31			·02	·91			18
19	·23		·01			·02	·34		·01					19
20	·03		·01			·37	·18	·16	·04					20
21	·08	·13	·43	·08	·21	·02	·01	·37	·12					21
22	·12	·31	·21	·04			·13	·01	·01	·01	·55	·01		22
23	·02	·45	·05	·22		·02	·06	·01		·48	·24	·02		23
24	·03	·05	·01	·07		·09	·01	·01		·03	·01			24
25	·06	·28	·01			·04		·01			1·49			25
26	·04	·04	·01		·02			·06		·23	·51	·07		26
27	·05	1·54	·34			·30	·07	·03		·18	·27	·07		27
28	·01	·22	·37	·05		·43	·58				·76			28
29			·03			·01	1·35			·30	·48			29
30		✕	·01			·14	·16				·36			30
31		✕	·01	✕		✕	·32	·04	✕	·09	✕			31
													Year's Total	
TOTAL	5·46	5·43	3·18	2·53	1·55	3·75	7·25	2·62	1·63	2·89	7·62	3·50	47·41	
* Days with .01 in. or more.	26	19	28	16	9	19	25	18	12	21	26	15	234	
* Days with .04 in. or more.	21	18	13	12	8	13	23	12	7	13	21	11	172	

† Spare column, no entries required.

(*Signed*) A. G. Beaumont [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3212

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Rishworth, Green Withens Res.
in the County of W. R. Yorks.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1205 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·11 s		·19	·02				·01		·39	·22		1
2		·02 s	·02	·18			·09				·65	·15		2
3	·13 s	·02 s	·01	·09			·02			·13	·07	·18		3
4		·05 s		·12			·12			·29	·25	·19		4
5		·08 s			·13		·06		·02	·66	·13	·41		5
6	·10	·29		·01			·03			·95	·12	·06		6
7	·14	·19		·14	·14		·05	·28	·16	·05	·01			7
8	·02		·01	·04	·01			·05		·23	·04	·23		8
9			·15	·01			·57	·32	·25	·40	1·27	·14		9
10			·04	·01			·38	·48	·03	·10	·45	·44		10
11		·10 s	·08	·05		·01	·37				·95			11
12		·03 s	·68				·12	·01	·62		·49			12
13		·09 s	·36 s					·09	·45		·07			13
14		·07 s	·03 s	·16	·20		·03	·08	·13		·07	·45		14
15			·02 s	·03	·09	·01					·06	·09		15
16	·07 s	·13 s	·12	·05			·48		1·41	·48	·18	·05		16
17		·02 s	·53				·35		·17		·45			17
18	·08 s	·08 s	·26	·48			·11	·29	·18		·04	·33		18
19	·03 s	·20 s	·15 s	·08			·35		·37	·07	·30	·02		19
20		·11	·09	·46			·56	·64	·22	·12	·17			20
21	·02 s		·39	·05		·27	·08	·10	·02	·14	·83			21
22		·05	·10	·01	·04	·12		·04	·42	·07	·02	·02		22
23		·26	·05	·07	·02		·16		·09	·09	·11	·02		23
24	·46 s	·02	·01	·04	·01	·01			·02	·04	·02	·08		24
25	·04 s					·06				·06				25
26	·54 s	·09		·03	·04	·03	·01	·01		·01	·03			26
27	·73 s	·61		·12			·01		·01		·17	·01		27
1·85 28	·42 s	·57 s		·04	·37			·10				·03		28
29	·07 s		·22 s	·04	·17	·35	·04			·01		·60		29
30	·02 s	✕	·02	·19	·01					·37	·03	·29		30
31	·03 s	✕	·15	✕	·01	✕		·08	✕	·76	✕	·08		31
													Year's Total	
TOTAL	2·90	3·19	3·49	2·69	1·26	·86	3·99	2·57	4·58	5·03	7·37	4·07	42·00	✓
* Days with .01 in. or more.	16	22	22	25	14	8	21	14	18	20	27	22	229	✓
* Days with .04 in. or more.	11	17	15	19	8	4	16	12	12	18	22	17	171	✓

† Spare column, no entries required.

(*Signed*) A G Beaumont [P.T.O.

* See Instruction 3 (f) on other side.

3212/5

3212/5
RISHWORTH, PIKE END
1934 — 40

780602

Section **A** for the entry of
AIR MINISTR

FOR OFFICIAL USE.
ORGANIZATION.

W Riding/8

FORM 10.

REGIST

Kept at Rishworth, Pi
in the County of W. R. Y

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

lowing

31 – 2H.

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·12									·07			2
3				·01									3
4									·11			1·83	4
5													5
6		·05	·77								·26		6
7								1·48					7
8					·81								8
9	·59									2·30			9
10				·45									10
11									·04			1·31	11
12						·55							12
13		·12	·83								2·00		13
14								·72					14
15					1·12								15
16	1·71									1·21			16
17				·65			·75						17
18									·56			·80	18
19						·60							19
20		·02	1·54								·17		20
21								·38					21
22					1·73								22
23	1·08									·87			23
24				·96			·49						24
25									1·56			·54	25
26						·85							26
27		·23	·18								·17		27
28								·54					28
29		X			·01								29
30	·42	X		·79		·57			·97	1·41			30" W
31	·02	X	·09	X		X	2·62	1·07	X	·02	X	1·37	31
TOTAL	3·94	0·42	3·41	2·86	3·67	2·57	3·86	4·19	3·24	5·88	2·60	5·85	YEAR'S TOTAL 42·49
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

OK

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) A. G. Beaumont

WAKEFIELD CORPN. W.W.

[P.T.O.

3212/5

Section A for the entry o

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10.

REGISTER OF RAINFALL IN 1934.

W Riding/8

Kept at Rishworth, Pike End
in the County of W. R. Yorkshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1225 ft.

(See letter 10 Nov 1933.)

New?

~~seen in map~~ void

Map 3L-2H.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·12									·07			2
3				·01									3
4									11			1·83	4
5													5
6		·05	·77								·26		6
7								1·48					7
8					·81								8
9	·59									2·30			9
10				·45									10
11									·04			1·31	11
12						·55							12
13		·12	·83								2·00		13
14								·72					14
15					1·12								15
16	1·71									1·21			16
17				·65			·75						17
18									·56			·80	18
19						·60							19
20		·02	1·54								·17		20
21								·38					21
22					1·73								22
23	1·08									·87			23
24				·96			·49						24
25									1·56			·54	25
26						·85							26
27		·23	·18								·17		27
28								·54					28
29		×			·01								29
30	·42	×		·79		·57			·97	1·41			30
31	·02	×	·09	×		×	2·62	1·07	×	·02	×	1·37	31
TOTAL	3·94	0·42	3·41	2·86	3·67	2·57	3·86	4·19	3·24	5·88	2·60	5·85	YEAR'S TOTAL 42·49
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

OK [illegible]

30" W

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) ~~A. G. Beaumont~~ [P.T.O.

~~WAKEFIELD CORPN. W.W.~~

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3212/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth (Pike End)

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·46									1·02				1
2				·02			·04							2
3									·61			·86		3
4						·33								4
5		2·10	·45								·44			5
6								·05						6
7														7
8	·14									1·33				8
9				1·15			·95							9
10									·45			·67		10
11						2·01								11
12		·50	·02								·75			12
13														13
14					·27									14
15	·66									3·61				15
16				1·59			·15							16
17									2·09			·47		17
18						1·62								18
19		3·31	·14								2·82			19
20														20
21					·56									21
22	·06									1·13				22
23				1·58			·70							23
24									3·28			·25		24
25						·63								25
26		1·84	1·51								1·56			26
27								1·66						27
28		·12												28
29	·90									3·87				29
30		×		·04		·31	·63		1·82		1·61			30
31	·11	×	·15	×		×		·95	×	1·19	×	1·08		31
TOTAL	2·33	7·87	2·27	4·38	·83	4·90	2·47	2·66	8·25	12·15	7·18	3·33	Year's Total. 58·62	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3212/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at RISHWORTH - PIKE END (EXPERIMENTAL)

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1225 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									·06			·63		1
2						1·29								2
3			·53								·21			3
4		·15						·84						4
5					·04									5
6										·04				6
7	·83			·68			·63							7
8									4·39			1·40		8
9						·33								9
10			1·06								3·82			10
11		·01						·61						11
12					·07									12
13										·40				13
14	·88			·44			1·88							14
15									1·40			1·67		15
16						1·28								16
17			10								2·98			17
18		·59						·57						18
19					·07									19
20										2·48				20
21	1·00			·32			·76							21
22									·05			·44		22
23						2·15								23
24			·46								·02			24
25		·79						·34						25
26					·49									26
27										2·43				27
28	2·31			·44			1·15							28
29		1·56							1·21			·38		29
30		✕				·75					·47			30
31	·50	✕	1·54	✕	·46	✕	·47	·01	✕	1·08	✕	·50	Year's Total	31
TOTAL	5·52	3·10	3·69	1·88	1·13	5·80	4·89	2·37	7·11	6·43	7·50	5·02	54·44	
* Days with ·01 in. or more.														
* Days with ·04 in. or more.														

WATERWORKS ENGINEER'S OFFICE WAKEFIELD

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont
Waterworks Engineer.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3212/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Rishworth (Pike End)

in the County of W. R. Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						02								1
2		·62	·12											2
3														3
4					·18									4
5	2·26									02				5
6				·65			·12							6
7									·86			1·04		7
8						1·04								8
9		1·07	·48								·17			9
10								·87						10
11					·91									11
12	·45									03				12
13				·73			47							13
14									·33			1·01		14
15						1·37								15
16		1·68	1·56								·03			16
17								·59						17
18					·15									18
19	·72													19
20				1·55			·91							20
21									1·12			·32		21
22						·34								22
23		1·02	1·13								1·66			23
24								·45						24
25					·87									25
26	·48									1·58				26
27				·32			1·27							27
28		2·07							·28			·30		28
29		×				·10								29
30		×	·34			·28					·92			30
31	·56	×		×	·52	×		·63	×	1·14	×	·06		31
TOTAL	4·47	6·46	3·63	3·25	2·63	3·15	2·77	2·54	2·59	2·77	2·78	2·73	Year's Total. 39·77	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) A. G. Beaumont
Waterworks Engineer.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3212/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Rishworth, Pike End,

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1225 ft.

W

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·09									·54			1
2								·12						2
3					·06									3
4	·18									3·92				4
5				·80			·79							5
6									·25			2·21		6
7						1·89								7
8		·18									·99			8
9								1·48						9
10														10
11	1·39									3·05				11
12							2·42							12
13									·57			78		13
14						·43								14
15		·89	·35								·76			15
16								·92						16
17					·81									17
18	2·48									3·19				18
19							·80							19
20									·50			·49		20
21						·16								21
22		·01	·22								1·22			22
23								1·64						23
24					·46									24
25	·89									·49				25
26				·03			·73							26
27									·51			·13		27
28		1·47				2·96								28
29			1·26								2·86			29
30		×				·59		1·09	·41		·46			30
31	1·97	×	·08	×	3·45	×	·49		×	·93	×	1·55		31
TOTAL	6·91	2·64	1·91	0·83	4·78	6·03	5·23	5·25	2·24	11·58	6·83	5·16	Year's Total. 59·39	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

WAKEFIELD

WATERWORKS ENGINEER'S OFFICE MAR 1939

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 321/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at RISHWORTH (PIKE END)

in the County of W.R. YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1225 ft.

WATERWORKS ENGINEER'S OFFICE
20 MAY 1940
WAKEFIELD

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·12						1
2														2
3	·31									·05				3
4				·94			1·61							4
5									·71			2·14		5
6														6
7		·59	1·19								1·17			7
8								·64						8
9					·28									9
10	1·76									1·28				10
11				·03			1·95							11
12									·72			1·45		12
13						·76								13
14		1·34	·58								·76			14
15								1·02						15
16					·73									16
17	2·82									·52				17
18				1·24			·79							18
19									·07					19
20						1·41								20
21		·93	·81								1·18			21
22								·61						22
23					·21									23
24	·68									·56				24
25				·58			·93							25
26									·16			·17		26
27						·46								27
28		2·97	·81								4·72			28
29								·09						29
30		✕		·04	·02	·48					1·09			30
31	·22	✕	·01	✕		✕	2·26	·03	✕	·66	✕	·03		31
TOTAL	5·79	5·83	3·40	2·83	1·24	3·11	7·54	2·51	1·66	3·07	8·92	3·79	Year's Total 49·69	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3212/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 0

REGISTER OF RAINFALL IN 19~~3~~ 40

Kept at Rishworth (Pike End)

in the County of ....

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1225 ft.

TRAVELLING FORM.
VALUES FORWARDED MONT[illegible]

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2				·45			·12							2
3									·01			·59		3
4						–								4
5											1·16			5
6		·47												6
7					·32									7
8										2·44				8
9	·21			·57			·89							9
10									·57			202		10
11						·01								11
12			1·16								4·31			12
13		·41						1·43						13
14					·28									14
15										·70				15
16	·02			·52			1·15							16
17									3·07			·52		17
18						·02								18
19			1·40								1·23			19
20		·45						1·31						20
21					·01									21
22										·84				22
23	·03			·80			1·17							23
24									1·96			·49		24
25						·74								25
26			·70								1·23			26
27		1·13						·14						27
28					·57									28
29		·37								·17				29
30		✕		·65		·37	·05				·18			30
31	3·10	✕	·42	✕	·14	✕		·28	✕	1·19	✕	1·18		31
TOTAL	3·36	2·83	3·68	2·99	1·32	1·14	3·38	3·16	5·61	5·34	8·11	4·80	Year's Total 45·72	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont [P.T.O.

3213

Section **A** for the entry o
AIR MINISTR
FORM 1090. **REGIS**

FOR OFFICIAL USE.
ORGANIZATION.

3213
RISHWORTH
RINGSTONE RES.
1931

780602

Kept at Rishworth R
in the County of W.R. Y
Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·01	·01	·20		1·16			·05	·07			1
2	·03	·04		·72	·04	·95	·01		·82	·07	·17	·25	2
3				·10		·06	·25		·89		1·53	·63	3
4		·07		·49			·10		1·19	·08	·11	·37	4
5		·07			·23	1·24	·01	·80	·01			·46	5
6		·24	·01			·25	·79		·08	·56	·22		6
7		·02	·02			1·08		·46		·39	·08	·13	7
8	·06	·26	·04	·04	·08		·17	·41	·01	·10	·29		8
9		1·20	·07	·22		·14		·33	·04	·06	·30	·01	9
10	·11	·13	·03		·18	·21		·18	·01		·33		10
11	·37	·83		·02		·11	·04	·01	·21		·60	·01	11
12	·03	·12		·01		·01	·67		·05	·26	·18		12
13			·16		·05	·02	·09	·04					13
14	·05	·03		·01	·10	·70	·09	1·15	·01		·50		14
15	·23	·67		·04	·06	·02	·14	·36			·02	·12	15
16	·62	·13		·18	·47	·53	·08	·94	·19				16
17	·01	·07		·46	·03	·08	·31	·31	·01	·01	·03		17
18	·15	·02		·21		·56	·35	·19		·02	·77		18
19	·10	·24		·03			·01	·80	·05	·03		·01	19
20	·02	·23	·02	·03		·02		·17			·11	·03	20
21	·38	·11	·02		·15	·10	·01	·18			·02		21
22	·54	·11		·05	·20	·02	·01				·01		22
23	·60	·01		·40	·25	·33	·36				·79	·09	23
24	·08	·29		·11	·56		·05				·03	·09	24
25	·03	·88		·43	·04		·21				·06	·05	25
26	·05	·09		·15							·33	·01	26
27	·40	·09		·04	·05		·22			·27	1·10	·13	27
28	·07	·37	·02	·07	·29		·04				·01	·05	28
29	·17				·08		·14			·51	·03		29
30	·01	×		·06	·02				·01	·02	·06	·11	30
31	·51	×		×	·61	×	·01		×	·02	×		31
TOTAL	4·66	6·33	·40	4·07	3·49	7·59	4·16	6·33	3·63	2·47	7·68	2·55	YEAR'S TOTAL 53·36
*Days with ·01 in. or more.	24	26	10	23	19	20	24	15	16	15	25	17	234
*Days with ·04 in. or more.	18	21	3	17	18	15	18	14	10	10	17	12	173

40-9999

M

*See Instruction 2 (*f*) on other side,

(*Signed*) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3213

Section **A** for the entry o FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rishworth, Ringstone Res.

in the County of W.R. Yorkshire 8

No. 1 ~~Old~~ Gauge

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 980 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·01	·01	·20		1·16			·05	·07			1
2	·03	·04		·72	·04	·95	·01		·82	·07	·17	·25	2
3				·10		·06	·25		·89		1·53	·63	3
4		·07		·49			·10		1·19	·08	·11	·37	4
5		·07			·23	1·24	·01	·80	·01			·46	5
6		·24	·01			·25	·79		·08	·56	·22		6
7		·02	·02			1·08		·46		·39	·08	·13	7
8	·06	·26	·04	·04	·08		·17	·41	·01	·10	·29		8
9		1·20	·07	·22		·14		·33	·04	·06	·30	·01	9
10	·11	·13	·03		·18	·21		·18	·01		·33		10
11	·37	·83		·02		·11	·04	·01	·21		·60	·01	11
12	·03	·12		·01		·01	·67		·05	·26	·18		12
13			·16		·05	·02	·09	·04					13
14	·05	·03		·01	·10	·70	·09	1·15	·01		·50		14
15	·23	·67		·04	·06	·02	·14	·36			·02	·12	15
16	·62	·13		·18	·47	·53	·08	·94	·19				16
17	·01	·07		·46	·03	·08	·31	·31	·01	·01	·03		17
18	·15	·02		·21		·56	·35	·19		·02	·77		18
19	·10	·24		·03			·01	·80	·05	·03		·01	19
20	·02	·23	·02	·03		·02		·17			·11	·03	20
21	·38	·11	·02		·15	·10	·01	·18			·02		21
22	·54	·11		·05	·20	·02	·01				·01		22
23	·60	·01		·40	·25	·33	·36				·79	·09	23
24	·08	·29		·11	·56		·05				·03	·09	24
25	·03	·88		·43	·04		·21				·06	·05	25
26	·05	·09		·15							·33	·01	26
27	·40	·09		·04	·05		·22			·27	1·10	·13	27
28	·07	·37	·02	·07	·29		·04				·01	·05	28
29	·17				·08		·14			·51	·03		29
30	·01	×		·06	·02				·01	·02	·06	·11	30
31	·51	×		×	·61	×	·01		×	·02	×		31
TOTAL	4·66	6·33	·40	4·07	3·49	7·59	4·16	6·33	3·63	2·47	7·68	2·55	YEAR'S TOTAL 53·36
*Days with ·01 in. or more.	24	26	10	23	19	20	24	15	16	15	25	17	234
*Days with ·04 in. or more.	18	21	3	17	18	15	18	14	10	10	17	12	173

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith

Waterworks Engineer

[P.T.O.

Section **A** for the entry o
AIR MINISTR

FORM 1090.

REGIS

Kept at Rishworth (
in the County of W. R. Y

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of t

3213/9

RISHWORTH
RINGSTONE RES. (WEST)
1932 — 33

780602

OPY FOR OFFICIAL USE.
ORGANIZATION.

3213/9.

ued 31/12/31) WR 8

e

llowing

Jan. 1, following
OK print

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·63	·01		·30	·36		·27	·05	·73	·46	·10	·14	1
2	·95				·52			·01	1·25	·07	·25	·35	2
3	·14						·27		·09			·22	3
4	·07	·02		·02			·07		·01	·06	·18	·02	4
5	1·19	·01	·17	·31				·01	·14				5
6	1·33		·09	·81	·05				·21				6
7	·10		·67	·26					·56	·35	·01		7
8				·20					·03	·54	·01		8
9	·32	·16		1·02	·03				·03	·01		·07	9
10	·43	·04	·02	·13	·01				·63	·34	·01	·04	10
11	·02	·06	·01	·06	·42	·03	·82		·06	·02	·05		11
12	·54	·01		·02	·44	·18	·20	·01	·01	·63	·05		12
13		·06		·20	·12		·08	·01	·20	·39	·07	·27	13
14	·12			·04			·11		·01	·13	·21	·01	14
15				·06	·23					·12	·19	·18	15
16	·52			·12	·02		·12	·01		·09	·02	·12	16
17							·01	·05	·04	·78	·01		17
18					·06			·01	·02		·03		18
19		·01		·27	·13			·03		·29	·01		19
20				·30	·47		·02	·87		·22	·09		20
21	·02		·21	·02	·55		·05	·83		1·15	·10	·06	21
22			·11	·20	·03		·06			·07	·95	·17	22
23		·01		·10	·30		·04			·06	·08	·11	23
24	·02			·03		·05	·45		·26	·02	·06	·03	24
25		·04		·08	·13	·01	·03	·01	·09	·79	·21		25
26		·01		·19	·46		·41		·07	·45	·25		26
27			·33	·25	·58	·16	·25			·04	·03	·09	27
28		·01	·28	·04	·19		·23	·04				·08	28
29	·02	×	·72	·10	·09	·08	·27	·26	·19	·74	·32	·29	29
30		×	·07	·13		·34	·05	·04	·03	·06	·49	·15	30
31	·02	×	·23	×	·03	×	·15		×		×	·10	31
TOTAL	6·44	·45	2·91	5·26	5·22	·85	3·96	2·24	4·66	7·88	3·78	2·45	YEAR'S TOTAL 46·10
*Days with ·01 in. or more.	17	13	12	26	22	7	21	15	21	25	25	19	223
*Days with ·04 in. or more.	12	5	10	23	17	5	18	7	14	22	17	15	164

40-9999

*See Instruction 2 (f) on other side.

(Signed) ~~C. Clemesha Smith~~ [P.T.O.

C CLEMSHA SMITH ESQ. C.E.

Section **A** for the entry o OPY FOR OFFICIAL USE.

~~3213~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

3213/9.

Kept at Rishworth (Ringstone Res.) (West)
in the County of W. R. Yorkshire 8
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 940 ft.

~~No 1 gauge~~ (Discontinued 31/12/31) WR 8

"West" gauge

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
OK print

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·63	·01		·30	·36		·27	·05	·73	·46	·10	·14	1
2	·95				·52			·01	1·25	·07	·25	·35	2
3	·14						27		·09			·22	3
4	·07	·02		·02			07		·01	·06	·18	·02	4
5	1·19	·01	·17	·31				·01	·14				5
6	1·33		·09	·81	·05				·21				6
7	·10		·67	·26					·56	·35	·01		7
8				·20					·03	·54	·01		8
9	·32	·16		1·02	·03				·03	·01		·07	9
10	·43	·04	·02	·13	·01				·63	·34	·01	·04	10
11	·02	·06	·01	·06	·42	·03	·82		·06	·02	·05		11
12	·54	·01		·02	·44	·18	·20	·01	·01	·63	·05		12
13		·06		·20	·12		·08	·01	·20	·39	·07	·27	13
14	·12			·04			·11		·01	·13	·21	·01	14
15				·06	·23					·12	·19	·18	15
16	·52			·12	·02		·12	·01		·09	·02	·12	16
17							·01	·05	·04	·78	·01		17
18					·06			·01	02		·03		18
19		·01		·27	·13			·03		·29	·01		19
20				·30	·47		·02	·87		·22	·09		20
21	·02		21	·02	·55		·05	·83		1·15	·10	·06	21
22			·11	·20	·03		·06			·07	·95	·17	22
23		·01		·10	·30		·04			·06	·08	·11	23
24	·02			·03		·05	·45		·26	·02	·06	·03	24
25		·04		·08	·13	·01	·03	·01	·09	·79	·21		25
26		·01		·19	·46		·41		·07	·45	·25		26
27			·33	·25	·58	·16	·25			·04	·03	·09	27
28		·01	·28	·04	·19		·23	·04				·08	28
29	02		·72	·10	·09	·08	·27	·26	·19	·74	·32	·29	29
30		✕	·07	·13		·34	·05	·04	·03	·06	·49	·15	30
31	02	✕	·23	✕	·03	✕	·15		✕		✕	·10	31
TOTAL	6·44	·45	2·91	5·26	5·22	·85	3·96	2·24	4·66	7·88	3·78	2·45	YEAR'S TOTAL 46·10
*Days with ·01 in. or more.	17	13	12	26	22	7	21	15	21	25	25	19	223
*Days with ·04 in. or more.	12	5	10	22	17	5	18	7	14	22	17	15	164

40-9999 M

*See Instruction 2 (*f*) on other side.

N

(Signed) ~~C. Clemesha Smith~~ [P.T.O.

C CLEMSHA SMITH ESQ. C.E.

3213/0

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rishworth, Ringstone Res. (West gauge)

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 940 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	·87	·02					·01	·03		·16		1
2	·75		·40	·14	·02	·01					·02		2
3	·02	·36	·25		·25						·02		3
4	·27	·29	·26		·18			·01					4
5	·27	·16	·10	·01	·10						·01		5
6	·04	·09	·01		·26						·01	·10	6
7	·14	·26	·20		·18		·13	·01		1·10		·02	7
8	·20	·15	·09	·04	·09		·37	·02		·01	·01	·14	8
9		·75		·28	·03	·01	·67			·87	·09		9
10	·12	·09				·08	·05	·01		·95	·05		10
11							·72	·01		·41		·01	11
12	·01					·34	·16			·04		·07	12
13			·02		·37	·08	·25	·01	·14	·25	·22		13
14	·46		·06		·18		·09			·02	·16		14
15	·79		·07			·01	·01	·10		·29	·77	·01	15
16	·35		·22	·02	·08	·18	·28			·17	·02	·01	16
17	·03		·87	·01	·02	·50		·20	·05		·23		17
18		·05	·33		·03	·68		·05			·10	·01	18
19			·50	·01			·01		·03		·03	·04	19
20		·07		·02				·26	·03		·03		20
21		·01		·01		·08		·33	·04		·02	·01	21
22						·40		·10		·15		·01	22
23		·03		·27	·02			·06	·25	·02			23
24		·11		·18	·08	·64			·85	·01	·01		24
25		·61		·18	·01				·27		·02	·01	25
26		·47		·35						·29	·02		26
27		·07		·03	·08				·05	·01			27
28				·02			·06		·01	·09			28
29				·02	·15		·09			·04		·07	29
30	·04	×	·04	·02	·28		·32			·37		·16	30
31	·54	×	·03	×		×	·23	·06	×	·22	×		31
TOTAL	4·17	4·44	3·47	1·61	2·41	3·01	3·44	1·24	1·75	5·31	2·00	·67	YEAR'S TOTAL 33·52
*Days with ·01 in. or more.	16	17	17	17	19	12	15	15	11	19	20	14	192
*Days with ·04 in. or more.	12	15	13	7	13	9	13	8	7	14	8	6	125

40-9999

M O

(Signed) A. G. Beaumont. [P.T.O.

*See Instruction 2 (*f*) on other side.

3214

Section **A** for the entry o

AIR MINISTR

FORM 1090.

REGIS

Kept at Rushworth

in the County of W.R.

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of th

FOR OFFICIAL USE.
. ORGANIZATION.

llowing

Jan. 1, following

3214

RISHWORTH

RINGSTONE RES. (LOWER)

1931—40

780602

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.01	.01	.21		1.21			.05	.09			1
2	.03	.04		.72	.05	.96	.01		.82	.08	.19	.27	2
3				.10		.08	.25		.90		1.68	.62	3
4		.08		.53			.10		1.19	.11	.11	.43	4
5		.07			.24	1.29	.01	.92	.01			.49	5
6		.24	.02			.26	.75		.08	.58	.22		6
7		.02	.02			1.08		.48		.43	.08	.15	7
8	.11	.32	.06	.04	07		.18	.41	.01	.11	.29		8
9		1.25	.07	.21		.15		.34	.04	.06	.30	.01	9
10	.13	.16	.03		18	.22		.19	.01		.33		10
11	.41	.88		.02		.11	.04	.01	.22		.66	.01	11
12	.04	.19		.01		.01	66		.05	.26	.21		12
13			.18		.06	.02	.09	04					13
14	.08	.04		.01	.11	.74	.09	1.15	.01		.50		14
15	.30	.70		.05	.07	.02	.14	.34			.02	.13	15
16	.72	.18		.20	.47	.53	.09	.93	.20				16
17	.01	.11		.48	.03	.09	.38	.33	.01	.01	.03		17
18	.18	.02		.22		.54	.35	.19		.02	.78		18
19	.12	.25		.03			.01	.80	.05	.03		.01	19
20	.02	.24	.02	.03		.02		.16			.12	.05	20
21	.38	.16	.02		.15	.13	.01	.18			.02		21
22	.55	.11		.05	.20	.02	.01				.01		22
23	.64	.01		.41	.25	.33	.39				.77	.12	23
24	.08	.34		.15	.56		.06				.03	.11	24
25	.03	1.20		.44	.04		.21				.06	.06	25
26	.06	.10		.15							.35	.02	26
27	.46	.10		.04	.05		.28			28	1.14	.14	27
28	.07	.47	.02	.08	.29		.07				.01	.07	28
29	.17				.09		.16			.54	.03		29
30	.01	✕		.10	.02				01	.02	.06		30
31	.51	✕		✕	.61	✕	.01		✕	.02	✕	.13	31
													YEAR'S TOTAL
TOTAL	5.15	7.29	.45	4.28	3.54	7.81	4.35	6.47	3.66	2.64	8.00	2.82	56.46
*Days with ·01 in. or more.	24	26	10	23	19	20	24	15	16	15	25	17	234
*Days with ·04 in. or more.	19	22	3	18	17	15	18	14	10	10	18	13	177

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3214

Section **A** for the entry o FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rushworth, Ringstone Res.
in the County of W. R. Yorkshire 8
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 962 ft.

No. 2 ~~New~~ Gauge.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·01	·01	·21		1·21			·05	·09			1
2	·03	·04		·72	·05	·96	·01		·82	·08	·19	·27	2
3				·10		·08	·25		·90		1·68	·62	3
4		·08		·53			·10		1·19	·11	·11	·43	4
5		·07			·24	1·29	·01	·92	·01			·49	5
6		·24	·02			·26	·75		·08	·58	·22		6
7		·02	·02			1·08		·48		·43	·08	·15	7
8	·11	·32	·06	·04	·07		·18	·41	·01	·11	·29		8
9		1·25	·07	·21		·15		·34	·04	·06	·30	·01	9
10	·13	·16	·03		·18	·22		·19	·01		·33		10
11	·41	·88		·02		·11	·04	·01	·22		·66	·01	11
12	·04	·19		·01		·01	·66		·05	·26	·21		12
13			·18		·06	·02	·09	·04					13
14	·08	·04		·01	·11	·74	·09	1·15	·01		·50		14
15	·30	·70		·05	·07	·02	·14	·34			·02	·13	15
16	·72	·18		·20	·47	·53	·09	·93	·20				16
17	·01	·11		·48	·03	·09	·38	·33	·01	·01	·03		17
18	·18	·02		·22		·54	·35	·19		·02	·78		18
19	·12	·25		·03			·01	·80	·05	·03		·01	19
20	·02	·24	·02	·03		·02		·16			·12	·05	20
21	·38	·16	·02		·15	·13	·01	·18			·02		21
22	·55	·11		·05	·20	·02	·01				·01		22
23	·64	·01		·41	·25	·33	·39				·77	·12	23
24	·08	·34		·15	·56		·06				·03	·11	24
25	·03	1·20		·44	·04		·21				·06	·06	25
26	·06	·10		·15	·						·35	·02	26
27	·46	·10		·04	·05		·28			·28	1·14	·14	27
28	·07	·47	·02	·08	·29		·07				·01	·07	28
29	·17				·09		·16			·54	·03		29
30	·01	✕		·10	·02				·01	·02	·06		30
31	·51	✕		✕	·61	✕	·01		✕	·02	✕	·13	31
TOTAL	5·15	7·29	·45	4·28	3·54	7·81	4·35	6·47	3·66	2·64	8·00	2·82	YEAR'S TOTAL 56·46
*Days with ·01 in. or more.	24	26	10	23	19	20	24	15	16	15	25	17	234
*Days with ·04 in. or more.	19	22	3	18	17	15	18	14	10	10	18	13	177

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3214

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rushworth, Ringstone Res.
in the County of W. R. Yorkshire
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 962 ft.

"Lower" ~~No. 2~~. gauge. (from 31/12/31)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·62	·01		·32	·36		·27	·05	·83	·46	·10	·14	1
2	·98				·54			·01	1·29	·07	·29	·35	2
3	·13						·28		·10			·24	3
4	·07	·02		·02			·06		·01	·06	·19	·02	4
5	1·23	·01	·19	·33				·01	·15				5
6	1·42		·11	·78	·04				·22				6
7	·10		·72	·30					·56	·35	·01		7
8				·20					·03	·52	·01		8
9	·34	·16		1·06	·02				·03	·01		·06	9
10	·47	·04	·02	·13	·01				·66	·34	·01	·04	10
11	·02	·05	·01	·06	·43	·01	·83		·06	·02	·05		11
12	·60	·01		·02	·40	·18	·19	·01	·01	·65	·05		12
13		·05		·20	·12		·09	·01	·22	·41	·07	·27	13
14	·14			·05			·12		·01	·14	·23	·01	14
15				·06	·22					·14	·19	·19	15
16	·68			·14	·02		·12	·01		·11	·02	·13	16
17							·01	·04	·04	·71	·01		17
18					·04			·01	·02		·03		18
19		·01		·26	·13			·03		·32	·01		19
20				·28	·47		·02	·96		·24	·09		20
21	·01		·21	·02	·54		·07	·91		1·14	·10	·06	21
22			·10	·20	·04		·07			·08	·98	·17	22
23		·01		·11	·30		·04			·06	·10	·11	23
24	·02			·03		·05	·43		·27	·02	·06	·04	24
25		·05		·09	·13	·01	·03	·01	·09	·80	·21		25
26		·01		·19	·44		·35		·07	·42	·26		26
27			·33	·24	·57	·16	·25			·05	·03	·10	27
28		·01	·29	·04	·19		·23	·04				·04	28
29	·03		·80	·10	·09	·08	·29	·24	·19	·76	·35	·29	29
30		×	·07	·11		·34	·05	·04	·03	·06	·49	·16	30
31	·02	×	·22	×	·02	×	·14		×		×	·10	31
TOTAL	6·88	·44	3·07	5·34	5·12	·83	3·94	2·38	4·89	7·94	3·94	2·52	YEAR'S TOTAL 47·29
*Days with ·01 in. or more.	17	13	12	26	22	7	21	15	21	25	25	19	223
*Days with ·04 in. or more.	12	5	10	22	18	5	18	7	14	22	17	17	167

40-9999

M

*See Instruction 2 (*f*) on other side.

(Signed) C. Clemesha Smith

P.T.O.

32/4

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rishworth, Ringstone Res. (Lower Gauge)

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 962 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·16	·89	·02					·01	·03		·17		1
2	·71		·45	·16	·02	·01					·02		2
3	·02	·38	·24		·24						·02		3
4	·28	·29	·24		·17			·01					4
5	·27	·18	·10	·01	·11						01		5
6	·01	·09	·01		·26						01	·10	6
7	·16	·26	·20		·18		·13	·01		1·08		·02	7
8	·23	·13	·09	·04	·09		·37	·02		·01	01	·14	8
9		·76		28	·03	01	·67			·85	·09		9
10	·12	·09				·08	·05	·01		·94	·05		10
11							·71	·01		·40		·01	11
12	·01					·34	·16			·04		·07	12
13			·02		·37	·08	·24	·01	14	·24	·22		13
14	·48		·06		·17		·09			·02	·16		14
15	·81		·07			·01	·01	·10		29	·76	·01	15
16	·30		·23	02	·08	·19	·28			·17	·02	·01	16
17	·03		·85	01	·02	·50		·19	·05		·23		17
18		·04	·34		·03	·66		·05			·10	·01	18
19			·50	·01			·01		·03		·03	·04	19
20		·07		·02				·26	·03		·03		20
21		·01		·01		·08		·33	·04		·02	·01	21
22						·39		·10		·15		·01	22
23		·03		·25	·02			·06	·25	·02			23
24		·09		·18	·08	·64			·85	01	·01		24
25		·60		·18	·01				·28		·02	·01	25
26		·42		·37						·29	·02		26
27		·07		·03	·08				·05	·01			27
28				·02			·05		·01	·09			28
29				·02	·15		·09			·04		·07	29
30	·03	×	·03	·02	·28		·32			·35		·16	30
31	·54	×	·03	×		×	·23	·06	×	·22	×		31
TOTAL	4·16	4·40	3·48	1·63	2·39	2·99	3·41	1·23	1·76	5·22	2·00	·67	YEAR'S TOTAL 33·34
*Days with ·01 in. or more.	16	17	17	17	19	12	15	15	11	19	20	14	192
*Days with ·04 in. or more.	11	15	12	7	13	9	13	8	7	14	8	6	123

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) A. G. Beaumont [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rishworth, Ringstone Res. (Lower Gauge)

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 962 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14		·03	·01				·11	·01	·03	·02	·25	1
2	·01	·01	·10					·57	·09		·19	·29	2
3	·07	·02	·02					·04		·08	·02	·04	3
4	·14		·41	·14	·04			·01	·06	1·04		·91	4
5			·13	·01	14			·31		·42	·02	·22	5
6			·12	·04	·70	·12		·42	·01	·19		·36	6
7	·28	·02	·12	·02		·11				·14	·33	·43	7
8			·01		·08	·59		·09	·01	·25	·60	·08	8
9		·06	·16	·08				·17		·04	·95	·08	9
10		·01	·48	·30				·26		·26	·02	·01	10
11	·34	·01	·22	·62				·08		·01	·17	·20	11
12	·05		·08	·12			·94	·01		·02		·07	12
13	·36			·02	11		·13	·02		·21		·02	13
14	·13		·25		·05	·05				·26	·07	·09	14
15	·55	01	·26		1·04	·01		·06	·37		·02	·27	15
16	·47		·16		·47						·09	·02	16
17	·48		·31	·01	13		·18		·27	·04		·31	17
18	·56		·20	·03	·57	·22	·02	·05				·26	18
19		·02	·45	·04	·12	·28			·28	·12		·01	19
20			·03	·11	·32			·18	·08	·10	·01		20
21	·03		·01		·10	·48		·09	·05	·12		·01	21
22			·01		·01	·01		·42	·39	·19		·01	22
23	·01		·05	·43	·01	·01	·36	·01		·18	·03	·06	23
24		·11	·03	·06		·07	·01		·29	·10		·02	24
25	·17	·05		·11	·01		·30		·27	·45		·43	25
26	·17		·05	·20		·18	·34		·44	·17	·07	·10	26
27		·02		·21		·34	·47		·05	·48	·01	·20	27
28				·16		·05	·28	·10		·07		·54	28
29			·05				·09	·42	·36	·04		·10	29
30	·04	✕	·01				·16	·28	·10	·15		·21	30
31	·01	✕		✕		✕	·39		✕	·01	✕	·13	31
TOTAL	4·01 ✓	0·34 ✓	3·75 ✓	2·72 ✓	3·90 ✓	2·52 ✓	3·67 ✓	3·70 ✓	3·13 ✓	5·17 ✓	2·62 ✓	5·73 ✓	YEAR'S TOTAL ✓ 41·26 ✓
*Days with ·01 in. or more.	19	11	26	20	16	14	13	21	17	27	16	30	230
*Days with .04 in. or more.	15	3	18	14	13	11	11	17	14	23	8	23	170

40-9999

*See Instruction 2 (*f*) on other side,

M

(*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations.

Station No. 3214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth, Ringstone Res. Lower
in the County of W. R. Yorks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 962 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·24	·05	·04		·03	·02		·05	·92	·08	·41		1
2		·11	·08			·19			·05	·22	·07	·19		2
3	·04	·54	·08	·09		·01	·41	·02	·42	·01	·15	·13		3
4		·03	·08	·01		·03	·17		·21	·59				4
5		·71	·07	·12		·29	·08		·20	·04	·09	·09		5
6	·03	·01		·04		·47								6
7	·02			·12		·45				·57	·37	·16		7
8	·01			·20						·32	·10	·20		8
9				·58		·20				2·40	·13			9
10	·01	·04	·01	·62		·04				·39	·20			10
11	·76	·18				·18				·32	·17	·14		11
12		·26				·83			·03					12
13	·08	·10		·06	·17				·13	·10	·07			13
14		·05		·22	·08	·05			·13	·01	1·26	·17		14
15		2·06		·50	·05	·06			·44	·21	·09	·26		15
16	·02	·51	·13	·36	·09	·25	·08		·69		·60			16
17		·08		·44	·49	·33	·13		·77	·04	·53			17
18	·02	·02		·13	·03	·15	·14		·50	·72	·06			18
19	·01	·23		·50		·19	·26			·14	·40			19
20	·01	1·29		·38		·11	·12				1·23			20
21		·14	·01	·01					·92	·21	·34	·02		21
22		·17	·32						·16					22
23	·04		·84	·20				·69	·02	·33				23
24	·53	·73	·01						1·75	·04	·01	·11		24
25	·14	·01	·24			·20					·20	·11		25
26	·01						·11	1·08	·30	·60	·25	·28		26
27		·10				·06	·40		·49	·72	·55	·16		27
28	·01	·01				·01		·04	·06	·40	·13	·07		28
29	·01		·08						·23	·70	·16	·16		29
30	·04	X		·02		·17		·09	·53	1·02	·88	·13		30
31	·05	X	·03	X		X			X	·45	X	·29		31
TOTAL	2·21	7·62	2·03	4·64	·91	4·30	1·92	1·92	8·08	11·47	8·12	3·08 ✓	Year's Total 56·30 ✓	
*Days with ·01 in. or more.	20	23	14	20	6	22	11	5	21	25	25	18	210	
*Days with .04 in. or more.	9	18	10	17	5	18	10	4	19	23	24	17	173	

40-9999

*See Instruction 2/(*f*) on other side.

† Spare column, no entries required.

(Signed) A. G. Beaumont B.
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1050.

REGISTER OF RAINFALL IN 1936.

Kept at Rishworth, Ringstone Res. Lower.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 962 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·04	·02	·84			·02	·27	·06		·10	·69		1
2	·01	·03	·06	·04		1·37		·08			·02	·18		2
3	·05					·30	·01	·19	·80			·28		3
4	·42	·11	·06			·01	·01	·08	·57	·02	·34	·64		4
5	·06	·01	·31		·04			·27	·26	·02	·19	·20		5
6	·23		·02		·02	·01	·23	·31	·78		·16			6
7	·07		·04				·26		1·00		·15	·20		7
8	·40		·26							·04	·59	·03		8
9	·36		·03						·32	·01	·97			9
10	·26						·26			·01	1·40			10
11				·09		·16	·16		·03		·83	·02		11
12				·16	·04	·85	·72		·49	·04	·23	·02		12
13	·03			·12	·01	·11	·18			·30	·01	·95		13
14			·01	·24		·28	·03	·01	·31	·05	·30	1·24		14
15	·21		·05	·22	·01	·13	·04	·35	·19		·63	·20		15
16	·08	·01	·01	·05			·03			·05	·85			16
17	·06	·53	·01	·01	·08		·12	·07		·83	·05	·45		17
18		·09		·01		·05	·09	·06		1·00		·01		18
19	·44	·33	·03			·15	·12	·19		·14				19
20	·30	·08					·01		·04	·03		·01		20
21	·06		·01	·06						·02		·01		21
22	·18	·57	·03		·04	1·47	·27					·08		22
23		·01	·29	·26	·17		·54	·02		·07				23
24	·23	·07	·11	·07	·36		·07	·02	·29	·83		·04		24
25	·19		·11	·08		·01	·06		·59	·26		·01		25
26	·05	·25	·55	·02					·09	·66				26
27	·88	·01	·01						·08	·32	·03			27
28	·37	·75	·09				·33				·01	·13		28
29	·12	·31	·95			·65	·04			·04	·14	·09		29
30	·20	×	·06		·42		·24			·91	·20	·04		30
31	·02	×	·01	×	·02	×	·06		×		×	·57		31
TOTAL	5·29	3·20	3·02	2·27	1·21	5·55	3·90	1·92	5·90	5·65	7·20	6·09	Year's Total. 51·20	
* Days with .01 in. or more.	26	16	23	15	11	14	24	13	16	21	20	23	221	
* Days with .04 in. or more.	22	11	12	12	7	11	18	10	15	15	16	16	165	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A. G. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at Rishworth, Ringstone Res. Lower.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 962 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·17	·08			·02	·02		·50		·01	·34		1
2	·44	·48	·07	·25					·01	·01		·05		2
3		·20	·03	·24	·03	·60	·02		·01			·01		3
4	·30	·05	·13	·18	·11	·02	·02	·05				·41		4
5	·37		·15	·01			·02					·02		5
6	·15		·14	·08	·03			·29	·02		·09	·37		6
7	·05	·46	·01	·47	·22	·05			·11		·04	·01		7
8		·50		·02	·01	·09	·07		·01		·05	·02		8
9	·01	·09	·19	·08	·33		·22	·35				·02		9
10	·01	·08	·01		·03	·02	·01			·03	·01	·41		10
11			·74		·54		·01	·01			·01	·04		11
12	·29	·14	·13	·01	·15	·23	·07	·01	·19			·19		12
13		·04	·10	·03	·01	·97		·13	·01			·12		13
14		·07	·10					·13	·11			·16		14
15	·26	·64		·29			1·08		·09			·04		15
16	·05	·63	·16	·42		·01		·24	·17			·04		16
17	·02	·02	·36	·13		·08		·04	·53					17
18	·47	·20	·37	·03				·25	·22		·67			18
19	·12	·14	·01	·14		·12	·07	·04	·02		·64			19
20	·10	·36	·04	·12	·65	·08						·01		20
21	·06	·06	·04	·05	·01		·40					·23		21
22	·04		·34	·02	·01		·39			·32	·40	·11		22
23	·16		·02		·19		·49			·85	·46			23
24	·18	·31	·16		·03		·01		·09	·28		·02		24
25	·10	·78					·01	·23	·09	·30		·03		25
26		·46	·14		·32			·07		·01		·02		26
27		·50		·19						·72	·01	·01		27
28	·01	·27				·06				·21				28
29	·01				·06	·02				·08	·09	·02		29
30	·24	✕				·14		·21		·08	·57	·02		30
31	·45	✕		✕		✕		·10	✕	·16	✕			31
TOTAL	4·04	6·65	3·52	2·76	2·73	2·51	2·91	2·15	2·18	3·05	3·05	2·72	Year's Total 38·27	
* Days with .01 in. or more.	24	23	23	19	17	15	16	15	16	12	13	25	218	
* Days with .04 in. or more.	19	22	18	13	9	10	8	13	10	9	9	13	153	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont [P.T.O.
Waterworks Engineer

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Rishworth, Ringstone Res., Lower

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 962 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·11		·03		1·13	·55	·08		·14	·59	·37		1
2	·14	·08		·51	·07	·36	·02			1·75	·28	·41		2
3	·03					·04	·09		·17	2·02	·21	·06		3
4	·05			·07		·02	·39	·42		·31	·38	1·10		4
5	·01	·01		·01		·11	·12	·54	·03	·70	·01	·06		5
6	·38	·01				·07	·56	·46	·03	·43	·01	·02		6
7	·24						·41	·04	·49	·35				7
8	·42	·06					·27			1·43		·20		8
9	·10	·55	·13			·25	·08	·05	·01	·10		·33		9
10		·06	·01			·07	·52			·16		·11		10
11	·20	·08				·03	·26	·10		·18	·07	·05		11
12	·45				·22		·01	·01		1·21	·49			12
13	·01	·01			·01		·02		·11	·35	·35	·20		13
14	·60	·02			·05		·12		·16	·01	·09	·02		14
15	·64		·02		·01		·36	·29		·14	·01	·27		15
16	1·00		·11		·17		·17	·38		·04	·10	·15		16
17		·01			·32		·09	·20	·09	·46	·02	·02		17
18	·11				·18	·12		·32	·04	·68	·47	·01		18
19		·02						·45	·06			·20		19
20	·22		·01					·14			·48	·06		20
21	·01		·09					·26			·04	·03		21
22	·01	·01		·01		·25					·19	·05		22
23	·01			·01	·21	·37			·16		·86			23
24	·36	·01	·35		·05	·12	·52	·46	·06		·35			24
25	·35	·23	·04			·06	·03	·01		·44	·72			25
26	·25	·48	·08		·02	·08	·13		·29	·23	·30	·09		26
27	·38	·32	·01		·73	·98	·27	·25	·02		·43			27
28	·38	·20	·14		·49	·93	·08	·30	·06	·01	·03	·15		28
29	·07		·25		1·59	·37	·16			·09	·30	·27		29
30	·27	✕			·06	·20	·02		·30	·03	·69	·15		30
31	·46	✕	·03	✕	·43	✕			✕	·57	✕	1·05		31
													Year's Total	
TOTAL	7·15	2·27	1·27	·64	4·61	5·56	5·25	4·76	2·08	11·83	7·47	5·43	58·32	
* Days with .01 in. or more.	27	18	13	6	16	19	24	19	16	24	25	25	232	
* Days with .04 in. or more.	21	10	8	2	13	17	19	17	12	21	20	20	180	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont .... P.T.O.

Waterworks Engineer

4 JAN 19

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 3214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Rishworth, Ringstone Res.

Lower

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 962 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·21		·39	·02			·02	·07	·02		·01	·87		1
2	·06		·05	·12			·46	·26	1·13	·06	·09	·20		2
3	·07			·15				·24	·02		·10	·63		3
4	·17		·39	1·00			·47	·01		·04	·03	·53		4
5			·01		·28		·14	·08		·87	·68	·03		5
6	·40	·33	·02				·64			·01	·21			6
7	·18	·30	·54		·02		·08			·02	·23	·20		7
8	·74	·26	·20				·80	·03		·12	·34	·50		8
9	·20	·61					·04	·65		·51	·01	·58		9
10	·41	·01	·01			·05		·29	·50	·06		·04		10
11	·40	·21	·16			·45		·02		·06		·01		11
12	·22	·07				·14					·03			12
13			·02	·31	·05	·12	·02			·10	·04			13
14	·80		·06	·12	·32	·30	·08			·03	·30			14
15	·29	·07	·03	·63	·14	·60	·64		·03	·01	·12			15
16	·27		·03	·04	·25		·07		·01		·06	·01		16
17	1·06	·44	·03	·06	·07	·10	·05			·40	·03			17
18	·15	·24	·01			·12	·46			·01	·87			18
19	·26		·01			·01	·46			·01				19
20						·36	·20	·12	·05					20
21	·08	·09	·53	·16	·10	·01	·31	·27	·07					21
22	·15	·35	·16	·04			·04			·02	·53	·03		22
23	·01	·55	·01	·19		·01	·18	·01		·33	·16			23
24		·18	·03	·15		·05	·01			·01	·01			24
25	·51	·30	·01		·01	·08		·06			2·20	·04		25
26	·06	·03	·01							·20	·79	·09		26
27	·06	1·36	·43	·01		·42	·05			·17	·39	·04		27
28	·02	·10	·25	·04		·33	·52				·63			28
29			·01			·01	1·06			·30	·47			29
30		✕				·12	·21				·43			30
31		✕		✕		✕	·24	·03	✕	·12	✕			31
TOTAL	6·78	5·50	3·40	3·04	1·24	3·28	7·55	2·14	1·83	3·46	8·76	3·80	Year's Total 50·78	
* Days with .01 in. or more.	24	18	25	15	9	18	25	14	8	22	25	15	218	
* Days with .04 in. or more.	22	16	11	13	7	14	22	9	4	14	19	11	162	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3214

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930.

Kept at Rishworth, Ringstone Res. Lower
in the County of W. R. Yorks.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 962 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·09		·17	·01						·66	·19		1
2		·04	·02	·29			·07				·87	·12		2
3	·05^{s}	·02	·01	·15			·02			·16	·08	·10		3
4		·20^{s}		·22			·05			·33	·27	·26		4
5		·04^{s}			·09		·04			·68	·18	·64		5
6	·05^{s}	·06					·02			1·03	·08	·06		6
7	·08^{s}	·12		·10	·21		·07	·18	·15	·03	·01			7
8		·01		·13			·01	·05		·23	·04	·22		8
9			·16	·01			·64	·35	·25	·79	1·27	·18		9
10			·02				·33	·37		·08	·70	·57		10
11		·04^{s}	·12^{s}	·06		·01	·10				1·73			11
12		·04^{s}	·78^{s}				·05		·81		·56			12
13		·05^{s}	·43^{s}					·07	·31		·08			13
14		·02^{s}	·01	·40	·16		·16	·06	·11		·03	·50		14
15		·02^{s}	·11	·01	·01	·01					·16	·08		15
16	·08^{s}	·03^{s}	·07	·04			·48		1·31	·51	·16	·07		16
17		·12^{s}	·33				·45		·16		·35			17
18	·13^{s}	·06^{s}	·33^{s}	·49			·11	·18	·23		·03	·33		18
19	·01^{s}	·06^{s}	·31^{s}	·10			·61		·73	·13	·45			19
20		·09	·15^{s}	·55			·79	·63	·15	·27	·22			20
21	·02^{s}		·44	·06		·32	·07	·04	·10	·05	·90			21
22		·10	·12		·05	·15		·01	·52	·05				22
23		·33	·08	·05	·41		·11		·08	·08	·16	·01		23
24	·53^{s}	·02		·03	·01				·07	·01		·06		24
25	·09^{s}					·11				·07				25
26	·68^{s}	·10^{s}		·07	·01	·03				·01	·07			26
27	·77^{s}	·54^{s}		·06					·01		·11			27
2·53 28	·86^{s}	·38^{s}		·02	·23			·07				·05		28
29	·04^{s}		·23	·04	·34	·21				·03		·50		29
30	·06^{s}	✕		·17						·50	·01	·19		30
31	·03^{s}	✕	·22	✕		✕		·06	✕	·76	✕	·08		31
TOTAL	3·48	2·58	3·94	3·22	1·53	·84	4·18	2·07	4·99	5·80	9·18	4·21	Year's Total 46·02	
* Days with .01 in. or more.	15	24	19	22	11	7	19	12	15	20	25	19	208	
* Days with .04 in. or more.	12	18	15	18	7	4	16	11	14	16	21	18	170	

† Spare column, no entries required.

* See Instruction 3 (f) on other side. Wakefield Corpn WWx (*Signed*) A. J. Beaumont [P.T.O.

3215

Section A for the entry of

AIR MINISTR

FORM 1090.

REGIST

Kept at Rishworth Mo

in the County of W. R. Yo

Diameter of Funnel of Gauge 5

Height of top of Gauge above Ground

,, Ground ,, Sea Lev

THE MORNING MEASUR

An observer who does not conform to th
year in the space on the right of this

Pl

3215

RISHWORTH, GREYSTONES
1931 — 40

780602

FOR OFFICIAL USE.
ORGANIZATION.

ing

Jan. 1, following

Date	Jan.	Feb.	March	Ap							ov.	Dec.	*Date*
	in.	in.	in.	i			in.	in.	in.	in.	in.	in.	
1												·01	1
2						1·79							2
3		·12	·07								2·98		3
4								·12					4
5					·28								5
6	·13									1·29			6
7				1·37			·91						7
8									2·88			2·13	8
9						2·49							9
10		2·41	·25								1·57		10
11								2·03					11
12					·31								12
13	·97									1·03			13
14				·49			1·15						14
15									·55			·20	15
16						1·90							16
17		1·60	·23								1·97		17
18								2·37					18
19					·99								19
20	2·25									·08			20
21				1·00			1·38						21
22									·38			·05	22
23						1·88							23
24		1·79	·12								2·01		24
25								1·90					25
26					1·26								26
27	2·26									·42			27
28		1·45		1·25			1·35						28
29												·92	29
30		✕		·10		·02			·01		1·96		30
31	1·15	✕	·03	✕	·97	✕	·31		✕	·75	✕	·10	31
TOTAL	6·76 ✓	7·37 ✓	·70 ✓	4·21 ✓	3·81 ✓	8·08 ✓	5·10 ✓	6·42 ✓	3·82 ✓	3·57 ✓	10·49 ✓	3·41 ✓	YEAR'S TOTAL 63·74
*Days with ·01 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	-
*Days with ·04 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	-

40-9999 M

*See Instruction 2 ( ) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3215

Section | **A** | for the entry of — FOR OFFICIAL USE.

AIR MINISTR — ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rishworth Moor, Greystones

in the County of W. R. Yorkshire S

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 1192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·01	1
2						1·79							2
3		·12	·07								2·98		3
4								·12					4
5					·28								5
6	·13									1·29			6
7				1·37			·91						7
8									2·88			2·13	8
9						2·49							9
10		2·41	·25								1·57		10
11								2·03					11
12					·31								12
13	·97									1·03			13
14				·49			1·15						14
15									·55			·20	15
16						1·90							16
17		1·60	·23								1·97		17
18								2·37					18
19					·99								19
20	2·25									·08			20
21				1·00			1·38						21
22									338			·05	22
23						1·88							23
24		1·79	·12								2·01		24
25								1·90					25
26					1·26								26
27	2·26									·42			27
28		1·45		1·25			1·35						28
29												·92	29
30		✕		·10		·02			·01		1·96		30
31	1·15	✕	·03	✕	·97	✕	·31		✕	·75	✕	·10	31
TOTAL	✓ 6·76	✓ 7·37	✓ ·70	✓ 4·21	✓ 3·81	✓ 8·08	✓ 5·10	✓ 6·42	✓ 3·82	✓ 3·57	✓ 10·49	✓ 3·41	YEAR'S TOTAL 63·74
*Days with ·01 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	-
*Days with ·04 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	-

40-9999 M

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

*See Instruction 2 (f) on other side

3215

Section **A** **for the entry of Daily Observations.** **COPY FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rishworth Moor, Greystones

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 1192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·10		1
2		·01						·06					2
3					·70								3
4										·45			4
5	3·81			1·06			·75						5
6									3·87			·72	6
7						·01							7
8			1·08								·74		8
9		·24						·03					9
10					·24								10
11										1·50			11
12	2·58			2·29			1·29						12
13									2·25			·44	13
14						·41							14
15			·05								·62		15
16		·11						·08					16
17					1·90								17
18										2·40			18
19	·49			·54			·38						19
20									·15			·40	20
21													21
22			·48								1·49		22
23		·04						1·48					23
24					1·74								24
25										3·07			25
26	·11			1·02			1·35						26
27									·55			·54	27
28						·19							28
29		·04	1·32								1·50		29
30		×		·50		·58		·48	·46		·23		30
31	·07	×	·36	×	1·32	×	1·21		×	1·88	×	·83	31
TOTAL	7·06	·44	3·29	5·41	5·90	1·19	4·98	2·13	7·28	9·30	4·68	2·93	YEAR'S TOTAL 54·59
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

(Signed)

[P.T.O.

*See Instruction 2 (*f*) on other side.

3215

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933 .

Kept at Rishworth Moor, Greystones

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 1192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·02					1
2													2
3	·69												3
4				·31									4
5									·05				5
6						·03							6
7		2·60	1·52								·40		7
8								·34					8
9					1·39								9
10	1·44									3·10			10
11				·56			2·33						11
12												·21	12
13						·55							13
14		·88	·24								78		14
15								·15					15
16					·48								16
17	1·46									1·37			17
18				05			1·18						18
19									·02			·07	19
20						1·70							20
21		·30	2·12								1·13		21
22								1·26					22
23					·14								23
24										·22			24
25				68									25
26									1·49			·09	26
27						1·09							27
28		1·37									05		28
29								·08					29
30		×		·81	·64				·05				30
31	1·25	×	·13	×		×	1·11	·15	×	1·25	×	·27	31
TOTAL	4·84	5·15	4·01	2·41	2·65	3·37	4·62	2·00	1·61	5·94	2·36	·64	YEAR'S TOTAL 39·60
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

D M

(Signed) A. G. Beaumont [P.T.O.

COPY FOR OFFICIAL USE.

Section A **for the entry of Daily Observations.** **Station No** 3215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rishworth Moor, Greystones

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 1192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·18												2
3				·01									3
4									·18			2·37	4
5													5
6		·07	·78								·31		6
7								1·50					7
8					·93								8
9	·64									2·37			9
10				·54									10
11									·05			1·45	11
12						·56							12
13		·20	1·08								2·21		13
14								·86					14
15					1·11								15
16	2·18									1·53			16
17				·76			·68						17
18									·97			·99	18
19						·68							19
20		·03	1·95								·21		20
21								·52					21
22					1·96								22
23	1·30									1·09			23
24				1·01			·48						24
25									1·98			·93	25
26						1·09							26
27		·31	·24								·22		27
28								1·15					28
29					·01								29
30	·48	✕		·85		·58			1·22	1·45			30
31	·01	✕	·10	✕		✕	2·74	·49	✕	·02	✕	1·56	31
TOTAL	4·79 ✓	0·61 ✓	4·15 ✓	3·17 ✓	4·01 ✓	2·91 ✓	3·90 ✓	4·52 ✓	4·40 ✓	6·46 ✓	2·95 ✓	7·30 ✓	YEAR'S TOTAL 49·17 ✓
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

M (*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1096

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth Moor, Greystones

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 1192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·48									·26				1
2				·03			·03							2
3									·68			·92		3
4						·38								4
5		2·07	·49								·48			5
6														6
7														7
8	·17									1·80				8
9				1·38			·91							9
10									·53			·75		10
11						2·76								11
12		·64	·01								·90			12
13														13
14					·28									14
15	1·06									3·27				15
16				1·75			·10							16
17									2·57			·75		17
18						1·23								18
19		3·77	·15								3·15			19
20								·01						20
21					·72									21
22	·05									1·22				22
23				1·59			·65							23
24												·31		24
25						1·04			3·40					25
26		2·11	1·69								1·71			26
27								2·01						27
28		·15												28
29	1·09									4·05				29
30		×		·05		·31	·70		2·78		1·72			30
31	·27	×	·18	×		×		·40	×	1·03	×	1·32		31
TOTAL	3·12	8·74	2·52	4·80	1·00	5·72	2·39	2·42	9·96	11·63	7·96	4·05	Year's Total 64·31	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(Signed) A. G. Beaumont B.
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 3215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Rishworth Moor, Greystones

in the County of W R Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 4 in.

,, Ground ,, Sea Level 1192 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1									·09			·53		1
2						1·37								2
3			·26								·25			3
4		·21						·83						4
5					·07									5
6										·05				6
7	·93			·47			·57							7
8									3·53			1·91		8
9						·19								9
10			1·24								2·85			10
11		·03						·70						11
12					·08									12
13										·55				13
14	1·05			·54			1·96							14
15									1·34			1·72		15
16						1·20								16
17			·09								2·84			17
18		·66			·08			·72						18
19														19
20										2·03				20
21	1·70			·21			·64							21
22									·05			·42		22
23						1·69								23
24			·48											24
25		·62						·38						25
26					·34									26
27										2·03				27
28	2·22			·51			1·25							28
29		1·61							1·05			·45		29
30		×				·60					·39			30
31	·52	×	1·61	×	·53	×	·32	·02	×	·98	×	·60		31
TOTAL	6·42	3·13	3·68	1·73	1·10	5·05	4·74	2·65	6·06	5·64	6·33	5·63	Year's Total. 52·16	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1030 Soyland

REGISTER OF RAINFALL IN 1937.

Kept at ~~Rishworth~~ Moor, Greystones.
in the County of W. R. Yorks.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 1192 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1						·01								1
2		·73	·28											2
3														3
4					·18									4
5	1·92									·02				5
6				·79			·17							6
7									·70			1·17		7
8						1·16								8
9		1·23	·69								·20			9
10								·98						10
11														11
12	·44				1·00					·03				12
13				·60			·52							13
14									·40			1·61		14
15						1·09								15
16		1·92	1·73											16
17								·69						17
18					·02									18
19	·83													19
20				1·62			·84							20
21									1·31			·68		21
22						·58								22
23		1·19	·92								1·76			23
24								·36						24
25					·90									25
26	·37									1·55				26
27				·37			1·26							27
28									·26			·32		28
29		1·92				·11								29
30		✕	·28			·28					·92			30
31	·60	✕		✕	·45	✕		1·25	✕	1·18	✕	·05	Year's Total	31
TOTAL	4·16	6·99	3·90	3·38	2·55	3·23	2·79	3·28	2·64	2·78	2·88	3·83	42·44 ✓	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont, B. [P.T.O.
Waterworks Engineer

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090 Soyland

REGISTER OF RAINFALL IN 1938.

Soyland Moor,

Kept at ~~[illegible]~~ Moor, Greystones

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

" Ground " Sea Level 1192 ft.

W

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·08									·50			1
2								·12						2
3					·05									3
4	·17									4·18				4
5				·83			·85							5
6									·29			2·25		6
7						1·77								7
8		·22									1·10			8
9								1·43						9
10														10
11	1·44									3·08				11
12							2·37							12
13									·56			1·14		13
14						·31								14
15			·35								1·11			15
16		·70						·90						16
17					·95									17
18	2·60									2·90				18
19							·86							19
20									·46			·70		20
21						·15								21
22			·20								1·57			22
23								1·82						23
24					·42									24
25	·86									·49				25
26				·03			1·19							26
27									·53			1·80		27
28		1·46				3·28								28
29			1·44								2·94			29
30						·78		1·05	·44		·69			30
31	1·76		·10		3·49		·63			1·10		1·62	Year's Total	31
TOTAL	6·83	2·46	2·09	·86	4·91	6·29	5·90	5·32	2·28	11·75	7·91	7·51	64·11	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) A. G. Beaumont
Waterworks Engineer

4 JAN 1939

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Fo 1090

REGISTER OF RAINFALL IN 1939

Soyland Moor

Kept at ~~Rishworth Moor~~, Greystones.
in the County of W. R. Yorks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
,, Ground ,, Sea Level 1192 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

W

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·09						1
2														2
3	·41									·08				3
4				1·07			1·86							4
5									·67			2·22		5
6														6
7			1·32								1·26			7
8		·80						·92						8
9					·40									9
10	2·16									1·49				10
11				·05			1·97							11
12									·71			1·76		12
13						·83								13
14		1·25	·54								·88			14
15								1·22						15
16					·79									16
17	3·22									·48				17
18				1·05			·81							18
19									·05			·02		19
20						2·06								20
21		1·16	·80								1·16			21
22								·50						22
23					·24									23
24	·68									·44				24
25				·57			·94							25
26									·10			·11		26
27						·66								27
28		4·03	·82								5·23			28
29								·09						29
30		✕		·05	·04	·43					1·00			30
31	·30	✕	·03	✕		✕	2·56	·06	✕	·82	✕	·04		31
TOTAL	6·77	7·24	3·51	2·79	1·47	3·98	8·14	2·88	1·53	3·31	9·53	4·15	Year's Total 55·30	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3215

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Jan. amended by observer.

Kept at Sayland Moor, Greystones

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 4 in.

,, Ground ,, Sea Level 1192 ft.

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										·03				1
2				·46			·19							2
3									·01			·64		3
4						–								4
5			–								2·15			5
6		NOT READ												6
7					·30									7
8										2·86				8
9	·28			·48			1·00							9
10									·51			2·00		10
11						–								11
12			1·18								4·08			12
13		NOT READ						1·13						13
14					·31									14
15										·75				15
16	·03			·37			1·25							16
17									3·24			·74		17
18						–								18
19		FROM THE 1st	1·78								1·30			19
20		1·23						1·15						20
21														21
22										·88				22
23	·02			1·20			1·50							23
24									1·72			·43		24
25						·67								25
26			·65								1·10			26
27		1·42						·11						27
28					·68									28
29		·18								·22				29
30		✕		·62		·35	·06		·03		·16			30
31	2·80 ~~3·11~~	✕	·55	✕	·18	✕		·26	✕	1·33	✕	1·33		31
TOTAL	3·13 ~~3·44~~	2·83	4·16	3·13	1·47	1·02	4·00	2·65	5·51	6·07	8·79	5·14	Year's Total 41·90	5
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont

P.T.O.

3216

Section **A** for the entry of
AIR MINISTR

FOR OFFICIAL USE.
ORGANIZATION.

FORM 1090. **REGIS**

Kept at Rishworth

in the County of

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea l

THE MORNING MEASU

An observer who does not conform to … *llowing*
year in the space on the right of th

Jan. 1, following

3216

RISHWORTH, SOYLAND
1931 — 40

780602

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	02	.	25	.	30	.	.	07	11	.	.	1
2	04	06	.	95	05	1·25	01	.	1·04	07	09	15	2
3	.	.	.	05	.	21	32	.	44	04	3·10	64	3
4	.	06	.	35	.	.	12	.	1·51	26	46	59	4
5	.	04	.	.	26	1·07	.	59	06	.	.	55	5
6	.	33	02	.	.	23	82	04	06	75	23	.	6
7	.	06	.	.	.	70	.	29	.	44	15	26	7
8	07	39	07	11	06	.	26	65	02	20	46	.	8
9	.	1·05	05	35	.	08	.	41	15	07	37	04	9
10	30	11	05	.	24	30	.	23	04	.	47	.	10
11	36	54	.	07	.	13	12	02	20	.	1·05	.	11
12	03	31	.	04	.	01	50	.	21	55	23	.	12
13	.	.	14	01	14	04	31	05	.	.	.	.	13
14	12	10	.	.	01	81	09	97	02	.	60	02	14
15	32	51	.	10	29	02	24	51	01	.	03	04	15
16	91	21	.	42	65	48	11	61	25	.	.	.	16
17	07	35	.	29	01	18	39	36	05	02	07	.	17
18	31	02	.	24	.	61	54	11	02	03	73	.	18
19	16	29	.	06	.	.	.	1·73	05	02	.	02	19
20	02	30	01	02	.	06	.	14	.	.	15	.	20
21	46	07	14	.	10	16	01	57	.	.	.	.	21
22	33	05	.	.	27	04	05	.	.	.	01	.	22
23	38	01	.	30	27	36	41	.	.	.	1·24	26	23
24	12	36	.	12	69	.	10	.	.	.	04	18	24
25	12	1·12	.	51	09	.	21	.	.	.	09	12	25
26	04	09	.	24	.	.	.	.	.	.	59	02	26
27	51	12	.	03	09	.	29	.	.	35	1·55	15	27
28	30	68	.	12	21	.	11	.	01	.	.	12	28
29	17		.	.	22	.	28	.	.	85	04	.	29
30	01	✕	.	05	19	.	.	.	04	.	.	.	30
31	45	✕	.	✕	20	✕	06	.	✕	03	✕	12	31
TOTAL	5·65	7·25	·48	4·68	4·04	7·04	5·35	7·28	4·25	3·79	11·75	3·28	YEAR'S TOTAL 64·84
*Days with ·01 in. or more.	24	26	7	22	19	20	22	16	19	15	22	16	228
*Days with ·04 in. or more.	21	23	5	19	17	18	20	15	[illegible]	11	20	13	196

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Chas. J. Clarke.

P.T.O.

3216

Section **A** for the entry of FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Rishworth (Soyland)

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	02	.	25	.	30	.	.	07	11	.	.	1
2	04	06	.	95	05	1·25	01	.	1·04	07	09	15	2
3	.	.	.	05	.	21	32	.	44	04	3·10	64	3
4	.	06	.	35	.	.	12	.	1·51	26	46	59	4
5	.	04	.	.	26	1·07	.	59	06	.	.	55	5
6	.	33	02	.	.	23	82	04	06	75	23	.	6
7	.	06	.	.	.	70	.	29	.	44	15	26	7
8	07	39	07	11	06	.	26	65	02	30	46	.	8
9	.	1·05	05	35	.	08	.	41	15	07	37	04	9
10	30	11	05	.	24	30	.	23	04	.	47	.	10
11	36	54	.	07	.	13	12	02	20	.	1·05	.	11
12	03	31	.	04	.	01	50	.	21	55	23	.	12
13	.	.	14	01	14	04	31	05	.	.	.	.	13
14	12	10	.	.	01	81	09	97	02	.	60	02	14
15	32	51	.	10	29	02	24	51	01	.	03	04	15
16	91	21	.	42	65	48	11	61	25	.	.	.	16
17	07	35	.	29	01	18	39	36	05	02	07	.	17
18	31	02	.	24	.	61	54	11	02	03	73	.	18
19	16	29	.	06	.	.	.	1·73	05	02	.	02	19
20	02	30	01	02	.	06	.	14	.	.	15	.	20
21	46	07	14	.	10	16	01	57	.	.	.	.	21
22	33	05	.	.	27	04	05	.	.	.	01	.	22
23	38	01	.	30	27	36	41	.	.	.	1·24	26	23
24	12	36	.	12	69	.	10	.	.	.	04	18	24
25	12	1·12	.	51	09	.	21	.	.	.	09	12	25
26	04	09	.	24	.	.	.	.	.	.	59	02	26
27	51	12	.	03	09	.	29	.	.	35	1·55	15	27
28	30	68	.	12	21	.	11	.	01	.	.	12	28
29	17		.	.	22	.	28	.	.	85	04	.	29
30	01	X	.	05	19	.	.	.	04	.	.	.	30
31	45	X	.	X	20	X	06	.	X	03	X	12	31
TOTAL	5·65	7·25	·48	4·68	4·04	7·04	5·35	7·28	4·25	3·79	11·75	3·28	YEAR'S TOTAL 64·84
*Days with ·01 in. or more.	24	26	7	22	19	20	22	16	19	15	22	16	228
*Days with ·04 in. or more.	21	23	5	19	17	18	20	15	14	11	20	13	196

40-9999

(Signed) Chas. J. Blakey

P.T.O.

*See Instruction 2 (*f*) on other side.

3216

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Rishworth (Soyland)

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	64	02	.	33	26	.	28	02	1·28		24	03	1
2	x	.	.	.	46	.		02	1·79	40	42	49	2
3	1·60	.	.	.	.	.	20	.		.	.		3
4	08	02	.	.	.	.	09	.	19	05	24	16	4
5	1·56	02		29	03	.	.	.	25	.	.	02	5
6	1·51	.	33	55	10	.	.	.	44	02	.	.	6
7	12	.	64	24	.	.	.	.	98	28	03	.	7
8	.	.	.	17	.	.	.	.	10	70	01	.	8
9		06	.		12	.	.	.	01		.	09	9
10	73	02	01	98	04	.	.	.		60	03	04	10
11	02	04	.	08	61		1·15	.	1·23	01	06	.	11
12	47	.	.	02	79	28	08	05	02	55		.	12
13	02	05	.	17	18	.	10		36	46	11	34	13
14	08	.	.	02	.	.	16	03	03	11	23	.	14
15	.	.	.	05	48	.	.	.	.		26	23	15
16	x	.	.		02	.		01	.	41	.	21	16
17	29	.	.	10	.	.	24	12		1·07	01	.	17
18	.	.	.	.	11	.	.	01	07	.	04	.	18
19	.	.	.	17	72	.	01	02	.	58		.	19
20	.	.	.	23	33	.	03		.	23	12	.	20
21	05	.	30	05		.	07	1·25	.	76	09	09	21
22	01	.	21	14	56	.	10	.	.		1·27	20	22
23	.	02	.		40	.		.	.	25	15	15	23
24	07	.	.	16	.	08	40	.		02	06		24
25	.	02	.	12	17		07	01	48	1·27	19	03	25
26	.	.	.	15	38	01	30	.	21	46		.	26
27	.	.	38	23	49	13	12	.	.	09	27	22	27
28	.	.	15	05		.	16	02	.	.	.	22	28
29	06	.	76	12	24	08	46	56	29		34	34	29
30		×	15	04	.	38		05	03	1·20	52	19	30
31	02	×	18	×	.	×	17	.	×	.	×	16	31
TOTAL	7·33	·27	3·11	4·46	6·49	·96	4·19	2·17	7·76	9·52	4·69	3·21	YEAR'S TOTAL 54·16
*Days with ·01 in. or more.	17	9	10	23	20	6	19	13	17	21	21	18	194
*Days with ·04 in. or more.	13	3	9	21	18	5	17	5	13	18	17	15	154

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

3216

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Rishworth (Soyland)
in the County of Yorks
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 1290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	1·02	03	.	.	.	.	02	09	.	34	.	1
2	67	.	31	36	.	09	.	08	.	.	02	.	2
3	01	75	45	.	33	.	.	.	.	.	06	.	3
4	22			.	16	.	.	.	.	.	.	.	4
5	28	56	39	.	16	.	.	.	.	.	04	.	5
6	02	10	63	.		.	.	.	.	.	01	08	6
7		50	15	.	58	.	09	04	.		.	03	7
8	65	21	17		14	.		04	.	60	.	07	8
9	.	54	.	39	09	02	1·30	07	.	89	14		9
10	20	05	.	.	.		03	.	.	1·25	10	04	10
11	.	.	.	.	.	09	89	01	.	45	.	03	11
12	.	.	.	.	.	28	27	.	.	08	.	04	12
13	01	.	02	.		04	56	.	05	22	31	.	13
14		.	04	.	29	.	15	.	.		35	01	14
15	96	.	14	.	.	07		12	.	29	62	04	15
16	36	01	27		10	29	06	01		14	05	.	16
17	08	.	75	05	01		.	27	12	.	17	.	17
18	.			.	06	1·15	.	12	.	.		01	18
19	.	13	91	05	.	39	.		02	.	15	03	19
20	.	16	.	.	.	.	.	49	06	.	02	.	20
21	.	01	.	.	01	18	.	41	15	.	01	01	21
22	.	.	.		.	41	.	10	.	15	.	.	22
23	.	05	.	28	06	.	.	12		05	.	.	23
24	.	50	.	22	11		.	.	96	01	.	.	24
25	.		.	19	.	29	.	.	26	.		09	25
26	.	1·21	.	52	.	.	.	.	.	36	04	.	26
27	.	.	.	02	01	.	.	.	02	.	.	.	27
28	.	.	.	15	.	.	10	.	01		.	.	28
29	.		.		05	.		.	.	24	.	09	29
30	04	X	03	03	25	.	49	.	.	50	.	16	30 "d"
31	56	X	04	X	.	X	49	17	X	26	X		31
TOTAL	4·20	5·81	3·73	2·26	2·41	3·30	4·43	2·07	1·74	5·49	2·43	·73	YEAR'S TOTAL 38·60
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

D M

(Signed) Chas. J. Stanley.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3216

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Rishworth (Soyland)

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	22	.	06	.	.	.	.	18		26	05			1
2	01	03	08	.	03	.	.	80	18	.	21	1·18		2
3	22	02		.	.	.	.	07	08	13	08	08		3
4	20	.	39	07	05	.	.		06	1·06	.	91		4
5	.	.	09	01		.	.	43	.	42	05	32		5
6	.	.	13	09	92	17	.	17	.		.	49		6
7	24	08	13	04	.	03	.	.	.	57	42	52		7
8	.	.	03	.	15	55	.	13		30	93			8
9	02	09	06	07	.	.	.	25	06	02	56	12		9
10	.	.		24	.	.	.	31	.	49		.		10
11	21	.	60	54	.	.	.		.	04	17	19		11
12	02	.	09	20	.	.	33	35	.	08	.	06		12
13		.	01	06	19	.	15	03	01		01	.		13
14	42	.	16	.	04	03	.	.	.	82	10	14		14
15	42	.	19	.	1·10	01	.	16		.	01			15
16	56	.	21	.	25	.	.	.	72	.	10	36		16
17	60	.		01	18	.	24	.	40	12	.	30		17
18	35	.	51	14	84	21	09		.	.	.	23		18
19	.	.	46	06		68	.	09	43	25	.	10		19
20	.	.	04	16	82	.	.	18	18		03	.		20
21	06	.	02	.	12	78	.	14	06	28	.	.		21
22	06	.	04	.	03	.	.	23		18	.	.		22
23	04	.	12	51	.		54	03	64	22	08	23		23
24	.		10	19	.	11	02	.	58	27	.	01		24
25	15	24	.	14	02	.	43	.	32	55	.	83		25
26	29	.	07	42	.	25	61	.	52	10	07	16		26
27	.	02	.	27	.	69	58	.	08		03	23		27
28	.	.	.	07	.	10		17	.	53	.	61		28
29	.		07	.	.	.	48	70		09	.			29
30	09	X	.	.	.	.	16	40	67	11	.	25		30
31	01	X	.	X	.	X	84	.	X	07	X	12		31
TOTAL	4·19	·48	3·66	3·29	4·74	3·61	4·47	4·82	4·99	6·96	2·90	7·44	Year's Total 51·55	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 3216

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Rishworth (Soyland)

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	57	49	06	05	.	.	01	.	17	1·30	18	38	1
2	02			.	.	33	04	.	14	25		25	2
3	11	1·00	18	04	.	02	61	.	52	02	26	22	3
4	.	.	06	01	.	24	15	.	35	37	.	.	4
5	.	52	23	18	.	1·49	13	.	32	12	19	12	5
6	02	01	.		.	45	.	.	.	.	.	02	6
7	01	.	.	20	.	52	.	.	.	34	39		7
8	01	.	.	10	.	.	.	.	.	40	05	65	8
9	.	.	.	75	.	10	.	.	.	1·84		.	9
10	01	09	.	66	.	03	.	.	.	38	41	.	10
11	54	26	.	.	.	19	.	.	.	31	23	11	11
12	.	29	.	.	.	1·12	.	.	12		.	.	12
13	17	13	.		17	.	.	.	09	20	04	.	13
14	.	02	.	32	07	17	.	.		.	1·36		14
15	.	2·67	.	41	10	.	.	.	68	34	21	33	15
16	02			28	06	42	11	.	85	.		.	16
17	.	67	14	44	50	20	04	.	85	05	1·21	.	17
18	03	03	.	14		15	40	.	62	77	09	.	18
19	.	24	.	28	07	31	30	.	.	24	38	.	19
20	04	95	.		.	23	05	.	.	.	76	.	20
21	.	21	.	35	.	.	.	.		15	36	14	21
22	.	19	21	.	.	.	.	.	86	.	01	.	22
23	06	.		21	.	.	.	53	02	32	.	.	23
24	52	35	95	.	.	.	.	.	1·85	06	.	20	24
25	12	10	49	.	.	56	.	.	.	.	28	07	25
26	.	.	.	.	.	.	10	1·33	57		22	26	26
27	.	12	.	.	.	14	60	.	45	2·12	70	19	27
28	03	22	.	.	.	.	.	47		60	20		28
29	.		09	.	.	.	.	.	35	66	10	29	29
30	06	X		04	.	20	.	20	51	96	76	09	30
31	05	X	03	X	.	X	.	.	X	33	X	22	31
TOTAL	2·39	8·56	2·44	4·46	·97	6·87	2·54	2·53	9·32	12·13	8·39	3·54	YEAR'S TOTAL 64·14
*Days with ·01 in. or more.													—
*Days with .04 in. or more.													—

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Chas J Battey

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3216

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Rishworth (Soyland)

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03		13	49	.	01	.		06	.	31	50		1
2	01	15	15	06	.	1·02	.	64	06	.	04	30		2
3	04	.	.	.	.	43	03	26	70	.	.	25		3
4		14	24	.	.	06	01	14	73	02	30	52		4
5	44	03	37	.	05	.	.	27		02	20	32		5
6	20	.	12	.	02	.	17	59	1·40	.	17	.		6
7	04	.		.	01	.	39	.	1·30	.		18		7
8	46	.	29	.	.	.	.	.	02	03	79	29		8
9	37	03	06	.	.	.	01	.	12	.	88	.		9
10	17	.	.	.	.	01	50	.	01	.	1·03	.		10
11	.	.	01	.	.	18		02	06	.	84	05		11
12	.	.	.	15	07	53	1·28	05	49	09	38			12
13	05	.	.	09	04		22	.	.	44	01	80		13
14	.	.	.	19	.	52	10	14	63	25		98		14
15	20	.	07	16	02	17	18	62	16	.	1·10	16		15
16	06	02	02	07		01	03	.	.	04	95	02		16
17	04	39	01	02	10	.	24	29	.		10	35		17
18	.	07	.		.	10		09	.	2·16	.	05		18
19	16	32	03	02	.	12	41	38	.	20	.	.		19
20	34	06	.	02	.	.	02	.	01	07	.	02		20
21	29	.		05	.	.	.	.	.	09	.	.		21
22	32		06	01	05	1·58	19		.	01	.	09		22
23	.	35	35	22		.	78	05	.	10	.	.		23
24	11	05	01	15	41	.	.	13	26		.	08		24
25		.	04		.	07		.	60	1·14	.	04		25
26	39	39	32	17	.	.	06	.		1·03	.	.		26
27	81	.	03	.	.	.	.	.	33	34	.	.		27
28	41	40		.	.	.	33	.	.	.		22		28
29	15	84	1·21	.	11	68	.	.	.	15	29	15		29
30	30	✕	15	.		12	35	.	.	1·09	23	05		30
31	02	✕	06	✕	59	✕	17	02	✕	.	✕	68	"d"	31
													Year's Total	
TOTAL	5·41	3·24	3·73	1·87	1·47	5·61	5·47	3·69	6·94	7·27	7·62	6·10	58·42	✓
* Days with .01 in. or more.													. .	
* Days with .04 in. or more.													. .	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Chas. J. Oakley

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3216

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Rishworth (Soyland)

in the County of York

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	06	22	22	.	.	03	08	.	80	.	.	34		1
2	60	r.52	16	16	.	.	04	.	03	02	.	09		2
3	.	22	06		06	1·44		.	01	.	.	01		3
4	32	01	08	34	13	04	11	04	.	.	.	70		4
5	1·80	.	15	01	.	01	03	.	03	.	.	.		5
6	12	.	20	10	10	.	.	40	06	.		24		6
7	08	27	.	52	06	08	.	.	16	.	10	06		7
8	.	58	02	05	01	26	10	.	.	.	06	05		8
9		27	01	08	28	01	51	53	.	.	.	02		9
10	05	13	03	.	04	02		.	.	04	.	22		10
11	.	.	1·60	.	26	.	06	.	.	.	.			11
12	30	34	20	03	10		09	07	26	.	.	50		12
13	.			04	04	1·30	.	14	05	.	.	23		13
14	.	31	60	01	.	.	.	28	23	01	.	20		14
15	36	58	02	44	.	.	77	.	50	.	.	05		15
16		95	35	65	.	.	.	29	06	.	.	02		16
17	20	05	40		01	14	.	06	60	.	.	.		17
18	33	35	24	33	.	02	.	43		.	39	.		18
19	17	33	06	21	.		08	07	48	.	52	.		19
20	10			16	71	40	.	.	.	.	02	05		20
21	03	44	08	15	.	.	62	.	.	.	.	42		21
22	06	.	26	11	.	.	42	.	.	47	28	22		22
23		.	.	.	40	.	41	.	.		58	.		23
24	13	19	16	.	03	.		.	17	91	.	10		24
25	08	75	.	.	.	.	08	14		13	.			25
26	.	41	13	.	59	.	.	16	12	01	.	14		26
27	.		.	23	-	.	.	.	.	71	.	03		27
28	.	78	01	.	.	10	.	.	.	17	.	.		28
29	03		.	.	.	02	.	.	.	07	21	01		29
30		×	-	.	.	39	.	20	.		95	04		30
31	53	×	.	×	.	×	.	11	×	35	×	.	d	31
TOTAL	5·36	7·70	5·04	3·62	2·82	4·26	3·40	2·92	3·56	2·89	3·11	3·74	Year's Total 48·41	✓
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

† Spare column, no entries required.

(Signed)

40-9999

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3216

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Acc Day

Kept at Rishworth (Soyland)

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1290 ft.

OLDHAM CORPORATION
ENGINEER'S OFFICE
4 JAN 1939
PIETHORNE, NR. ROCHDALE
WATERWORKS

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	05	.	08	01	1.02	19	09	.		48	31		1
2	11	10	.	74	06	42		.	.	2.02	20	33		2
3	03	.	.	.	.	03	17	.	21	2.61	43			3
4	015	01	.	08	.	.	39	60	.	59	70	1.45		4
5	01		.	11	.	06	27	97	05	53		12		5
6	30	06	.	.	.	08	45		06	46	05	03		6
7	34	.	.	.	.	.	52	10	34	31	.	.		7
8		02	.	.	.	.	51	03	.		.	29		8
9	65	82	28	.	.	23		07	.	1.98	.	38		9
10	.	14	03	.	.	12	1.08	.	.	13	.			10
11	24	15	.	.	02	03	27	14	07	18	13	16		11
12	46	.	.	.	31	.	.	08	01	2.20		.		12
13	.	01	.	.	03	.	08	.	07	43	84	39		13
14	38	03	.	.	16	.	20	.	09	03	20	05		14
15		.	01	.	.	.	33	42	.		02	40		15
16	2.25	.	14	.	32	:		40	.	22	10	15		16
17	.	01	.	.	20	.	59	45		54	05	02		17
18	16	.	.	.	15	18	.	69	61	82	39	.		18
19	.	.	.	.	.	.	.	42	15	.	.	16		19
20	35	.	.	.	.	.	.		06	.	56	05		20
21	01	.	13	.	.	.	.	40	.	.	04	16		21
22		.	.	02	.	33	.	.	.	.	36	05		22
23	05	.	.	01	30	68	.	.	06	.	78	02		23
24	30	01	33	.	06	31	82	42	04	.	24	.		24
25	40	47	10	.	.		14	01	.	50	70	06		25
26	23			.	07	27	04	.	26	25		11		26
27	53	1.03	24	.	84	1.89	39		03	01	99	.		27
28	65	28	32	.		1.22	09	65	22	03	04	13		28
29			30	.	1.93	75	24	.	.		15	44		29
30	75	✕	.	.	20	17	04	.	35	31	51	29		30
31	45	✕	08	✕	41	✕	.	.	✕	81	✕	1.15		31
													Year's Total	
TOTAL	8.70	3.19	1.96	1.04	5.07	7.79	6.81	5.94	2.41	14.99	8.05	6.64	42.92	
* Days with .01 in. or more.	25 ~~22~~	17	11	6	17	18	23	20	18	25	25	26	231	
* Days with .04 in. or more.	22 ~~19~~	9	9	4	14	16	22	18	16	23	22	23	198	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Charles Burgess

P.T.O.

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

3216

Kept at Rishworth (Soyland)
in the County of Yorkshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 1290 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	58	·	34	✓	·	·	x	14	04	03	·	1·15	1
2	09	·	06	x 4	·	·	x 1·14	44		05	09	x	2
3	04	·	·	13	·	·	·	24	44	01	09	x 60	3
4	05	·	52	63	01	·	66	·	·	06	+	58	4
5	·	·	·	·	40	·	26	08	·	34	+ 45	10	5
6	40	19	05	·	·	·	46	·	·	·	14	·	6
7	x	48	32	·	23	·	05	·	·	·	14	36	7
8	x 1·09	24	38	02	·	·	x	12	·	10	44	48	8
9	18	92	·	·	·	·	x 94	1·04	·	68	·	x	9
10	19	04	·	·	·	x	·	21	85	12	01	x 82	10
11	43	x	26	·	·	x 45	·	01	06	02	—	02	11
12	45	x 32	·	·	·	22	·	·	·	01	04	·	12
13	02	·	05	42	x	26	03	·	04	10	03	·	13
14	x	·	04	05	x 51	66	35	·	·	x	35	·	14
15	x 1·06	10	05	90	11	1·26	x	·	03	x 23	13	·	15
16	41	01	04	·	20	·	x 21	·	·	·	04	·	16
17	42	53	01	05	08	✓	05	·	·	26	08	·	17
18	18	36	✓	·	·	x 22	31	·	·	01	1·03	·	18
19	25	·	✓ 05	·	·	01	36	·	01	·	·	·	19
20	12	·	01	·	✓	24	24	18	06	·	·	·	20
21	x	18	59	13	x 20	01	·	38	09	·	·	01	21
22	x 23	36	33	x	01	·	x	01	01	03	93	·	22
23	03	62	06	x 35	·	02	x 21	·	·	64	23	·	23
24	03	14	02	04	·	x	·	01	·	03	·	·	24
25	12	x	02	·	·	x 13	·	01	·	·	x	06	25
26	08	✓ 36	·	·	04	·	·	x	·	34	3 x6	05	26
27	05	1·94	26	·	·	51	09	x 19	·	14	28	10	27
28	✓	16	20	04	·	39	85	·	·	·	1·04	·	28
29	-02	✕	01	·	·	·	x	·	·	28	49	·	29
30	·	✕	·	·	·	16	x 1·44	·	·	·	43	·	30
31	·	✕	01	✕	·	✕	26	05	✕	09	✕	·	31
													YEAR'S TOTAL
TOTAL	4·05	4·34	3·41	2·96	1·49	4·54	8·54	3·44	1·96	3·54	10·54	4·63	60·16
*Days with ·01 in. or more.	27	19	24	14	12	17	23	16	10	23	23	15	~~22~~ 223
*Days with ·04 in. or more.	22	17	16	12	9	14	22	12	7	15	22	12	180

40-9999

(Signed) Charles Busfield

*See Instruction 2 (*f*) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3216

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Rishworth (Soyland)

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1290 ft.

Snow circ sent 30-x-41.

Acts. Days

Jan 27th + 28th estd from nearby stns

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·14	·02	·41	·04	·	·01	·	·	·	·42	·26		1
2	·	·05	·	·26	·	·	·16	·	·	·	x	·14		2
3	·05	x	·02	·20	·	·	·05	·	·	·13	x ·96	·24		3
4	·	x ·46	·	·18	·	·	·16	·	·01	·33	·32	·25		4
5	·	·04	·	·	·16	·	·08	·	·01	x	·15	·48		5
6	x	·31	·	·	·	·	·05	·	·	x 1·98	·13	·06		6
7	x ·32	·19	·	·22	·13	·	·03	·25	·14	·11	·01	·		7
8	·03	·	·03	·04	·	·	·03	·04	·	·29	·08	·24		8
9	·	·	x	·	·	·	1·03	·33	·39	·80	x	·10		9
10	·	·	x ·28	·	·	·	·32	·54	·04	·14	x 1·45	·39		10
11	·	·13	·12	·05	·	·03	·29	·	·	·	1·42	·		11
12	·	·02	·64	·	·	·	·24	·05	·96	·	·41	·		12
13	·	·03	·14	·	·	·	·03	·14	·52	·	·04	·		13
14	·	·06	·06	x ·29	·23	·	·05	·11	·15	·	·06	x		14
15	·	·	·04	·03	·09	·	·	·	·	·01	·06	x ·63		15
16	·03	·18	x	·15	·	·	·49	·	2·41	·50	x	·06		16
17	·	x	x ·44	·	·	·	·44	·	·23	·	x ·66	·		17
18	·09	x ·36	·33	·39	·	·	·09	·34	·21	·	·02	·41		18
19	·02	·32	·24	·13	·	·	·56	·	·45	·12	·24	·01		19
20	·	·10	·09	x	·	·	·28	·40	·25	·24	·19	·01		20
21	·04	·01	·52	x ·44	·	·24	·05	·11	·	·14	·86	·		21
22	·	·08	·04	·03	·05	·24	·	·09	·45	·06	·01	·03		22
23	·	·33	·14	·10	·01	·	·22	·	·20	·04	·20	·01		23
24	·64	·02	·03	·08	·	·	·	·	·01	·06	·	·12		24
25	·04	·	·	·	·03	·04	·	·	·	·09	·	·		25
26	·26	·14	·01	·	·09	·05	·01	·02	·02	·01	·06	·		26
27	x (·68) ~~·00~~	·60	·	x	·	·	·44	·	·01	·02	·24	·01		27
28	x (·68) ~~·00~~	·56	·	x ·32	·40	·	·	·15	·	·	·	x		28
29	·	·01	·30	·03	·01	·46	·06	·	·	·02	·	x ·89		29
30	·09	⌧	·	·14	·	·	·	·	·	·44	·03	·36		30 "d"
31	·29	⌧	·22	⌧	·02	⌧	·	·12	⌧	·81	⌧	·02		31
TOTAL	3·35 ~~2·15~~	4·14	4·10	3·55	1·56	1·15	5·23	3·08	6·46	6·40	9·01	4·81	Year's Total ~~51·97~~	53·17
* Days with .01 in. or more.	15	24	22	21	12	6	24	14	18	22	26	23	227	
* Days with .04 in. or more.	12	19	17	17	8	5	19	13	13	18	22	17	180	

1.58

2·87

2·07

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Charles [illegible]

P.T.O.

3217

Section A for the entr

AIR MINIS

FOR OFFICIAL USE.

ALL ORGANIZATION.

FORM 1090.

REG

1 .

3217

SOYLAND MOOR No1

1931

780602

Kept at Soyland Mo

in the County of W. R

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA **Y.**

An observer who does not conform *following*

year in the space on the right o

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1												·01	1
2						1·78							2
3		·12	·05								2·48		3
4								·13					4
5					·24								5
6	·14									1·20			6
7				1·33			·96						7
8									2·90			1·51	8
9						2·50							9
10		2·14	·40								1·47		10
11								1·85					11
12					·26								12
13	·81									1·08			13
14				·48			1·31						14
15									·51			·16	15
16						1·82							16
17		1·45	·25								1·69		17
18								2·32					18
19					·96								19
20	2·15									·07			20
21				1·12			1·30						21
22									·37			·05	22
23						1·62							23
24		1·69	·16								1·61		24
25								1·78					25
26					1·26								26
27	2·17									·39			27
28		1·82		1·27			1·32						28
29												·76	29
30		×		·09		·01			·02		1·69		30
31	1·12	×	·02	×	·86	×	·28		×	·70	×	·08	31
TOTAL	6·39	7·22	·88	4·29	3·58	7·73	5·17	6·08	3·80	3·44	8·94	2·57	YEAR'S TOTAL 60·09
*Days with ·01 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	-
*Days with ·04 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	-

40-9999

M

(*Signed*) C. Clemesha Smith

Waterworks Engineer

P.T.O.

*See Instruction 2 (*f*) on other side

3217

Section A for the entr

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Soyland Moor, Summit No I

in the County of W R Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1280 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·01	1
2						1·78							2
3		·12	·05								2·48		3
4								·13					4
5					·24								5
6	·14									1·20			6
7				1·33			·96						7
8									2·90			1·51	8
9						2·50							9
10		2·14	·40								1·47		10
11								1·85					11
12					·26								12
13	·81									1·08			13
14				·48			1·31						14
15									·51			·16	15
16						1·82							16
17		1·45	·25								1·69		17
18								2·32					18
19					·96								19
20	2·15									·07			20
21				1·12			1·30						21
22									·37			·05	22
23						1·62							23
24		1·69	·16								1·61		24
25								1·78					25
26					1·26								26
27	2·17									·39			27
28		1·82		1·27			1·32						28
29												·76	29
30		×		·09		·01			·02		1·69		30
31	1·12	×	·02	×	·86	×	·28		×	·70	×	·08	31
TOTAL	6·39	7·22	·88	4·29	3·58	7·73	5·17	6·08	3·80	3·44	8·94	2·57	YEAR'S TOTAL 60·09
*Days with ·01 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	-
*Days with ·04 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	-

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith
Waterworks Engineer

P.T.O.

3218

Section **A** for the entry
AIR MINIS

FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090.

REG

I .

Kept at Soyland M

in the County of W.R.

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

Y.

An observer who does not conform
year in the space on the right of

following

Jan. 1, following

—

3218

SOYLAND MOOR
SUMMIT No 2
1931 — 40

780602

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·01	1
2						1·61							2
3		·14	·05								3·17		3
4								·15					4
5					·27								5
6	·18									1·30			6
7				1·40			1·14						7
8									2·92			2·17	8
9						2·35							9
10		2·32	·31								1·58		10
11								1·99					11
12					·32								12
13	·93									·96			13
14				·53			1·56						14
15									·58			·20	15
16						1·63							16
17		1·75	·18								1·93		17
18								2·50					18
19					·99								19
20	2·32									·08			20
21				1·18			1·50						21
22									·41			·05	22
23						1·39							23
24		1·79	·13								1·98		24
25								1·65					25
26					1·33								26
27	2·17									·40			27
28		1·87		1·39			1·43						28
29												·85	29
30		×		·12		·01			·02		1·98		30
31	1·24	×	·02	×	1·01	×	·32	·01	×	·78	×	·10	31
TOTAL	6·84	7·87	·69	4·62	3·92	6·99	5·95	6·30	3·93	3·52	10·64	3·38	YEAR'S TOTAL 64·65
*Days with ·01 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	
*Days with ·04 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	

40-9999 M

*See Instruction 2 (*f*) on other side

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3218

Section **A** **for the entry** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Soyland Moor, Summit No2

in the County of W R Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 1218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·01	1
2						1·61							2
3		·14	·05								3·17		3
4								·15					4
5					·27								5
6	·18									1·30			6
7				1·40			1·14						7
8									2·92			2·17	8
9						2·35							9
10		2·32	·31								1·58		10
11								1·99					11
12					·32								12
13	·93									·96			13
14				·53			1·56						14
15									·58			·20	15
16						1·63							16
17		1·75	·18								1·93		17
18								2·50					18
19					·99								19
20	2·32									·08			20
21				1·18			1·50						21
22									·41			·05	22
23						1·39							23
24		1·79	·13								1·98		24
25								1·65					25
26					1·33								26
27	2·17									·40			27
28		1·87		1·39			1·43						28
29												·85	29
30		×		·12		·01			·02		1·98		30
31	1·24	×	·02	×	1·01	×	·32	·01	×	·78	×	·10	31
TOTAL	6·84 ✓	7·87 ✓	·69 ✓	4·62 ✓	3·92 ✓	6·99	5·95 ✓	6·30 ✓	3·93 ✓	3·52 ✓	10·64 ✓	3·38 ✓	YEAR'S TOTAL 64·65
*Days with ·01 in. or more.	–	–	–	–	–	–	–	–	–	–	–	–	–
*Days with ·04 in. or more.	–	–	–	–	–	–	–	–	–	–	–	–	–

40-9999 M

*See Instruction 2 (*f*) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

P.T.O.

3218

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Soyland Moor, Summit No 2 (East)

in the County of W. R. Yorkshire 8

"East" gauge. (from 31/12/31)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 1218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·09		1
2								·06					2
3					·75								3
4										·56			4
5	3·84			1·05			·78						5
6									3·78			1·00	6
7						·01							7
8			1·14								·75		8
9		·29						·03					9
10					·30								10
11										1·65			11
12	3·21			2·35			1·24						12
13									2·36			·56	13
14						·45							14
15			·05								·60		15
16		·13						·09					16
17					1·87								17
18										2·38			18
19	·59			·60			·38						19
20									·14			·44	20
21													21
22			·56								1·40		22
23		·04						1·36					23
24					1·78								24
25										3·24			25
26	·12			1·04			1·41						26
27									·64			·57	27
28						·20							28
29		·04	1·46								1·70		29
30		×		·52		·63		·56	·35		·23		30
31	·07	×	·41	×	1·50	×	1·16		×	2·10	×	·87	31
TOTAL	7·83	·50	3·62	5·56	6·20	1·29	4·97	2·10	7·27	9·93	4·77	3·44	YEAR'S TOTAL 57·48
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999 M

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

3218

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Soyland Moor Summit (East Gauge)

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 1218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·02					1
2													2
3	·81												3
4				·29									4
5									·04				5
6						·04							6
7		2·65	1·57								·39		7
8								·37					8
9					1·42								9
10	1·47									2·96			10
11				·57			2·29						11
12												·19	12
13						·50							13
14		·72	·25								1·09		14
15								·13					15
16					·45								16
17	1·10									1·31			17
18				·05									18
19							1·00		·02			·07	19
20						1·90							20
21		·33	2·08								·95		21
22								1·35					22
23					·15								23
24										·21			24
25				·71									25
26									1·35			·09	26
27						·66							27
28		1·43									·06		28
29								·05					29
30		×		·80	·65				·06				30
31	1·28	×	·14	×		×	1·08	·14	×	1·35	×	·27	31
TOTAL	4·66	5·13	4·04	2·42	2·67	3·10	4·37	2·06	1·47	5·83	2·49	·62	YEAR'S TOTAL 38·86
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

P M

(*Signed*) A. G. Beaumont 33

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No 3218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Soyland Moor, Summit (East Gauge)

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ft 11 in.

,, Ground ,, Sea Level 1218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·20												2
3				·01									3
4									·25			2·23	4
5													5
6		·08	·80								·32		6
7								1·49					7
8					1·02								8
9	·67									2·33			9
10				·58									10
11									·05			1·40	11
12						·75							12
13		·17	1·12								2·15		13
14								·95					14
15					1·14								15
16	2·19									1·40			16
17				·72			·80						17
18						·74			1·08			·93	18
19													19
20		·03	1·76								·20		20
21								·52					21
22					1·98								22
23	1·04									1·15			23
24				1·03			·55						24
25									1·89			·87	25
26						·94							26
27		·31	·23								·20		27
28								·66					28
29					·02								29
30	·58	×		·86		·53			1·32	1·50			30
31	·01	×	·09	×		×	2·51	·71	×	·05	×	1·85	31
TOTAL	4·69 ✓	0·59 ✓	4·00 ✓	3·20 ✓	4·16 ✓	2·96 ✓	3·86 ✓	4·33 ✓	4·59 ✓	6·43 ✓	2·87 ✓	7·28 ✓	YEAR'S TOTAL 48·96 ✓
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side,

M

(*Signed*) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1091

REGISTER OF RAINFALL IN 1935.

Kept at Soyland Moor, (Summit East)

in the County of W.R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

" Ground " Sea Level 1218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·47									·35				1
2				·03			·05							2
3									·80			·93		3
4						·50								4
5		1·88	·47								·49			5
6														6
7														7
8	·16									1·45				8
9				1·32			·94							9
10									·62			·80		10
11						2·66								11
12		·67	·03								1·00			12
13														13
14					·24									14
15	·72									3·11				15
16				1·71			·14							16
17									2·73			·72		17
18						1·26								18
19		3·72	·14								2·98			19
20								·02						20
21					·72									21
22	·06									1·05				22
23				1·32			·77							23
24									↑			·25		24
25						·96			3·57					25
26		1·76	1·53								1·45			26
27								1·86						27
28		·24												28
29	1·01									4·28				29
30		✕		·05		·31	·72		2·73		1·59			30
31	·19	✕	·16	✕		✕		·57	✕	1·05	✕	1·30		31
TOTAL	2·61	8·27	2·33	4·43	·96	5·69	2·62	2·45	10·45	11·29	7·51	4·00 ✓	Year's Total 62·61	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) A.G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Soyland Moor, Summit East.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft 11 in.

,, Ground ,, Sea Level 1218 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									·09			·50		1
2						1·19								2
3			·25								·33			3
4		·27						·96						4
5					·05									5
6										·04				6
7	·75			·41			·57							7
8									3·90			1·68		8
9						·25								9
10			1·03								3·17			10
11		·03						·84						11
12					·10									12
13										·70				13
14	1·02			·61			2·04							14
15									1·33			1·93		15
16						1·34								16
17			·09								3·15			17
18		·68						1·08						18
19					·13									19
20										2·41				20
21	1·50			·19			·85							21
22									·04			·41		22
23						1·84								23
24			·46											24
25		·78						·56						25
26					·46									26
27										2·47				27
28	2·31			·54			1·16							28
29		1·60							1·43			·51		29
30		×				·78					·53			30
31	·50	×	1·78	×	·54	×	·55	·02	×	1·10	×	·61		31
TOTAL	6·08	3·36	3·61	1·75	1·28	5·40	5·17	3·46	6·79	6·72	7·18	5·64	Year's Total. 56·44	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont

B.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1937.

Kept at Soyland Moor, Summit East

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 1218 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·02								1
2		·73	·31											2
3														3
4					·19									4
5	2·68									·03				5
6				·71			·21							6
7									·85			1·27		7
8						1·47								8
9		1·41	·65								·20			9
10								·89						10
11														11
12	·46				·82					·04				12
13				·60			·62							13
14									·44			1·17		14
15						1·02								15
16		2·07	2·30											16
17								·73						17
18					·01									18
19	1·00													19
20				1·70			1·01							20
21									1·25			·50		21
22						·60								22
23		·98	·89								1·63			23
24								·54						24
25					·94									25
26	·37									1·55				26
27				·43			1·26							27
28		1·99							·29			·38		28
29						·17								29
30		✕	·25			·31					·99			30
31	·67	✕		✕	·52	✕		·90	✕	1·12	✕	·06		31
TOTAL	5·18	7·18	4·40	3·44	2·48	3·59	3·10	3·06	2·83	2·74	2·82	3·38	Year's Total 44·20	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 3218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Soyland Moor, Summit, East

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 1218 ft.

W

TRAVELLING FORM.

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·08									·51			1
2								·10						2
3					·05									3
4	·17									4·66				4
5				·85			1·07							5
6									·29			1·89		6
7						1·57								7
8		·27									1·17			8
9								1·50						9
10														10
11	1·36									3·33				11
12							2·61							12
13									·58			1·17		13
14						·33								14
15		·94	·33								1·03			15
16								·98						16
17					1·03									17
18	2·51									3·23				18
19							1·04							19
20									·70			·72		20
21						·21								21
22			·22								1·68			22
23								1·83						23
24					·38									24
25	1·04									·50				25
26							·99							26
27									·38			2·50		27
28		1·63				3·40								28
29			1·32								2·66			29
30		✕		·04		·60		1·09	·52		·46			30
31	1·98	✕	·13	✕	3·33	✕	·63		✕	1·16	✕	1·67		31
TOTAL	7·06	2·92	2·00	·89	4·79	6·11	6·34	5·50	2·47	12·88	7·51	7·95	Year's Total 66·42	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Fo[illegible]1090

REGISTER OF RAINFALL IN 1939

Kept at Soyland Moor, Summit, East

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

,, Ground ,, Sea Level 1218 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·09						1
2														2
3	·46									·05				3
4				·90			1·80							4
5									·76			1·98		5
6														6
7			1·28								1·05			7
8		·81						1·30						8
9					·65									9
10	2·93									1·08				10
11				·04			1·83							11
12									·80			1·83		12
13						·94								13
14		1·30	·54								·85			14
15								1·15						15
16					·78									16
17	2·90									·39				17
18				1·36			·94							18
19									·11			·03		19
20						2·02								20
21		1·04	·90								1·18			21
22								·48						22
23					·17									23
24	·63									·59				24
25				·60			·82							25
26									·10			·13		26
27						·63								27
28		3·44	·84								4·54			28
29								·07						29
30		✕		·07	·04	·49					1·24			30
31	·38	✕	·02	✕		✕	2·59	·06	✕	·83	✕	·03		31
TOTAL	7·30	6·59	3·58	2·97	1·64	4·08	7·98	3·15	1·77	2·94	8·86	4·00	Year's Total 54·86	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. J. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3218

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Jan amended by dssmr.

Kept at Soyland Moor, Summit, East

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground – ft. 11 in.

,, Ground ,, Sea Level 1218 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										.03				1
2				.61			.21							2
3									.01			.64		3
4						–								4
5			–								2.04			5
6		NOT READ												6
7					.28									7
8										2.73				8
9	.24			.61			1.15							9
10									.62			1.98		10
11						–								11
12			1.12								4.18			12
13		NOT READ						1.35						13
14					.30									14
15										.96				15
16	.04 S			.72			1.30							16
17									3.73			.77		17
18						–								18
19		FROM THE 1st	1.75								1.35			19
20		.96						1.19						20
21														21
22										.79				22
23	.02			1.12			1.74							23
24									1.60			.50		24
25						.58								25
26			.76								1.03			26
27		1.33						.19						27
28					.55									28
29		.14								.17				29
30		✕		.62		.49			.03		.24			30
31	2.51 ~~3.41~~	✕		✕	.07	✕	.12	.28	✕	1.26	✕	1.36		31
TOTAL	2.81 ~~3.41~~	2.43	3.63	3.68	1.20	1.07	4.52	3.01	5.99	5.94	8.84	5.25	Year's Total 48.37	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side. Wakefield Corpn. W. W (Signed) A. G. Beaumont [P.T.O.

3219

3219

SOYLAND MOOR
STANSFIED HEY
1931 — 40

780602

Section **A** for the entry
AIR MINIST
FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090. **REGI**

Kept at Soyland Moo

in the County of W.R.

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Sea

THE MORNING MEA
Y.

An observer who does not conform
year in the space on the right of
following

Jan. 1, following

Date	Jan.	Feb.	Marc								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·01		·11		·72			·04	·07			1
2	·07	·07		·69	·05	1·05	·02		·88	·08	·06	·15	2
3				·08		·06	·20		·84	·01	1·41	·49	3
4				·49		·01	·08	·02	1·29	·10	·13	·43	4
5		·06			·25	1·13	·07	·77	·02			·36	5
6		·08	·02			·20	·47	·01	·05	·50	·23		6
7		·27				·64		·39		·48	·07	·14	7
8	·04		·01	·04	·10		·25	·38		·10	·30		8
9		·24	·04	·22		·10		·36	·05	·04	·33	·02	9
10	·07	·98	·07		·16	·23		·22	·03		·34		10
11	·48	·17		·01		·12	·03	·02	·23		·87		11
12	·05	·64		·01		·01	·45	·01	·06	·30	·15		12
13		·35	·25		·06	·02	·14	·04					13
14	·08	·06			·06	·70	·04	1·02			·40		14
15	·35	·88		·10	·06	·02	·08	·30			·01	·08	15
16	·75	·21		·44	·64	·46	·19	·44	·23				16
17	·01	·12		·44	·04	·08	·34	·23		·01	·09		17
18	·20	·02		·24		·55	·39	·14		·01	·73		18
19	·09	·23		·05				1·22	·03	·01			19
20	·01	·20	·03	·02		·02		·13			·09	·02	20
21	·32	·14	·04		·14	·12		·23			·01		21
22	·30	·11		·01	·18	·02	·03						22
23	·51	·01	·02	·31	·16	·30	·38				·64	·09	23
24	·07	·24		·11	·65		·06				·02	·07	24
25	·11	·91		·44	·03		·22				·04	·07	25
26	·08	·05		·25							·39	·01	26
27	·46	·09		·05	·04		·27			·34	1·11	·12	27
28	·36	·45		·08	·26		·10					·16	28
29	·21				·28		·11			·54	·04		29
30		×		·10	·18					·01	·01		30
31	·31	×		×	·26	×	·02		×	·01	×	·11	31
TOTAL	4·97 ✓	6·59 ✓	·48 ✓	4·29 ✓	3·60 ✓	6·56 ✓	3·94 ✓	5·93 ✓	3·75 ✓	2·61 ✓	7·47 ✓	2·32 ✓	**YEAR'S TOTAL** 52·51
*Days with ·01 in. or more.	23	25	8	22	19	21	22	18	12	16	23	15	224
*Days with ·04 in. or more.	21	22	4	18	18	15	18	14	9	10	19	12	186

40-9999 M

*See Instruction 2 (I) on other side.

(Signed) C. Clemesha Smith [P.T.O.

3219

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Soyland Moor, Stansfield Hey

in the County of W. R. Yorkshire S.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·01		·11		·72			·04	·07			1
2	·07	·07		·69	·05	1·05	·02		·88	·08	·06	·15	2
3				·08		·06	·20		·84	·01	1·41	·49	3
4				·49		·01	·08	·02	1·29	·10	·13	·43	4
5		·06			·25	1·13	·07	·77	·02			·36	5
6		·08	·02			·20	·47	·01	·05	·50	·23		6
7		·27				·64		·39		·48	·07	·14	7
8	·04		·01	·04	·10		·25	·38		·10	·30		8
9		·24	·04	·22		·10		·36	·05	·04	·33	·02	9
10	·07	·98	·07		·16	·23		·22	·03		·34		10
11	·48	·17		·01		·12	·03	·02	·23		·87		11
12	·05	·64		·01		·01	·45	·01	·06	·30	·15		12
13		·35	·25		·06	·02	·14	·04					13
14	·08	·06			·06	·70	·04	1·02			·40		14
15	·35	·88		·10	·06	·02	·08	·30			·01	·08	15
16	·75	·21		·44	·64	·46	·19	·44	·23				16
17	·01	·12		·44	·04	·08	·34	·23		·01	·09		17
18	·20	·02		·24		·55	·39	·14		·01	·73		18
19	·09	·23		·05				1·22	·03	·01			19
20	·01	·20	·03	·02		·02		·13			·09	·02	20
21	·32	·14	·04		·14	·12		·23			·01		21
22	·30	·11		·01	·18	·02	·03						22
23	·51	·01	·02	·31	·16	·30	·38				·64	·09	23
24	·07	·24		·11	·65		·06				·02	·07	24
25	·11	·91		·44	·03		·22				·04	·07	25
26	·08	·05		·25							·39	·01	26
27	·46	·09		·05	·04		·27			·34	1·11	·12	27
28	·36	·45		·08	·26		·10					·16	28
29	·21				·28		·11			·54	·04		29
30		×		·10	·18					·01	·01		30
31	·31	×		×	·26	×	·02		×	·01	×	·11	31
													YEAR'S TOTAL
TOTAL	4·97 ✓	6·59 ✓	·48 ✓	4·29 ✓	3·60 ✓	6·56 ✓	3·94 ✓	5·93 ✓	3·75 ✓	2·61 ✓	7·47 ✓	2·32 ✓	52·51
*Days with ·01 in. or more.	23	25	8	22	19	21	22	18	12	16	23	15	224
*Days with ·04 in. or more.	21	22	4	18	18	15	18	14	9	10	19	12	180

40-9999 M

*See Instruction 2 (f) on other side.

(*Signed*) C. Clemesha Smith [P.T.O.

3219

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Soyland Moor, Stansfield Hey

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	·01		·32	·32		·19	·04	·70	·42	·09	·08	1
2	·87				·44		·02	·01	1·08	·09	·25	·27	2
3	·17						·19		·09	·01	·01	·29	3
4	·07	·01		·01	·01		·09		·01		·15	·02	4
5	·94		·19	·29	·01				·11				5
6	1·39		·18	·71	·08				·25				6
7	·13		·73	·38					·50	·27	·03		7
8		·01		·16					·03	·51			8
9	·21	·24		·88	·05				·02	·01		·07	9
10	·51	·03		·10	·01				·66	·46	·02	·05	10
11	·01	·03	·01	·11	·43	·14	·77		·06	·01	·01		11
12	·38			·05	·38	·11	·20			·57	·05		12
13	·03	·04		·16	·10		·09	·01	·21	·40	·05	·26	13
14	·05			·03			·07			·13	·14	·03	14
15				·03	·23					·13	·20	·10	15
16	·29			·13	·01		·09			·10	·02	·09	16
17							·02	·03	·03	·66			17
18					·04				·01		·02		18
19		·01		·20	·20			·02	·01	·28			19
20				·29	·43		·01	·70		·24	·10		20
21	·02		·19	·01	·49		·04	·75		1·03	·12	·06	21
22			·13	·20	·02		·16			·09	·89	·15	22
23				·17	·36		·02			·08	·13	·09	23
24	·02			·04	·01	·06	·32		·23	·03	·07	·01	24
25		·05		·13	·13		·10	·01	·12	·87	·16		25
26				·19	·44		·26		·09	·53	·26		26
27			·40	·24	·54	·05	·16			·03	·08	·07	27
28			·35	·06	·18		·26					·05	28
29	·01		·58	·09	·08	·06	·25	·32	·20	·73	·19	·27	29
30		×	·11	·06	·01	·26	·08	·03	·03	·12	·36	·14	30
31	·01	×	·24	×	·03	×	·09		×		×	·10	31
TOTAL	5·56	·43	3·11	5·04	5·02	·68	3·48	1·92	4·44	7·80	3·40	2·20	YEAR'S TOTAL 43·08
*Days with ·01 in. or more.	18	9	11	26	26	6	22	10	20	25	23	19	215
*Days with ·04 in. or more.	12	3	10	22	18	6	18	4	13	20	17	16	159

40-9999 M

(*Signed*) C. Clemesha Smith

P.T.O.

*See Instruction 2 (*f*) on other side.

3219

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Soyland Moor, Stansfield Hey

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·84	·04					·05	·04		·22		1
2	·56		·32	·17		·01					·03		2
3	·02	·35	·25		·28						·04		3
4	·24	·25	·23		·14			·06					4
5	·32	·16	·13		·08								5
6	·01	·07	·05		·24							·07	6
7	·10	·38	·22		·19		·13	·02		·88		·04	7
8	·23	·09	·04	·03	·08		·33	·01				·10	8
9	·01	·80		·28	·05	·01	·64	·03		·79	·08		9
10	·13	·08				·10	·13			1·03	·04		10
11							·71			·42		·01	11
12	·01					·33	·15			·04		·04	12
13			·03		·28	·06	·41	·04	·28	·22	·25		13
14	·51		·06		·15		·09	·01		·02	·18		14
15	·45		·05			·03		·05		·21	·67	·10	15
16	·33	·01	·20	·03	·09	·21	·15			·24	·20		16
17	·03		·83			·50		·19	·07		·07		17
18		·10	·38		·04	·67		·05			·05		18
19			·46	·04		·01	·02	·02	·04		·03		19
20		·07		·01				·32	·01		·01		20
21						·10		·33	·14	·02	·07	·01	21
22						·48		·10		·12			22
23		·05		·20	·02			·05	·18	·03			23
24		·54		·12	·10	·43			·80		·01		24
25		·38		·12	·01				·19		·02	·01	25
26		·48		·37						·35	·01		26
27		·03		·02	·04				·04	·01			27
28				·16			·04			·12			28
29				·05	·09		·08			·05		·07	29
30	·03	×	·04	·04	·40		·33			·38		·23	30
31	·30	×	·03	×		×	·25	·06	×	·27	×		31
TOTAL	3·39 ✓	4·68 ✓	3·36 ✓	1·64 ✓	2·28 ✓	2·94	3·46 ✓	1·39 ✓	1·79 ✓	5·20 ✓	1·98 ✓	·68 ✓	YEAR'S TOTAL ✓ 32·79
*Days with ·01 in. or more.	17	17	17	14	17	13	14	16	10	18	17	10	180
*Days with ·04 in. or more.	11	15	15	10	15	9	13	11	9	14	11	7	140

40-9999

*See Instruction 2 (*f*) on other side.

M D

(*Signed*) A. G. Beaumont 33.

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No** 3219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1093.

REGISTER OF RAINFALL IN 1934.

Kept at Soyland Moor, Stansfield Hey

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·02					·07		·04	·01	·25	1
2		·01	·08					·60	·05		·16	·29	2
3	·10	·01	·02			—		·05	·01	·07	·02	·04	3
4	·13		·33	·12	·03				·04	·81		·95	4
5			·09		·09			·28		·34	·02	·15	5
6			·12	·03	·49	·08		·33		·13		·35	6
7	·27	·04	·17	·02		·03				·14	·42	·40	7
8			·02		·06	·35		·09		·27	·70	·05	8
9		·05	·01	·06				·18	·01	·04	·71	·03	9
10			·63	·27				·23		·30	·06		10
11	·25		·18	·59				·07			·08	·15	11
12	·02		·07	·11			·40			·03		·07	12
13	·46			·02	·09		·09	·01		·18		·01	13
14	·14		·27		·07	·04				·34	·06	·08	14
15	·66		·22		·87			·05	·30	·01	·02	·23	15
16	·37		·15		·32					—	·08	·01	16
17	·42		·39	·01	·12		·17		·21	·05		·24	17
18	·49		·23	·04	·44	·14	·01	·05				·23	18
19			·43	·04	·09	·25		·01	·28	·11		·04	19
20			·04	·11	·32			·10	·06	·09			20
21	·04				·07	·40		·09	·04	·09		·01	21
22					·01			·32	·30	·18		·02	22
23	·01		·05	·46		·01	·38			·16	·01	·06	23
24		·15		·10		·07	·03		·28	·08		·01	24
25	·15	·11		·19			·37		·18	·28		·46	25
26	·18		·04	·27		·18	·35		·27	·08	·04	·08	26
27		·01		·24		·50	·41		·02	·31	·01	·23	27
28				·12		·02	·28	·10		·06		·61	28
29			·05				·07	·37	·33	·03		·08	29
30	·10	×					·13	·27	·10	·18		·14	30
31		×		×		×	·35		×	·03	×	·09	31
TOTAL	3·87	0·38	3·61	2·80	3·07	2·07	3·04	3·27	2·48	4·43	2·40	5·36	YEAR'S TOTAL 36·78
*Days with ·01 in. or more.	17	7	22	18	14	12	13	19	16	27	15	29	209
*Days with .04 in. or more.	15	4	18	14	12	9	11	17	13	23	9	23	168

40-9999

*See Instruction 2 (*f*) on other side,

M

(Signed) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1935.

Kept at Soyland Moor, Stansfield Hey.

in the County of W.R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	·25	·03	·05		·02	·01		·04	·75	·09	·52		1
2		·13	·04			·27	·01		·04	·25	·03	·19		2
3	·04	·51	·11	·10		·01	·40		·30	·01	·11	·18		3
4		·02	·05	·02		·04	·15		·21	·43				4
5		·69	·11	·16		·43	·08		·15	·06	·08	·13		5
6	·01			·06		·47								6
7	·03			·09		·38				·39	·31	·21		7
8	·01			·12		·02				·33	·10	·23		8
9				·38		·17				1·78	·14			9
10		·03	·01	·49						·35	·14			10
11	·48	·16				·15				·30	·12	·09		11
12	·22	·18				·61			·04					12
13	·09	·11		·04	·20				·11	·10	·03			13
14		·07		·24	·10	·05			·10		1·17	·13		14
15		1·89		·37	·05				·31	·23	·16	·24		15
16	·01	·46	·11	·33	·08	·30	·06		·71		·46			16
17		·06		·44	·47	·30	·09		·75	·05	·49			17
18	·01	·01		·13	·04	·09	·18		·38	·60	·05			18
19		·15		·44		·15	·16			·15	·26			19
20		1·00		·35		·08	·05				1·08			20
21		·23		·01					·75	·20	·28	·04		21
22		·08	·25						·14					22
23	·04	·01	·67	·23				·67	·01	·25				23
24	·45	⊗·64							1·91	·04		·14		24
25	·20	⊗·13	·24			·26					·16	·08		25
26							·07	·87	·28	·61	·15	·29		26
27		·06				·07	·35		·49	·88	·50	·13		27
28	·02	·04						·04	·05	·42	·13	·01		28
29			·06						·29	·58	·17	·19		29
30	·03	✕		·03		·18		·09	·43	·72	·66	·09		30
31	·05	✕	·02	✕		✕			✕	·39	✕	·31		31
TOTAL	2·06	6·91	1·70	4·08	·94	4·05	1·61	1·67	7·49	9·87	6·87	3·20 ✓	Year's Total ✓ 50·45	
*Days with ·01 in. or more.	16	23	12	20	6	20	12	4	21	24	24	18	200	
*Days with .04 in. or more.	9	19	9	17	6	17	10	4	20	23	22	17	173	

⊗ Estimated - total for 2 days correct. Observer omitted to measure snow 24th.

40-9999

*See Instruction 2(f) on other side.

† Spare column, no entries required.

(Signed) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 3219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10 0.

REGISTER OF RAINFALL IN 1936.

Kept at Soyland Moor, Stansfield Hey

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 700 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	·05	·64			·04	·26	·07		·11	·71		1
2		·04	·04	·03		1·33		·08	·01			·19		2
3	·04					·26		·21	1·00			·26		3
4	·38	·08	27			·02		·09	·46	·01	·23	·62		4
5	·05		·41		·04			·26	·28	·02	·14	·29		5
6	·19		·01		·01		·19	·27	·76		·15			6
7	·06		·06				·21		·92		·13	·16		7
8	·40		·20							·03	·57	·05		8
9	·23		·03						·27	·01	·71	·01		9
10	·18						·38				1·43			10
11				·07		·13	·16	·01	·02		·80	·02		11
12				·21	·03	·70	·67		·42	·05	·36	·04		12
13	·04			·11		·09	·14		·01	·23		·57		13
14				·25		·19	·05	·01	·31	·08	·27	·82		14
15	·17		·07	·24		·13	·03	·40	·13		·56	·11		15
16	·05	·10		·03	·01		·03			·04	·84			16
17		·48	·01	·01	·06		·17	·09		·83	·06	·25		17
18		·07				·07	·09	·06		·89				18
19	·49	·31	·03			·11	·12	·15		·09				19
20	·16	·05		·02					·02	·04		·01		20
21	·07		·02	·06		·01				·02				21
22	·09	·50	·02		·03	1·25	·31					·09		22
23			·27	·16	·11		·61	·02		·06				23
24	·21	·05		·09	·29		·02	·01	·20	·74		·04		24
25	·26		·06	·09		·02	·03		·68	·22		·01		25
26	·06	·36	·41	·01					·12	·58				26
27	·89		·03						·10	·36	·01			27
28	·37	·64	·12				·20				·01	·12		28
29	·10	·27	·70		·05	·56	·02			·03	·13	·08		29
30	·19	×	·05		·37		·21			·84	·24	·02		30
31		×	·05	×	·04	×	·06		×		×	·48		31
TOTAL	4·69	2·96	2·91	2·02	1·04	4·87	3·74	1·92	5·78	5·17	6·75	4·95	Year's Total. 46·80	
* Days with .01 in. or more.	23	13	21	15	11	14	21	14	18	20	18	22	210	
* Days with .04 in. or more.	22	12	14	10	7	11	16	10	14	14	16	17	163	

† Spare column, no entries required.

(*Signed*) A. G. Beaumont

[P.T.O.

40-9999

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Soyland Moor, Stansfield Hey.

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 700 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·17	·06			·01	·02		·33	·01		·27		1
2	·42	·36	·08	·20					·01			·03		2
3		·11	·01	·18	·03	·54			·02			·02		3
4	·32	·02	·08	·20	·13	·01	·02	·03				·39		4
5	1·21		·17	·02								·02		5
6	·13		·10	·05	·03			·36	·03		·06	·38		6
7	·05	·40	·02	·37	·16	·05			·12		·03			7
8		·53	·01	·03		·07	·05		·01		·04	·03		8
9	·01	·10	·09	·04	·35		·20	·30				·03		9
10	·01	·11	·01		·05	·02				·01		·28		10
11			·63		·38		·03	·06				·06		11
12	·19	·29	·20	·04	·10	·21	·03	·03	·16			·19		12
13		·04	·13	·02	·01	·76		·07	·01			·16		13
14		·06	·09			·01		·13	·08			·17		14
15	·29	·46		·36			·85		·12			·04		15
16	·06	·73	·12	·70		·01		·18	·19			·02		16
17	·03	·02	·33	·07	·03	·10		·06	·61					17
18	·41	·22	·21	·07		·01		·24	·18		·58			18
19	·13	·15		·10		·13	·07	·05	·08		·64			19
20	·09	·50	·06	·14	·65	·06						·08		20
21	·04	·09	·03	·06			·33			·01		·15		21
22	·01		·28	·02	·03		·31			·33	·29	·13		22
23	·11				·14		·45			·75	·39			23
24	·12	·22	·15		·05		·03		·06	·20		·05		24
25	·05	·90					·01	·27	·02	·13		·01		25
26		·42	·14		·35			·06	·06			·03		26
27		·54		·13						·54				27
28		·17				·09				·18				28
29	·01				·01	·02				·08	·07	·01		29
30	·21	☒				·14		·47		·08	·49	·03		30
31	·42	☒		☒		☒		·05	☒	·14	☒			31
													Year's Total	
TOTAL	4·38	6·61	3·00	2·80	2·50	2·24	2·40	2·36	2·09	2·46	2·59	2·58	36·01	✓
* Days with .01 in. or more.	23	23	22	19	16	17	13	15	17	12	9	23	209	✓
* Days with .04 in. or more.	18	21	17	15	10	10	7	13	11	9	8	13	152	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont [P.T.O.

Waterworks Engineer

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Soyland Moor, Stansfield Hey

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 700 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·08		·02	·02	1·04	·28			·04	·55	·38		1
2	·08	·08		·59	·05	·35		·15		1·44	·20	·41		2
3	·03					·03	·11		·14	1·56	·23			3
4	·05			·07		·02	·21	·76		·35	·33	·89		4
5		·02		·02		·07	·16	·50	·03	·59		·09		5
6	·25					·03	·39	·25		·27	·02	·02		6
7	·32						·48	·06	·39	·29				7
8	·48	·01					·26			1·20		·21		8
9	·04	·55	·17			·26	·11	·05		·07		·23		9
10	·01	·07				·05	·46			·12		·09		10
11	·20	·10				·03	·17	·08		·14	·05	·03		11
12	·31				·14			·02		1·05	·30			12
13	·01				·01		·02		·06	·25	·26	·18		13
14	·42	·04			·04		·07		·12	·01	·15			14
15	·39		·02		·02		·37	·22		·10		·26		15
16	·90		·09		·18		·14	·34		·04	·06	·08		16
17					·22		·09	·33	·06	·32	·02			17
18	·09				·16	·09		·29	·05	·58	·28			18
19								·24	·05			·17		19
20	·20		·02					·08			·49	·03		20
21			·03			·03		·31			·03	·07		21
22	·02			·02		·23					·30	·03		22
23					·23	·25			·17		·76			23
24	·19	·02	·34		·05	·09	1·05	·41	·07	·02	·20			24
25	·31	·18	·11			·08	·03			·45	·77	·04		25
26	·29	·51	·12		·02	·09	·02		·23	·23	·19	·01		26
27	·32	·29			·51	1·17	·23	·15	·02		·41			27
28	·42	·17	·14		·61	·75	·05	·38	·08		·04	·08		28
29	·10		·26		1·52	·52	·09			·07	·16	·24		29
30	·35	✕			·07	·14	·01		·29	·05	·56	·24		30
31	·33	✕	·03	✕	·43	✕			✕	·40	✕	·99		31
													Year's Total	
TOTAL	6·11	2·12	1·33	·72	4·28	5·32	4·80	4·62	1·76	9·64	6·36	4·77	51·83	
* Days with .01 in. or more.	25	13	11	5	17	20	22	18	14	24	23	22	214	
* Days with .04 in. or more.	21	10	7	2	13	15	18	17	12	22	20	17	174	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3219

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1939.

Kept at Soyland Moor, Stansfield Hey.

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 700 ft.

TRAVELLING FORM:

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.30		.26	.02				.05				.59		1
2	.02		.03	.11			.75	.36	.91	.04	.08	.14		2
3	.12			.11				.19	.06	.01	.13	.61		3
4	.12		.35	.82	.25		.95			.03	.02	.55		4
5			.01				.11	.04		.79	.57	.03		5
6	.46	.22	.04				.47				.10			6
7	.16	.25	.44		.05		.09			.03	.20	.33		7
8	.48	.16	.25				.81	.05		.14	.27	.45		8
9	.18	.50					.02	.60		.50		.47		9
10	.36	.03				.05		.23	.43	.06	.01	.02		10
11	.43	.15	.21			.35			.03	.07				11
12	.23	.11				.12		.02	.01		.06			12
13			.02	.22	.08	.11	.02			.06	.03			13
14	.85		.02	.02	.32	.26	.05			.03	.31			14
15	.14	.06	.04	.50	.11	.52	.35				.09	.01		15
16	.20	.02	.05	.04	.22		.10		.04		.04			16
17	.84	.36		.05	.07	.02				.31	.02			17
18	.15	.23	.04			.12	.29				.86			18
19	.19		.01			.01	.44							19
20						.22	.41	.10	.03					20
21	.08	.11	.54	.15	.13	.01	.01	.42	.04					21
22	.11	.35	.24	.04			.05				.42			22
23	.01	.60	.02	.17		.03	.08	.01		.30	.15			23
24		.16	.05	.12		.03	.02			.01				24
25	.22	.28				.06		.07			1.62	.03		25
26	.05	.06	.01							.26	.66	.05		26
27	.04	1.60	.37	.01	.01	.38	.02			.16	.22	.06		27
28	.02	.08	.22	.03		.18	.43				.55			28
29							1.03			.30	.48			29
30		✕				.09	.12				.42			30
31		✕		✕		✕	.21	.04	✕	.08	✕			31
TOTAL	5.76	5.33	3.22	2.41	1.24	2.56	6.83	2.18	1.55	3.18	7.31	3.34	Year's Total 44.91	
* Days with .01 in. or more.	24	19	21	15	9	17	23	13	8	18	23	13	203	
* Days with .04 in. or more.	21	17	14	11	8	12	18	11	5	13	19	9	158	

† Spare column, no entries required.

(*Signed*) A. G. Beaumont

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3219 ✓

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Soyland Moor, Stansfield Hey

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 700 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·05		·23							·68	·16		1
2				·15			·07				·56	·12		2
3	·04 ^{s}	·07 ^{s}		·12			·01			·15	·07	·10		3
4		·08		·21			·02			·24	·25	·30		4
5		·01			·10		·04			·63	·17	·52		5
6	·06	·29					·02			·95	·06	·08		6
7	·07	·17		·12	·15		·06	·15	·16	·03				7
8				·05			·01	·05		·23	·04	·22		8
9			·17	·01			·50	·24	·23	·64	1·00	·19		9
10			·01				·31	·32		·08	·75	·99		10
11		·06 ^{s}	·08	·05			·19				1·04			11
12			·10						·83		·54			12
13		·05 ^{s}	·32 ^{s}				·09	·04	·25		·07			13
14		·01 ^{s}	·07	·28	·20		·01	·07	·12		·04	·41		14
15			·04	·04	·03	·02					·13	·04		15
16	·05 ^{s}	·03 ^{s}	·09	·06			·36		1·15	·44	·16	·05		16
17			·32				·44		·21		·38			17
18	·08 ^{s}	·19	·17	·60			·07	·18	·16	·01		·28		18
19		·19	·31	·08			·41		·38	·08	·28			19
20			·12	·51			·23	·60	·17	·18	·15			20
21			·39	·02		·41	·07	·07	·02	·08	·84			21
22		·04	·04		·03	·09		·03	·49	·02				22
23		·25	·04	·04	·23		·15		·06	·04	·09			23
24	·44			·01					·04	·02		·08		24
25	·07 ^{s}					·10				·10				25
26	·53 ^{s}	·06		·03	·01	·03					·06			26
27	·83 ^{s}	·63		·26			·02				·16			27
2·67 / 28	1·00 ^{s}	·30 ^{s}		·01	·53			·08				·03		28
29	·01	·01	·20	·03	·22	·21	·01			·01		·45		29
30	·07 ^{s}	✕		·15						·31	·01	·29		30
31	·16 ^{s}	✕	·12	✕		✕		·07	✕	·75	✕	·04		31
TOTAL	3·41	2·49	3·19	3·09	1·50	·86	3·09	1·90	4·27	4·99	7·56	4·35	Year's Total 40·10	
* Days with .01 in. or more.	13	18	17	22	9	6	21	12	14	20	23	18	193	
* Days with .04 in. or more.	12	14	16	16	6	4	14	11	13	15	22	17	160	

† Spare column, no entries required.

* See Instruction 3 (f) on other side. x Wakefield Corpn W.W. x (Signed) A. G. Beaumont P.T.O.

3220

Section **A** for the entry o

AIR MINISTR

FORM 1090. **REGIS**

Kept at Soyland Moo

in the County of W.R.

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

3220
SOYLAND MOOR
BAITINGS GATE
1931 — 40

780602

FOR OFFICIAL USE.

L ORGANIZATION.

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·02		·07		·78			·05	·12		·01	1
2	·14	·13	·02	·68	·05	·93	·02		·77	·09	·06	·37	2
3		·01	·01	·13		·32	·32		·62	·07	2·45	·38	3
4		·06		·51		·01	·10	·01	1·40	·15	·23	·75	4
5		·07	·01	·01	·27	1·06	·02	·76	·03		·02	·25	5
6		·27	·02			·28	·38	·02	·07	·62	·21	·01	6
7		·12				·71		·26		·49	·07	·18	7
8	·04	·24	·01	·04	·04	·01	·35	·51	·07	·16	·39		8
9	·02	1·01	·01	·31	·02	·09	·03	·29	·01	·03	·34	·04	9
10	·12	·32	·04		·18	·25		·43		·03	·45		10
11	·61	·66		·04		·49	·07	·04	·30		1·04	·01	11
12	·04	·26		·06	·02		·53		·15	·37	·28		12
13			·33	·02	·10	·03	·30	·02					13
14	·14	·10		·01	·02	·68	·02	1·00	·02		·41	·01	14
15	·30	·75		·15	·13	·01	·09	·37	·03		·11	·08	15
16	1·12	·27		·45	·60	·41	·21	·51	·29				16
17	·06	·17		·30	·05	·18	·57	·27	·03	·01	·04		17
18	·33	·07		·34	·01	·62	·53	·09	·02	·02	·87		18
19	·16	·24		·09		·02	·01	1·13	·01		·02		19
20	·02	·19	·02	·02		·04		·15		·02	·14		20
21	·45	·19	·08		·08	·14	·01	·42				·02	21
22	·31	·12			·25	·05	·02	·01					22
23	·57	·07		·39	·13	·32	·41				·71	·16	23
24	·10	·39		·12	·76		·09	·01			·02	·14	24
25	·08	1·31		·38	·06		·38				·07	·11	25
26	·05	·12		·33	·01						·56	·04	26
27	·62	·08		·05	·04		·32			·38	1·21	·15	27
28	·48	·31		·10	·25		·27					·04	28
29	·35		·01	·01	·26		·19			·71	·05		29
30	·02	×		·11	·27		·02		·01	·01	·02		30
31	·42	×		×	·17	×	·03		×	·03	×	·11	31
TOTAL	6·59	7·55	·56	4·72	3·77	7·43	5·29	6·30	3·88	3·31	9·77	2·86	YEAR'S TOTAL 62·03
*Days with ·01 in. or more.	25	27	11	25	23	22	26	19	17	17	24	19	255
*Days with ·04 in. or more.	22	25	3	20	18	17	17	14	9	10	20	14	189

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3220

Section **A** for the entry FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Soyland Moor, Baitings Gate

in the County of W.R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 943 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·02		·07		·78			·05	·12		·01	1
2	·14	·13	·02	·68	·05	·93	·02		·77	·09	·06	·37	2
3		·01	·01	·13		·32	·32		·62	·07	2·45	·38	3
4		·06		·51		·01	·10	·01	1·40	·15	·23	·75	4
5		·07	·01	·01	·27	1·06	·02	·76	·03		·02	·25	5
6		·27	·02			·28	·38	·02	·07	·62	·21	·01	6
7		·12				·71		·26		·49	·07	·18	7
8	·04	·24	·01	·04	·04	·01	·35	·51	·07	·16	·39		8
9	·02	1·01	·01	·31	·02	·09	·03	·29	·01	·03	·34	·04	9
10	·12	·32	·04		·18	·25		·43		·03	·45		10
11	·61	·66		·04		·49	·07	·04	·30		1·04	·01	11
12	·04	·26		·06	·02		·53		·15	·37	·28		12
13			·33	·02	·10	·03	·30	·02					13
14	·14	·10		·01	·02	·68	·02	1·00	·02		·41	·01	14
15	·30	·75		·15	·13	·01	·09	·37	·03		·11	·08	15
16	1·12	·27		·45	·60	·41	·21	·51	·29				16
17	·06	·17		·30	·05	·18	·57	·27	·03	·01	·04		17
18	·33	·07		·34	·01	·62	·53	·09	·02	·02	·87		18
19	·16	·24		·09		·02	·01	1·13	·01		·02		19
20	·02	·19	·02	·02		·04		·15		·02	·14		20
21	·45	·19	·08		·08	·14	·01	·42				·02	21
22	·31	·12			·25	·05	·02	·01					22
23	·57	·07		·39	·13	·32	·41				·71	·16	23
24	·10	·39		·12	·76		·09	·01			·02	·14	24
25	·08	1·31		·38	·06		·38				·07	·11	25
26	·05	·12		·33	·01						·56	·04	26
27	·62	·08		·05	·04		·32			·38	1·21	·15	27
28	·48	·31		·10	·25		·27					·04	28
29	·35		·01	·01	·26		·19			·71	·05		29
30	·02	×		·11	·27		·02		·01	·01	·02		30
31	·42	×		×	·17	×	·03		×	·03	×	·11	31
TOTAL	6·59	7·55	·56	4·72	3·77	7·43	5·29	6·30	3·88	3·31	9·77	2·86	YEAR'S TOTAL 62·03
*Days with ·01 in. or more.	25	27	11	25	23	22	26	19	17	17	24	19	255
*Days with ·04 in. or more.	22	25	3	20	18	17	17	14	9	10	20	14	189

40-9999 M

*See Instruction 2 (f) on other side

(Signed) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3220

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Soyland Moor, Baitings Gate

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 943 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·56	·01		·39	26	·01	·49	·03	·98	·45	·09	·03	1
2	1·27	·01		·02	·48		·03	·04	1·74	·20	·40	·41	2
3	·23						·19		·11	·02		·28	3
4	·05	·01	·01	·01			·14	·02	·03	·03	·20	·01	4
5	1·18		·15	·24	·02				·11	·02			5
6	1·50	·01	·14	·97	·18			·01	·35				6
7	·12		·78	·47					·35	·15	·01		7
8				·20		·01			·32	·79			8
9	·25	·10	·01	1·00	·10				·02	·03	·01	·11	9
10	·59	·02	·01	·10	·03				·95	·57	·03	·04	10
11	·02			·06	·50	·41	·86		·06	·02	·03		11
12	·45			·06	·45	·09	·14	·02	·02	·45	·05	·01	12
13	·01	·09	·01	·16	·16		·10	·03	·32	·61	·03	·27	13
14	·10		·02	·08			·09		·01	·04	·12	·01	14
15	·01			·06	·35					·11	·22	·17	15
16	·29			·07	·01		·10	·03	·01	·17	·01	·10	16
17					·04		·04	·05	·07	·20			17
18					·06			·02	·02	·86	·03		18
19		·02		·24	·26			·02	·01	·01	·02		19
20				·29	·37		·03	·60		·45	·15	·01	20
21	·03		·15	·06	·58		·07	·84	·01	·20	·14	·09	21
22	·01		·26	·24	·01		·16			·96	1·01	·15	22
23	·03	·02		·15	·42		·05		·24	·13	·16	·12	23
24		·03		·05		·09	·33		·16	·05	·09	·01	24
25				·15	·11		·06	·03	·11	1·11	·24	·01	25
26		·01		·20	·33		·40		·01	·60	·28	·02	26
27			·49	·29	·68	·05	·26	·02		·08	·12	·14	27
28			·24	·06	·26	·03	·14	·04				·15	28
29	·05		·61	·10	·11	·02	·49	·49	·21	·79	·22	·48	29
30		✕	·27	·04	·05	·46	·21	·03	·02	·16	·46	·20	30
31	·02	✕	·18	✕	·03	✕	·07		✕		✕	·12	31
TOTAL	6·77 ✓	·33 ✓	3·33 ✓	5·76 ✓	5·85 ✓	1·17 ✓	4·45 ✓	2·32 ✓	6·24 ✓	9·26 ✓	4·12 ✓	2·94 ✓	YEAR'S TOTAL ✓ 52·54
*Days with ·01 in. or more.	20	11	15	27	25	9	22	17	25	28	24	23	246
*Days with ·04 in. or more.	13	2	10	25	20	5	20	6	15	22	16	15	169

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith /33.

P.T.O.

3220

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Soyland Moor, Baitings Gate

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 943 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	·97	·03			·01		·06			·31		1
2	·64	·25	·33	·27				·02			·02		2
3	·03	·01	·34		·31				·03		·10		3
4	·26	·51	·31		·16			·19	·01				4
5	·40	·31	·13		·17	·01							5
6	·01	·08	·04		·33	·01					·02	·07	6
7	·18	·48	·36		·18		·15	·04		·95	·01	·04	7
8	·36	·16	·10	·08	·11	·01	·35	·02		·02		·03	8
9		·81	·01	·40	·04	·08	·89	·01		·85	·12	·07	9
10	·18	·08			·01	·15	·07	·03		1·05	·07		10
11	·01		3·23				·86			·62	·01	·02	11
12	·02					·29	·25	·01		·07			12
13			·02		·29	·05	·55		·18	·21	·31		13
14	·64		·06		·13		·14	·01		·02	·24	·02	14
15	·48		·07			·05	·04	·04		·29	·61	·02	15
16	·32		·27	·03	·10	·32	·19	·02		·27	·06		16
17	·07	·01	·79		·03	·65		·21	·06		·19	·01	17
18		·04	·45	·02	·05	·81		·10		·01	·06		18
19		·06	·50	·02		·05	·06	·02	·02		·07	·01	19
20		·03				·01		·35	·11		·03		20
21		·01			·01	·24		·39	·21	·05	·02	·01	21
22				·01	·02	·68		·10	·24	·14	·01		22
23		·06		·23	·08			·07		·04		·01	23
24		·52		·15	·14	·37			·66	·01		·02	24
25		·35		·17	·01				·35		·02	·01	25
26		·25		·50	·05	·01				·34			26
27		·20		·03	·03				·04	·02	·01	·01	27
28		·06		·12			·08		·02	·15		·02	28
29				·03	·10		·14			·07		·01	29
30	·02	×	·05	·02	·38		·27			·46		·26	30
31	·35	×	·08	×		×	·43	·15	×	·35	×		31
TOTAL	4·09 ✓	5·25 ✓	3·94 ✓	2·08 ✓	2·73 ✓	3·80	4·47 ✓	1·84 ✓	1·93 ✓	5·99 ✓	2·29 ✓	·64 ✓	YEAR'S TOTAL 39·05 ✓
*Days with ·01 in. or more.	17	21	18	15	22	18	15	19	12	21	20	17	215
*Days with ·04 in. or more.	11	17	15	8	16	12	15	11	8	16	11	4	144

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) A. G. Beaumont

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 3220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1934.

Kept at Soyland Moor, Baitings Gate
in the County of W. R. Yorks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 943 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14		·02	·01				·09	·01	·14	·07	·44	1
2	·03	·03	·11		·05			·73	·08		·09	·47	2
3	·10	·04	·05					·15	·04	·11	·14	·06	3
4	·16		·42	·12	·05				·06	·96		·96	4
5	·01		·11		·03			·30	·02	·60	·04	·26	5
6	·01	·01	·12	·09	·71	·10		·34	·01	·25		·45	6
7	·28	·03	·20	·03		·04			·01	·20	·21	·48	7
8			·05		·09	·41		·11	·02	·34	1·08	·12	8
9	·01	·09	·04	·06		·01		·23		·10	·72	·02	9
10		·01	·44	·24				·30		·47	·05	·02	10
11	·27	·01	·18	·52				·08		·04	·06	·17	11
12	·02	·01	·11	·20	·01		·40	·10		·09		·01	12
13	·38	·01	·01	·05	·17		·09	·03		·33		·01	13
14	·19		·16	·01	·06	·02			·01	·43	·08	·12	14
15	·74	·02	·30		·96	·01		·12	·57	·01	·03	·20	15
16	·40		·24		·34				·01	·02	·10	·02	16
17	·50		·46	·01	·11		·16		·30	·09		·30	17
18	·50	·01	·27	·05	·77	·09	·02	·10			·01	·21	18
19	·01		·38	·05	·13	·49	·01		·28	·21		·07	19
20			·02	·13	·34	·01	·01	·15	·16	·15	·02	·01	20
21	·05				·24	·57		·14	·05	·11		·01	21
22	·03		·06		·04	·01	·01	·41	·50	·18	·01	·07	22
23	·03	·01	·11	·56		·01	·43	·05		·16	·03	·14	23
24		·24	·02	·06	·01	·09	·03		·41	·20		·02	24
25	·16	·06		·34		·01	·72		·08	·40	·07	·62	25
26	·22		·06	·26		·20	·26		·54	·05	·01	·10	26
27		·02		·31		·32	·50	·12	·04	·45	·01	·35	27
28				·11		·40	·45	·46		·07		·65	28
29	·01						·11	·31	·35	·06		·10	29
30	·10	×					·18		·26	·21		·19	30
31	·01	×	·02	×		×	·45	·01	×		×	·10	31
TOTAL	4·36	0·60	3·96	3·21	4·11	2·79	3·83	4·33	3·75	6·43	2·83	6·75	YEAR'S TOTAL 46·95
*Days with ·01 in. or more.	25	15	25	20	17	17	16	21	22	28	19	31	256
*Days with ·04 in. or more.	15	4	20	16	14	10	11	19	15	26	12	23	185

40-9999

*See Instruction 2 (*f*) on other side.

M

(Signed) A. G. Beaumont

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations.

Station No. 3220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1935.

Kept at Soyland Moor, Baitings

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 943 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·52	·41	·05	·08		·04	·01		·16	1·00	·26	·41		1
2	·02	·18	·04			·24	·02		·10	·23	·06	·34		2
3	·06	·74	·14	·11		·02	·49		·42	·02	·16	·26		3
4		·01	·04			·06	·22	·01	·23	·43				4
5		·74	·21	·20		1·42	·12		·17	·02	·15	·20		5
6	·02	·01		·09		·59			·01			·02		6
7	·01	·01		·12		·45				·31	·35	·28		7
8				·09		·01				·36	·21	·29		8
9	·01	·01	·02	·60		·11				1·91	·16			9
10	·05	·08		·63		·05				·37	·10			10
11	·85	·19				·15				·38	·15	·09		11
12		·25				·83			·05	·01	·01			12
13	·15	·20		·12	·27	·02			·15	·18	·03			13
14	·01	·08		·22	·14	·14			·05	·01	1·35	·20		14
15		2·45	·02	·35	·11				·48	·35	·25	·23		15
16	·01	·54	·13	·35	·01	·47	·12		·70	·01	·68			16
17	·01	·08	·02	·60	·54	·20	·01		1·03	·08	·36			17
18	·02	·02		·10	·05	·14	·32		·49	·59	·10			18
19	·03	·19		·45		·20	·21		·01	·22	·28			19
20	·01	·98	·01	·31		·14	·05	·01			·94			20
21		·14	·01	·01					·75	·23	·30	·02		21
22		·28	·25					·01	·15		·01			22
23	·05	·01	·90	·31				·68		·24				23
24	·58	·37	·04					·01	2·13	·07		·30		24
25	·24	·13	·39			·58				·02	·11	·13		25
26	·01					·02	·06	1·13	·42	·74	·27	·31		26
27		·10				·11	·60		·50	1·22	·47	·20		27
28	·03	·04				·02		·15	·09	·52	·31	·03		28
29	·01		·05						·12	·74	·20	·22		29
30	·04	×		·03		·19		·15	·57	·91	·65	·11		30
31	·02	×	·03	×		×			×	·33	×	·22		31
TOTAL	2·76	8·24	2·35	4·77	1·12	6·20	2·23	2·15	8·78	11·50	7·92	3·86	Year's Total 61·88	
*Days with ·01 in. or more.	23	26	17	19	6	24	12	8	22	28	26	19	230	
*Days with .04 in. or more.	9	20	11	17	5	19	9	4	20	22	23	16	175	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont

Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1080.

REGISTER OF RAINFALL IN 1936.

Kept at Soyland Moor, Baitings

in the County of W R Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 943 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·08		·62				·31	·06		·17	·76		1
2	·03		·05	·04		1·05	·02	·20	·04		·05	·25		2
3	·06					·48		·29	·71			·28		3
4	·48	·09	·28		·01	·03	·03	·14	·58	·01	·37	·69		4
5	·06	·02	·49		·03	·01		·25	·34	·02	·20	·35		5
6	·21		·03			·02	·21	·37	·82		·17			6
7	·05		·07		·02		·24	·02	1·13		·18	·22		7
8	·45	·01	·18						·05	·02	·59	·13		8
9	·31		·04			·01	·01		·25		·79			9
10	·18		·01				·59		·01		1·51			10
11				·02		·16	·23	·03	·04	·01	·80	·03		11
12			·01	·02		·65	·92		·41	·07	·40	·04		12
13				·32	·02	·11	·16		·01	·33	·25	·67		13
14			·05	·27		·19	·09	·06	·47	·21	·09	·98		14
15	·16			·09		·09	·05	·48	·14		·70	·10		15
16	·12	·01	·02	·10	·01	·15	·01			·07	·83	·01		16
17	·07	·43		·05	·06		·26	·22		1·08	·14	·27		17
18		·10				·08	·15	·04		·90		·01		18
19	·57	·39				·09	·21	·28	·04	·17		·01		19
20	·50	·03				·03	·03	·02		·06				20
21	·07		·03			·02				·05		·01		21
22	·18	·54	·03		·04	1·39	·11			·01		·10		22
23			·35	·14	·12		·94	·02		·09				23
24	·18	·08		·26	·30	·01	·04	·13	·22	·76		·09		24
25	·27	·01	·06	·14		·06	·07		·70	·26	·01	·03		25
26	·06	·52	·37	·03			·05	·02	·16	·73				26
27	·56		·05						·08	·39				27
28	·90	·70	·09				·15		·02		·04	·20		28
29	·17	·31	·81		·24	·60	·08			·09	·24	·11		29
30	·27	×	·09		·27	·05	·21			·96	·28	·01		30
31	·03	×	·11	×	·05	×	·19	·01	×		×	·61	Year's Total.	31
TOTAL	5·96	3·32	3·22	2·10	1·17	5·28	5·05	2·89	6·28	6·29	7·81	5·96	55·33	
* Days with .01 in. or more.	25	15	21	13	12	21	25	18	21	21	20	24	236	
* Days with .04 in. or more.	22	10	15	10	7	14	20	12	18	16	19	17	180	

40-9999

† Spare column, no entries required

* See Instruction 2 (f) on other side.

(*Signed*) A. G. Beaumont [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Soyland Moor, Baitings

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 943 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·20	·06			·02	·04		·50		·01	·35		1
2	·48	·43	·10	·19		·01	·03		·03	·02	·01	·08		2
3	·01	·13	·03	·14	·05	·86	·01		·08			·02		3
4	·35	07	·13	·25	·16	·03	·03	·04	·01		·01	·51		4
5	1·40	·02	·16	·03		·01	·03	·01	·02					5
6	·18		·05	·10	·06		·01	·45	·04	·02	·07	·19		6
7	·07	·30		·41	·08	·05			·18		·03	·10		7
8	·01	53	·03	·04	·01	·12	·08				·06	·06		8
9		·15	·05	·06	·33		·30	·37	·03			·01		9
10	·04	·13			·06	·20		·02		·04	·03	·30		10
11			·40		·37		·04	·03				·11		11
12	·23	·29	·21	·03	·08	·18	·06	·05	·17			·25		12
13		·10	·14	·02	·05	·69	·01	·14	·05			·24		13
14		·12	·12		·01	·02	·01	·16	·14	·02		·24		14
15	·30	·55		·34	·01		·81		·26			·05		15
16	·12	·83	·09	·75		·01		·24	·06			·04		16
17	·04	·04	·37	·09	·02	·14	·01	·06	·72			·01		17
18	·41	·29	·29	·12		·02		·44	·19		·44			18
19	·12	·21	·03	·16		·19	·09	·06	·15	·01	·74			19
20	·10	·50	·04	·21	·65	·08	·01	·01			·03	·04		20
21	·05	·12	·04	·10		·01	·42		·01			·29		21
22	·01	·01	·25	·09	·05		·43		·01	·42	·21	·14		22
23	·08		·03		·21		·48			·73	·40	·01		23
24	·15	·14	·19		·02	·01	·05		·12	·17	·02	·09		24
25	·03	·89					·02	·19	·01	·08	·01	·02		25
26		·42	·15		·47			·16	·09	·02		·06		26
27	·01	·32		·19				·01	·02	·56		·02		27
28		·65	·02			·13			·01	·19		·01		28
29				·01		·04		·01		·09	·11	·02		29
30	·16	✕			·01	·22		·39		·16	·60	·05		30
31	·40	✕		✕		✕		·06	✕	·14	✕	·02		31
													Year's Total	
TOTAL	4·84	7·37	2·98	3·33	2·70	3·04	2·97	2·90	2·90	2·67	2·78	3·33	41·81	✓
* Days with .01 in. or more.	24	24	23	20	19	21	21	20	23	15	16	28	254	✓
* Days with .04 in. or more.	19	22	18	16	13	12	11	14	14	10	8	19	176	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont, [P.T.O.
Waterworks Engineer

COPY FOR OFFICIAL USE

Station No. 3220

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Soyland Moor, Baitings ~~Dam~~

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 943 ft.

measured Weekly from 1.3.38.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·08									·66			1
2	·09	·12						·12						2
3	·05	·01			·06									3
4	·05	·02								4·11				4
5	·01	·01		·86			·85							5
6	·29	·04							·23			1·97		6
7	·44	·01				1·58								7
8	·28	·02									1·04			8
9	·31	·68						1·18						9
10	·02	·10												10
11	·11	·12								3·45				11
12	·44	·01					2·36							12
13	·02	·07							·52			1·08		13
14	·31	·04				·43								14
15	·48		·28								·90			15
16	1·22							·89						16
17	·02				·92									17
18	·10									2·90				18
19	·02						·90							19
20	·09								·36			·56		20
21	·19					·18								21
22	·03		·20								1·53			22
23	·03							1·67						23
24	·01	·08			·46									24
25	·46	·14								·49				25
26	·42	·53					·63							26
27	·39	·40							·44			2·00		27
28	·55	·21				3·22								28
29	·13		1·29								2·78			29
30	·40	✕		·03		·80		1·04	·42		·73			30
31	·33	✕	·10	✕	3·24	✕	·52		✕	·99	✕	1·67		31 "w"
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	Year's Total	
TOTAL	7·31	2·69	1·87	·89	4·68	6·21	5·26	4·90	1·97	11·94	7·64	7·28	62·64	✓
* Days with .01 in. or more.	31	19												
* Days with .04 in. or more.	22	13												

4 JAN 193

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Fo[illegible]1090

REGISTER OF RAINFALL IN 1939.

Kept at Soyland Moor, Baitings

in the County of W.R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 942 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·07						1
2														2
3	·53									·07				3
4				1·00			2·03							4
5									·67			2·29		5
6														6
7		·68	1·21								1·15			7
8								·96						8
9					·40									9
10	1·98									1·40				10
11				·02			1·74							11
12									·67			1·60		12
13						·81								13
14		1·16	·60								·72			14
15								1·07						15
16					·79									16
17	2·88									·45				17
18				1·11			·83							18
19									·07			·02		19
20						2·02								20
21		1·03	·87								1·17			21
22								·60						22
23					·19									23
24	·50									·44				24
25				·85			·81							25
26									·09			·73		26
27						·56								27
28		3·75	·95								4·70			28
29								·07						29
30		✕		·06	·03	·45					1·17			30
31	·45	✕	·02	✕		✕	2·43	·05	✕	·89	✕	·04		31
TOTAL	6·34	6·62	3·65	3·04	1·41	3·84	7·84	2·82	1·50	3·25	8·91	4·08	Year's Total 53·30	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A. G. Beaumont [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3220

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at Soyland Moor, Baitings
in the County of W. R. Yorks
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 943 ft.

TRAVELLING FORM
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1										·01				1
2				·54			·15							2
3									·01			·50		3
4						–								4
5			–								2·05			5
6		Not read.												6
7					·27									7
8										2·62				8
9	·21			·66			·88							9
10									·56			2·55		10
11						–								11
12			1·00								4·20			12
13		Not read						1·21						13
14					·29									14
15										·16				15
16	·03^5			·51			1·12							16
17									3·38			·61		17
18						–								18
19		From the 1st	1·59								1·32			19
20		1·20						1·21						20
21														21
22										·80				22
23	–			1·24			1·68							23
24									1·35			·44		24
25						·64								25
26			·75								1·07			26
27		1·47						·14						27
28					·93									28
29		·13								·18				29
30		✕		·58		·36	·05		·01		·21			30
31	3·11	✕	·39	✕	·11	✕		·27	✕	1·24	✕	1·18	W	31
TOTAL	3·35	2·80	3·73	3·53	1·60	1·00	3·88	2·83	5·31	5·61	8·85	5·28	Year's Total 47·77	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) A J Beaumont

[P.T.O.

Section **A** for the entry q

AIR MINISTE

FORM 1090.

REGIS

3221

SOYLAND

BYRON EDGE

1931 —— 40

7P0602

FOR OFFICIAL USE.

ORGANIZATION.

Kept at Byron E

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

Please read

llowing

Jan. 1, following.

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	02	.	14	.	29	.	.	05	12	.	.	1
2	05	07	.	79	04	1·15	01	.	96	05	08	05	2
3	.	.	.	05	.	22	33	.	38	03	1·98	47	3
4	.	07	.	28	.	.	13	.	1·32	26	05	42	4
5	.	04	.	.	22	1·10	.	57	04	.	.	30	5
6	.	30	02	.	.	26	52	03	06	66	21	.	6
7	.	05	.	.	.	69	.	21	.	37	07	19	7
8	07	44	04	10	06	.	24	61	02	09	27	.	8
9	.	97	05	30	.	15	.	42	11	06	33	03	9
10	23	11	04	.	20	33	.	17	07	.	30	.	10
11	27	49	.	06	.	12	12	02	23	.	96	.	11
12	05	28	.	02	.	01	49	.	17	33	22	.	12
13	.	.	14	01	12	03	29	04	.	.	.	.	13
14	11	16	.	.	01	80	08	85	03	.	51	02	14
15	29	49	.	11	25	02	24	47	01	.	02	02	15
16	87	17	.	39	68	50	12	46	35	.	.	.	16
17	05	29	.	24	01	17	40	37	04	01	06	.	17
18	28	01	.	20	.	62	52	11	01	01	71	.	18
19	17	23	.	04	.	.	.	1·00	04	02	.	02	19
20	02	32	01	01	.	06	.	10	.	.	12	.	20
21	41	06	11	.	07	16	01	50	.	.	.	.	21
22	34	06	.	01	20	04	03	.	.	.	01	.	22
23	38	01	.	32	24	40	38	.	.	.	75	15	23
24	10	33	.	09	59	.	16	.	.	.	04	13	24
25	15	1·01	.	51	09	.	20	.	.	.	09	11	25
26	05	05	.	24	.	.	.	.	.	.	49	02	26
27	55	09	.	02	09	.	28	.	.	34	1·22	09	27
28	29	49	.	14	22	.	13	.	01	.	.	08	28
29	13		.	.	28	.	30	.	.	77	03	.	29
30	01	×	.	04	17	.	.	.	03	.	.	.	30
31	35	×	.	×	19	×	05	.	×	02	×	12	31
TOTAL	5·27	6·61	·41	4·11	3·65	7·12	5·03	5·93	3·93	3·14	8·52	2·22	YEAR'S TOTAL 55·94
Days with ·01 in. or more.	24	26	7	23	19	20	22	16	19	15	22	16	229
Days with ·04 in. or more.	22	23	5	18	17	17	19	14	13	10	19	11	188

40-9999

(Signed) Chas. J. Oakley.

P.T.O.

3221

Section **A** for the entry

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Ayrow Edge (Soyland)
in the County of Yorkshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 1251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	02	.	14	.	29	.	.	05	12	.	.	1
2	05	07	.	29	04	1·15	01	.	96	05	08	05	2
3	.	.	.	05	.	22	33	.	38	03	1·98	47	3
4	.	07	.	28	.	.	13	.	1·32	26	05	42	4
5	.	04	.	.	22	1·10	.	57	04	.	.	30	5
6	.	30	02	.	.	26	52	03	06	66	21	.	6
7	.	05	.	.	.	69	.	21	.	37	07	19	7
8	07	44	04	10	06	.	24	61	02	09	27	.	8
9	.	97	05	30	.	15	.	42	11	06	33	03	9
10	23	11	04	.	20	33	.	17	07	.	30	.	10
11	27	49	.	06	.	12	12	02	23	.	96	.	11
12	05	28	.	02	.	01	49	.	17	33	22	.	12
13	.	.	14	01	12	03	29	04	.	.	.	.	13
14	11	16	.	.	01	80	08	85	03	.	51	02	14
15	29	49	.	11	25	02	24	47	01	.	02	02	15
16	87	17	.	39	68	50	12	46	35	.	.	.	16
17	05	29	.	24	01	17	40	37	04	01	06	.	17
18	28	01	.	20	.	62	52	11	01	01	71	.	18
19	17	23	.	04	.	.	.	1·00	04	02	.	02	19
20	02	32	01	01	.	06	.	10	.	.	12	.	20
21	41	06	11	.	07	16	01	50	.	.	.	.	21
22	34	06	.	01	20	04	03	.	.	.	01	.	22
23	38	01	.	32	24	40	38	.	.	.	75	15	23
24	10	33	.	09	59	.	16	.	.	.	04	13	24
25	15	1·01	.	51	09	.	20	.	.	.	09	11	25
26	05	05	.	24	.	.	.	.	.	.	49	02	26
27	55	09	.	02	09	.	28	.	.	34	1·22	09	27
28	29	49	.	14	22	.	13	.	01	.	.	08	28
29	13		.	.	28	.	30	.	.	77	03	.	29
30	01	×	.	04	17	.	.	.	03	.	.	.	30
31	35	×	.	×	19	×	05	.	×	02	×	12	31
TOTAL	5·27	6·61	·41	4·11	3·65	7·12	5·03	5·93	3·93	3·14	8·52	2·22	YEAR'S TOTAL 55·94
Days with ·01 in. or more.	24	26	7	23	19	20	22	16	19	15	22	16	229
Days with ·04 in. or more.	22	23	5	18	17	17	19	14	13	10	19	11	188

40-9999

(Signed) Chas. J. [illegible]

P.T.O.

3221

Section A for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Byron Edge (Soyland)
in the County of Yorkshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 1251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	43	01	.	35	24	.	21	02	76	.	17	05	1
2		.	.	.	40	.		02	1·24	53	29	35	2
3	92	.	.	.	.	.	21	.		.	.		3
4	07	02	.	.	.	.	11	.	13	03	12	20	4
5	1·06	01		25	04	.	.	.	25	.		02	5
6	1·30	.	25	57	09	.	.	.	27	01	.	.	6
7	14	.	42	26	.	.	.	.	68	25	02	.	7
8	.	.	.	20	.	.	.	.	11	87	01	.	8
9		09	.		11	.	.	.	01		.	10	9
10	75	01	01	68	02	.	.	.		50	02	02	10
11	02	04	.	08	50		96	.	85	01	05	.	11
12	42	.	.	01	61	26	14	05	02	48		.	12
13	02	05	.	12	10	.	09		24	33	09	25	13
14	06	.	.	02	.	.	19	04	03	12	06	.	14
15	.	.	.	06	48	.	.	.	.		21	14	15
16		.	.		01	.		01	.	25	.	20	16
17	25	.	.	09	.	.	22	08		83	01	.	17
18	.	.	.	.	09	.	.	01	06	.	03	.	18
19	.	.	.	12	47	.	01	01	.	41		.	19
20	.	.	.	15	49	.	02		.	14	12	.	20
21	10	.	28	06		.	06	54	.	66	11	10	21
22	01	.	18	18	44	.	10	.	.		1·01	16	22
23		02	.		31	.		.	.	18	16	14	23
24	07	.	.	10	.	05	51	.		02	07		24
25	.	01	.	11	18		06	01	33	1·07	25	02	25
26	.	.	.	14	36	01	32	.	15	30		.	26
27	.	.	25	23	41	14	24	.	.	08	40	20	27
28	.	.	09	04		.	15	01	.	.	.	23	28
29	04	.	56	08	24	08	38	28	26		25	30	29
30		✕	19	04	.	32		06	02	69	37	20	30
31	01	✕	16	✕	.	✕	16	.	✕	.	✕	11	31
TOTAL	5·67	·26	2·39	3·94	5·59	·86	4·14	1·14	5·41	7·76	3·82	2·79	YEAR'S TOTAL 43·77
*Days with ·01 in. or more.	17	9	10	23	20	6	19	13	17	21	21	18	194
*Days with ·04 in. or more.	17	3	9	21	18	5	17	6	13	17	16	15	153

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

3221

Section **A** **for the entry of Daily Observations.** FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Kyrow Edge

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1251 ft.

bqp

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	77	04	.	.	-	-	01	07	.	31	.	1
2	50	.	22	29	.	16	-	05	.	.	02	.	2
3	01	60	42	.	31	.	.	.	.	.	04	.	3
4	22			.	14	.	.	.	.	.	-	-	4
5	26	49	30	.	16	.	.	-	.	.	03	.	5
6	02	08	02	.		.	.	.	.	.	01	08	6
7	✓	33	14	.	37	.	10	04	.		.	02	7
8	56	15	12		12	.		04	.	56	.	07	8
9	.	38	.	36	09	02	99	05	-	81	15		9
10	20	04	.	.	.		02	.	.	1·28	08	05	10
11	.	.	.	-	.	09	78	01	.	47	.	02	11
12	.	.	.	-	.	27	25	.	.	09	.	04	12
13	01	.	02	.		03	28	.	07	19	26	.	13
14		.	03	.	28	.	10	.	.		35	01	14
15	95	.	08	.	.	05		10	.	26	50	03	15
16	31	01	23		10	26	05	01	.	21	05	.	16
17	11	-	69	03	01		.	23	09	-	21	.	17
18	.			.	05	1·01	.	09	.	.		01	18
19	.	02	63	05	.	44	.		02	.	13	02	19
20	.	12	.	-	.	.	.	48	05	.	02	.	20
21	.	01	.	.	01	12	.	38	15	.	01	01	21
22	.	.	.		.	40	.	10	.	14	.	.	22
23	.	05	.	24	65	.	.	11		02	.	.	23
24	.	49	.	19	10		.	.	89	01	.	.	24
25	.		.	16	.	17	.	.	16	.		07	25
26	.	59	.	39	.	.	.	.	.	28	03	.	26
27	.	.	.	01	01	.	.	.	03	.	.	.	27
28	.	.	.	15	.	.	10	.	01		.	.	28
29	.		.		06	.		.	.	36	.	07	29
30	04	X	02	02	25	.	41	.	.	37	.	14	30
31	36	X	03	X	.	X	22	11	X	23	X		31
TOTAL	3·65	4·13	2·99	1·89	2·11	3·02	3·30	1·81	1·54	5·28	2·20	·64	YEAR'S TOTAL 32·56
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

d

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Byron Edge

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	19	.	06	.	.	.	.	14		20	03			1
2	01	03	05	.	02	.	.	65	13	.	20	95		2
3	15	02		.	.	.	.	10	02	11	07	06		3
4	18	.	36	06	02	.	.		06	1·01	.	70		4
5	.	.	09	01		.	.	35	.	50	04	26		5
6	.	.	10	07	78	14	.	13	.		.	47		6
7	20	04	07	05	.	02	.	.	.	43	28	41		7
8	.	.	02	.	11	63	.	11		34	91			8
9	02	08	03	07	.	.	.	18	06	02	52	08		9
10	.	.		25	.	.	.	30	.	22		.		10
11	16	.	75	49	.	.	.		.	01	15	15		11
12	02	.	05	19	.	.	38	20	.	03	.	06		12
13		.	01	05	13	.	12	03			01	.		13
14	46	.	14	.	03	02	.	.	.	51	04	12		14
15	39	.	18	.	92	01	.	17		.	01			15
16	49	.	20	.	25	.	.	.	55	.	04	27		16
17	57	.		01	13	.	21	.	50	10	.	26		17
18	41	.	50	10	69	14	06		.	.	.	19		18
19	.	.	46	06		40	.	07	28	18	.	08		19
20	.	.	03	16	55	.	.	15	13		02	.		20
21	05	.	02	.	15	54	.	10	04	25	.	.		21
22	06	.	04	.	02	.	.	19		14	.	.		22
23	03	.	08	46	.		41	02	58	19	04	13		23
24	.		11	19	.	06	06	.	37	25	.	01		24
25	14	19	.	17	02	.	23	.	23	39	.	49		25
26	22	.	06	24	.	20	45	.	32	06	02	12		26
27	.	02	.	23	.	38	41	.	05		01	30		27
28	.	.	.	08	.	20		15	.	56	.	70		28
29	.		09	.	.	.	42	42		06	.			29
30	09	X	.	.	.	.	13	28	1·00	12	.	24		30
31	01	X	.	X	.	X	63	.	X	02	X	13		31
TOTAL	3·85	·38	3·50	2·94	3·82	2·74	3·51	3·74	4·32	5·70	2·39	6·18	Year's Total 43·07	(43·07)
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

† Spare column, no entries required.

(*Signed*)

40-9999

*See Instruction 2 (*f*) on other side.

[P. T. O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 3221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Kyrow Edge

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	27	03	05	.	.	02	.	14	1·02	17	35	1
2	03			.	-	29	02	.	11	20		16	2
3	05	69	14	05	.	02	46	.	33	02	20	15	3
4	.	.	07	01	.	19	13	.	28	24	.	.	4
5	.	55	19	15	.	1·26	07	.	16	11	17	11	5
6	02	01	.		.	43	.	.	.	.	.	03	6
7	01	.	.	18	.	45	.	.	.	30	33		7
8	01	.	.	08	.	.	.	.	.	38	04	49	8
9	.	.	.	52	.	08	.	.	.	1·67		.	9
10	01	06	.	49	.	01	.	.	.	30	35	.	10
11	47	23	.	.	.	17	.	.	.	30	14	12	11
12	.	27	.	.	.	1·05	.	.	08		.	.	12
13	12	18	.		15	.	.	.	07	15	02	.	13
14	. .	04	.	25	05	15	.	.		.	1·22		14
15	.	1·85	.	35	09	.	.	.	57	30	16	35	15
16	01			20	05	50	16	.	70	.		.	16
17	.	59	11	38	38	16	02	.	85	06	85	-	17
18	01	03	.	08		11	38	.	56	58	07	.	18
19	.	15	.	24	06	24	27	.	.	19	21	.	19
20	01	44	.		.	16	04	.	.	.	40	.	20
21	.	12	.	32	.	.	.	.		15	12	11	21
22	.	18	22	.	.	.	.	.	1·02	.	.	.	22
23	04	.		35	.	.	.	44	01	27	.	.	23
24	37	50	76	.	.	.	.	.	1·87	05	.	20	24
25	09	02	31	.	.	48	.	.	.	.	15	05	25
26	.	.	.	.	.	.	09	1·09	52		24	20	26
27	.	08	.	.	.	10	41	.	32	1·46	46	13	27
28	03	20	.	.	.	.	.	18		40	22		28
29	.		09	.	.	.	.	.	22	59	06	28	29
30	03	X		02	.	18	.	26	41	82	58	11	30
31	03	X	02	X	.	X	.	.	X	31	X	27	31
TOTAL	1·80	6·46	1·94	3·72	·78	6·03	2·07	1·97	8·22	9·87	6·16	3·11	YEAR'S TOTAL 52·13
*Days with ·01 in. or more.													—
*Days with .04 in. or more.													—

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Chas. H. Battey

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Byrow Edge

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03		16	31	.	01	.		07	.	26	49		1
2	01	16	14	04	.	88	.	58	05	.	04	18		2
3	04	.	.	.	.	38	02	22	61	.	.	21		3
4		13	36	.	.	06	01	09	54	01	26	42		4
5	41	02	42	.	03	.	.	21		02	12	10		5
6	14	.	02	.	01	.	15	48	98	.	19	.		6
7	04	.		.	01	.	24	.	85	.		09		7
8	40	.	28	.	.	.	.	.	02	02	62	23		8
9	28	02	06	.	.	.	01	.	14	.	82	.		9
10	15	.	.	.	.	01	38	.	01	.	96	.		10
11	.	.	01	.	.	16		01	03	.	69	03		11
12	.	.	.	08	05	45	1·12	05	38	05	32			12
13	05	.	.	05	03		11	.	.	32	01	65		13
14	.	.	.	19	.	35	12	13	52	23		68		14
15	16	.	05	10	01	19	08	60	12	.	98	09		15
16	04	05	02	05		01	02	.	.	04	84	01		16
17	04	33	01	01	08	.	19	23	.		07	22		17
18	.	04	.		.	09		06	.	1·81	.	07		18
19	07	30	03	01	.	11	33	33	.	21	.	.		19
20	05	05	.	02	.	.	02	.	01	05	.	01		20
21	10	.		04	.	.	.	.	.	04	.	.		21
22	15		06	01	03	1·21	15		.	01	.	08		22
23	.	24	30	20		.	61	04	.	09	.	.		23
24	09	04	01	16	34	.	.	07	22		.	05		24
25		.	03		.	06		.	54	1·00	.	02		25
26	26	31	29	15	.	.	04	.		68	.	.		26
27	48	.	02	.	.	.	.	.	26	28	.	.		27
28	73	32		.	.	.	19	.	.	.		18		28
29	11	1·16	92	.	13	53	.	.	.	08	16	12		29
30	24	✕	07	.		06	30	.	.	80	16	05		30
31	02	✕	08	✕	45	✕	12	01	✕	.	✕	55		31
TOTAL	4·09	3·17	3·34	1·42	1·17	4·56	4·21	3·11	5·35	5·74	6·50	4·53	Year's Total 47·19	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Chas. J. Battey. [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Byrow Edge

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02	16	12	.	.	02	05	.	62	.	01	21		1
2	44	45	11	02	.	.	03	.	02	01	.	09		2
3	.	20	03		04	1·07		.	01	.	.	01		3
4	28	01	05	32	15	02	07	03	.	.	.	48		4
5	1·52	.	12	01	.	01	02	.	02	.	.	.		5
6	15	.	12	09	09	.	.	60	·04	.		55		6
7	08	14	.	41	08	06	.	.	13	.	07	02		7
8	.	39	03	04	01	26	08	.	.	.	05	09		8
9		09	01	07	22	01	44	42	.	.	.	02		9
10	07	07	01	.	03	02		.	.	03	.	20		10
11	.	.	1·72	.	16	.	05	.	.	.	.			11
12	24	30	26	04	08		07	14	22	.	.	19		12
13	.			02	05	1·43	.	10	05	.	.	21		13
14	.	25	44	01	.	.	.	23	17	02	.	18		14
15	29	51	02	38	.	.	68	.	43	.	.	03		15
16		61	31	44	.	.	.	22	04	.	.	02		16
17	17	05	35		03	10	.	05	53	.	.	.		17
18	24	27	17	33	.	01	.	37		.	17	.		18
19	13	19	04	18	.		04	05	27	.	45	.		19
20	08			22	59	45	.	.	.	.	03	04		20
21	04	40	09	10	.	.	49	.	.	.	.	33		21
22	06	.	19	08	.	.	40	.	.	41	20	15		22
23		.	.	.	37	.	42	.	.		26	.		23
24	10	12	12	.	06	.		.	09	71	.	08		24
25	08	58	.	.	.	.	07	20		09	.			25
26	.	32	12	.	53	.	.	05	10	01	.	12		26
27	.		.	18	.	.	.	.	.	40	.	02		27
28	.	79	01	.	.	15	.	.	.	12	.	.		28
29	02		.	.	.	02	.	.	.	06	16	01		29
30		✕	.	.	.	25	.	16	.		69	04		30
31	40	✕	.	✕	.	✕	.	07	✕	28	✕	.	d	31
TOTAL	4·40	5·90	4·44	3·04	2·49	3·88	2·91	2·69	2·74	2·14	2·09	3·09	Year's Total 39·81	/
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Chas. J. Oakley.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at Kyrow Edge

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1251 ft.

OLDHAM CORPORATION ENGINEER'S OFFICE 4 JAN 1939 PIETHORNE, NR. ROCHDALE WATERWORKS

Ack Day

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on ~~January 1st~~ of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.	05	.	05	01	85	14	09	.	✓	54	24		1
2	08	05	.	69	04	30	✓	.	.	1·65	14	30		2
3	03	.	.	.	.	02	23	.	15	1·95	35	✓		3
4	03	02	.	06	.	.	30	52	.	64	32	1·05		4
5	01	✓	.	08	.	04	18	93	03	63	✓	09		5
6	20	06	.	.	.	06	22	✓	07	31	04	03		6
7	25	.	.	.	.	.	36	07	30	35	.	.		7
8	✓	01	.	.	.	.	34	02	.	✓	.	32		8
9	55	58	16	.	.	14	✓	05	.	2·01	.	31		9
10	.	10	03	.	.	10	93	.	.	13	.	✓		10
11	17	10	.	.	02	02	19	20	05	18	12	13		11
12	35	.	.	.	24	.	.	06	01	1·50	✓	.	.	12
13	.	02	.	.	01	.	06	.	07	39	56	20		13
14	23	02	.	.	12	.	16	.	07	02	14	04		14
15	✓	.	03	.	.	.	31	37	.	✓	02	30		15
16	1·35	.	11	.	27	.	✓	35	.	23	08	16		16
17	.	01	.	.	30	.	41	4·5	✓	42	05	05		17
18	11	.	.	.	10	12	.	4·6	28	63	42	.		18
19	.	.	.	.	.	.	.	4·0	16	.	.	08		19
20	30	.	.	.	.	.	.	✓	05	.	54	04		20
21	01	.	09	.	.	.	.	40	.	.	05	05		21
22	✓	.	.	03	.	35	.	.	.	.	50	04		22
23	0·6	.	.	01	25	53	.	.	·04	.	68	01		23
24	07	01	29	.	05	23	66	40	04	.	22	.		24
25	40	40	09	.	.	✓	12	03	.	44	45	04		25
26	18	✓	✓	.	05	31	05	.	11	21	✓	09		26
27	38	76	19	.	72	96	24	✓	02	01	68	.		27
28	35	22	20	.	✓	96	0·9	49	13	03	·05	10		28
29	✓		25	.	1·63	48	2·10	.	.	✓	16	39		29
30	41	✕	.	.	14	08	05	.	24	25	44	22		30
31	31	✕	07	✕	31	✕	.	.	✕	59	✕	1·00		31
													Year's Total	
TOTAL	6·03	2·41	1·51	·92	4·26	5·58	5·24	5·29	1·88	12·60	6·91	5·31	54·94	✓ ✓
* Days with .01 in. or more.	26	16	12	6	17	18	23	20	18	25	25	26	232	✓ ✓
* Days with .04 in. or more.	20	10	9	4	14	16	22	17	15	22	22	23	194	✓ ✓

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Charles Busfield

[P.T.O.

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

3221

Kept at Byrom Edge
in the County of Yorkshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 1251 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	58	·	27	✓	·	·	✗	09	07	62	·	79	1
2	06	·	05	✗ 14	·	·	✗ 94	90		01	10	✗	2
3	05	·	·	08	·	·	·	19	73	01	05	✗ 32	3
4	02	·	34	32	01	·	69	·	·	05	✗	51	4
5		·	·	·	38	·	33	06	·	21	✗ 41	02	5
6	48	30	03	·	·	·	63	·	·	·	22	·	6
7	✗	51	14	·	28	·	07	·	·	·	15	31	7
8	✗ 84	17	34	02	·	·	✗	10	·	08	29	61	8
9	17	64	·	·	·	·	✗ 70	66	·	39	·	✗	9
10	03	02	·	·	·	✗	·	11	80	10	01	✗ 69	10
11	47	✗	22	·	·	✗ 50	·	01	04	02	–	03	11
12	33	✗ 19	·	·	·	13	·	·	·	01	✗ 05	·	12
13	01	·	02	34	✗	23	03	·	05	08	04	·	13
14	✗	·	04	04	✗ 43	58	33	·	·	✗	23	·	14
15	✗ 90	09	04	62	07	1·09	✗	·	02	✗ 14	11	·	15
16	29	01	07	·	10	·	✗ 20	·	·	·	08	·	16
17	63	39	01	03	05	✓	01	·	·	29	09	·	17
18	13	26	✓	·	·	✗ 17	28	·	·	01	91	·	18
19	26	·	✓ 04	·	·	01	32	·	01	·	·	·	19
20	01	·	·	·	– ✗	23	80	14	04	·	·	·	20
21	✗	17	60	17	✗ 06	01	·	29	05	·	·	01	21
22	✗ 19	21	22	✓	01	·	✗	01	02	02	81	·	22
23	01	55	03	✗ 21	·	01	✗ 19	·	·	42	19	·	23
24	02	09	01	07	·	✗	·	01	·	03	·	·	24
25	19	✗	01	·	·	✗ 11	·	01	·	·	✗	05	25
26	03	✓ 25	·	·	01	·	·	✗	·	31	✗ 2·44	07	26
27	06	1·30	25	·	·	40	09	✗ 22	·	10	26	07	27
28	✓ ✗	29	32	05	·	45	76	·	·	·	90	·	28
29	– 01	X	01	·	·	01	✗	·	·	22	68	·	29
30	·	✕	·	·	·	10	✗ 1·48	·	·	·	64	·	30
31	·	✕	01	✕	·	✕	28	04	✕	04	✕	·	31
TOTAL	5·77	5·44	3·07	2·19	1·40	4·03	8·13	2·84	1·83	2·56	8·66	3·68	YEAR'S TOTAL 49·60
*Days with ·01 in. or more.	27	19	23	14	11	18	23	16	10	22	23	14	220
*Days with ·04 in. or more.	19	10	13	10	8	13	21	12	7	14	22	11	160

40-9999

(Signed) Charles [illegible]

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3221

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Byron Edge

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1251 ft.

Acts. Daly

Jan 26th-28th est'd from measurements
snow circ. sent 30-4-41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf ✓

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	10	·02	·39	·02	·	·01	·	·	·	·69	·24		1
2	·	03	·	·23	·	·	·16	·	·	·	x	·14		2
3	06	x	·02	·16	·	·	·05	·	·	·10	x ·44	·25		3
4	·	x 39	·	·20	·	·	·15	·	·01	·30	·30	·23		4
5	·	06	·	·	·13	·	·04	·	·01	x	·15	·45		5
6	x	30	·	·	·	·	·04	·	·	x 1·42	·11	·05		6
7	x 24	16	·	·19	·11	·	·03	·21	·12	·08	·01	·		7
8	03	·	·03	·05	·	·	·03	·06	·	·21	·04	·25		8
9	·	·	x	·	·	·	·98	·30	·34	·64	x	·11		9
10	·	·	✓ ·24	·	·	·	·29	·52	·04	·12	x 1·40	·36		10
11	·	04	·13	·04	·	·05	·24	·	·	·	1·24	·		11
12	·	05	·61	·	·	·	·10	·04	·89	·	·56	·		12
13	·	03	·15		·	·	·03	·14	·44	·	·06	·		13
14	·	05	·06	x ·26	·13	·	·03	·04	·13	·	·06	x		14
15	·	·	·06	·04	·04	·	·	·	·	·01	·05	x ·55		15
16	03	14	x	·11	·	·	·45	·	1·53	·42	x	·06		16
17	·		x ·62	·	·	·	·43	·	·22	·	x ·55	·		17
18	09	x 22	·31	·14	·	·	·09	·32	·18	·	·02	·28		18
19	02	30	·21	·11	·	·	·53	·	·42	·10	·40	·01		19
20	·	04	·09	x	·	·	·25	·61	·20	·23	·18	·01		20
21	04	01	·49	x ·42	·	·25	·04	·09	·	·13	·80	·		21
22	·	04	·04	·03	·02	·23	·	·04	·69	·06	·01	·02		22
23	·	31	·12	·04	·01	·	·21	·	·16	·05	·19	·01		23
24	53	04	·03	·06	·	·	·	·	·01	·04	·	·11		24
25	06	·	·	·	·01	·09	·	·	·	·11	·	·		25
26	(·49) 49	11	·01	·	·04	·04	·01	·02	·01	·01	·05	·		26
27	× (·49) 09	59	·	x	·	·	·41	·	·01	·02	·26	·01		27
28	× (·75) 05	51	·	✓ ·32	·61	·	·	·13	·	·	·	x		28
29	·	01	·34	·03	·01	·46	·04	·	·	·02	·	x ·42		29
30	× 06	✕	·	·12	·	·	·	·	·	·39	·03	·34		30
31	× 24	✕	·18	✕	·02	✕	·	·09	✕	·49	✕	·02		31
TOTAL	(3·19) ~~1·49~~	3·59	3·49	3·00	1·21	1·12	4·40	2·64	5·44	5·25	8·26	4·22	Year's Total ~~115·[illegible]~~	46·47
* Days with .01 in. or more.	15	23	22	21	12	6	24	14	18	21	26	23	225	
* Days with .04 in. or more.	12	19	16	18	6	6	18	13	13	17	22	17	177	

2·03
·69

† Spare column, no entries required.

(Signed) Charles Bussfield

* See Instruction 3 (f) on other side.

[P.T.O.

3222

Section A **for the entry**
AIR MINIS

FOR OFFICIAL USE.
LL ORGANIZATION.

FORM 1090. **REGI** 1.

3222

SOYLAND MOOR, MANSHEAD

1931 — 40

780602

Kept at Soyland Mo
in the County of W.R

Diameter of Funnel of Gauge....
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEA **Y.**

An observer who does not conform *following*
year in the space on the right of

Jan. 1, following

Date	Jan.	Feb.	Marc								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·01	1
2						1·78							2
3		·11	·06								2·93		3
4								·15					4
5					·33								5
6	·24									1·27			6
7				1·33			·80						7
8									2·86			2·09	8
9						2·12							9
10		2·30	·18								1·50		10
11								1·77					11
12					·25								12
13	·67									·96			13
14				·42			1·20						14
15									·53			·17	15
16						1·91							16
17		1·85	·26								1·67		17
18								2·29					18
19					·80								19
20	2·24									·08			20
21				1·04			1·43						21
22									·39			·05	22
23						1·63							23
24		2·09	·10								1·72		24
25								1·65					25
26	2·20				1·12								26
27										·42			27
28		1·43		1·38			1·39						28
29												·84	29
30		×		·09		·02			·01		1·97		30
31	1·12	×	·02	×	1·00	×	·31		×	·74	×	·09	31
TOTAL	6·47	7·78	·62	4·26	3·50	7·46	5·13	5·86	3·79	3·47	9·79	3·25	YEAR'S TOTAL 61·~~4~~38
*Days with ·01 in. or more.	-	-			-	-	-		-		-	-	
*Days with ·04 in. or more.	-	-		-	-	-	-	-	-		-	-	

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) C Clemesha Smith
Waterworks Engineer

P.T.O.

Section **A** **for the entry**

FOR OFFICIAL USE.

3222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Soyland Moor, Mansfhead

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1												·01	1
2						1·78							2
3		·11	·06								2·93		3
4								·15					4
5					·33								5
6	·24									1·27			6
7				1·33			·80						7
8									2·86			2·09	8
9						2·12							9
10		2·30	·18								1·50		10
11								1·77					11
12					·25								12
13	·67									·96			13
14				·42			1·20						14
15									·53			·17	15
16						1·91							16
17		1·85	·26								1·67		17
18								2·29					18
19					·80								19
20	2·24									·08			20
21				1·04			1·43						21
22									·39			·05	22
23						1·63							23
24		2·09	·10								1·72		24
25								1·65					25
26	2·20				1·12								26
27										·42			27
28		1·43		1·38			1·39						28
29												·84	29
30		✕		·09		·02			·01		1·97		30
31	1·12	✕	·02	✕	1·00	✕	·31		✕	·74	✕	·09	31
TOTAL	6·47	7·78	·62	4·26	3·50	7·46	5·13	5·86	3·79	3·47	9·79	3·25	YEAR'S TOTAL 61·~~4~~38
*Days with ·01 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	
*Days with ·04 in. or more.	-	-	-	-	-	-	-	-	-	-	-	-	

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith
Waterworks Engineer

[P.T.O.

3222

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Soyland Moor, Manshead
in the County of W. R. Yorkshire 8
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											·08		1
2		·01						·05					2
3					·66								3
4													4
5	3·74			1·02			·75			·50			5
6									3·53			·73	6
7						·01							7
8			1·10								·72		8
9		·22						·02					9
10					·26								10
11										1·45			11
12	2·37			2·29			·98						12
13									2·16			·50	13
14						·40							14
15			·05								·55		15
16		·09						·08					16
17					1·57								17
18										2·36			18
19	·48			·56			·31						19
20									·10			·41	20
21													21
22			·45								1·33		22
23		·04						1·50					23
24					1·75								24
25										3·10			25
26	·07			1·07			1·21						26
27									·49			·48	27
28						·19							28
29		·04	1·38								1·45		29
30		×		·48		·53		·47	·42		·21		30
31	·05	×	·36	×	1·36	×	1·27		×	1·53	×	·74	31
TOTAL	6·71	·40	3·34	5·42	5·60	1·13	4·52	2·12	6·70	8·94	4·34	2·86	YEAR'S TOTAL 52·08
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

M

(Signed) C. Clemesha Smith

P.T.O.

*See Instruction 2 (*f*) on other side.

3222

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Soyland Moor, Manshead

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								·02					1
2													2
3	·72												3
4				·27									4
5									·03				5
6						·03							6
7		2·26	1·50								·39		7
8								·24					8
9					1·22								9
10	1·44									2·96			10
11				·55			2·24						11
12												·20	12
13						·50							13
14		·86	·23								·83		14
15								·13					15
16					·51								16
17	1·10									1·28			17
18				·05									18
19							·99		·02			·07	19
20						1·65							20
21		·25	1·99								·97		21
22								1·10					22
23					·16								23
24										·23			24
25				·63									25
26									1·40			·10	26
27						1·19							27
28		1·34									·05		28
29								·07					29
30		X		·70	·70				·04				30
31	1·20	X	·11	X		X	1·10	·15	X	1·25	X	·27	31
TOTAL	4·46	4·71	3·83	2·20	2·59	3·37	4·33	1·71	1·49	5·72	2·24	·64	YEAR'S TOTAL 37·29
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

D M

(Signed) A. G. Beaumont 33

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 3222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1934.

Kept at Soyland Moor, Manshead

in the County of W.R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	·16												2
3				·01									3
4									·19			2·08	4
5													5
6		·06	·99								·34		6
7								1·61					7
8					·91								8
9	·58									2·40			9
10				·58									10
11									·04			1·32	11
12						·55							12
13		·16	1·10								1·92		13
14								·88					14
15					1·09								15
16	2·17									1·30			16
17				·74			·77						17
18									·80			·95	18
19						·58							19
20		·03	1·83								·21		20
21								·57					21
22					1·92								22
23	·89									1·06			23
24				·90			·46						24
25									1·70			·88	25
26						·89							26
27		·31	·23								·16		27
28								·49					28
29					·02								29
30	·53	✕		·86		·81			1·20	1·56			30
31	·01	✕	·07	✕		✕	2·03	·64	✕	·02	✕	1·54	31
TOTAL	4·34	0·56	4·22	3·09	3·94	2·83	3·26	4·19	3·93	6·34	2·63	6·77	YEAR'S TOTAL 46·19
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

M

(*Signed*) A. G. Beaumont [P.T.O.

COPY FOR OFFICIAL USE ✓

Section **A** for the entry of Daily Observations. Station No. 3222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1099

REGISTER OF RAINFALL IN 1935.

Kept at Soyland Moor, Manshead

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·52									·72				1
2				·03			·02							2
3									·71			·93		3
4						·37								4
5		1·95	·50								·49			5
6														6
7														7
8	·14									1·58				8
9				1·20			·88							9
10									·38			·66		10
11						2·70								11
12		·76	·02								·87			12
13														13
14					·31									14
15	·84									3·17				15
16				1·66			·16							16
17									2·72			·67		17
18						1·66								18
19		3·75	·13								2·99			19
20								·02						20
21					·66									21
22	·07									1·33				22
23				1·69			·61							23
24									3·69			·22		24
25						·87								25
26		1·81	1·48								1·80			26
27								1·79						27
28		·15												28
29	·95									3·89				29
30		×		·06		·30	·75		1·78		1·72			30
31	·22	×	·17	×	:	×		·22	×	1·27	×	1·31	W	31
TOTAL	2·74 ✓	8·42 ✓	2·30 ✓	4·64 ✓	·97 ✓	5·90 ✓	2·42 ✓	2·03 ✓	9·28 ✓	11·96 ✓	7·87 ✓	✓ 3·79 ✓	Year's Total 2 ✓ 6X·32	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont,
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 3222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10[illegible]0.

REGISTER OF RAINFALL IN 1936.

Kept at Soyland Moor, Manshead

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1225 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1									·08			·76		1
2						1·27								2
3			·25								·20			3
4		·22						·98						4
5					·07									5
6										·04				6
7	·89			·43			·48							7
8									3·48			2·07		8
9						·22								9
10			1·16								3·57			10
11		·03						·70						11
12					·10									12
13										·53				13
14	1·02			·70			1·92							14
15									1·39			2·01		15
16						1·39								16
17			·10								3·29			17
18		·67						·73						18
19					·11									19
20										2·49				20
21	1·95			·22			·73							21
22									·05			·46		22
23						1·55								23
24			·41											24
25		·71						·41						25
26					·50									26
27										2·39				27
28	2·46			·56			1·30							28
29		1·65							1·47			·41		29
30		✕				·76					·63			30
31	·45	✕	1·90	✕	·57	✕	·45	·02	✕	1·10	✕	·68	Year's Total.	31
TOTAL	6·77	3·28	3·82	1·91	1·35	5·19	4·88	2·84	6·47	6·55	7·69	6·39	57·14	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

(Signed) A. G. Beaumont

[P.T.O.

40-9999

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1050.

REGISTER OF RAINFALL IN 1937.

Kept at Soyland Moor, Manshead

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 1225 ft.

TRAVELLING FORM
VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1						·02								1
2		·63	·51											2
3														3
4					·22									4
5	2·44									·03				5
6				·77			·13							6
7									·70			1·03		7
8						1·11								8
9		1·29	·49								·20			9
10								·85						10
11														11
12	·50				1·01					·05				12
13				·57			·47							13
14									·41			1·84		14
15						1·13								15
16		1·89	1·41											16
17								·66						17
18					·03									18
19	·92													19
20				1·71			1·00							20
21									1·30			·90		21
22						·37								22
23		1·14	1·02								1·62			23
24								·48						24
25					·92									25
26	·41									1·41				26
27				·37			1·25							27
28									·20			·35		28
29		2·13				·25								29
30		✕	·33			·26					·85			30
31	·65	✕		✕	·46	✕		·79	✕	1·17	✕	·06	Year's Total	31
TOTAL	4·92	7·08 ✓	3·76 ✓	3·42 ✓	2·64	3·14 ✓	2·85 ✓	2·78 ✓	2·61 ✓	2·66 ✓	2·67 ✓	4·18 ✓	42·71	✓
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999. ✓

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) A. G. Beaumont B.
Waterworks Engineer

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 3222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Soyland Moor, Manshead

in the County of W. R. Yorks

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1225 ft.

W

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·08									·59			1
2								·09						2
3					·06									3
4	·18									4·37				4
5				·82			·81							5
6									·30			1·91		6
7						1·65								7
8		·22									1·05			8
9								1·38						9
10														10
11	1·34						2·34			3·82				11
12														12
13									·56			1·09		13
14						·43								14
15		·88	·31								·98			15
16								·96						16
17					1·02									17
18	2·70									2·88				18
19							·94							19
20									·36			·58		20
21						·19								21
22			·24								1·54			22
23								1·72						23
24					·44									24
25										·49				25
26	·95						·63							26
27									·48			1·90		27
28						3·21								28
29		1·51	1·27								2·84			29
30		✕		·05		·60		1·14	·43		·74			30
31	1·97	✕	·10	✕	3·31	✕	·61		✕	1·04	✕	1·52		31
TOTAL	7·14	2·69	1·92	·87	4·83	6·08	5·33	5·29	2·13	12·60	7·74	7·00	Year's Total 63·62	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

* See Instruction 3 (f) on other side.

† Spare column, no entries required

(*Signed*) A. G. Beaumont [P.T.O.

Waterworks Engineer

4 JAN 1939

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Fo[illegible] 1090

REGISTER OF RAINFALL IN 1939

Kept at Soyland Moor, Manshead

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1225 ft.

TRAVELLING FORM.
VALUES FORWARDED MONTHLY

✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1								·08						1
2														2
3	·50									·06				3
4				1·05			2·09							4
5									·82			2·00		5
6														6
7		·68	1·19								1·10			7
8								1·14						8
9					·49									9
10	2·09					~~·80~~				1·56				10
11				·03			1·75							11
12									·62			1·61		12
13						·80								13
14		1·18	·58								·73			14
15								1·04						15
16					·79									16
17	3·16									·41				17
18				1·03			·87							18
19									·08			·02		19
20						1·94								20
21		·95	·82								1·11			21
22								·58						22
23					·15									23
24	·56									·45				24
25				·64			·99							25
26									·07			·17		26
27						·53								27
28		3·36	·89								4·41			28
29								·08						29
30		✕		·06	·03	·44					1·10			30
31	·56	✕	·03	✕		✕	2·25	·05	✕	·66	✕	·05		31
TOTAL	6·87	6·17	3·51	2·81	1·46	3·71	7·95	2·97	1·59	3·14	8·45	3·85	Year's Total 52·48	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

(*Signed*) A. J. Beaumont

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3222

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Jan. amended by drum

Kept at Soyland Moor, Manshead

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 1225 ft.

TRAVELLING FORM

VALUES FORWARDED MONTHLY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1										.04				1
2				.52			.17							2
3									.03			.57		3
4						–								4
5			–								2.09			5
6		NOT READ												6
7					.29									7
8										2.70				8
9	.27			.62			.87							9
10									.55			1.95		10
11						–								11
12			1.08								4.14			12
13		NOT READ						1.05						13
14					.31									14
15										.90				15
16	.05^{5}			.45			1.11							16
17									3.28			.64		17
18						–								18
19		FROM THE 1st	1.58								1.30			19
20		1.05						1.06						20
21														21
22										.86				22
23	.05			1.14			1.72							23
24									1.45			.44		24
25						.76								25
26			.75								1.04			26
27		1.29						.16						27
28					1.50									28
29		.18								.17				29
30		✕		.56		.36	.06		.04		.15			30
31	2.85 ~~3.11~~	✕	.41	✕	.07	✕		.27	✕	1.22	✕	1.14	W	31
TOTAL	3.22 ~~3.48~~	2.52	3.82	3.29	2.17	1.12	3.93	2.54	5.35	5.89	8.72	4.74	Year's Total 47.31	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) A. J. Beaumont

[P.T.O.

3223

Section **A** for the entry o
AIR MINISTR
FORM 1090.
REGIS

3223

TODMORDEN WHITEHOLME
1931 — 40

780602

FOR OFFICIAL USE.
ORGANIZATION.

Kept at White Ho

in the County of

Diameter of Funnel of Gauge

Height of top of Gauge above Grour

,, Ground ,, Sea l

THE MORNING MEAS

An observer who does not conform tc *llowing*
year in the space on the right of tl

Please read

Jan. 1, following.

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	02	.	20	.	28	.	.	06	09	.	.	1
2	05	06	.	79	04	1·20	01	.	89	06	09	06	2
3	.	.	.	05	.	20	31	.	46	04	2·03	50	3
4	.	07	.	26	.	.	10	.	1·37	22	05	37	4
5	.	03	.	.	24	1·14	.	61	05	.	.	36	5
6	.	34	04	.	.	27	55	04	07	63	24	.	6
7	.	05	.	.	.	71	.	23	.	35	09	19	7
8	06	41	05	09	05	.	27	57	02	09	30	.	8
9	.	99	06	29	.	16	.	47	09	05	30	03	9
10	21	11	04	.	20	28	.	23	06	.	29	.	10
11	31	55	.	06	.	12	10	01	21	.	92	.	11
12	03	25	.	03	.	01	47	.	17	35	22	.	12
13	.	.	14	01	12	01	37	05	.	.	.	.	13
14	10	14	.	.	01	83	08	93	02	.	46	02	14
15	30	48	.	10	23	02	26	43	01	.	01	05	15
16	89	15	.	40	65	48	11	49	33	.	.	.	16
17	06	32	.	21	01	18	44	38	05	01	06	.	17
18	26	01	.	23	.	64	56	09	02	01	68	.	18
19	15	22	.	05	.	.	.	1·01	04	02	.	02	19
20	01	31	01	01	.	08	.	09	.	.	12	.	20
21	42	04	09	.	07	16	01	45	.	.	.	.	21
22	36	05	.	01	21	04	03	.	.	.	01	.	22
23	36	01	.	34	26	39	40	.	.	.	71	15	23
24	09	36	.	09	60	.	12	.	.	.	04	16	24
25	13	1·03	.	50	08	.	24	.	.	.	08	11	25
26	04	07	.	20	.	.	.	.	.	.	46	02	26
27	55	09	.	02	08	.	28	.	.	33	1·12	09	27
28	50	54	.	13	24	.	13	.	01	.	.	08	28
29	14		.	.	21	.	30	.	.	87	07	.	29
30	01	X	.	03	16	.	.	.	03	.	.	.	30
31	35	X	.	X	21	X	05	.	X	03	X	12	31
TOTAL	5·23	6·70	·43	4·10	3·67	7·20	5·19	6·08	3·96	3·15	8·30	2·33	YEAR'S TOTAL 56·34
Days with ·01 in. or more.	24	26	7	23	19	20	22	16	19	15	22	16	229
Days with ·04 in. or more.	21	22	6	17	17	17	19	15	13	11	19	12	189

40-9999

(Signed) Chas J. Bailey

[P.T.O.

Section **A** for the entry o FOR OFFICIAL USE. 3223

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at White Holme (Todmorden)

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	02	.	20	.	28	.	.	06	09	.	.	1
2	05	06	.	79	04	1·20	01	.	89	06	09	06	2
3	.	.	.	05	.	20	31	.	46	04	2·03	50	3
4	.	07	.	26	.	.	10	.	1·37	22	05	37	4
5	.	03	.	.	24	1·14	.	61	05	.	.	36	5
6	.	34	04	.	.	27	55	04	07	63	24	.	6
7	.	05	.	.	.	71	.	23	.	35	09	19	7
8	06	41	05	09	05	.	27	57	02	09	30	.	8
9	.	99	06	29	.	16	.	47	09	05	30	03	9
10	21	11	04	.	20	28	.	23	06	.	29	.	10
11	31	55	.	06	.	12	10	01	21	.	92	.	11
12	03	25	.	03	.	01	47	.	17	35	22	.	12
13	.	.	14	01	12	01	37	05	.	.	.	.	13
14	10	14	.	.	01	83	08	93	02	.	46	02	14
15	30	48	.	10	23	02	26	43	01	.	01	05	15
16	89	15	.	40	65	48	11	49	33	.	.	.	16
17	06	32	.	21	01	18	44	38	05	01	06	.	17
18	26	01	.	23	.	64	56	09	02	01	68	.	18
19	15	22	.	05	.	.	.	1·01	04	02	.	02	19
20	01	31	01	01	.	08	.	09	.	.	12	.	20
21	42	04	09	.	07	16	01	45	.	.	.	.	21
22	36	05	.	01	21	04	03	.	.	.	01	.	22
23	36	01	.	34	26	39	40	.	.	.	71	15	23
24	09	36	.	09	60	.	12	.	.	.	04	16	24
25	13	1·03	.	50	08	.	24	.	.	.	08	11	25
26	04	07	.	20	.	.	.	.	.	.	46	02	26
27	55	09	.	02	08	.	28	.	.	33	1·12	09	27
28	30	54	.	13	24	.	13	.	01	.	.	08	28
29	14		.	.	21	.	30	.	.	87	07	.	29
30	01	×	.	03	16	.	.	.	03	.	.	.	30
31	35	×	.	×	21	×	05	.	×	03	×	12	31
TOTAL	5·23	6·70	·43	4·10	3·67	7·20	5·19	6·08	3·96	3·15	8·30	2·33	YEAR'S TOTAL 56·34
Days with ·01 in. or more.	24	26	7	23	19	20	22	16	19	15	22	16	229
Days with ·04 in. or more.	21	22	6	17	17	17	19	15	13	11	19	12	189

40-9999

(Signed) .... [P.T.O.

3223

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at White Holme (Todmorden)
in the County of Yorks
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	46	01	.	33	20	.	23	02	79		19	03	1
2		.	.	.	41	.		02	1·23	50	26	35	2
3	1·13	.	.	.	.	.	23	.		.	.		3
4	07	02	.	.	.	.	12	.	13	03	14	17	4
5	1·11	01		23	03	.	.	.	22	.	.	02	5
6	1·34	.	23	57	12	.	.	.	26	01	.	.	6
7	14	.	40	25	.	.	.	.	71	25	02	.	7
8	.	.	.	22	.	.	.	.	14	1·00	01	.	8
9		09	.		12	.	.	.	01		.	10	9
10	73	02	01	63	04	.	.	.		51	02	02	10
11	02	04	.	08	50		92	.	89	01	05	.	11
12	45	.	.	01	62	24	13	04	02	41		.	12
13	02	05	.	10	11	.	07		27	42	09	24	13
14	06	.	.	02	.	.	17	03	03	14	14	.	14
15	.	.	.	06	45	.	.	.	.		23	14	15
16		.	.		01	.		01	.	26	.	19	16
17	25	.	.	09	.	.	21	05		88	01	.	17
18	.	.	.	.	09	.	.	01	07	.	02	.	18
19	.	.	.	15	40	.	01	02	.	44		.	19
20	.	.	.	13	41	.	02		.	17	13	.	20
21	10	.	18	06		.	05	1·07	.	72	11	10	21
22	01	.	18	17	46	.	10	.	.		92	17	22
23		02	.		33	.		.	.	21	11	12	23
24	07	.	.	12	.	06	55	.		02	06		24
25	.	02	.	11	12		06	01	35	1·12	25	02	25
26	.	.	.	13	39	01	33	.	13	41		.	26
27	.	.	28	25	40	13	30	.	.	10	37	20	27
28	.	.	09	05		.	17	02	.	.	.	22	28
29	04	.	58	09	27	05	34	29	23		25	32	29
30	.	×	19	04	.	34		04	03	64	37	19	30
31	01	×	16	×	.	×	19	.	×	.	×	13	31
TOTAL	6·01	·28	2·40	3·89	5·48	·83	4·20	1·63	5·51	8·25	3·75	2·73	YEAR'S TOTAL 44·96
*Days with ·01 in. or more.	~~17~~	~~9~~	10	23	20	6	19	13	17	21	21	18	194
*Days with ·04 in. or more.	~~13~~	~~3~~	9	21	18	5	17	5	13	17	16	14	151

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

3223

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at White Holme

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11	80	03	.	.	.	.	01	08	.	32	.	1
2	50	.	25	30	.	15	.	05	.	.	01	.	2
3	01	63	41	.	36	.	.	.	.	.	05	.	3
4	22			.	15	.	.	.	.	.	.	.	4
5	26	53	32	.	15	.	.	.	.	.	04	.	5
6	02	07	03	.		.	.	.	.	.	01	10	6
7		33	16	.	49	.	10	04	.		.	03	7
8	48	15	12		11	.		04	.	57	.	05	8
9	.	42	.	39	11	03	99	06	.	85	16		9
10	22	04	.	.	.		02	.	.	1·22	10	04	10
11	.	.	.	.	.	06	70	01	.	46	.	02	11
12	.	.	.	.	.	26	26	.	.	05	.	03	12
13	01	.	02	.		02	29	.	08	17	24	.	13
14		.	02	.	29	.	11	.	.		35	01	14
15	98	.	06	.	.	04		09	.	28	54	04	15
16	36	01	23		09	28	06	01	.	21	04	.	16
17	11	.	63	03	01		.	30	11	.	18	.	17
18	.	.		.	06	1·10	.	12	.	.		01	18
19	.	04	63	06	.	40	.		03	.	14	02	19
20	.	12	.	.	.	.	.	44	07	.	02	.	20
21	.	01	.	.	01	18	.	38	16	.	01	01	21
22	.	.	.		.	48	.	10	.	15	.	.	22
23	.	04	.	23	06	.	.	10		03	.	.	23
24	.	45	.	18	11		.	.	84	01	.	.	24
25	.		.	14	.	15	.	.	21	.		06	25
26	.	98	.	41	.	.	.	.	.	29	02	.	26
27	.	.	.	02	01	.	.	.	03	.	.	.	27
28	.	.	.	16	.	.	09	.	01		.	.	28
29	.		.		09	.	.	.	.	31	.	08	29
30	04	✕	02	02	26	.	39	.	.	39	.	13	30
31	40	✕	04	✕	.	✕	30	11	✕	21	✕		31 “d”
TOTAL	3·72	4·62	2·97	1·94	2·36	3·15	3·31	1·86	1·62	5·20	2·23	·63	YEAR'S TOTAL 33·61
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

(Signed) [illegible]

[P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3223

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at White Holme

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	16	.	04	.	.	.	.	16		21	03			1
2	01	02	06	.	02	.	.	72	10	.	21	95		2
3	12	02		.	.	.	.	05	02	10	06	07		3
4	18	.	36	07	03	.	.		07	1·05	.	87		4
5	.	.	08	01		.	.	39	.	45	06	25		5
6	.	.	08	08	69	13	.	21	.		.	49		6
7	25	06	09	04	.	04	.	.	.	39	25	44		7
8	.	.	02	.	10	94	.	10		32	95			8
9	02	08	04	05	.	.	.	17	04	02	40	09		9
10	.	.		20	.	.	.	37	.	32		.		10
11	14	.	57	51	.	.	.		.	01	21	17		11
12	02	.	07	18	.	.	35	23	.	05	.	06		12
13		.	01	06	10	.	11	04	.	.	01	.		13
14	45	.	13	.	04	03	.	.	.	60	06	14		14
15	37	.	19	.	97	01	.	15		.	01			15
16	41	.	19	.	27	.	.	.	49	.	09	34		16
17	54	.		01	14	.	22	.	48	11	.	26		17
18	35	.	49	11	67	18	05		.	.	.	20		18
19	.	.	39	04		42	.	06	32	19	.	07		19
20	.	.	03	16	50	.	.	16	10		01	.		20
21	06	.	02	.	12	60	.	12	05	27	.	.		21
22	06	.	05	.	01	.	.	17		12	.	.		22
23	03	.	07	44	.		39	02	50	20	03	15		23
24	.		12	16	.	12	06	.	40	26	.	01		24
25	12	18	.	15	02	.	21	.	26	37	.	71		25
26	21	.	05	25	.	18	42	.	28	06	04	12		26
27	.	02	.	29	.	64	37	.	04		02	28		27
28	.	.	.	13	.	13		17	.	60	.	65		28
29	.		09	.	.	.	62	43		05	.			29
30	10	X	.	.	.	.	13	21	85	20	.	27		30
31	01	X	.	X	. .	X	49	.	X	08	X	10		31
TOTAL	3·61	·38	3·24	2·94	3·68	3·42	3·42	3·93	4·00	6·03	2·44	6·69	Year's Total 43.78	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3223

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at White Holme

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·45	31	04	05	.	.	02	.	15	87	19	40	1
2	04			.	.	43	03	.	08	22		14	2
3	04	72	16	06	.	02	45	.	31	01	21	17	3
4	.	.	07	01	.	22	16	.	27	36	.	.	4
5	.	50	20	17	.	1·72	08	.	18	15	18	14	5
6	03	01	.	.	.	40	.	.	.	.	.	03	6
7	01	.	.	21	.	46	.	.	.	26	32		7
8	01	.	.	08	.	.	.	.	.	36	07	43	8
9	.	.	.	49	.	09	.	.	.	1·68		.	9
10	01	09	.	48	.	03	.	.	.	31	40	.	10
11	43	32	.	.	.	17	.	.	.	25	14	09	11
12	.	29	.	.	.	1·06	.	.	10		.	.	12
13	14	15	.		18	.	.	.	05	17	02	.	13
14	.	08	.	25	10	13	.	.		.	1·18		14
15	.	1·75	.	40	11	.	.	.	62	31	16	45	15
16	01			22	04	73	11	.	78	.		.	16
17	.	61	12	44	45	21	02	.	90	08	95	.	17
18	03	02	.	11		14	37	.	57	62	08	.	18
19	.	18	.	25	06	30	28	.	.	20	28	.	19
20	02	40	.		.	13	03	.	.	.	97	.	20
21	.	11	.	33	.	.	.	.		15	30	08	21
22	.	15	21	.	.	.	.	.	1·26	.	01	.	22
23	05	.		44	.	.	.	60	01	30	.	.	23
24	40	45	64	.	.	.	.	.	2·09	06	.	23	24
25	10	04	27	.	.	46	.	.	.	.	16	04	25
26	.	.	.	.	.	.	09	·98	51	.	27	24	26
27	.	12	.	.	.	09	52	.	31	1·93	47	15	27
28	03	25	.	.	.	.	.	03		43	23		28
29	.		09	.	.	.	.	.	25	54	06	27	29
30	04	✕		04	.	19	.	30	43	87	52	10	30
31	04	✕	03	✕	.	✕	.	.	✕	29	✕	24	31 d.
TOTAL	1·88	6·55	1·83	4·03	·94	6·98	2·16	1·91	8·87	10·42	7·17	3·20	YEAR'S TOTAL 55·94
*Days with ·01 in. or more.													
*Days with .04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Chas J Batley.

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3223

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at White Holme

in the County of York

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02		16	52	.	01	.		05	.	21	54		1
2	01	16	11	54	.	1·14	.	60	04	.	04	21		2
3	03	.	.	1	.	43	02	25	56	.	.	24		3
4		12	20	.	.	05	01	11	50	01	27	37		4
5	39	02	37	.	03	.	.	25		02	09	09		5
6	15	.	04	.	01	.	17	50	1·15	.	16	.		6
7	05	.		.	01	.	25	.	81	.		13		7
8	38	.	28	.	.	.	.	.	03	02	60	22		8
9	27	03	07	.	.	.	02	.	12	.	74	.		9
10	15	.	.	.	.	01	36	.	01	.	98	.		10
11	.	.	01	.	.	15		0.1	03	.	74	04		11
12	.	.	.	15	06	61	93	05	.36	07	37			12
13	03	.	.	10	02		11	.	.	23	01	73		13
14	.	.	.	28	.	38	11	12	46	21		60		14
15	13	.	09	13	01	13	09	35	13	.	86	07		15
16	04	04	02	07		01	02	.	.	04	82	01		16
17	07	50	01	02	09	.	21	20	.		08	21		17
18	.	03	.		.	12		05	.	1·87	.	07		18
19	10	29	03	01	.	11	31	35	.	19	.	.		19
20	14	06	.	41	.	.	02	.	01	05	.	01		20
21	09	.		03	.	.	.	.	.	04	.	.		21
22	12		05	01	03	1·52	13		.	01	.	07		22
23	.	21	28	16		.	74	02	.	07	.	.		23
24	12	04	01	15	44	.	.	07	20		.	06		24
25		.	04		.	09		.	58	1·07	.	01		25
26	31	25	28	16	.	.	05	.		69	.	.		26
27	46	.	01	.	.	.	.	.	31	32	.	.		27
28	69	38	.	.	.	.	22	.	.	..		17		28
29	11	67	93	.	05	61	.	.	.	08	18	11		29
30	25	✕	06	.		05	30	.	.	79	17	04		30
31	03	✕	06	✕	60	✕	10	01	✕	.	✕	57		31
													Year's Total	
TOTAL	4·14	2·80	3·11	1·84	1·35	5·42	4·17	2·94	5·35	5·78	6·32	4·57	47·79	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

d

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Chas. J. Blakey.

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 3223

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at White Holme

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	03	15	15	.	.	03	04	.	55	.	01	22		1
2	42	47	10	19	.	.	05	.	02	01	.	08		2
3	.	15	03		06	1·06		.	01	.	.	01		3
4	26	01	06	37	14	02	06	02	.	.	.	43		4
5	1·49	.	18	02	.	01	02	.	03	.	.	.		5
6	12	.	11	08	07	.	.	58	04	.		50		6
7	07	30	.	42	08	05	.	.	11	.	10	02		7
8	.	47	03	04	01	23	09	.	.	.	06	06		8
9		10	01	08	27	01	38	39	.	.	.	01		9
10	06	05	01	.	04	02		.	.	05	.	33		10
11	.	.	1·85	.	20	.	04	.	.	.	.			11
12	21	28	30	05	10		05	13	19	.	.	21		12
13	.			04	05	1·57	.	12	08	.	.	19		13
14	.	23	40	01	.	.	.	20	21	02	.	17		14
15	28	49	02	40	.	.	80	.	41	.	.	04		15
16		59	29	50	.	.	.	25	03	.	.	02		16
17	15	04	33		.	12	.	03	54	.	.	.		17
18	26	29	18	31	.	01	.	25		.	14	.		18
19	12	20	04	18	.		04	06	23	.	44	.		19
20	07			25	64	40	.	.	.	.	02	03		20
21	02	44	07	11	.	.	47	.	.	.	.	35		21
22	04	.	18	07	.	.	45	.	.	41	18	14		22
23		.	.	.	35	.	50	.	.		30	.		23
24	09	14	11	.	.	.		.	08	77	.	08		24
25	06	70	.	.	06	.	06	24		11	.			25
26	.	33	14	.	50	.	.	04	10	01	.	11		26
27	.		.	20	.	.	.	.	.	61	.	02		27
28	.	75	01	.	.	12	.	.	.	15	.	.		28
29	03		.	.	.	03	.	.	.	07	19	01		29
30		X	.	.	.	22	.	11	.		67	04		30
31	56	X	.	X	.	X	.	06	X	30	X	.		31
TOTAL	4·34	6·18	4·60	3·32	2·57	3·90	3·05	2·48	2·63	2·51	2·11	3·07	Year's Total 40·76	✓
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

3223

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1938.

Kept at White Holme

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1240 ft.

OLDHAM CORPORATION ENGINEER'S OFFICE
4 JAN 1939
PIETHORNE, Nr. ROCHDALE WATERWORKS

Accs Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	08	.	04	01	1·23	12	10	.	✓	48	24	1
2	08	07	.	65	05	30	✓	.	.	1·65	13	30	2
3	04	.	.	.	.	02	20	.	16	1·40	34	✓	3
4	04	01	.	05	.	.	19	47	.	55	33	1·00	4
5	01	✓	.	07	.	06	19	85	·03	60	✓	08	5
6	22	05	.	.	.	06	25	✓	06	28	03	04	6
7	28	.	.	.	.	.	42	08	37	26	.	.	7
8	✓	01	.	.	.	.	38	01	.	✓	.	28	8
9	53	64	16	.	.	20	✓	05	.	1·89	.	30	9
10	.	11	02	.	.	12	97	.	.	11	.	✓	10
11	19	10	.	.	02	02	21	18	04	14	10	16	11
12	36	.	.	.	19	.	.	06	01	1·44	✓	.	12
13	.	03	.	.	01	.	07	.	04	38	46	19	13
14	22	02	.	.	08	.	14	.	07	03	15	04	14
15	✓	.	02	.	.	.	30	35	.	✓	02	28	15
16	1·50	.	12	.	24	.	✓	32	.	25	10	13	16
17	.	01	.	.	34	.	39	41	✓	40	04	07	17
18	13	.	.	.	15	11	.	48	21	59	34	.	18
19	.	.	.	.	.	.	.	35	·15	.	.	10	19
20	23	.	.	.	.	.	.	✓	06	.	57	03	20
21	01	.	08	.	.	.	.	37	.	.	04	06	21
22	✓	.	.	02	.	39	.	.	.	.	45	04	22
23	05	.	.	01	26	60	.	.	·06	.	74	01	23
24	06	01	28	.	06	22	64	40	08	.	23	.	24
25	35	39	08	.	.	✓	12	04	.	48	74	03	25
26	15	✓	✓	.	04	34	07	.	15	19	✓	10	26
27	35	73	17	.	68	1·01	28	✓	04	01	40	.	27
28	32	25	19	.	✓	1·03	08	46	16	02	05	09	28
29	✓		23	.	1·86	51	18	.	.	✓	12	35	29
30	38	✕	.	.	16	07	08	.	30	24	52	19	30
31	33	✕	06	✕	32	✕	.	.	✕	54	✕	1·10	31
TOTAL	5·83	2·51	1·41	·84	4·47	6·29	5·28	4·98	1·99	11·48	6·74	5·21	YEAR'S TOTAL 57·36
*Days with ·01 in. or more.	26	16	12	6	17	18	23	20	18	25	25	26	232
*Days with ·04 in. or more.	22	10	9	4	14	16	22	18	16	22	22	22	197

40-9999

(Signed) Charles [illegible] [P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1939.

3223

Kept at White Holme

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1240 ft.

ac ✓

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	55	·	27	✓	·	·	✗	09	08	03	·	74	1
2	07	·	04	✗ 13	·	·	✗ 82	88	·	02	09	✗	2
3	06	·	·	07	·	·	·	17	70	01	06	✗ 30	3
4	02	·	29	60	01	·	61	·	·	06	✗	49	4
5	·	·	·	·	30	·	32	05	·	23	✗ 38	03	5
6	57	26	02	·	·	·	61	·	·	·	18	·	6
7	✗	42	12	·	30	·	04	·	·	·	16	27	7
8	✗ 88	15	33	02	·	·	✗	08	·	08	25	56	8
9	17	48	·	·	·	·	✗ 66	88	·	38	·	✗	9
10	02	02	·	·	·	✗	·	12	81	09	01	✗ 73	10
11	42	✗	20	·	·	✗ 52	·	01	03	02	–	03	11
12	30	✗ 18	·	·	·	17	·	·	·	01	✗ 04	·	12
13	01	·	02	32	✗	16	02	·	04	07	03	·	13
14	✗	·	03	04	✗ 28	38	36	·	·	✗	24	·	14
15	✗ 86	07	04	40	06	86	✗	·	02	✗ 20	10	·	15
16	27	01	06	·	15	·	✗ 22	·	·	·	07	·	16
17	66	39	01	03	07	✓	01	·	·	27	09	·	17
18	11	20	✓	·	·	✗ 16	28	·	·	01	87	·	18
19	28	·	✓ 03	·	·	01	50	·	01	·	·	·	19
20	01	·	·	·	–	20	73	13	04	·	·	·	20
21	✗	12	45	11	04 ✗	01	·	27	06	·	·	01	21
22	✗ 16	17	18	✓	01	·	✗	01	02	02	76	·	22
23	01	56	02	✗ 7	·	01	✗ 9	·	·	45	22	·	23
24	02	07	01	06	·	✗	·	01	·	02	·	·	24
25	16	✗	01	·	·	✗ 09	·	01	·	·	✗	04	25
26	05	✓ 22	·	·	01	·	·	✗	·	28	✗ 2.57	06	26
27	04	1.23	22	·	·	45	09	✗ 25	·	11	27	06	27
28	✓	24	29	04	·	34	75	·	·	·	88	·	28
29	– 01	✕	01	·	·	01	✗	·	·	26	65	·	29
30	·	✕	·	·	·	05	✗ 1.35	·	·	·	59	·	30
31	·	✕	01	✕	·	✕	15	04	✕	03	✕	·	31
TOTAL	5.51	4.49	2.66	1.99	1.23	3.42	7.71	3.00	1.81	2.65	8.31	3.52	YEAR'S TOTAL 46.60
*Days with ·01 in. or more.	27	19	23	14	11	18	23	16	10	22	23	14	220
*Days with ·04 in. or more.	20	16	12	10	8	13	21	12	6	13	21	11	163

40-9999

(Signed) Charles Burfield [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3223

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at White Holme

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 1240 ft.

snow circ sent 30.4.41

Afs Dfs

Jan 26th–28th est'd from nearby stns.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

	Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
	1	·	10	·01	·38	·02	·	·01	·	·	·	·63	·25		1
	2	·	03	·	·22	·	·	·16	·	·	·	x	·15		2
	3	02	x	·02	·13	·	·	·04	·	·	·11	x ·68	·24		3
	4	·	x 42	·	·15	·	·	·14	·	·01	·27	·26	·20		4
	5	·	·07	·	·	·14	·	·06	·	·01	x	·14	·42		5
	6	x	28	·	·	·	·	·03	·	·	x 1·33	·09	·04		6
	7	x 25	15	·	·17	·10	·	·03	·18	·10	·06	·01	·		7
	8	03	·	·02	·06	·	·	·02	·05	·	·24	·05	·24		8
	9	·	·	x	·	·	·	·95	·31	·34	·59	x	·10		9
	10	·	·	✓ ·23	·	·	·	·25	·50	·03	·10	x 1·46	·38		10
	11	·	05	·11	·03	·	·04	·23	·	·	·	1·22	·		11
	12	·	06	·60	·	·	·	·12	·03	·84	·	·57	·		12
	13	·	03	·14		·	·	·02	·15	·48	·	·05	·		13
	14	·	08	·05	x ·25	·16	·	·04	·07	·13	·	·05	x		14
	15	·	·	·05	·04	·06	·	·	·	·	·01	·05	x ·53		15
	16	03	12	x	·10	·	·	·40	·	1·45	·39	x	·05		16
	17	·		x ·55	·	·	·	·46	·	·18	·	x ·54	·		17
	18	07	x 15	·29	·18	·	·	·09	·31	·17	·	·02	·25		18
	19	02	27	·19	·09	·	·	·47	·	·38	·10	·36	·01		19
	20	·	09	·07	x	·	·	·24	·59	·22	·21	·18	·01		20
	21	03	01	·37	✓ ·40	·	·23	·04	·07	·	·14	·75	·		21
	22	·	07	·06	·03	·03	·22	·	·07	·63	·05	·01	·02		22
	23	·	28	·08	·06	·01	·	·19	·	·16	·05	·17	·01		23
	24	59	03	·03	·07	·	·	·	·	·01	·03	·	·12		24
	25	05	·	·	·	·02	·07	·	·	·	·08	·	·		25
1·04	26	(·44) ~~14~~	13	·01	·	·07	·05	·01	·02	·01	·01	·04	·		26
	27	x (·47) ~~04~~	47	·	x	·	·	·39	·	·01	·02	·24	·01		27
	28	x (·75) ~~05~~	47	·	✓ ·28	·58	·	·	·14	·	·	·	x		28
1·78	29	·	01	·31	·02	·01	·43	·03	·	·	·02	·	·40		29
/ ·58	30	x 05		·	·11	·	·	·	·	·	·34	·03	·35		30
	31	x 22		·16		·02		·	·10		·75		·01		31
	TOTAL	(3·02) ~~1·02~~	3·37	3·35	2·77	1·22	1·04	4·42	2·59	5·16	4·90	7·90	4·09	Year's Total ~~42·43~~	43·83
	* Days with .01 in. or more.	15	23	22	21	12	6	24	14	18	21	26	23	225	
	* Days with .04 in. or more.	10	18	16	17	6	6	18	12	12	16	22	17	170	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Charles Busfield

[P.T.O.

3224

3224

CALF LEE

1931 — 40

780602

Section A for the entry o

AIR MINISTR

FORM 1090.

REGIS

OPY FOR OFFICIAL USE.

ORGANIZATION.

Kept at CALF LEE

in the County of YORKS

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform

year in the space on the right of

ollowing

✓

23/2/32

6 sent 24.2.32 for value of 1.1.32

Jan. 1, following
·13

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	0	.67	.28	0	.02	.19	0	.05	0	.05	.03	.02	1
2	.07	.03	0	.13	0	.26	0	0	.08	.14	0	0	2
3	.11	.09	0	.80	.04	1.32	.02	0	.82	.07	.12	.19	3
4	0	0	0	.08	0	.05	.41	0	.56	.07	2.21	.61	4
5	0	.06	0	.40	.01	.01	.09	0	1.12	.13	.18	.41	5
6	0	.12	0	0	.21	1.24	.01	.57	.05	0	0	.45	6
7	0	.34	.01	0	0	.25	.25	.01	.10	.75	.31	0	7
8	0	.02	.03	0	0	.79	0	.18	0	.36	.08	.21	8
9	.03	.45	.04	.07	.04	0	.17	.42	.02	.07	.32	0	9
10	0	1.09	.02	.20	.01	.20	0	.39	.10	.04	.30	.03	10
11	.13	.19	.03	0	.30	.35	0	.27	.08	.01	.41	0	11
12	.27	.60	0	.05	.01	.14	.10	.01	.29	0	.75	0	12
13	.04	.15	0	.05	0	.01	.67	0	.10	.37	.27	0	13
14	0	.07	.27	.01	.09	.01	.51	.02	0	0	0	0	14
15	.09	.10	0	0	.01	.89	.04	.98	.02	0	.45	.01	15
16	.36	.49	0	.11	.26	.02	.14	.43	.10	0	.03	.01	16
17	.65 .02	.16	0	.48	.59	.45	.14	.66	.31	0	0	0	17
18	.37	.08	0	.28	.04	.13	.46	.17	.05	.01	.03	0	18
19	.15	.03	0	.18	0	.65	.53	.11	.01	.02	.68	0	19
20	.01	.26	0	.07	0	0	.01	1.00	.02	.01	0	0	20
21	.57	.19	.01	.01	0	.07	0	.10	0	0	.17	.02	21
22	.40	.12	.09	0	.07	.18	.02	.41	0	0	.01	0	22
23	.47	.09	.01	.03	.14	.17	.05	0	0	0	.02	0	23
24	.08	.03	0	.37	.24	.30	.33	0	0	0	.94	.20	24
25	.12	.29	0	.13	.45	0	.15	0	0	0	.10	.09	25
26	.10	.97	0	.55	.04	0	.13	0	0	0	.08	.08	26
27	.77	.10	0	.23	0	0	.01	0	0	0	.56	.01	27
28	.28	.09	0	.05	.06	0	.32	0	0	.39	1.42	.07	28
29	.10		0	.11	.18	0	.18	0	.04	0	0	.04	29
30	0	×	0	0	.25	0	.35	0	0	.65	.03	0	30
31		×	0	×	.13	×	0	0	×	0	×	0	31
TOTAL	·67 ~~5.28~~ 5·95	·28 ~~6.88~~ 6·49	– ~~.79~~ ·51	·02 ~~4.39~~ 4·41	·19 ~~3.19~~ 3·36	– ~~7.68~~ 7·49	·05 ~~5.09~~ 5·14	– ~~5.78~~ 5·73	·05 ~~3.87~~ 3·92	·03 ~~3.14~~ 3·12	·02 ~~9.50~~ 9·49	·13 ~~2.45~~ 2·56	YEAR'S TOTAL 58·17 ~~58.04~~
*Days with ·01 in. or more.	~~22~~23	27 ✓	~~10~~9	~~22~~23	22 ✓	~~22~~21	~~24~~25	~~17~~16	~~18~~19	16 ✓	24 ✓	16 ✓	~~240~~241
*Days with ·04 in. or more.	~~19~~20	23 ✓	~~4~~3	19 ✓	~~17~~18	~~18~~17	~~19~~20	~~14~~13	~~14~~15	~~12~~11	18 ✓	~~10~~11	~~187~~188

40-9999.

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

3224

Section **A** for the entry o[redacted]PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at CALF LEE

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 960 ft.

WD ✓

23/2/32

Corr. for WD + Fm. 906 sent 24.2.32 for value of 1.1.32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·13

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	.67	.28	0	.02	.19	0	.05	0	.05	.03	.02	1
2	.07	.03	0	.13	0	.26	0	0	.08	.14	0	0	2
3	.11	.09	0	.80	.04	1.32	.02	0	.82	.07	.12	.19	3
4	0	0	0	.08	0	.05	.41	0	.56	.07	2.21	.61	4
5	0	.06	0	.40	.01	.01	.09	0	1.12	.13	.18	.41	5
6	0	.12	0	0	.21	1.24	.01	.57	.05	0	0	.45	6
7	0	.34	.01	0	0	.25	.25	.01	.10	.75	.31	0	7
8	0	.02	.03	0	0	.79	0	.18	0	.36	.08	.21	8
9	.03	.45	.04	.07	.04	0	.17	.42	.02	.07	.32	0	9
10	0	1.09	.02	.20	.01	.20	0	.39	.10	.04	.30	.03	10
11	.13	.19	.03	0	.30	.35	0	.27	.08	.01	.41	0	11
12	.27	.60	0	.05	.01	.14	.10	.01	.29	0	.75	0	12
13	.04	.15	0	.05	0	.01	.67	0	.10	.37	.27	0	13
14	0	.07	.27	.01	.09	.01	.51	.02	0	0	0	0	14
15	.09	.10	0	0	.01	.89	.04	.98	.02	0	.45	.01	15
16	.36	.49	0	.11	.26	.02	.14	.43	.10	0	.03	.01	16
17	.65 .02	.16	0	.48	.59	.45	.14	.66	.31	0	0	0	17
18	.37	.08	0	.28	.04	.13	.46	.17	.05	.01	.03	0	18
19	.15	.03	0	.18	0	.65	.53	.11	.01	.02	.68	0	19
20	.01	.26	0	.07	0	0	.01	1.00	.02	.01	0	0	20
21	.57	.19	.01	.01	0	.07	0	.10	0	0	.17	.02	21
22	.40	.12	.09	0	.07	.18	.02	.41	0	0	.01	0	22
23	.47	.09	.01	.03	.14	.17	.05	0	0	0	.02	0	23
24	.08	.03	0	.37	.24	.30	.33	0	0	0	.94	.20	24
25	.12	.29	0	.13	.45	0	.15	0	0	0	.10	.09	25
26	.10	.97	0	.55	.04	0	.13	0	0	0	.08	.08	26
27	.77	.10	0	.23	0	0	.01	0	0	0	.56	.01	27
28	.28	.09	0	.05	.06	0	.32	0	0	.39	1.42	.07	28
29	.19		0	.11	.18	0	.18	0	.04	0	0	.04	29
30	0	×	0	0	.25	0	.35	0	0	.65	.03	0	30
31		×	0	×	.13	×	0	0	×	0	×	0	31
	·67	·28	–	·02	·19	–	·05	–	·05	·03	·02	·13	YEAR'S TOTAL
TOTAL	~~5.28~~ 5·95	~~6.88~~ 6·49	~~.79~~ ·51	~~4.39~~ 4·41	~~3.19~~ 3·36	~~7.68~~ 7·49	~~5.09~~ 5·14	~~5.78~~ 5·73	~~3.87~~ 3·92	~~3.14~~ 3·12	~~9.50~~ 9·49	~~2.45~~ 2·56	58·17 ~~58.04~~
*Days with ·01 in. or more.	~~22~~ 23	27 ✓	~~10~~ 9	~~22~~ 23	22 ✓	~~22~~ 21	~~24~~ 25	~~17~~ 16	~~18~~ 19	16 ✓	24 ✓	16 ✓	~~240~~ 241
*Days with ·04 in. or more.	~~19~~ 20	23 ✓	~~4~~ 3	19 ✓	~~17~~ 18	~~18~~ 17	~~19~~ 20	~~14~~ 13	~~14~~ 15	~~12~~ 11	18 ✓	~~10~~ 11	~~187~~ 188

40-9999.

(Signed) [P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at CALF LEE

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 960 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·15

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·02	0	·18	·02	·02	·45	·21	0	·02	0	·39	1
2	·43	·02	0	·30	·20	0	·05	·02	·80	·40	·17	·08	2
3	1·17	0	0	·01	·39	0	·03	·02	1·36	·04	·33	·46	3
4	·06	0	0	0	0	0	·32	0	·12	0	0	·23	4
5	·10	·01	0	0	0	0	·19	0	·01	·01	·10	·02	5
6	1·40	0	·13	·32	·04	0	·01	·01	·27	0	0	0	6
7	1·12	0	·10	·76	·05	0	0	0	·23	·01	0	0	7
8	·13	0	·62	·33	0	0	0	0	·70	·27	·03	0	8
9	0	·01	0	·23	0	0	0	0	·24	·87	·01	0	9
10	·20	·07	0	·93	·11	0	0	0	·04	·01	0	·09	10
11	·61	·02	·01	·11	·02	0	0	0	·92	·48	·03	·11	11
12	·03	·02	·01	·08	·70	·36	·88	0	·03	·01	·03	·01	12
13	·62	0	0	·01	·64	·02	·07	·07	·01	·55	·04	0	13
14	·01	·05	0	·14	·14	0	·18	·05	·24	·48	·06	·31	14
15	·11	0	0	·04	0	0	·11	0	·02	·12	·15	0	15
16	·01	0	0	·04	·49	0	0	0	0	·11	·25	·18	16
17	·31	0	0	·09	·01	0	·15	·01	0	·13	0	·17	17
18	0	0	0	0	·12	0	·08	·03	·06	·92	0	0	18
19	0	0	0	0	·08	0	0	·01	·02	·02	·02	0	19
20	0	·01	0	·20	·17	0	·01	·01	0	·60	·02	0	20
21	0	0	0	·21	·49	0	·01	·50	0	·17	·10	0	21
22	·07	0	·27	·09	·34	0	·04	·49	0	·77	·13	·06	22
23	0	0	·20	·16	0	0	·15	0	0	·10	1·08	·14	23
24	0	·01	0	·09	·53	0	·14	0	0	·09	·16	·12	24
25	·04	0	0	·07	·02	·08	·53	0	·20	·01	·06	·01	25
26	0	·04	0	·12	·11	0	·08	·02	·12	1·04	·24	0	26
27	·01	·01	0	·11	·35	0	·38	0	·11	·48	·45	0	27
28	0	0	·33	·27	·49	·15	·50	0	0	·06	·01	·22	28
29	0	0	·07	·09	·19	0	·22	·01	0	0	0	·19	29
30	·03	×	·75	·10	·15	·10	·43	·22	·25	·65	·42	·35	30
31	0	×	·17	×	·01	×	·15	·04	×	·16	×	·16	31
TOTAL	6·59	·30	2·66	5·08	5·86	·73	5·16	1·72	5·75	8·58	3·87	3·30	YEAR'S TOTAL 49·60
*Days with ·01 in. or more.	20	12	11	26	25	6	24	16	20	28	22	19	229
*Days with .04 in. or more.	15	3	9	24	20	4	20	7	15	21	15	16	169

40-9999

*See Instruction 2 (*f*) on other side

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at CALF LEE

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 960 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·48	0	·03	·02	0	0	·35	·23	0	·32	0		1
2	·08	·82	·03	0	0	0	0	·03	·06	0	·25	0		2
3	·53	0	·29	·19	0	·39	0	·03	0	0	0	0		3
4	·01	·49	·41	·01	·43	0	0	0	0	0	·04	0		4
5	·22	·31	·27	0	·17	0	0	·03	0	0	0	0		5
6	·24	·12	·10	0	·19	0	0	0	0	0	0	0		6
7	·02	·07	·04	0	·30	0	0	0	0	0	·02	·04		7
8	·10	·29	·21	0	·14	0	·07	·04	0	·85	0	·03		8
9	·34	·13	·17	·04	·04	0	·32	·03	0	0	·01	·10		9
10	0	·56	0	·27	·07	·03	·95	·07	0	·88	·18	0		10
11	·16	·08	0	0	0	·09	·02	0	0	1·27	·05	0		11
12	0	0	0	0	0	0	·64	0	0	·59	0	·02		12
13	·02	0	·01	0	0	·26	·21	0	0	·09	0	·02		13
14	·01	0	·04	0	·26	·02	·37	0	·08	·20	·31	0		14
15	·41	0	·08	0	·03	0	·11	·03	0	·02	·49	·03		15
16	·26	0	·07	0	0	0	·02	·16	0	·27	·85	·04		16
17	·20	·03	·29	·01	·04	·43	·02	0	0	·23	·13	0		17
18	·04	0	1·02	0	·01	·61	0	·26	·14	0	·14	0		18
19	0	·06	·32	0	·09	·49	0	·09	0	0	·08	0		19
20	0	0	·33	·04	0	·40	0	·20	·09	0	·10	·04		20
21	0	·10	0	·01	0	0	0	·26	·02	0	·03	0		21
22	0	0	0	0	0	·12	0	·27	·11	·01	0	0		22
23	0	0	0	0	0	·41	0	·09	0	·10	0	·02		23
24	0	·02	0	·28	·06	0	0	·09	·15	·03	0	0		24
25	0	·29	0	·20	·12	·23	0	0	·55	·01	0	·02		25
26	0	·08	0	·25	·02	0	0	0	·30	0	0	·07		26
27	0	·94	0	·61	0	0	0	0	0	·34	·01	0		27
28	0	0	0	·01	0	0	0	0	·02	0	0	0		28
29	0		0	·10	·01	0	·17	0	0	·19	0	0		29
30	0	×	0	0	·06	0	·16	0	0	·06	0	·05		30
31	·03	×	·02	×	·28	×	·41	0	×	·35	×	·19	Year's Total	31
TOTAL	2·82	4·87	3·70	2·05	2·34	3·48	3·47	2·03	1·75	5·49	3·01	·67	35·68	
*Days with ·01 in. or more.	17	17	17	14	19	12	13	16	11	17	16	13	182	
*Days with ·04 in. or more.	12	15	14	9	14	10	10	11	9	13	12	7	136	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at CALF LEE

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 960 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·13

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0	·02	0	0	0	0	0	·25	0	·48	·06	0		1
2	·23	0	·06	0	0	0	0	·14	·03	·09	·01	·64		2
3	·01	·03	·11	0	·01	0	0	·71	·06	0	·25	·47		3
4	·24	·03	·03	0	0	0	0	·07	·08	·15	·06	·08		4
5	·27	0	·40	·10	·10	0	0	0	·05	1·07	0	·82		5
6	0	0	·08	0	·11	0	0	·36	0	·34	·05	·22		6
7	0	0	·10	·04	·84	·14	0	·18	0	·31	0	·41		7
8	·47	·06	·11	·03	0	·02	0	0	0	·12	·30	·52		8
9	0	0	·02	0	·11	·81	0	·08	·02	·33	·78	·06		9
10	·03	·07	·13	·05	0	0	0	·14	·03	·01	·74	·02		10
11	0	·01	·56	·37	0	0	0	·43	0	·34	·12	0		11
12	·22	0	·11	·53	0	0	0	·21	0	·03	·02	·14		12
13	·02	0	·08	·23	0	0	·29	·02	0	·04	0	·04		13
14	·58	0	0	·05	·13	0	·09	·03	0	·25	·02	0		14
15	·14	0	·19	0	·04	·03	0	0	0	·34	·03	·14		15
16	·61	0	·17	0	·94	0	·01	·13	·61	·01	·01	·20		16
17	·50	0	·24	0	·15	0	0	0	0	·01	·09	·02		17
18	·65	0	·27	·02	·15	0	·15	0	·32	·06	0	·30		18
19	·46	·03	·19	·20	·76	·18	·02	·05	0	0	0	·23		19
20	0	0	·45	·03	·13	·55	0	·02	·30	·16	0	·04		20
21	0	0	·03	·26	·38	0	0	·10	·10	·24	·01	·01		21
22	·07	0	·02	0	·08	·83	0	·19	·05	·11	0	·01		22
23	·08	0	0	0	0	0	0	·18	·70	·14	·01	0		23
24	·04	0	·10	·37	0	·02	·35	0	·02	·28	·01	·09		24
25	0	·22	·02	·13	0	·12	·05	0	·46	·36	0	·05		25
26	·13	·01	·03	·14	·03	0	·30	0	·34	·40	0	·63		26
27	·22	0	·07	·29	0	·23	·53	0	·36	·09	·03	·18		27
28	·04	0	0	·26	0	·30	·48	0	·05	·44	·02	·36		28
29	0	X	0	·11	0	·16	·33	·15	0	·07	0	·68		29
30	0	X	·06	0	0	0	·10	·48	·34	·07	0	·13		30
31	·07	X	0	X	0	X	·09	·25	X	·16	X	·21		31
TOTAL	5·08	·48	3·63	3·21	3·96	3·39	2·79	4·17	3·92	6·50	2·62	6·70	Year's Total. 46·45	
* Days with .01 in. or more.	21	9	25	18	15	12	13	21	18	29	19	27	224	
* Days with .04 in. or more.	18	3	19	15	13	9	11	18	14	25	9	23	144	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) J. W. Braddock

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at CALF LEE

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 960 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

.31

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.13	.05	.10	.03	.03	0	.20	0	.01	.30	.40	.56		1
2	.46	.25	.03	.06	0	0	.05	0	.10	1.07	.17	.40		2
3	.01	.17	.05	0	0	.44	.02	0	.07	.19	.10	.17		3
4	.05	.57	.14	.09	0	.04	.46	0	.30	.01	.10	.17		4
5	.01	.03	.10	0	0	.19	.14	0	.27	.30	0	.01		5
6	0	.56	.12	.19	0	.75	.08	0	.17	.01	.17	.25		6
7	.01	0	.01	.07	0	.44	0	0	.01	.06	0	.01		7
8	.03	0	0	.13	0	.72	0	0	0	.32	.33	.26		8
9	0	0	0	.11	0	.01	0	0	0	.31	.02	.32		9
10	0	0	.01	.65	0	.08	0	0	0	2.02	.17	0		10
11	0	.05	0	.51	0	.01	.01	0	0	.33	.11	0		11
12	.45	.38	0	0	0	.27	0	0	0	.32	.16	.04		12
13	.01	.33	0	0	0	.88	0	0	.14	0	.02	0		13
14	.23	.11	0	.12	.20	0	0	0	.18	.16	.01	0		14
15	0	.05	0	.15	.12	.14	0	0	.15	0	1.43	.21		15
16	0	1.70	0	.39	.11	0	0	0	.43	.50	.14	.27		16
17	.01	.54	.09	.25	.06	.52	.08	0	.87	0	.42	0		17
18	0	.06	0	.50	.41	.24	.07	0	.88	.07	.48	0		18
19	.01	.05	0	.09	.07	.09	.26	0	.85	.85	.07	0		19
20	0	.21	0	.22	0	.34	.37	0	.02	.21	.33	0		20
21	.02	.59	0	.43	0	.17	0	0	0	0	.87	0		21
22	0	.19	.01	.01	0	0	0	0	1.17	.19	.22	0		22
23	0	.12	.19	.01	0	0	0	0	.11	0	.01	.16		23
24	.02	.01	.64	.20	0	0	0	.45	.01	.30	0	0		24
25	.41	.26	.03	0	0	0	0	0	2.04	.04	0	.12		25
26	.15	.02	.30	0	0	.28	0	0	0	0	.22	.05		26
27	.02	.03	0	0	0	0	.09	1.12	.45	.63	.15	.22		27
28	.01	.20	0	0	0	.08	.36	.01	.40	1.18	.80	.07		28
29	.03		0	0	0	0	0	.12	.07	.50	.16	0		29
30	.01	✕	.07	0	0	0	0	.01	.27	.59	.10	.32		30
31	.05	✕	.01	✕	0	✕	0	.27	✕	1.32	✕	.12		31
													Year's Total	
TOTAL	2.13	6.83	1.90	4.51	1.00	5.69	2.19	1.98	8.97	11.78	7.16	3.74	57.88	
* Days with .01 in. or more.	21	24	16	20	7	19	13	6	23	25	26	19	219	
* Days with .04 in. or more.	8	20	10	17	6	17	11	4	19	23	22	17	174	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 3224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at CALF LEE

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 960 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .46

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.31	.02	.33	.02	0	.05	.03	.07	0	0	0	.28		1
2	.01	0	.04	.41	0	0	0	.51	.03	0	.22	.66		2
3	.01	.17	.03	.03	0	1.06	0	.27	.02	0	.02	.24		3
4	.07	0	0	0	0	.34	.01	.24	.54	0	0	.20		4
5	.38	.15	.25	0	0	.03	0	.10	.35	.01	.17	.61		5
6	.08	.03	.46	0	.03	.01	.02	.28	.29	.01	.08	.16		6
7	.14	0	.02	0	.01	0	.09	.58	.82	0	.21	0		7
8	.02	0	.08	0	0	0	.19	0	.81	0	.22	.19		8
9	.46	0	.22	0	0	0	0	0	.01	.01	.57	.11		9
10	.37	.02	.03	0	0	0	.01	0	.15	0	.79	0		10
11	.20	0	0	0	0	0	.37	0	.01	0	1.34	0		11
12	0	0	0	.04	0	.17	.18	.06	.02	0	.87	.05		12
13	0	0	.01	.10	.05	.58	.71	.02	.36	.02	.48	.02		13
14	.04	0	.01	.12	.03	.01	.18	0	.01	.20	.03	.89		14
15	0	0	0	.24	0	.43	.13	.15	.27	.10	.27	.86		15
16	.19	0	.04	.12	.01	.16	.04	.36	.09	0	.67	.08		16
17	.01	.03	0	.04	.02	0	.02	0	0	.04	.83	.01		17
18	.02	.57	.02	.03	.07	0	.19	.15	0	.99	.07	.38		18
19	0	.02	0	0	0	.12	.21	.08	0	.85	0	.03		19
20	.04	.32	.03	.02	0	.16	.17	.50	0	.22	0	0		20
21	.08	.09	0	.02	0	0	0	.01	.01	.05	0	.03		21
22	.12	0	.05	.09	0	0	0	0	0	.03	0	0		22
23	.24	.34	.02	0	.02	1.07	.20	0	0	0	0	.06		23
24	0	.06	.18	.29	.11	0	.73	.02	0	.08	0	0		24
25	.15	.07	0	.23	.32	0	0	.06	.15	1.08	0	.05		25
26	.23	.01	.02	.06	0	.05	.04	0	.46	.40	0	.04		26
27	.05	.42	.26	.04	0	0	0	0	.08	.70	.01	0		27
28	.81	0	.01	0	0	0	0	0	.17	.37	0	0		28
29	.60	.54	.11	0	0	0	.31	0	0	.01	.01	.20		29
30	.10	✗	.90	0	.13	.59	0	0	0	.08	.11	.08		30
31	.07 .30	✗ .33	.02 .05	✗	.05 .60	✗ .03	.07 .34	0	✗	.72	✗ .28	.04		31
TOTAL	4.74 ~~5.03~~	3.17 ~~2.86~~	2.86 ~~3.11~~	1.88 ~~[illegible]~~	1.45 ~~[illegible]~~	4.81 ~~[illegible]~~	4.21 ~~[illegible]~~	3.39 ~~[illegible]~~	4.65	5.94	7.25 ~~[illegible]~~	5.75 ~~[illegible]~~	Year's Total ~~[illegible]~~	50.13 ✓
* Days with .01 in. or more.	26 ✓	16 ✓	23 ✓	~~17~~ 16	~~12~~ 13	15 ✓	21 ✓	~~17~~ 16	20	20	~~19~~ 20	23	229	✓ ✓
* Days with .04 in. or more.	~~21~~ 20	~~10~~ 11	~~13~~ 12	12	~~6~~ 7	~~[illegible]~~ 11	~~16~~ 17	~~14~~ 13	13	14	~~15~~ 16	19	165	✓ ✓

† Spare column, no entries required.

(*Signed*) [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 3224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at CALF LEE
in the County of YORKSHIRE
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 960 ft.

NOT W D

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .02

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.04	.12	.25	—	—	.03	.05	—	.52	.01	—	.28		1
2	.40	.55	.13	.16	—	.01	.04	—	.02	—	—	.04		2
3	—	.25	.05	.11	.04	1.05	.02	—	.01	—	—	.02		3
4	.32	.02	.08	.24	.15	.02	.02	.01	—	—	—	.40		4
5	1.24	—	.08	—	.01	—	.03	—	—	—	—	.06		5
6	.15	—	.08	.18	.06	—	—	.60	.06	.02	.07	.12		6
7	.08	.40	—	.45	.08	.05	—	—	.10	—	.02	—		7
8	—	.56	.01	.04	.04	.14	.07	.01	.01	—	.05	.04		8
9	.03	.15	—	.07	.27	—	.43	.24	.03	—	—	—		9
10	.09	.11	—	—	.01	—	.01	—	—	.05	.01	.30		10
11	—	—	.09	—	.28	—	.03	—	—	—	—	—		11
12	.30	.34	.28	—	.13	.16	.04	.26	.23	—	—	.30		12
13	—	.22	.05	.05	.01	.96	—	.14	.02	—	—	.25		13
14	—	.04	.14	.02	—	.01	—	.25	.24	.03	—	.10		14
15	.38	.60	—	.43	—	—	.72	.01	.47	—	—	.08		15
16	—	.59	.20	.33	—	—	—	.40	.20	—	—	.03		16
17	.27	.04	.30	.11	—	.11	—	.02	.40	—	—	—		17
18	.32	.35	.18	.17	—	.01	—	.27	.10	—	.58	—		18
19	.11	.16	.02	.26	.01	.17	.03	.05	.12	—	.58	—		19
20	.17	.22	—	.24	.63	.20	—	—	—	—	—	.15		20
21	—	.12	—	.09	—	—	.57	—	—	.04	—	.35		21
22	.07	—	.15	.05	.05	—	.35	—	—	.41	.45	.14		22
23	.15	—	.01	—	.55	—	.37	—	—	.68	.35	—		23
24	.11	.29	.19	—	.10	—	.05	—	.07	.18	—	.06		24
25	.02	.87	.08	—	—	—	.01	.24	—	.09	—	.03		25
26	—	.38	.05	—	.54	—	—	.04	.03	.01	—	.12		26
27	—	.39	—	.15	—	—	—	—	—	.65	—	.02		27
28	—	.06	—	—	—	.07	—	—	—	.18	—	—		28
29	.01		—	—	—	.05	—	—	—	.05	.10	—		29
30	.03	✕	—	—	—	.20	—	.13	—	.21	.63	.04		30
31	.44	✕	—	✕	—	✕	—	.08	✕	.14	✕	—		31
TOTAL	4.72	6.93	2.42	3.15	2.96	3.24	2.85	2.75	2.63	2.75	2.84	2.93	Year's Total 40.17	
* Days with .01 in. or more.	21	23	20	18	17	16	17	16	17	15	10	21	211	
* Days with .04 in. or more.	17	22	17	17	13	11	10	12	11	11	8	17	166	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Haddock

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at CALF LEE

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 960 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.02	.08	-	.02	.01	1.12	.11	.07	-	.17	.61	.27		1
2	.09	.05	-	.61	.08	.41	.01	-	-	1.51	.17	.29		2
3	.04	-	-	-	-	.01	.12	-	.14	1.89	.28	.03		3
4	.04	.03	-	.01	-	-	.13	.64	-	.42	.23	1.21		4
5	-	.04	-	.05	-	.09	.18	.49	.04	.61	.01	.06		5
6	.32	-	-	-	-	.06	.24	.02	.04	.41	.02	.04		6
7	.30	-	-	-	-	-	.45	.03	.28	.29	-	-		7
8	.52	.02	-	-	-	-	.25	.01	-	1.82	-	.31		8
9	.22	.55	.12	-	-	.26	.15	.04	-	.07	-	.39		9
10	-	.08	.01	-	-	.07	.49	-	-	.17	-	.08		10
11	.34	.09	-	-	.02	-	.23	.18	-	.18	.11	.11		11
12	.64	-	⊖	-	.20	-	.01	.51	-	1.52	.23	.01		12
13	-	.01	-	-	.02	-	.05	-	.04	.21	.31	.25		13
14	.56	.03	-	-	.09	-	.10	-	.06	.02	.18	.02		14
15	.47	-	.01	-	.01	-	.22	.28	-	.11	-	.28		15
16	.95	-	.11	-	.31	-	.18	.29	-	.07	.11	.19		16
17	-	-	-	-	.36	-	.12	.29	.08	.51	.02	.02		17
18	.10	-	-	-	.16	.06	-	.52	.07	.55	.45	.01		18
19	.01	-	-	-	-	-	-	.35	.08	-	-	.11		19
20	.22	-	-	-	-	-	-	.08	.04	-	.54	.02		20
21	-	-	.06	-	-	-	-	.23	.01	-	.04	.01		21
22	.02	.01	-	.02	-	.37	-	-	-	-	.54	.05		22
23	.01	-	-	-	.28	.43	-	.01	.02	-	.65	-		23
24	.07	.01	.21	-	.03	.23	.72	.47	.05	.01	.21	-		24
25	.47	.41	.09	-	.01	.16	.17	.02	-	.42	.63	.03		25
26	.27	.49	.15	-	.03	.15	.03	-	.14	.19	.22	.04		26
27	.38	.24	.01	-	.75	.63	.33	.23	.03	.02	.48	-		27
28	.28	.26	.16	-	.31	.92	.10	.19	.11	.01	.05	.09		28
29	.09		.21	-	1.07	.33	.29	-	-	.15	.13	.29		29
30	.32	✕	-	-	.23	.07	.07	-	.39	.06	.56	.23		30
31	.36	✕	.02	✕	.37	✕	-	-	✕	.54	✕	.97		31
TOTAL	7.11	2.40	1.16	.71	4.44	5.37	4.75	4.95	1.62	11.93	6.78	5.41	Year's Total 56.63	✓
* Days with .01 in. or more.	26	16	12	5	19	17	24	21	17	26	24	27	234	✓
* Days with .04 in. or more.	22	10	8	2	12	16	21	16	14	22	21	19	183	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H. Braddock ✓

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Calf Lee

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 960 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·39	-	·31	·06	-	-	·03	·06	·07	·02	-	·71		1
2	·03	-	·06	·11	-	-	·65	·72	·69	·01	·05	·15		2
3	-	-	-	·09	-	-	·01	·23	·09	-	·13	·45		3
4	·11	-	·37	·84	·02	-	·63	-	-	·07	·03	·37		4
5	-	-	-	-	·43	-	·34	·10	-	·22	·42	·03		5
6	·56	·23	·02	-	-	-	·73	-	-	-	·19	-		6
7	·34	·46	·25	-	·20	-	·06	-	-	-	·11	·35		7
8	·47	·17	·27	·02	-	-	·44	·05	-	·10	·21	·78		8
9	·16	·44	-	-	-	-	·04	·61	-	·64	-	·65		9
10	·11	·01	·02	-	-	·04	-	·18	·51	·09	·01	·11		10
11	·51	·16	·19	-	-	·42	-	·03	·02	·02	-	·03		11
12	·13	·06	-	-	-	·13	-	-	·01	·01	·01	-		12
13	·02	-	·02	·24	·08	·25	·04	-	·02	·03	·05	-		13
14	·95	-	·03	·03	·42	·52	·22	-	-	·02	·25	-		14
15	·24	·06	·03	·43	·09	1·35	·20	-	·02	-	·16	-		15
16	·31	-	·04	·03	·24	-	·03	-	-	-	·07	-		16
17	·75	·34	·01	·02	·09	·06	·04	-	-	·25	·02	-		17
18	·11	·17	·03	-	-	·09	·26	-	-	·01	·86	-		18
19	·25	-	·01	-	-	·01	·44	-	·02	-	-	-		19
20	·02	-	·01	-	-	·22	·29	·17	·02	-	-	-		20
21	·11	·12	·62	·10	·02	·03	-	·26	·05	-	-	-		21
22	·11	·41	·21	·03	·01	-	·10	·01	·01	-	·71	-		22
23	·01	·49	·04	·25	-	·02	·02	·01	-	·39	·19	·01		23
24	·03	·13	·02	·09	-	·04	·05	-	-	·02	-	-		24
25	·17	·19	·02	·01	-	·09	-	-	-	-	1·75	·01		25
26	·02	·09	·03	-	-	-	-	1·11	-	·26	·46	·03		26
27	·07	1·58	·33	-	-	·56	·08	·04	-	·09	·23	·06		27
28	·02	·17	·27	·05	-	·39	·75	-	-	-	·69	-		28
29	-		·01	·01	-	-	1·27	-	-	·31	·41	-		29
30	-	✕	-	-	-	·01	·18	-	-	·01	·43	-		30
31	-	✕	-	✕	-	✕	·19	·01	✕	·08	✕	-		31
TOTAL	6·00	5·28	3·22	2·41	1·60	4·23	7·09	3·59	1·53	2·65	7·44	3·74	Year's Total 48·78	
* Days with .01 in. or more.	26	18	25	17	10	17	25	15	12	20	23	14	222	
* Days with .04 in. or more.	19	17	12	10	7	13.	21	11	5	11	19	9	154	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) Haddock

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations.

Station No. 3224

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Calf Lee

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 960 ft.

666987/26

Jan & Feb. Est.

3239 9/5 3237 8 3223

3240

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	no readings available due to drifting of snow. 4 .10	–	.26	–	–	.02	–	–	–	.61	.16		1
2	–		–	.28	–	–	.09	–	–	–	.91	.20		2
3	.02		–	.13	–	–	.02	–	–	.13	.05	.18		3
4	–		–	.23	–	–	.09	–	–	.31	.33	.26		4
5	–		–	–	.09	–	.05	–	–	1.13	.19	.48		5
6	.18	.31	–	–	–	–	.03	–	–	.88	.07	.04		6
7	.12	.16	–	.22	.10	–	–	.14	.13	.07	–	–		7
8	.02	–	.01	.06	–	–	.02	.02	–	.26	.06	.21		8
9	–	–	.16	–	–	–	1.05	.21	.16	.69	1.25	.19		9
10	–	–	.03	–	–	–	.28	.41	.01	.11	.71	.81		10
11	–	.02 S	.09	.04	–	.06	.07	–	–	–	1.67	–		11
12	–	–	.66	–	–	.01	.14	.01	.63	–	.56	–		12
13	–	.03 S	.27	–	–	–	–	.06	.36	–	.07	.05		13
14	–	.06	.02	.22	.17	–	.02	.06	.13	–	.01	.52		14
15	–	–	.02	.04	.07	.01	–	–	–	–	.09	.15		15
16	.02	.03 S	.08	.07	–	–	.40	–	1.63	.35	.13	.04		16
17	–	.02	.53	–	.01	–	.55	–	.22	–	.53	–		17
18	.02	.07	.33	.59	–	–	.06	.19	.24	–	.02	.29		18
19	–	.21	.19	.12	–	–	.35	–	.38	.05	.43	.01		19
20	–	.02	.10	.42	–	–	.12	.52	.19	.17	.19	–		20
21	–	–	.33	.02	–	.27	.02	.09	–	.07	.87	–		21
22	–	.02	.04	.01	.02	.08	–	.01	.51	.04	–	–		22
23	–	.16	.05	.09	.02	–	.19	–	.11	.06	.07	–		23
24	~~.30~~ (.66)	.01	.02	.05	–	–	–	–	–	.03	–	.11		24
25	.06	–	–	–	.03	.09	–	–	–	.07	–	–		25
26	.06	.12	.01	.04	.08	.04	–	.01	.01	–	.03	–		26
27	.04	.75	–	.54	.02	–	.24	–	–	–	.14	–		27
28	no readings available due to drifting snow (.08)	.43	–	.02	1.07	–	–	.08	–	–	–	.02		28
29		–	.27	.02	–	.27	.01	–	–	.03	–	.52		29
30		✕	–	.17	–	–	–	–	–	.41	.02	.27		30
31		✕	.16	✕	.01	✕	–	.05	✕	.73	✕	.02		31
TOTAL	2.20 ~~.90~~	8 2.~~4~~2	3.37	3.64	1.69	.83	3.82	1.86	4.71	5.59	9.01	4.53	Year's Total ~~42.37~~	44.07
* Days with .01 in. or more.	13 ~~10~~	21 ~~16~~	20	22	12	8	21	14	14	19	24	20	~~200~~	208
* Days with .04 in. or more.	3 5	12 9	14	18	6	6	14	10	12	17	20	17	~~150~~	149

† Spare column, no entries required.

(*Signed*) J.W. Braddock

* See Instruction 3 (f) on other side.

[P.T.O.

3225

WARLAND RES.
1931 — 40

780602

3225

Section **A** for the entry o

AIR MINISTR

OPY FOR OFFICIAL USE.

ORGANIZATIONS

FORM 1090.

REGIS

Kept at WARLAND RESER

in the County of YORKSH

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

23/2/32

06 sent 24.9.32 for value of 1.1.32

ollowing

Jan. 1, following
.14

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	0	158	.33	0	.04	.22	0	.03	0	.08	.03	.02	1
2	.09	.04	0	.14	0	.29	0	0	.08	.18	0	0	2
3	.15	.07	0	.89	.04	1.47	.02	0	.93	.10	.14	.20	3
4	0	0	0	.09	0	.06	.43	0	.61	.09	2.62	.64	4
5	0	.08	0	.43	.01	.01	.11	0	1.21	.17	.25	.49	5
6	0	.15	0	0	.25	1.29	.02	.65	.08	0	0	.53	6
7	0	.40	.02	.01	0	.22	.23	.02	.13	.73	.29	0	7
8	0	.02	.06	0	0	.96	0	.15	0	.35	.11	.18	8
9	.04	.54	.05	.10	.05	0	.18	.47	.01	.10	.34	0	9
10	0	1.12	.03	.30	.02	.23	0	.37	.14	.06	.32	.06	10
11	.17	.18	.04	0	.35	.36	0	.31	.10	.01	.41	0	11
12	.31	.62	0	.06	.01	.13	.11	.02	.33	0	.85	0	12
13	.03	.17	0	.07	0	.02	.65	0	.14	.41	.31	0	13
14	0	.06	.24	.02	.13	.01	.44	.03	0	0	0	0	14
15	.13	.12	0	0	.02	.95	.05	1.06	.03	0	.49	.02	15
16	.46	.51	0	.13	.29	.03	.12	.45	.10	0	.02	.02	16
17	.84	.18	0	.57	.72	.49	.13	.73	.29	0	0	0	17
18	.03	.11	0	.26	.03	.18	.52	.25	.04	.01	.04	0	18
19	.40	.04	0	.19	0	.78	.56	.11	.01	.03	.78	0	19
20	.15	.24	0	.08	0	0	.01	.96	.02	.02	0	0	20
21	.02	.22	0	.02	0	.09	0	.11	0	0	.20	.03	21
22	.65	.14	.11	0	.09	.19	.03	.34	0	0	.01	0	22
23	.50	.11	.02	.02	.17	.18	.05	0	0	0	.02	0	23
24	.60	.04	0	.40	.28	.29	.35	0	0	0	1.01	.21	24
25	.10	.34	0	.15	.52	0	.15	0	0	0	.12	.12	25
26	.15	1.09	0	.60	.04	0	.11	0	0	0	.10	.11	26
27	.12	.13	0	.21	0	0	.01	0	0	0	.49	.01	27
28	.92	.10	0	.06	.07	0	.30	0	0	.39	1.49	.11	28
29	.25		0	.13	.21	0	.19	0	.03	0	0	.04	29
30	.22	×	0	.01	.28	0	.41	0	0	.71	.03	0	30
31	0	×	0	×	.13	×	0	0	×	0	×	0	31 64.13
	.58	.33	–	.04	.22	–	.03	–	.08	.03	.02	.14	YEAR'S TOTAL
TOTAL	~~6.33~~ 6.91	~~7.40~~ 7.15	~~.90~~ .57	~~4.94~~ 4.98	~~3.75~~ 3.93	~~8.45~~ 8.23	~~5.18~~ 5.21	~~6.06~~ 6.03	~~4.28~~ 4.36	~~3.44~~ 3.39	~~10.47~~ 10.46	~~2.79~~ 2.91	~~65.99~~ 3
*Days with ·01 in. or more.	~~22~~ 23	27 ✓	~~9~~ 8	~~24~~ 25	22 ✓	~~22~~ 21	~~24~~ 25	~~17~~ 16	~~18~~ 19	16 ✓	24 ✓	16 ✓	~~241~~ 242
*Days with ·04 in. or more.	~~19~~ 20	26 ✓	~~8~~ 5	~~19~~ 20	17 ✓	~~18~~ 17	19 ✓	13 ✓	~~13~~ 14	~~12~~ 11	19 ✓	~~11~~ 12	~~192~~ 193

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. Chaddock

P.T.O.

3225

Section **A** for the entry o… OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at WARLAND RESERVOIR
in the County of YORKSHIRE
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1245 ft.

WD ✓

23/2/32

Corr. for WD & Fm. 906 sent 24.9.'32 for value of 1.1.'32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·14

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	.58	.33	0	.04	.22	0	.03	0	.08	.03	.02	1
2	.09	.04	0	.14	0	.29	0	0	.08	.18	0	0	2
3	.15	.07	0	.89	.04	1.47	.02	0	.93	.10	.14	.20	3
4	0	0	0	.09	0	.06	.43	0	.61	.09	2.62	.64	4
5	0	.08	0	.43	.01	.01	.11	0	1.21	.17	.25	.49	5
6	0	.15	0	0	.25	1.29	.02	.65	.08	0	0	.53	6
7	0	.40	.02	.01	0	.22	.23	.02	.13	.73	.29	0	7
8	0	.02	.06	0	0	.96	0	.15	0	.35	.11	.18	8
9	.04	.54	.05	.10	.05	0	.18	.47	.01	.10	.34	0	9
10	0	1.12	.03	.30	.02	.23	0	.37	.14	.06	.32	.06	10
11	.17	.18	.04	0	.35	.36	0	.31	.10	.01	.41	0	11
12	.31	.62	0	.06	.01	.13	.11	.02	.33	0	.85	0	12
13	.03	.17	0	.07	0	.02	.65	0	.14	.41	.31	0	13
14	0	.06	.24	.02	.13	.01	.44	.03	0	0	0	0	14
15	.13	.12	0	0	.02	.95	.05	1.06	.03	0	.49	.02	15
16	.46	.51	0	.13	.29	.03	.12	.45	.10	0	.02	.02	16
17	.84	.18	0	.57	.72	.49	.13	.73	.29	0	0	0	17
18	.03	.11	0	.26	.03	.18	.52	.25	.04	.01	.04	0	18
19	.40	.04	0	.19	0	.78	.56	.11	.01	.03	.78	0	19
20	.15	.24	0	.08	0	0	.01	.96	.02	.02	0	0	20
21	.02	.22	0	.02	0	.09	0	.11	0	0	.20	.03	21
22	.65	.14	.11	0	.09	.19	.03	.34	0	0	.01	0	22
23	.50	.11	.02	.02	.17	.18	.05	0	0	0	.02	0	23
24	.60	.04	0	.40	.28	.29	.35	0	0	0	1.01	.21	24
25	.10	.34	0	.15	.52	0	.15	0	0	0	.12	.12	25
26	.15	1.09	0	.60	.04	0	.11	0	0	0	.10	.11	26
27	.12	.13	0	.21	0	0	.01	0	0	0	.49	.01	27
28	.92	.10	0	.06	.07	0	.30	0	0	.39	1.49	.11	28
29	.25		0	.13	.21	0	.19	0	.03	0	0	.04	29
30	.22	×	0	.01	.28	0	.41	0	0	.71	.03	0	30
31	0	×	0	×	.13	×	0	0	×	0	×	0	31 64.13
TOTAL	·58 ~~6.33~~ 6.91	·33 ~~7.40~~ 7.15	– ~~.90~~ ·57	·04 ~~4.94~~ 4.98	·22 ~~3.75~~ 3.93	– ~~8.45~~ 8.23	·03 ~~5.18~~ 5.21	– ~~6.06~~ 6.03	·08 ~~4.28~~ 4.36	·03 ~~3.44~~ 3.39	·02 ~~10.47~~ 10.46	·14 ~~2.79~~ 2.91	YEAR'S TOTAL ~~65.99~~ 3
*Days with ·01 in. or more.	~~22~~ 23	27 ✓	~~9~~ 8	~~24~~ 25	22 ✓	~~22~~ 21	~~24~~ 25	~~17~~ 16	~~18~~ 19	16 ✓	24 ✓	16 ✓	~~241~~ 242
*Days with ·04 in. or more.	~~19~~ 20	26 ✓	~~8~~ 5	~~19~~ 20	17 ✓	~~18~~ 17	19 ✓	13 ✓	~~13~~ 14	~~12~~ 11	19 ✓	~~11~~ 12	~~192~~ 193

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. Chaddock

P.T.O.

COPY FOR OFFICIAL USE.

Station No. 3225

Section **A** for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WARLAND RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

" Ground " Sea Level 1245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·15

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	·03	0	·18	·04	·02	·50	·26	0	·03	0	·46	1
2	·42	·02	0	·28	·18	0	·05	·03	·75	·37	·18	·06	2
3	1·23	0	0	·02	·47	0	·04	·02	1·52	·07	·32	·58	3
4	·08	0	0	0	0	0	·34	0	·11	·01	0	·31	4
5	·15	·01	0	0	0	0	·20	0	·01	·02	·14	·02	5
6	1·41	·01	·11	·33	·03	0	·01	·01	·31	0	0	0	6
7	1·08	0	·14	·70	·03	0	0	0	·28	·03	0	0	7
8	·15	0	·62	·31	0	0	0	0	·75	·20	·03	0	8
9	0	·02	0	·22	0	0	0	0	·28	·90	·01	0	9
10	·23	·05	0	·90	·11	0	0	0	·04	·02	0	·10	10
11	·66	·04	·02	·08	·02	0	0	0	·84	·46	·03	·11	11
12	·04	·03	·01	·08	·65	·38	1·01	0	·05	·01	·04	·01	12
13	·68	0	0	·02	·66	·02	·08	·09	·01	·62	·07	·01	13
14	·01	·05	0	·12	·18	0	·15	·05	·30	·49	·07	·37	14
15	·14	0	·01	·07	0	0	·12	0	·03	·15	·17	·01	15
16	·01	0	0	·03	·53	0	0	0	0	·14	·30	·24	16
17	·39	0	0	·10	·01	0	·15	·01	0	·15	·01	·23	17
18	0	0	0	0	·10	0	·10	·03	·07	·88	·01	·01	18
19	0	0	0	0	·10	0	0	·01	·01	·01	·03	0	19
20	0	·01	0	·16	·15	0	·01	·01	0	·64	·01	0	20
21	0	0	0	·16	·47	0	·02	·60	0	·23	·10	·01	21
22	·10	0	·25	·12	·36	0	·03	·56	0	·90	·13	·08	22
23	0	0	·21	·19	·01	0	·14	0	0	·14	·99	·16	23
24	0	·02	0	·10	·51	0	·13	0	0	·11	·14	·17	24
25	·04	0	0	·07	·02	·10	·57	0	·24	·01	·08	·02	25
26	0	·06	0	·14	·09	0	·09	·01	·10	·90	·26	0	26
27	·01	·01	0	·15	·35	0	·47	0	·18	·55	·51	0	27
28	0	0	·33	·29	·50	·17	·63	0	0	·03	·01	·26	28
29	0	0	·08	·12	·22	0	·21	·01	0	0	0	·17	29
30	·04	×	·78	·10	·15	·11	·46	·22	·25	·72	·53	·39	30
31	0	×	·22	×	·01	×	·19	·05	×	·14	×	·19	31
TOTAL	7·01	·36	2·78	5·04	5·95	·80	5·70	1·97	6·13	8·93	4·17	3·97	YEAR'S TOTAL 52·81
*Days with ·01 in. or more.	20	13	12	26	26	6	24	16	20	29	24	23	239
*Days with .04 in. or more.	17	4	9	23	19	4	20	7	16	20	16	16	171

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WARLAND RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.		in.	in.	in.	in.	in.	in.	in.	in.		
1	·15	·55	0	·06	·03	0	0	·45	·21	0	·37	0		1
2	·10	·85	·02	0	0	0	0	·02	·15	0	·39	0		2
3	·61	0	·28	·24	0	·42	0	·06	0	0	0	0		3
4	·02	·52	·48	·02	·43	0	0	0	0	0	·07	0		4
5	·23	·29	·29	0	·16	0	0	·05	0	0	0	0		5
6	·27	·16	·11	0	·24	0	0	0	0	0	0	0		6
7	·04	·08	·08	0	·33	0	0	0	0	0	·03	·03		7
8	·16	·32	·19	0	·17	0	·10	·09	0	·88	0	·03		8
9	·30	·12	·18	·06	·06	0	·32	·04	0	0	·03	·08		9
10	0	·62	0	·36	·09	·03	1·08	·08	0	·84	·17	0		10
11	·16	·05	0	0	0	·10	·05	0	0	1·55	·06	0		11
12	·01	0	0	0	0	0	·51	0	0	·89	0	·02		12
13	·01	0	·02	0	0	·25	·26	0	0	·13	0	·02		13
14	·02	0	·04	0	·29	·03	·56	0	·12	·28	·34	0		14
15	·38	0	·08	0	·08	0	·12	·03	0	·02	·43	·02		15
16	·30	0	·10	0	0	0	·03	·21	0	·28	·74	·03		16
17	·21	·03	·29	·02	·05	·45	·03	0	0	·23	·11	0		17
18	·04	0	·98	0	·02	·67	0	·40	·15	0	·13	0		18
19	0	·04	·30	0	·10	·44	0	·12	0	0	·09	0		19
20	0	0	·27	·03	0	·05	0	·26	·03	0	·13	·05		20
21	0	·10	0	·02	0	0	0	·16	·05	0	·04	0		21
22	0	0	0	0	0	·14	0	·34	·11	·01	0	0		22
23	0	0	0	0	0	·54	0	·12	0	·12	0	·03		23
24	0	·02	0	·37	·06	0	0	·07	·23	·03	0	0		24
25	0	·29	0	·23	·11	·21	0	0	·52	·01	0	·03		25
26	0	·06	0	·30	·01	0	0	0	·33	0	0	·08		26
27	0	·98	0	·67	0	0	0	0	0	·33	·03	0		27
28	0	0	0	·02	0	0	0	0	·03	0	0	0		28
29	0		0	·12	·02	0	·21	0	0	·22	0	0		29
30	0	×	0	0	·05	0	·20	0	0	·06	0	·06		30
31	·04	×	·02	×	·40	×	·48	0	×	·33	×	·22	Year's Total	31
TOTAL	3·05	5·18	3·73	2·52	2·70	3·33	3·95	2·50	1·93	6·21	3·16	·70	38·96	
*Days with ·01 in. or more.	18	17	17	14	19	12	13	16	11	17	16	13	183	
*Days with .04 in. or more.	14	15	14	9	15	10	11	14	9	13	13	5	142	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) Haddock

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WARLAND RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .12

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0	.02	0	0	0	0	0	.26	0	.45	.06	0		1
2	.24	0	.05	0	0	0	0	.13	.03	.12	.02	.55		2
3	.02	.03	.10	0	.01	0	0	.73	.11	0	.30	.54		3
4	.23	.04	.02	0	0	0	0	.09	.09	.18	.09	.07		4
5	.29	0	.43	.10	.09	0	0	0	.06	1.09	0	.80		5
6	0	0	.11	0	.09	0	0	.34	0	.31	.06	.30		6
7	0	0	.08	.06	.77	.10	0	.22	0	.35	0	.45		7
8	.52	.07	.11	.02	0	.02	0	0	0	.16	.33	.54		8
9	0	0	.02	.01	.11	.83	0	.09	.02	.34	.67	.09		9
10	.04	.08	.06	.04	0	0	0	.13	.04	.04	.62	.02		10
11	0	.02	.50	.38	0	0	0	.40	0	.44	.12	0		11
12	.28	0	.12	.55	0	0	0	.23	0	.05	.04	.17		12
13	.03	0	.09	.22	0	0	.29	.02	0	.09	0	.04		13
14	.59	0	0	.06	.13	0	.12	.05	0	.23	.03	0		14
15	.16	0	.19	0	.03	.03	0	0	0	.40	.03	.12		15
16	.63	0	.16	0	.92	0	.02	.12	.56	.02	.03	.35		16
17	.48	0	.22	0	.13	0	0	0	0	.01	.10	.02		17
18	.67	0	.15	.03	.13	0	.20	0	.30	.08	0	.32		18
19	.48	.04	.27	.23	.79	.16	.04	.05	0	0	0	.28		19
20	0	0	.44	.03	.14	.56	0	.03	.42	.20	0	.05		20
21	0	0	.02	.21	.35	0	0	.13	.09	.21	.03	.02		21
22	.08	0	.02	0	.10	.80	0	.21	.07	.14	0	.01		22
23	.07	0	0	0	0	0	0	.21	.92	.20	.01	0		23
24	.05	0	.08	.38	0	.03	.38	0	.02	.30	.02	.09		24
25	0	.22	.03	.12	0	.12	.06	0	.62	.42	0	.07		25
26	.13	.01	.05	.18	.04	0	.28	0	.31	.43	0	.60		26
27	.20	0	.07	.27	0	.22	.55	0	.59	.08	.04	.24		27
28	.05	0	0	.28	0	.29	.45	0	.08	.43	.03	.35		28
29	0		0	.14	0	.17	.51	.13	0	.06	0	.65		29
30	0	×	.03	0	0	0	.10	.47	.37	.03	0	.16		30
31	.08	×	0	×	0	×	.11	.27	×	.19	×	.27		31
TOTAL	5.32	.54	3.42	3.31	3.83	3.34	3.11	4.31	4.70	7.05	2.64	7.17	Year's Total. 48.74	
* Days with .01 in. or more.	21	9	25	19	15	12	13	21	18	29	19	27	228	
* Days with .04 in. or more.	19	5	19	15	13	9	12	19	15	26	11	23	186	

40-9999

† Spare column, no entries required

(Signed) H. Haddock

* See Instruction 2 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WARLAND RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1245 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .35

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.12	.06	.11	.04	.05	0	.21	0	.02	.32	.42	.60		1
2	.45	.31	.04	.07	0	0	.03	0	.11	1.09	.18	.37		2
3	.02	.20	.06	0	0	.43	.01	0	.08	.18	.10	.15		3
4	.05	.75	.15	.10	0	.03	.44	0	.31	.02	.11	.15		4
5	.01	.03	.05	0	0	.18	.17	0	.29	.28	0	.01		5
6	0	.58	.22	.17	0	.90	.11	0	.18	.02	.16	.34		6
7	.01	0	.01	.08	0	.42	0	0	.01	.05	0	.01		7
8	.02	0	0	.11	0	.81	0	0	0	.29	.31	.25		8
9	0	0	0	.10	0	.02	0	0	0	.32	.05	.23		9
10	0	0	.02	.76	0	.09	0	0	0	2.03	.16	0		10
11	0	.06	0	.59	0	.01	.01	0	0	.35	.22	0		11
12	.42	.47	0	0	0	.25	0	0	0	.30	.17	.05		12
13	.02	.36	0	0	0	.78	0	0	.15	0	.02	0		13
14	.22	.15	0	.10	.20	0	0	0	.15	.19	.02	0		14
15	0	.06	0	.15	.11	.11	0	0	.20	0	1.40	.22		15
16	0	1.42	0	.37	.11	0	0	0	.47	.49	.13	.30		16
17	.02	.63	.10	.25	.04	.57	.09	0	.85	0	.47	0		17
18	0	.07	0	.56	.42	.27	.05	0	.85	.07	.45	0		18
19	.02	.07	0	.10	.09	.15	.31	0	.86	.91	.08	0		19
20	0	.28	0	.25	0	.28	.43	0	.01	.24	.29	0		20
21	.03	.63	0	.38	0	.16	0	0	0	0	.89	0		21
22	0	.20	.01	.01	0	0	0	0	1.20	.18	.23	0		22
23	0	.10	.20	.01	0	0	0	0	.12	0	.01	.18		23
24	.01	.02	.60	.42	0	0	0	.51	.02	.27	0	0		24
25	.51	.29	.02	0	0	0	0	0	2.13	.03	0	.15		25
26	.11	.02	.28	0	0	.35	0	0	0	0	.20	.07		26
27	.02	.02	0	0	0	0	.07	1.15	.43	.68	.17	.28		27
28	.03	.28	.01	0	0	.07	.45	.01	.38	1.07	.77	.08		28
29	.01		0	0	.01	0	0	.11	.08	.47	.17	0		29
30	.01	✕	.07	0	0	0	0	.01	.22	.58	.09	.35		30
31	.08	✕	.01	✕	0	✕	0	.29	✕	1.31	✕	.13		31
													Year's Total.	
TOTAL	2.19	7.06	1.96	4.62	1.03	5.88	2.38	2.08	9.12	11.74	7.27	3.92	59.25	
* Days with .01 in. or more.	21	24	17	20	8	19	13	6	23	25	26	19	221	
* Days with .04 in. or more.	8	20	11	18	7	16	10	4	19	22	23	14	145	

40-9999

† Spare column, no entries required.

(Signed) H. Braddock [P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at WARLAND RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1245 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·98

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·25	·01	·37	·02	0	·02	·07	·07	0	0	0	·19		1
2	·02	0	·05	·38	0	0	0	·52	·03	0	·18	·62		2
3	·01	·21	·04	·03	0	·91	0	·24	·02	0	·03	·18		3
4	·05	0	0	0	0	·38	·01	·22	·53	0	0	·20		4
5	·41	·16	·30	0	0	·04	0	·10	·34	·01	·17	·70		5
6	·09	·04	·51	0	·04	·01	·01	·24	·33	·02	·09	·18		6
7	·14	0	·03	0	·03	0	·12	·52	·70	0	·18	0		7
8	·03	0	·10	0	0	0	·19	0	·74	0	·29	·09		8
9	·51	0	·26	0	0	0	0	0	·02	·01	·53	·25		9
10	·43	·01	·02	0	0	0	·01	0	·14	0	1·06	0		10
11	·19	0	0	0	0	0	·35	0	·01	0	1·40	0		11
12	0	0	0	·03	0	·16	·19	·05	·03	0	·84	·02		12
13	0	0	·01	·07	·05	·52	·78	·02	·37	·03	·49	·02		13
14	·05	0	·01	·13	·04	·02	·12	0	·01	·17	·01	1·05		14
15	0	0	0	·27	0	·41	·09	·17	·22	·11	·28	1·05		15
16	·22	0	·04	·10	·01	·12	·06	·36	·12	0	·79	·10		16
17	·01	·02	0	·03	·03	0	·03	0	0	·03	·83	·02		17
18	·01	·63	·03	·04	·10	0	·14	·12	0	1·07	·09	·35		18
19	0	·03	0	0	0	·07	·18	·09	0	·80	0	·02		19
20	·04	·31	·03	·02	0	·21	·19	·46	0	·22	0	0		20
21	·11	·12	0	·03	0	0	0	·02	·01	·05	0	·04		21
22	·14	0	·08	·08	0	0	0	0	0	·04	0	0		22
23	·27	·37	·02	0	·03	1·20	·12	0	0	0	0	·05		23
24	0	·05	·22	·26	·13	0	·66	·01	0	·08	0	0		24
25	·20	·07	0	·25	·41	0	0	·06	·13	1·16	0	·06		25
26	·26	·01	·02	·06	0	·12	·04	0	·45	·36	0	·05		26
27	·04	·50	·27	·05	0	0	0	0	·10	·80	·01	0		27
28	·87	0	·02	0	0	0	0	0	·15	·35	0	0		28
29	·68	·62	·12	0	0	0	·43	0	0	·02	·01	·18		29
30	·11	✕	·96	0	·08	·74	0	0	0	·09	·16	·09		30
31	·01 ·34	✕ ·37	·02 ·06	✕	·02 ·68	✕ ·07	·07 ·32	0	✕	·73	✕ ·19	·98 ·06		31
TOTAL	5·24 ~~[illegible]~~	3·52 ~~[illegible]~~	3·22 ~~[illegible]~~	1·83 ~~[illegible]~~	1·65 ~~[illegible]~~	4·98 ~~[illegible]~~	4·11	3·20 ~~3·27~~	4·45	6·15	7·59 ~~7·40~~	6·36 ~~6·37~~	Year's Total ~~51·67~~	52·30
* Days with .01 in. or more.	26	16	23	~~17~~ 16	~~12~~ 13	15	21	~~17~~ 16	20	20	~~19~~ 20	23	229	
* Days with .04 in. or more.	~~21~~ 20	~~11~~ 12	~~14~~ 13	11	8	~~12~~ 13	14	~~14~~ 13	13	14	~~15~~ 16	19	169	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at WARLAND RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1,245 ft.

NOT W D.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .01

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05	.10	.28	—	—	.02	.04	—	.54	.01	—	.33		1
2	.46	.60	.18	.21	—	.01	.03	—	.02	—	—	.05		2
3	.01	.19	.06	.12	.03	.91	.01	—	—	—	—	.02		3
4	.28	.05	.10	.24	.18	.02	.03	.01	—	—	—	.25		4
5	1.34	—	.08	—	.01	—	.02	—	—	—	—	.08		5
6	.20	—	.04	.20	.05	—	—	.65	.08	.02	.09	.12		6
7	.09	.32	—	.45	.08	.04	—	—	.07	—	.02	—		7
8	—	.61	.02	.05	.04	.16	.07	.01	—	—	.04	.05		8
9	.04	.17	—	.05	.30	—	.40	.18	.02	—	—	—		9
10	.09	.11	—	—	.02	—	.01	—	—	.04	.01	.30		10
11	—	—	.06	—	.30	—	.03	—	—	—	—	—		11
12	.34	.32	.30	—	.11	.16	.02	.15	.22	—	—	.34		12
13	—	.22	.04	.03	.01	.97	—	.15	.02	—	—	.23		13
14	—	.06	.17	.03	—	.11	—	.24	.18	.03	—	.12		14
15	.26	.65	—	.40	—	—	.74	.01	.40	—	—	.09		15
16	—	.50	.15	.40	.01	—	—	.44	.20	—	—	.06		16
17	.31	.03	.35	.11	—	.12	—	.02	.42	—	—	—		17
18	.22	.37	.22	.20	—	.01	—	.28	.13	—	.57	—		18
19	.09	.16	.02	.29	.01	.19	.03	.07	.16	—	.62	—		19
20	.19	.29	—	.24	.67	.20	—	—	—	—	—	.11		20
21	—	.12	—	.06	—	—	.58	—	—	.02	—	.42		21
22	.09	—	.15	.05	.06	—	.30	—	—	.41	.48	.19		22
23	.16	—	—	—	.39	—	.38	—	—	.71	.38	—		23
24	.10	.18	.20	—	.18	—	.04	—	.06	.17	—	.07		24
25	.03	.86	.09	—	—	—	.01	.19	—	.17	—	.02		25
26	—	.43	.05	—	.59	—	—	.14	.03	.01	—	.12		26
27	—	.44	—	.17	—	—	—	—	—	.70	—	.02		27
28	—	.02	—	—	—	.09	—	—	—	.20	—	—		28
29	.01	✕	—	—	—	.05	—	—	—	.07	.15	—		29
30	.02	✕	—	—	—	.15	—	.14	—	.18	.66	.04		30
31	.58	✕	—	✕	—	✕	—	.08	✕	.20	✕	—		31
													Year's Total	
TOTAL	4.96	6.80	2.56	3.30	2.94	3.11	2.74	2.71	2.55	2.94	3.02	3.13	40.74	
* Days with .01 in. or more.	22	23	19	18	18	16	17	16	15	15	10	21	210	
* Days with .04 in. or more.	18	21	17	16	12	11	8	12	11	10	8	18	162	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) H Braddock [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations
Station No. 3225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at WARLAND RESERVOIR
in the County of YORKSHIRE
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1,245 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.06	–	.02	.01	1.13	.05	.07	–	.21	.57	.25		1
2	.11	.05	–	.58	.08	.33	.01	–	–	1.79	.21	.25		2
3	.06	–	–	–	–	.01	.07	⊖	.17	2.12	.32	.04		3
4	.03	.02	–	.01	–	–	.14	.54	–	.48	.23	1.17		4
5	–	.01	–	.07	–	.07	.19	.35	.04	.86	.01	.07		5
6	.26	–	–	–	–	.06	.17	.02	.03	.51	.02	.05		6
7	.36	–	–	–	–	–	.51	.02	.30	.45	–	–		7
8	.46	.01	–	–	–	–	.29	.02	–	1.91	–	.28		8
9	.20	.63	.12	–	–	.20	.18	.04	–	.04	–	.35		9
10	–	.13	.01	–	–	.05	.38	–	–	.17	–	.09		10
11	.35	.10	–	–	.01	–	.17	.17	–	.24	.09	.11		11
12	.63	–	–	–	.22	–	–	.18	–	1.59	.23	.01		12
13	–	.01	–	–	.02	–	.02	–	.04	.32	.37	.24		13
14	.56	.02	–	–	.11	–	.11	–	.06	.02	.19	.03		14
15	.50	–	.01	–	.01	–	.21	.32	–	.11	–	.27		15
16	.85	–	.13	–	.32	–	.15	.40	–	.05	.12	.19		16
17	–	–	–	–	.39	–	.11	.28	.09	.59	.02	.02		17
18	.15	–	–	–	.19	.06	–	.55	.06	.68	.48	.01		18
19	.01	–	–	–	–	–	–	.29	.08	–	–	.10		19
20	.26	–	–	–	–	–	–	.04	.03	–	.51	.04		20
21	–	–	.07	–	–	–	–	.29	.01	–	.03	.02		21
22	.02	.01	–	.01	–	.34	–	–	–	–	.49	.04		22
23	.01	–	–	–	.25	.41	–	.01	.02	–	.52	–		23
24	.05	.01	.22	–	.05	.16	.65	.47	.05	.01	.23	–		24
25	.53	.44	.09	–	.01	.19	.16	.02	–	.39	.59	.04		25
26	.30	.42	.13	–	.03	.13	.03	–	.14	.17	.23	.05		26
27	.33	.21	.01	–	.71	.69	.31	.24	.02	.02	.48	–		27
28	.33	.23	.19	–	.34	1.06	.08	.17	.09	.01	.04	.09		28
29	.09		.24	–	1.09	.34	.29	–	–	.15	.11	.28		29
30	.29	✕	–	–	.21	.06	.08	–	.35	.06	.52	.17		30
31	.48	✕	.02	✕	.38	✕	–	–	✕	.48	✕	1.02		31
													Year's Total	
TOTAL	7.23	2.36	1.24	.69	4.43	5.29	4.36	4.49	1.58	13.43	6.61	5.28	56.99	
* Days with .01 in. or more.	26	16	12	5	19	17	23	21	17	26	24	27	233	
* Days with .04 in. or more.	21	9	8	2	13	16	20	16	12	22	20	22	181	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 3225

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Warland Reservoir

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 1245 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·34	-	·33	·05	-	-	·02	·03	·06	·02	-	·78		1
2	·03	-	·07	·09	-	-	·63	·71	·68	·01	·04	·15		2
3	·02	-	-	·08	-	-	·01	·23	·11	-	·13	·43		3
4	·23	-	·38	·77	·01	-	·62	-	-	·05	·03	·34		4
5	-	-	-	-	·40	-	·33	·10	-	·25	·37	·03		5
6	·54	·22	·02	-	-	-	·72	-	-	-	·23	-		6
7	·28	·47	·21	-	·18	-	·05	-	-	-	·13	·27		7
8	·48	·19	·26	·02	-	-	·43	·04	-	·09	·29	·89		8
9	·15	·41	-	-	-	-	·04	·54	-	·61	-	·63		9
10	·43	·01	·02	-	-	·04	-	·31	·52	·11	·01	·12		10
11	·54	·15	·18	-	-	·39	-	·04	·02	·02	-	·03		11
12	·17	·04	-	-	-	·12	-	-	·01	·01	·01	-		12
13	·02	-	·02	·23	·07	·23	·04	-	·02	·03	·06	-		13
14	·91	-	·03	·03	·39	·51	·21	-	-	·02	·28	-		14
15	·25	·06	·03	·39	·08	1·33	·19	-	·02	-	·17	-		15
16	·34	-	·04	·02	·23	-	·03	-	-	-	·08	-		16
17	·74	·32	·01	·03	·09	·06	·05	-	-	·23	·02	-		17
18	·12	·16	·03	-	-	·10	·28	-	-	·01	·76	-		18
19	·26	-	·01	-	-	·01	·47	-	·02	-	-	-		19
20	·02	-	·01	-	-	·19	·37	·19	·02	-	-	-		20
21	·11	·11	·59	·09	·02	·03	-	·35	·05	-	-	-		21
22	·12	·31	·17	·02	·01	-	·09	·01	·01	-	·65	-		22
23	·01	·45	·03	·26	-	·01	·04	·01	-	·41	·23	·01		23
24	·03	·11	·02	·07	-	·04	·05	-	-	·02	-	-		24
25	·34	·19	·02	·01	-	·09	-	-	-	-	1·72	·01		25
26	·03	·08	·02	-	-	-	-	1·04	-	·21	·43	·03		26
27	·07	1·52	·24	-	-	·45	·09	·04	-	·07	·23	·07		27
28	·03	·18	·25	·04	-	·44	·74	-	-	-	·68	-		28
29	-		·01	·01	-	-	1·31	-	-	·30	·37	-		29
30	-	✕	-	-	-	·01	·18	-	-	·01	·39	-		30
31	-	✕	-	✕	-	✕	·17	·01	✕	·07	✕	-		31
TOTAL	6·61	4·98	3·00	2·21	1·48	4·05	7·16	3·65	1·54	2·55	7·31	3·79	Year's Total 48·33	✓
* Days with .01 in. or more.	27	18	25	17	10	17	25	15	12	20	23	14	223	✓
* Days with .04 in. or more.	19	17	11	10	7	13	22	11	5	11	19	9	154	✓

† Spare column, no entries required

(*Signed*) J Haddock

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 3225

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Warland Reservoir

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 1.245 ft.

Jan. & Feb. Est.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	✓	–	.25	–	–	.02	–	–	–	.63	.16		1
2	–	✓	–	.21	–	–	.11	–	–	–	1.16	.18		2
3	.02	✓	–	.14	–	–	.02	–	–	.13	.05	.21		3
4	–	✓	–	.26	–	–	.07	–	–	.29	.35	.21		4
5	–	✓	–	–	.09	–	.04	–	–	1.22	.19	.52		5
6	.17	✓	–	–	–	–	.02	⊖	–	.89	.08	.04		6
7	.12	✓	–	.22	.11	–	–	.15	.13	.07	–	–		7
8	.02	✓	.01	.05	–	–	–	.02	–	.27	.05	.21		8
9	–		.19	–	–	–	1.02	.22	.13	.71	1.35	.18		9
10	–		.04	–	–	–	.28	.29	.02	.08	.67	.79		10
11	–	✓	.09	.04	–	.06	.05	–	–	–	1.79	–		11
12	–		.71	–	–	.01	.11	.01	.53	–	.57	–		12
13	–	✓	.26	–	–	–	–	.05	.31	–	.08	.05		13
14	–	✓	.02	.22	.13	–	.02	.06	.13	–	.01	.59		14
15	–		.03	.04	.09	.01	–	–	–	–	.09	.16		15
16	.02	S .03	.09	.08	–	–	.33	–	1.59	.34	.14	.04		16
17	–	.02	.49	–	.01	–	.59	–	.21	–	.53	–		17
18	.02	.07	.36	.47	–	–	.06	.18	.25	–	.02	.32		18
19	–	.21	.16	.10	–	–	.34	–	.41	.06	.44	.01		19
20	–	.02	.12	.43	–	–	.13	.49	.20	.14	.23	–		20
21	–	–	.37	.02	–	.25	.02	.09	–	.09	.83	–		21
22	–	.02	.05	.01	.02	.12	–	.01	.47	.06	–	–		22
23	–	.18	.06	.09	.02	–	.19	–	.05	.07	.08	–		23
24	~~.29~~ (.69)	.01	.03	.06	–	–	–	–	–	.03	–	.12		24
25	.05	–	–	–	.09	.11	–	–	–	.07	–	–		25
26	.08	.14	.01	.02	.07	.05	–	.01	.01	–	.03	–		26
27	✓	.63	–	.58	.05	–	.19	–	–	–	.14	–		27
28	✓	.52	–	.03	1.03	– –	–	.08	–	–	–	.02		28
29		–	.29	.02	–	.27	.01	–	–	.02	– –	.56		29
30	✓	X	–	.13	–	–	–	–	–	.45	.02	.28		30
31	✓	X	.16	X	.01	X	–	.05	X	.75	X	.02		31
TOTAL	(2.39) ~~.79~~	2.85	3.54	3.47	1.72	.88	3.62	1.71	4.44	5.74	9.53	4.67	Year's Total ~~41.96~~	~~44.5~~ 44.56
* Days with .01 in. or more.	13 ~~9~~	22 ~~11~~	20	22	12	8	20	14	14	19	24	20	~~193~~	208
* Days with .04 in. or more.	9 ~~5~~	13 ~~6~~	15	17	8	6	14	10	12	17	20	17	~~147~~	158

Feb. 1–15: no readings available due to heavy fall of snow

Jan. 27–31: no readings available due to heavy fall of snow

† Spare column, no entries required.

* See Instruction 3 (f) on other side. X Rochdale Corpn. X

(*Signed*) J. Maddock

[P.T.O.

3226

WARLAND DRAIN
1931 — 40

780602

3226.

Section **A** for the entry
AIR MINIST

ORM 1090.

REGIS

COPY FOR OFFICIAL USE.
L ORGANIZATION.
1.

Kept at WARLAND DRA
in the County of YOR
Diameter of Funnel of Gauge
Height of top of Gauge above Gro
" Ground " Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

22/2/

106 sent 24.2.32 for value of 1.1.32

following

Jan. 1, following
.11

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	0	.53	.25	0	.02	.20	0	.03	.0	.06	.02	.02	1
2	.07	.04	0	.13	0	.25	0	0	.07	.17	0	0	2
3	.12	.07	0	.85	.03	1.40	.02	0	.87	.09	.12	.17	3
4	0	0	0	.08	0	.05	.39	0	.59	.09	2.43	.65	4
5	0	.08	0	.38	.01	.01	.09	0	1.07	.14	.25	.44	5
6	0	.13	0	0	.24	1.15	.02	.61	.06	0	0	.50	6
7	0	.36	.02	.01	0	.21	.21	.02	.11	.68	.28	0	7
8	0	.02	.04	0	0	.83	0	.14	0	.33	.10	.17	8
9	.03	.51	.04	.09	.05	0	.16	.46	.01	.09	.29	0	9
10	0	1.03	.03	.28	.02	.19	0	.35	.11	.04	.28	.05	10
11	.16	.16	.04	0	.32	.32	0	.28	.08	.01	.39	0	11
12	.28	.58	0	.04	.01	.11	.10	.02	.30	0	.79	0	12
13	.03	.15	0	.05	0	.01	.60	0	.11	.38	.29	0	13
14	0	.04	.22	.02	.12	.01	.39	.03	0	0	0	0	14
15	.10	.10	0	0	.01	.93	.05	1.01	.03	0	.46	.01	15
16	.44	.38	0	.11	.25	.02	.11	.41	.10	0	.02	.01	16
17	.75	.16	0	.54	.68	.43	.12	.69	.26	0	0	0	17
18	.03	.10	0	.23	.03	.15	.49	.22	.03	.01	.04	0	18
19	.38	.03	0	.16	0	.71	.49	.09	.01	.02	.75	0	19
20	.13	.22	0	.07	0	0	.01	.89	.01	.02	0	0	20
21	.02	.18	0	.01	0	.06	0	.10	0	0	.18	.02	21
22	.62	.10	.08	0	.09	.18	.03	.32	0	0	.01	0	22
23	.46	.09	.01	.02	.15	.15	.04	0	0	0	.01	0	23
24	.54	.03	0	.35	.25	.26	.30	0	0	0	.93	.18	24
25	.10	.32	0	.15	.49	0	.14	0	0	0	.13	.10	25
26	.13	1.02	0	.58	.03	0	.10	0	0	0	.08	.08	26
27	.13	.12	0	.19	0	0	.01	0	0	0	.48	.01	27
28	.85	.10	0	.05	.06	0	.27	0	0	.37	1.36	.08	28
29	.26		0	.10	.19	0	.18	0	.03	0	0	.03	29
30	.20	✕	0	0	.27	0	.38	0	0	.68	.02	0	30
31	0	✕	0	✕	.11	✕	0	0	✕	0	✕	0	31
TOTAL	·53 ~~5.83~~ 6.36	·25 ~~6.65~~ 6.37	– ~~.73~~ .48	·02 ~~4.49~~ 4.51	·20 ~~3.43~~ 3.61	– ~~7.63~~ 7.43	·03 ~~4.70~~ 4.73	– ~~5.67~~ 5.64	·06 ~~3.85~~ 3.91	·02 ~~3.18~~ 3.14	·02 ~~9.71~~ 9.71	·11 ~~2.52~~ 2.61	YEAR'S TOTAL 58.50 ~~58.39~~
*Days with ·01 in. or more.	~~22~~23	27 ✓	8 ~~9~~	~~23~~24	22 ✓	~~22~~21	~~24~~25	~~17~~16	~~18~~19	16 ✓	24 ✓	16 ✓	~~240~~ 241
*Days with ·04 in. or more.	~~18~~19	24 ✓	5 ~~8~~	19 ✓	~~14~~15	~~18~~17	19 ✓	13 ✓	~~12~~13	~~12~~11	19 ✓	~~16~~14	~~184~~185

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J. W. Braddock

[P.T.O.

X ROCHDALE CORPORATION X

3226

Section **A** for the entry COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at WARLAND DRAIN

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1250 ft.

WD

23/2/32

Corr. for WD + Fm. 906 sent 24.2.32 for value of 1.1.32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .11

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	.53	.25	0	.02	.20	0	.03	.0	.06	.02	.02	1
2	.07	.04	0	.13	0	.25	0	0	.07	.17	0	0	2
3	.12	.07	0	.85	.03	1.40	.02	0	.87	.09	.12	.17	3
4	0	0	0	.08	0	.05	.39	0	.59	.09	2.43	.65	4
5	0	.08	0	.38	.01	.01	.09	0	1.07	.14	.25	.44	5
6	0	.13	0	0	.24	1.15	.02	.61	.06	0	0	.50	6
7	0	.36	.02	.01	0	.21	.21	.02	.11	.68	.28	0	7
8	0	.02	.04	0	0	.83	0	.14	0	.33	.10	.17	8
9	.03	.51	.04	.09	.05	0	.16	.46	.01	.09	.29	0	9
10	0	1.03	.03	.28	.02	.19	0	.35	.11	.04	.28	.05	10
11	.16	.16	.04	0	.32	.32	0	.28	.08	.01	.39	0	11
12	.28	.58	0	.04	.01	.11	.10	.02	.30	0	.79	0	12
13	.03	.15	0	.05	0	.01	.60	0	.11	.38	.29	0	13
14	0	.04	.22	.02	.12	.01	.39	.03	0	0	0	0	14
15	.10	.10	0	0	.01	.93	.05	1.01	.03	0	.46	.01	15
16	.44	.38	0	.11	.25	.02	.11	.41	.10	0	.02	.01	16
17	.75	.16	0	.54	.68	.43	.12	.69	.26	0	0	0	17
18	.03	.10	0	.23	.03	.15	.49	.22	.03	.01	.04	0	18
19	.38	.03	0	.16	0	.71	.49	.09	.01	.02	.75	0	19
20	.13	.22	0	.07	0	0	.01	.89	.01	.02	0	0	20
21	.02	.18	0	.01	0	.06	0	.10	0	0	.18	.02	21
22	.62	.10	.08	0	.09	.18	.03	.32	0	0	.01	0	22
23	.46	.09	.01	.02	.15	.15	.04	0	0	0	.01	0	23
24	.54	.03	0	.35	.25	.26	.30	0	0	0	.93	.18	24
25	.10	.32	0	.15	.49	0	.14	0	0	0	.13	.10	25
26	.13	1.02	0	.58	.03	0	.10	0	0	0	.08	.08	26
27	.13	.12	0	.19	0	0	.01	0	0	0	.48	.01	27
28	.85	.10	0	.05	.06	0	.27	0	0	.37	1.36	.08	28
29	.26		0	.10	.19	0	.18	0	.03	0	0	.03	29
30	.20	×	0	0	.27	0	.38	0	0	.68	.02	0	30
31	0	×	0	×	.11	×	0	0	×	0	×	0	31
TOTAL	.53 ~~5.83~~ 6.36	.25 ~~6.65~~ 6.37	– ~~.73~~ .48	.02 ~~4.49~~ 4.51	.20 ~~3.43~~ 3.61	– ~~7.63~~ 7.43	.03 ~~4.70~~ 4.73	– ~~5.67~~ 5.64	.06 ~~3.85~~ 3.91	.02 ~~3.18~~ 3.14	.02 ~~9.71~~ 9.71	.11 ~~2.52~~ 2.61	YEAR'S TOTAL 58.50 ~~58.39~~
*Days with ·01 in. or more.	~~22~~23	27 ✓	8 ~~9~~	~~23~~24	22 ✓	~~22~~21	~~24~~25	~~17~~16	~~18~~19	16 ✓	24 ✓	16 ✓	~~240~~ 241
*Days with ·04 in. or more.	~~18~~19	24 ✓	5 ~~8~~	19 ✓	~~14~~15	~~18~~17	19 ✓	13 ✓	~~12~~13	~~12~~11	19 ✓	~~10~~11	~~184~~185

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) G. A. Haddock [P.T.O.

X ROCHDALE COPORATION X

3226

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at WARLAND DRAIN

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 1250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .14

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·02	0	·16	·02	·01	·48	·25	0	·03	0	·44	1
2	·38	·02	0	·27	·17	0	·04	·02	·71	·36	·17	·05	2
3	1·18	0	0	·02	·41	0	·04	·02	1·41	·06	·27	·53	3
4	·06	0	0	0	0	0	·30	0	·11	·01	0	·28	4
5	·14	·01	0	0	0	0	·19	0	·01	·02	·09	·02	5
6	1·33	·01	·16	·29	·03	0	·01	·01	·30	0	0	0	6
7	1·03	0	·12	·65	·03	0	0	0	·27	·03	0	0	7
8	·13	0	·59	·34	0	0	0	0	·69	·19	·02	0	8
9	0	·02	0	·19	0	0	0	0	·27	·86	·01	0	9
10	·21	·04	0	·81	·10	0	0	0	·03	·02	0	·09	10
11	·59	·02	·01	·09	·02	0	0	0	·79	·45	·02	·10	11
12	·03	·03	·01	·07	·62	·35	·93	0	·05	·01	·03	·01	12
13	·60	0	0	·01	·61	·01	·07	·07	·01	·59	·05	0	13
14	·01	·04	0	·12	·17	0	·14	·04	·27	·45	·06	·34	14
15	·12	0	·01	·07	0	0	·09	0	·02	·14	·14	0	15
16	·01	0	0	·03	·50	0	0	0	0	·12	·26	·23	16
17	·35	0	0	·09	·01	0	·14	·01	0	·15	·01	·21	17
18	0	0	0	0	·09	0	·08	·02	·06	·86	·01	·01	18
19	0	0	0	0	·10	0	0	·01	·01	·01	·02	0	19
20	0	·01	0	·16	·12	0	·01	·01	0	·63	·01	0	20
21	0	0	0	·15	·46	0	·02	·57	0	·21	·08	·01	21
22	·09	0	·24	·10	·31	0	·03	·51	0	·83	·11	·06	22
23	0	0	·18	·18	0	0	·12	0	0	·13	·93	·13	23
24	0	·01	0	·09	·49	0	·10	0	0	·12	·12	·15	24
25	·03	0	0	·05	·02	·08	·50	0	·21	·01	·06	·01	25
26	0	·04	0	·12	·08	0	·08	·01	·09	·84	·23	0	26
27	·01	·01	0	·13	·34	0	·42	0	·16	·52	·50	0	27
28	0	0	·29	·27	·47	·14	·58	0	0	·04	·01	·23	28
29	0	0	·08	·10	·21	0	·19	·01	0	0	0	·16	29
30	·03	×	·69	·08	·14	·08	·41	·19	·23	·66	·49	·38	30
31	0	×	·24	×	·01	×	·18	·05	×	·14	×	·20	31
TOTAL	6·44	·28	2·62	4·64	5·53	·67	5·15	1·80	5·70	8·49	3·70	3·64	YEAR'S TOTAL 48·66
*Days with ·01 in. or more.	20	13	12	26	25	6	24	16	20	29	24	21	236
*Days with ·04 in. or more.	14	3	9	23	18	4	20	7	15	21	15	16	165

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 3226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at WARLAND DRAIN.

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·14	·51	0	·05	·02	0	0	·42	·19	0	·34	0		1
2	·10	·79	·03	0	0	0	0	·02	·14	0	·36	0		2
3	·58	0	·26	·22	0	·40	0	·05	0	0	0	0		3
4	·01	·47	·45	·02	·41	0	0	0	0	0	·06	0		4
5	·19	·36	·26	0	·14	0	0	·05	0	0	0	0		5
6	·26	·15	·10	0	·22	0	0	0	0	0	0	0		6
7	·02	·07	·07	0	·31	0	0	0	0	0	·03	·03		7
8	·15	·27	·16	0	·17	0	·11	·08	0	·67	0	·03		8
9	·28	·12	·18	·06	·06	0	·29	·03	0	0	·03	·07		9
10	0	·59	0	·34	·08	·03	1·01	·07	0	·80	·17	0		10
11	·15	·05	0	0	0	·09	·04	0	0	1·39	·06	0		11
12	·01	0	0	0	0	0	·47	0	0	·81	0	·02		12
13	·01	0	·01	0	0	·25	·24	0	0	·12	0	·01		13
14	·02	0	·03	0	·28	·03	·50	0	·11	·25	·33	0		14
15	·35	0	·07	0	·07	0	·11	·03	0	·02	·41	·02		15
16	·29	0	·09	0	0	0	·02	·18	0	·25	·71	·03		16
17	·21	·02	·27	·01	·05	·42	·03	0	0	·19	·11	0		17
18	·03	0	·91	0	·02	·63	0	·36	·15	0	·13	0		18
19	0	·04	·29	0	·10	·40	0	·11	0	0	·08	0		19
20	0	0	·27	·03	0	·04	0	·25	·02	0	·13	·04		20
21	0	·09	0	·01	0	0	0	·16	·06	0	·03	0		21
22	0	0	0	0	0	·14	0	·32	·10	·01	0	0		22
23	0	0	0	0	0	·49	0	·12	0	·10	0	·02		23
24	0	·02	0	·34	·05	0	0	·07	·20	·02	0	0		24
25	0	·29	0	·23	·11	·20	0	0	·50	·01	0	·03		25
26	0	·10	0	·28	·01	0	0	0	·32	0	0	·08		26
27	0	·88	0	·65	0	0	0	0	0	·30	·03	0		27
28	0	0	0	·02	0	0	0	0	·03	0	0	0		28
29	0		0	·10	·02	0	·20	0	0	·21	0	0		29
30	0	×	0	0	·05	0	·18	0	0	·05	0	·06		30
31	·03	×	·01	×	·38	×	·45	0	×	·32	×	·20		31
TOTAL	2·83	4·82	3·46	2·36	2·55	3·12	3·65	2·32	1·82	5·52	3·01	·64	Year's Total 36·10	
*Days with ·01 in. or more.	18	17	17	14	19	12	13	16	11	17	16	13	183	
*Days with ·04 in. or more.	11	15	13	9	15	10	11	13	9	13	12	5	136	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) [illegible]

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at WARLAND DRAIN

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following .12

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0	.02	0	0	0	0	0	.23	0	.43	.05	0		1
2	.23	0	.05	0	0	0	0	.13	.02	.10	.02	.51		2
3	.01	.03	.10	0	.01	0	0	.69	.09	0	.28	.57		3
4	.23	.03	.02	0	0	0	0	.09	.09	.16	.08	.07		4
5	.26	0	.42	.09	.09	0	0	0	.05	1.01	0	.78		5
6	0	0	.10	0	.08	0	0	.33	0	.29	.05	.28		6
7	0	0	.08	.06	.75	.09	0	.21	0	.33	0	.44		7
8	.49	.06	.10	.02	0	.03	0	0	0	.15	.33	.50		8
9	0	0	.02	.01	.10	.80	0	.08	.02	.30	.63	.08		9
10	.03	.08	.05	.05	0	0	0	.11	.04	.03	.65	.02		10
11	0	.03	.52	.35	0	0	0	.39	0	.41	.12	0		11
12	.26	0	.11	.51	0	0	0	.23	0	.03	.04	.16		12
13	.03	0	.09	.20	0	0	.28	.02	0	.08	0	.03		13
14	.58	0	0	.05	.12	0	.11	.03	0	.21	.03	0		14
15	.16	0	.18	0	.03	.03	0	0	0	.38	.03	.11		15
16	.60	0	.16	0	.93	0	.02	.12	.52	.01	.01	.32		16
17	.47	0	.21	0	.12	0	0	0	0	.01	.09	.02		17
18	.64	0	.14	.02	.12	0	.19	0	.29	.08	0	.30		18
19	.44	.03	.25	.21	.77	.16	.03	.04	0	0	0	.25		19
20	0	0	.41	.02	.13	.51	0	.03	.39	.19	0	.04		20
21	0	0	.02	.20	.37	0	0	.11	.09	.20	.03	.02		21
22	.08	0	.02	0	.08	.78	0	.18	.07	.12	0	.01		22
23	.07	0	0	0	0	0	0	.20	.87	.19	.01	0		23
24	.04	0	.08	.35	0	.03	.36	0	.02	.28	.02	.08		24
25	0	.21	.02	.12	0	.10	.06	0	.57	.40	0	.05		25
26	.12	.01	.05	.17	.03	0	.27	0	.31	.42	0	.58		26
27	.19	0	.06	.27	0	.20	.51	0	.56	.08	.03	.23		27
28	.04	0	0	.25	0	.29	.43	0	.07	.46	.03	.33		28
29	0		0	.10	0	.16	.48	.13	0	.05	0	.62		29
30	0	✕	.03	0	0	0	.09	.44	.36	.03	0	.17		30
31	.08	✕	0	✕	0	✕	.09	.24	✕	.19	✕	.25	Year's Total.	31
TOTAL	5.05	.50	3.29	3.05	3.73	3.18	2.92	4.03	4.43	6.62	2.53	6.82	46.15	
* Days with .01 in. or more.	21	9	25	19	15	12	13	21	18	29	19	27	228	
* Days with .04 in. or more.	18	3	19	15	12	9	11	18	15	24	10	22	176	

40-9999

† Spare column, no entries required

(*Signed*) Braddell

[P.T.O.

* See Instruction 2 (f) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at WARLAND DRAIN
in the County of YORKSHIRE
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 1250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·34

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·06	·10	·03	·03	0	·20	0	·02	·28	·37	·58		1
2	·43	·29	·03	·06	0	0	·03	0	·11	1·02	·18	·39		2
3	·02	·19	·05	0	0	·40	·01	0	·08	·20	·09	·15		3
4	·04	·69	·14	·09	0	·03	·41	0	·28	·01	·11	·17		4
5	·01	·03	·09	0	0	·16	·16	0	·27	·27	0	·01		5
6	0	·55	·18	·16	0	·84	·09	0	·15	·01	·16	·32		6
7	·01	0	·01	·07	0	·42	0	0	·01	·05	0	·01		7
8	·02	0	0	·10	0	·77	0	0	0	·28	·30	·25		8
9	0	0	0	·10	0	·02	0	0	0	·29	·04	·26		9
10	0	0	·02	·69	0	·08	0	0	0	1·94	·16	0		10
11	0	·06	0	·61	0	·01	·01	0	0	·31	·21	0		11
12	·38	·43	0	0	0	·24	0	0	0	·34	·17	·04		12
13	·02	·37	0	0	0	·75	0	0	·14	0	·02	0		13
14	·22	·14	0	·09	·18	0	0	0	·17	·17	·02	0		14
15	0	·05	0	·14	·09	·13	0	0	·21	0	1·32	·22		15
16	0	1·30	0	·35	·10	0	0	0	·44	·44	·13	·29		16
17	·02	·60	·09	·22	·04	·54	·08	0	·81	0	·46	0		17
18	0	·07	0	·51	·39	·26	·05	0	·83	·06	·43	0		18
19	·01	·07	0	·09	·06	·14	·30	0	·82	·84	·08	0		19
20	0	·26	0	·21	0	·27	·41	0	·01	·23	·28	0		20
21	·02	·60	0	·41	0	·16	0	0	0	0	·81	0		21
22	0	·20	·01	·01	0	0	0	0	1·13	·18	·23	0		22
23	0	·10	·20	·01	0	0	0	0	·12	0	·01	·16		23
24	·01	·02	·57	·41	0	0	0	·48	·02	·26	0	0		24
25	·48	·26	·02	0	0	0	0	0	2·02	·03	0	·15		25
26	·10	·02	·26	0	0	·34	0	0	0	0	·19	·04		26
27	·02	·02	0	0	0	0	·07	1·13	·40	·64	·14	·27		27
28	·03	·26	·01	0	0	·06	·43	·01	·37	1·01	·73	·08		28
29	·01		0	0	0	0	0	·11	·07	·46	·16	0		29
30	·01	X	·06	0	0	0	0	·01	·24	·55	·09	·36		30
31	·07	X	·01	X	0	X	0	·27	X	1·26	X	·13		31
													Year's Total	
TOTAL	2·05	6·64	1·85	4·36	·89	5·62	2·25	2·01	8·72	11·13	6·89	3·88	56·29	
* Days with .01 in. or more.	21	24	17	20	7	19	13	6	23	25	26	19	220	
* Days with .04 in. or more.	8	20	10	17	6	16	10	4	19	22	23	17	172	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required

(*Signed*) Braddock

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 3226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at WARLAND DRAIN

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1·00

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·34	·01	·36	·01	0	·02	·11	·11	0	0	0	·23		1
2	·02	0	·05	·37	0	0	0	·49	·02	0	·20	·65		2
3	·01	·20	·03	·02	0	·93	0	·26	·02	0	·03	·23		3
4	·05	0	0	0	0	·33	·01	·20	·47	0	0	·18		4
5	·40	·15	·26	0	0	·04	0	·12	·32	·01	·19	·65		5
6	·09	·04	·49	0	·02	·01	·01	·23	·30	·01	·07	·18		6
7	·12	0	·03	0	·03	0	·11	·54	·74	0	·20	0		7
8	·03	0	·10	0	0	0	·21	0	·72	0	·31	·08		8
9	·50	0	·23	0	0	0	0	0	·02	·01	·60	·28		9
10	·40	·01	·02	0	0	0	·01	0	·12	0	1·11	0		10
11	·17	0	0	0	0	0	·38	0	·01	0	1·41	0		11
12	0	0	0	·03	0	·14	·16	·03	·02	0	·86	·02		12
13	0	0	·01	·06	·05	·58	·83	·03	·36	·03	·50	·02		13
14	·04	0	0	·10	·03	·01	·10	0	·01	·19	·01	1·18		14
15	0	0	0	·24	0	·38	·11	·15	·25	·10	·25	1·01		15
16	·21	0	·03	·08	·01	·10	·06	·29	·10	0	·86	·11		16
17	·01	·02	0	·04	·03	0	·03	0	0	·03	·79	·01		17
18	·01	·59	·02	·03	·08	0	·14	·12	0	·97	·11	·39		18
19	0	·03	0	0	0	·07	·20	·09	0	·79	0	·01		19
20	·03	·31	·02	·01	0	·19	·21	·49	0	·20	0	0		20
21	·11	·11	0	·03	0	0	0	·02	·01	·06	0	·04		21
22	·14	0	·06	·09	0	0	0	0	0	·04	0	0		22
23	·23	·37	·01	0	·02	1·13	·10	0	0	0	0	·05		23
24	0	·03	·21	·23	·10	0	·68	·01	0	·07	0	·0		24
25	·16	·05	0	·23	·33	0	0	·05	·12	1·17	0	·05		25
26	·22	·01	·02	·05	0	·12	·05	0	·47	·34	0	·05		26
27	·04	·47	·23	·04	0	0	0	0	·10	·77	·01	0		27
28	·80	0	·02	0	0	0	0	0	·14	·38	0	0		28
29	·67	·51	·11	0	0	0	·45	0	0	·02	·01	·18		29
30	·11		·91	0	·09	·68	0	0	0	·08	·18	·09		30
31	·01 ·30	·36	·01 ·06		·02 ·66	·11	·11 ·29	0		·69	·23	100 ·06		31
TOTAL	4·88 ~~5·21~~	3·26 ~~3·71~~	2·93 ~~3·28~~	1·65 ~~[illegible]~~	1·47 ~~[illegible]~~	4·82 ~~[illegible]~~	4·25	3·12 ~~[illegible]~~	4·32	5·96	7·93 ~~[illegible]~~	6·52 ~~[illegible]~~	Year's Total ~~[illegible]~~ 51·11	
* Days with .01 in. or more.	26	16	22	~~17~~ 16	~~12~~ 13	15	21	~~17~~ 16	20	20	~~19~~ 20	23	228	
* Days with .04 in. or more.	~~22~~ 19	~~10~~ 11	~~12~~ 11	11	6	~~12~~ 13	14	~~13~~ 14	13	14	~~18~~ 16	19	162	

† Spare column, no entries required.

(Signed) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at WARLAND DRAIN

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1,250 ft.

NOT W D ~~Ab~~

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·01

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·12	·21	—	—	·02	·05	—	·54	·01	—	·30		1
2	·45	·62	·13	·19	—	·01	·04	—	·12		—	·05		2
3	·01	·23	·06	·12	·03	·95	·02	—	—		—	·02		3
4	·26	·04	·10	·25	·19	·03	·03	·03	—	—	—	·37		4
5	1·32	—	·07	—	·01	—	·02	—	—	—	—	·07		5
6	·18	—	·03	·23	·06	—	—	·67	·08	·02	·09	·14		6
7	·09	·35	—	·48	·09	·04	—	—	·07	—	·02	—		7
8	—	·58	·02	·05	·03	·17	·08	·01	—	—	·06	·05		8
9	·04	·19	—	·06	·29	—	·38	·19	·02	—	—	—		9
10	·09	·12	—	—	·02	—	·01	—	—	·04	·01	·28		10
11	—	—	·11	—	·31	—	·03	—	—	—	—	—		11
12	·36	·32	·31	—	·09	·17	·02	·16	·24	—	—	·28		12
13	—	·21	·04	·03	·01	·94	—	·15	·02	—	—	·25		13
14	—	·03	·16	·02	—	·01	—	·28	·20	·03	—	·12		14
15	·30	·69	—	·45	—	—	·73	·01	·43	—	—	·09		15
16	—	·48	·16	·37	·01	—	—	·46	·21	—	—	·06		16
17	·22	·03	·37	·10	—	·12	—	·03	·45	—	—	—		17
18	·22	·35	·24	·19	—	·01	—	·31	·13	—	·56	—		18
19	·10	·18	·02	·28	·01	·20	·03	·07	·15	—	·60	—		19
20	·21	·34	—	·26	·66	·19	—	—	—	—	—	·09		20
21	—	·10	—	·25	—	—	·60	—	—	·02	—	·40		21
22	·09	—	·14	·06	·06	—	·29	—	—	·43	·46	·17		22
23	·18	—	—	—	·40	—	·40	—	—	·75	·36	—		23
24	·11	·17	·19	—	·07	—	·04	—	·05	·12	—	·07		24
25	·03	·78	·08	—	—	—	·01	·21	—	·17	—	·03		25
26	—	·37	·06	—	·60	—	—	·09	·03	·02	—	·12		26
27	—	·46	—	·18	—	—	—	—	—	·68	—	·03		27
28	—	·02	—	—	—	·07	—	—	—	·21	—	—		28
29	·01		—	—	—	·06	—	—	—	·17	·13	—		29
30	·03	✕	—	—	—	·17	—	·14	—	·19	·65	·04		30
31	·52	✕	—	✕	—	✕	—	·09	✕	·21	✕	—		31
													Year's Total	
TOTAL	4·87	6·78	2·50	3·37	2·94	3·16	2·78	2·90	2·64	2·97	2·94	3·03	40·88	
* Days with .01 in. or more.	22	23	19	18	18	16	17	16	15	15	10	21	210	
* Days with .04 in. or more.	18	20	16	16	11	11	9	12	11	10	8	18	160	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at WARLAND DRAIN

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1,250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.01	.06	–	.03	.01	1.19	.09	.07	–	.17	.76	.33		1
2	.09	.05	–	.72	.09	.43	.02	–	–	1.89	.29	.34		2
3	.06	–	–	–	–	.01	.12	–	.21	2.14	.32	.05		3
4	.03	.02	–	.03	–	–	.11	.65	–	.54	.29	1.51		4
5	–	.01	–	.10	–	.11	.19	.39	.05	.91	.01	.08		5
6	.28	–	–	–	–	.09	.24	.02	.04	.59	.02	.05		6
7	.32	–	–	–	–	–	.54	.03	.34	.46	–	–		7
8	.49	.01	–	–	–	–	.41	.02	–	2.04	–	.31		8
9	.21	.60	.24	–	–	.25	.23	.05	–	.07	–	.41		9
10	–	.12	.03	–	–	.07	.59	–	–	.19	–	.11		10
11	.38	.07	–	–	.01	–	.29	.19	–	.27	.11	.13		11
12	.59	–	–	–	.26	–	.01	.15	–	1.71	.25	.01		12
13	–	.01	–	–	.03	–	.05	–	.05	.32	.41	.29		13
14	.58	.02	–	–	.14	–	.15	–	.08	.02	.25	.03		14
15	.51	–	.02	–	.01	–	.29	.34	–	.13	–	.31		15
16	.80	–	.21	–	.37	–	.19	.49	–	.07	.15	.22		16
17	–	–	–	–	.45	–	.13	.37	.13	.67	.04	.02		17
18	.12	–	–	–	.17	.09	–	.72	.09	.65	.59	.01		18
19	.01	–	–	–	–	–	–	.42	.09	–	–	.13		19
20	.20	–	–	–	–	–	–	.04	.05	–	.62	.04		20
21	–	–	.09	–	–	–	–	.31	.01	–	.05	.02		21
22	.02	.01	–	.01	–	.36	–	–	–	–	.62	.05		22
23	.01	–	–	–	.36	.51	–	.01	.02	–	.69	–		23
24	.07	.01	.29	–	.06	.24	.70	.51	.07	.01	.31	–		24
25	.51	.46	.11	–	.01	.25	.17	.03	–	.45	.72	.04		25
26	.25	.51	.18	–	.04	.18	.03	–	.12	.21	.28	.05		26
27	.34	.27	.02	–	.68	.81	.29	.26	.03	.02	.59	–		27
28	.30	.24	.27	–	.49	1.25	.08	.22	.09	.01	.07	.11		28
29	.09		.35	–	1.17	.44	.34	–	–	.18	.14	.36		29
30	.27	✗	–	–	.21	.10	.10	–	.39	.09	.63	.22		30
31	.48	✗	.06	✗	.44	✗	–	–	✗	.56	✗	1.18		31
TOTAL	7.02	2.47	1.87	.89	5.00	6.38	5.36	5.29	1.86	14.37	8.21	6.41	Year's Total 65.13	
* Days with .01 in. or more.	26	16	12	5	19	17	24	21	17	26	24	27	234	
* Days with .04 in. or more.	21	9	9	2	14	16	21	16	14	22	22	22	188	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Braddock

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Warland Drain

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 1250 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·42	-	·40	·07	-	-	·05	·04	·07	·02	-	1·03		1
2	·03	-	·09	·12	-	-	·78	·82	·70	·01	·05	·19		2
3	·02	-	-	·11	-	-	·01	·27	·13	-	·16	·52		3
4	·28	-	·50	·89	·01	-	·73	-	-	·06	·03	·42		4
5	-	-	-	-	·44	-	·41	·12	-	·29	·46	·03		5
6	·65	·27	·02	-	-	-	·85	-	-	-	·30	-		6
7	·41	·59	·29	-	·18	-	·07	-	-	-	·16	·34		7
8	·59	·23	·35	·02	-	-	·52	·05	-	·13	·34	·95		8
9	·22	·58	-	-	-	-	·05	·63	-	·72	-	·74		9
10	·47	·01	·02	-	-	·04	-	·29	·59	·13	·01	·14		10
11	·59	·20	·20	-	-	·41	-	·04	·02	·02	-	·03		11
12	·21	·07	-	-	-	·14	-	-	·01	·01	·01	-		12
13	·02	-	·02	·29	·09	·25	·04	-	·02	·03	·07	-		13
14	1·12	-	·04	·04	·47	·66	·24	-	-	·02	·37	-		14
15	·33	·08	·03	·51	·09	1·57	·24	-	·02	-	·21	-		15
16	·41	-	·06	·01	·23	-	·03	-	-	-	·09	-		16
17	·89	·43	·01	·04	·10	·07	·06	-	-	·32	·02	-		17
18	·15	·22	·04	-	-	·12	·36	-	-	·01	·83	-		18
19	·31	-	·01	-	-	·01	·58	-	·02	-	-	-		19
20	·02	-	·01	-	-	·23	·42	·21	·02	-	-	-		20
21	·14	·17	·71	·13	·02	·04	-	·46	·06	-	-	-		21
22	·15	·46	·23	·03	·01	-	·12	·01	·01	-	·79	-		22
23	·01	·59	·04	·37	-	·01	·04	·01	-	·52	·25	·01		23
24	·03	·14	·03	·10	-	·05	·06	-	-	·02	-	-		24
25	·41	·25	·02	·01	-	·09	-	-	-	-	2·03	·01		25
26	·03	·12	·03	-	-	-	-	·38	-	·31	·49	·03		26
27	·08	1·83	·31	-	-	·53	·12	·04	-	·11	·26	·07		27
28	·04	·23	·29	·06	-	·51	·85	-	-	-	·81	-		28
29	-		·01	·01	-	-	1·48	-	-	·37	·51	-		29
30	-	✕	-	-	-	·01	·22	-	-	·01	·54	-		30
31	-	✕	-	✕	-	✕	·20	·01	✕	·09	✕	-		31
TOTAL	8·03	6·47	3·76	2·81	1·64	4·74	8·53	3·38	1·67	3·20	8·79	4·51	Year's Total 57·53	
* Days with .01 in. or more.	27	18	25	17	10	17	25	15	12	20	23	14	223	
* Days with .04 in. or more.	20	17	14	12	7	14	23	12	5	11	19	9	163	

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3226

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Warland Drain

in the County of Yorkshire

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 1,250 ft.

Jan + Feb Est.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	✓	–	.30	–	–	.02	–	–	–	.70	.18		1
2	–	✓	–	.27	–	–	.12	–	–	–	1.52	.20		2
3	.02	✓	–	.17	–	–	.02	–	–	.12	.06	.23		3
4	–	✓	–	.31	–	–	.09	–	–	.33	.44	.26		4
5	–	✓	–	–	.10	–	.05	–	–	1.54	.21	.75		5
6	.18	✓	–	–	–	–	.44	–	–	.92	.09	.05		6
7	.14	✓	–	.25	.12	–	–	.17	.15	.09	–	–		7
8	.02	(1.00) ✓	.01	.06	–	–	–	.02	–	.31	.06	.23		8
9	–		.22	–	–	–	1.09	.24	.16	.96	1.43	.21		9
10	–		.04	–	–	–	.33	.52	.02	.09	.75	.94		10
11	–		.11	.05	–	.06	.07	–	–	–	2.03	–		11
12	–		.76	–	–	.01	.11	.01	.67	–	.78	–		12
13	–	✓	.29	–	–	–	–	.06	.42	–	.09	.05		13
14	–	✓	.02	.25	.14	–	.02	.07	.15	–	.01	.66		14
15	–		.03	.04	.11	.01	–	–	–	–	.11	.19		15
16	.02	S .03	.12	.09	–	–	.39	–	2.04	.41	.16	.04		16
17	–	.02	.58	–	.01	–	.66	–	.31	–	.61	–		17
18	.02	.07	.42	.56	–	–	.09	.21	.32	–	.02	.41		18
19	–	.21	.19	.12	–	–	.41	–	.52	.07	.51	.01		19
20	–	.02	.14	.47	–	–	.15	.63	.22	.15	.25	–		20
21	–	–	.41	.02	–	.28	.02	.11	–	.09	.89	–		21
22	–	.02	.05	.01	.02	.13	–	.01	.51	.06	–	–		22
23	–	.19	.07	.10	.02	–	.23	–	.07	.07	.09	–		23
24	~~.38~~ (.68)	.01	.03	.06	–	–	–	–	–	.03	–	.13		24
25	.06	–	–	–	.08	.13	–	–	–	.08	–	–		25
26	.08	.17	.01	.01	.08	.05	–	.01	.01	–	.03	–		26
27	✓	.74	–	.63	.05	–	.47	–	–	–	.15	–		27
28	✓	.54	–	.03	.71	–	–	.08	–	–	–	.02		28
29		–	.32	.02	–	.31	.01	–	–	.02	–	.64		29
30		✕	–	.16	–	–	–	–	–	.47	.02	.32		30
31		✕	.19	✕	.01	✕	–	.05	✕	.77	✕	.02		31
TOTAL	(2.42) ~~.92~~	~~2~~3.02	4.01	3.98	1.45	.98	4.79	2.19	5.57	6.58	11.01	5.54	Year's Total ~~49.04~~	51.54
* Days with .01 in. or more.	13 ~~8~~	22 ~~11~~	20	22	12	8	20	14	14	19	24	20	~~193~~	208
* Days with .04 in. or more.	9 ~~5~~	13 ~~6~~	15	17	8	6	15	10	12	17	20	17	~~148~~	159

Feb.: No readings available due to heavy fall of snow.

Jan.: no readings available due to heavy fall of snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(Signed) J. Haddock

[P.T.O.

3227

3227

WAKEFIELD, WALTON HALL

1931 — 40

780602

FORM 1990. **B** Month
Summ

*** The following register of monthly t
&c., is NOT required if daily or w
values are given on the other side.

also the space for

should be sent:—

RAINFALL IN 1931

At Walton Hall Wa

In the County of York

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground ft 10
Height of Ground above Sea Level 13

ummer

Direction from gauge N W

Direction from gauge N W

Month.	Total Depth.	Greatest Fall in 24 hours.		Number Days w	
	Inches.	Inches.	Date.	·01 in or more *	·0 or
JAN.	1.67				
FEB.	2.32				
MAR.	.15				
APRIL	3.14				
MAY	2.80				
JUNE	4.55				
JULY	6.03				
AUG.	4.97				
SEPT.	3.63				
OCT.	.76				
NOV.	2.3				
DEC.	.88				
Total	34.16				

Directions from gauge .. NW

Signature S. J. W. Simpson

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state—

Date of move .... Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

- (*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*
- (*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).
  - (A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.
  - (B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.
- (*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.
- (*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in
- (*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.
- (*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*
- (*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.
- (*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses:
Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1990. | **B** | Monthl
Summary.

3227

C Particulars of Station.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At Walton Hall Wakefield

In the County of York

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ...... *ft* 10½ *in.*
Height of Ground above Sea Level 137 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 in or more	Number of Days with ·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1.67				
FEB.	2.32				
MAR.	.15				
APRIL	3.14				
MAY	2.80				
JUNE	4.55				
JULY	6.03				
AUG.	4.97				
SEPT.	3.63				
OCT.	.76				
NOV.	2.3				
DEC.	.88				
Total	34.16				

Signature S. J. B. Simpson

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

Hour of observation by the clock—in Winter ...... in Summer ......

Nearest Railway Station Sandal & Walton Distance 1 Direction from gauge N W

Nearest Parish Church at Sandal Distance 2 Direction from gauge N W

Nature of objects nearest to gauge	House			
Heights of objects	44 ft			
Distances ..	63 [illegible] ft			
Directions from gauge ..	NW			

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

3227

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Walton Hall

In the County of York

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ft 10½ in.
Height of Ground above Sea Level 137 ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches.	Inches.	Date.	*	*
JAN.	1.44				
FEB.	.23				
MAR.	1.18				
APRIL	2.07	3" in	36 hrs		
MAY	5.50				
JUNE	.1				
JULY	2.88				
AUG.	1.45				
SEPT.	1.–				
OCT.	2.86				
NOV.	1.28				
DEC.	.79				
Total	20.86				

Signature E. T. K. [illegible]

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
E. T. K. [illegible]
Walton Hall Wakefield

Hour of observation by the clock—in Winter in Summer

Nearest Railway Station Sandal & Walton Distance 1 Direction from gauge N W

Nearest Parish Church at Sandal Distance 2 Direction from gauge N. W.

Nature of objects nearest to gauge	Houses			
Heights of objects	44 ft			
Distances ..	67 ft			
Directions from gauge ..	N. W			

If gauge has been moved during the year state—

Date of move Distance Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

10 APR. 1933

3227

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1933

At Dalton Hall, Wakefield

In the County of York

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 10½ *in.*
- *Height of Ground above Sea Level* 137 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.51				
FEB.	3.53				
MAR.	2.78	2			
APRIL	1.48				
MAY	2.35				
JUNE	1.17				
JULY	1.38				
AUG.	.71				
SEPT.	2.45				
OCT.	2.88				
NOV.	2.07				
DEC.	.47				
Total	22.68				

Signature E. T. B. Simpson

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

E. T. B. Simpson
Dalton Hall Wakefield

Hour of observation by the clock—in Winter .... in Summer ....

Nearest Railway Station Sandal & Walton Distance 1 Direction from gauge N. W.

Nearest Parish Church at Sandal Distance 2 Direction from gauge N. W.

Nature of objects nearest to gauge	44 ft			
Heights of objects	House			
Distances ..	63 ft.			
Directions from gauge ..	N. W.			

If gauge has been moved during the year state—

Date of move no. Distance .... Direction ....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

D

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3227

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Walton Hall Wakefield

in the County of York

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground ..... ft 10½ in.

,, Ground ,, Sea Level 134 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		×											30
31		×		×		×			×		×		31
													YEAR'S TOTAL
TOTAL	1·25	·4	1·94	2·80	·94	1·78	1·33	·65	2·–	1·28	2·5	3·41	19·98
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) E. T. B. Simpson

P.T.O.

3227

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1935

At

In the County of

Rain Gauge
Diameter of Funnel ..... in.
Height of Top above Ground ..... *ft* ..... *in.*
Height of Ground above Sea Level ..... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	1·0				
FEB.	2.10				
MAR.	.68				
APRIL	2.14				
MAY	·50				
JUNE	2.53				
JULY	.63				
AUG.	1.90				
SEPT.	3.48				
OCT.	4.79				
NOV.	5.05				
DEC.	2.45				
Total	27.25			–	–

Signature E. T. B. Simpson

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—
E. T. B. Simpson
Walton Hall Wakefield

Hour of observation by the clock—in Winter ..... in Summer .....

Nearest Railway Station Sandal & Walton Distance 1 Direction from gauge W. NW

Nearest Parish Church at Sandal Distance 2 Direction from gauge N. W.

Nature of objects nearest to gauge	House			
Height of objects	44 ft			
Distances ..	63 .			
Directions from gauge ..	N. W.			

If gauge has been moved during the year state—

Date of move ..... Distance ..... Direction .....

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O.
16 FEB 1936

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh 3.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-guage should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked* ·005; *this graduation is to show the limit between the amounts which count as* ·01 *and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with* ·01 *in. or more" includes all the days with any rain except those for which the entry is "trace". The "number of days with* ·04 *in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

3. The columns are so spaced that the entries can be made by a typewriter.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh 2; York Street, Manchester 1; 1, St. Andrew's Crescent, Cardiff; 80, Chichester Street, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(586) Wt.283/202 16,000 5/34. Gp.119/110.

3227

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1936

At Walton Hall

In the County of York

Rain Gauge { Diameter of Funnel 5 in.

Height of Top above Ground ......*ft.* 10½ *in.*

Height of Ground above Sea Level 137 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3.–	3.00			
FEB.	2.55	2.55			
MAR.	1.5	1.50			
APRIL	1.11	1.11			
MAY	1.41	1.41			
JUNE	4.44	4.24			
JULY	3.45	3.45			
AUG.	1.28	1.28			
SEPT.	1.96	1.96			
OCT.	2.–	2.00			
NOV.	3.98	3.98			
DEC.	1.2–	1.20			
TOTAL	~~28.68~~ 27.68	✓			

Signature E. T. B. Simpson

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

E. T. B. Simpson

Walton Hall Wakefield

Hour of observation by the clock—in Winter.................in Summer..................

Nearest Railway Station Sandal Walton Distance 1 Direction from gauge N. N. W

Nearest Parish Church at Sandal Distance 2 Direction from gauge N W

Nature of objects nearest to gauge	House			
Height of objects	44			
Distances ...	60			
Directions from gauge ...	N. W			

If gauge has been moved during the year state—

Date of move.................................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON : PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses : Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

3227

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 193~~8~~7

At Walton Hall. Wakefield

In the County of York

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ..... *ft.* 10½ *in.*
- *Height of Ground above Sea Level* 134 *ft.*

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with ·01 in. or more	Number of Days with ·04 in. or more
	Inches	Inches	Date	*	*
JAN.	3·8				
FEB.	3·49				
MAR.	2·45				
APRIL	2·73				
MAY	3·–				
JUNE	1·5				
JULY	2·72				
AUG.	·31				
SEPT.	1·56				
OCT.	1·53				
NOV.	2·–				
DEC.	2·5				
TOTAL	28·09 7				

Signature E. T. R. Simpson

* See Instruction 3 *(f)* below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

E. T. R. Simpson

Walton Hall Wakefield

Hour of observation by the clock—in Winter..................in Summer..................

Nearest Railway Station Sandal & Walton Distance 1 Direction from gauge..........

Nearest Parish Church at Sandal Distance.............. Direction from gauge 2 m

Nature of objects nearest to gauge	House			
Height of objects	44 ft			
Distances ...	60 ft			
Directions from gauge ...	N W			

If gauge has been moved during the year state—

Date of move.................................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B.**)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
10 JAN. 1938

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked* ·005 ; *this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace,* ·01, ·02 *or* ·03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any Bookseller
Price 1d. Net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt.1046/3030. 26,000. 4/36. W. H. & S. 668/91. S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

3227

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1938

At Walton Hall Wakefield

In the County of York

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ft. 10½ in.
- *Height of Ground above Sea Level* 137 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	2·15				
FEB.	·77				
MAR.	·27				
APRIL	·03				
MAY	1.25				
JUNE	1·38				
JULY	2.71				
AUG.	4·11				
SEPT.	2.20				
OCT.	3·11				
NOV.	2·17				
DEC.	2.76				
TOTAL	22.91 ? ✓				

2.20

Rept with query CB 8/6/38

Signature E. T. B. Simpson

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

E. T. B. Simpson

Walton Hall Wakefield

Hour of observation by the clock—in Winter.................in Summer.................

Nearest Railway Station Sandal & Walton Distance 1 m. Direction from gauge N. W.

Nearest Parish Church at Sandal Distance 1 Direction from gauge N.W.

Nature of objects nearest to gauge	House			
Height of objects	44 ft.			
Distances ...	62 ft.			
Directions from gauge ...	N. W.			

If gauge has been moved during the year state— no.

Date of move.................... Distance.............. Direction..........

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

-9 FEB. 1939

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.

Price 1d. net

Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone

Wt. 3079/2165 25,500 12/37 W. H. & S. 658/91 S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1939.

At Walton Hall Wakefield

In the County of Yorks

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* ... ft. 10½ in.
- *Height of Ground above Sea Level* 177 ft.

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	4·07				
FEB.	·97				
MAR.	1·72				
APRIL	1·41				
MAY	1·5				
JUNE	1·66				
JULY	5·16				
AUG.	·98				
SEPT.	1·73				
OCT.	2·67				
NOV.	3·44				
DEC.	1·43				
TOTAL	27·00				

Signature E. T. B. Simpson

No. return missing WSt.

* See Instruction 3 (*f*) below.

C Particulars of Station.

770979/34

3227

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—

E. T. B. Simpson
Walton Hall Wakefield

Hour of observation by the clock—in Winter ...... in Summer ......

Nearest Railway Station Sandal & Walton Distance ...... Direction from gauge W.N.W

Nearest Parish Church at Sandal Distance 2 Direction from gauge N.W.

Nature of objects nearest to gauge	Horn			
Height of objects	44 ft			
Distances ...	63 ft			
Directions from gauge ...	N.W.			

If gauge has been moved during the year state—

Date of move ...... Distance ...... Direction ......

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall,** please give the observer's name and address :—

......

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

1938 n.p

+ 770979/27

M.O. 7
30 JAN. 1940

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(*a*) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*
9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: Adastral House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller.
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 3079/2165 25,500 12/37 W. H. & S. 668/91
S.O. Code No. 40-9999

FORM 1090.

B Monthly Summary.

C Particulars of Station.

3227

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN ~~1934~~ 1940

At Walton Hall, Wakefield

In the County of York

Rain Gauge
Diameter of Funnel 5 in.
Height of Top above Ground ft. 10½ in.
Height of Ground above Sea Level 137 ft.

until 31 July, and then at Thornhill House Walton

Month	Total Depth	Greatest Fall in 24 hours		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date	*	*
JAN.	~~1.5~~ (2.60)				
FEB.	~~1.79~~ (2.70)				
MAR.	1.85				
APRIL	2.–				
MAY	–.43				
JUNE	–.63				
JULY	3.90				
AUG.	.5				
SEPT.	1.52				
OCT.	3.09				
NOV.	4.38				
DEC.	1.78				
TOTAL	~~23.34~~ (25.38)				

Part Wt

Signature E. T. B. Simpson

Jan & Feb corrected for snow.

SIMPSON

* See Instruction 3 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible :—

Name and Address to which any inquiry relating to this register should be sent :—
E. T. B. Simpson
Thornhill House, Walton, Wakefield

Hour of observation by the clock—in Winter............in Summer............

Nearest Railway Station Sandal or Walton Distance 1½ m. Direction from gauge N. N. W

Nearest Parish Church at Sandal Distance 1 Direction from gauge N W

Nature of objects nearest to gauge	House	House		
Height of objects	44 ft.			
Distances ...	63 ft.	100 yds.		
Directions from gauge ...	N. W.	N. W.		

If gauge has been moved during the year state— new height 150′.

Date of move July 31st Distance ¾ m. Direction N.W

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address :—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied :—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

1939 up late

770979/27

O

M. O. 3a.
4 JAN 1941
B. R.

D INSTRUCTIONS.

1. Section A should be completed in the case of gauges read daily. Information on Section B is required only if Section A cannot be filled in. Section C should also be completed. Rainfall registers should be forwarded to The Director, Meteorological Office, Air Ministry, London, W.C.2, or The Superintendent, Meteorological Office, 6 Drumsheugh Gardens, Edinburgh 3.

2. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from the addresses given in 1 above.

3. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type* :—

(a) *Rain should be measured each morning preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.*

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash — (not 0.0) The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) *On some measures there is graduation marked ·005; this graduation is put on for the purpose of assisting observers in reporting "trace" of rain. Readings below this mark are entered as "trace" if the conditions stated in paragraph (b) are satisfied. Readings on this ·005 mark or between this ·005 and the ·01 mark are to be entered as ·01 even though they may be nearer to the ·005 mark than the ·01 mark. In this particular case the general rule of reading to the nearest mark is superseded by this special instruction.* An entry ·005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 18 } ·14 would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(e) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(f) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

4. The columns are so spaced that the entries can be made by a typewriter.

LONDON: PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE. To be purchased directly from H.M. STATIONERY OFFICE at the following addresses: York House, Kingsway, London, W.C.2; 120 George Street, Edinburgh 2; 26 York Street, Manchester 1; 1 St. Andrew's Crescent, Cardiff; 80 Chichester Street, Belfast; or through any bookseller
Price 1d. net
Printed under the authority of His Majesty's Stationery Office by Wm. Hobbs & Sons, Ltd., Stone Street, Maidstone
Wt. 2778/2036 21,000 10/38 W. H. & S. 668/91
S.O. Code No. 40-9999

3228

Section **A** for the entry of D

AIR MINISTRY.-

Y FOR OFFICIAL USE.

RGANIZATION.

FORM 1090.

REGIST

3228

DURKAR HOUSE

1931 — 32

780602

Kept at DURKAR HOUS

28.

in the County of Nr Wakefie

Diameter of Funnel of Gauge 8

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to thi

year in the space on the right of this

ing

PI

Jan. 1, following

Date	Jan.	Feb.	March	Ap						ov.	Dec.	Date
	in.	in.	in.	i		in.	in.	in.	in.	in.	in.	
1	–	.02	.06	.01	–	.21	Tr	–	.09	Tr	–	–	1
2	–	.02	–	.56	Tr	.65	Tr	–	.45	.04	.01	.09	2
3	–	Tr	–	.07	–	.02	.04	–	.49	–	.19	.13	3
4	–	.10	Tr	.13	–	–	.27	.08	1.59	–	.12	.09	4
5	–	.05	–	–	.09	1.05	.02	1.32	.01	–	Tr	.18	5
6	–	.32	.02	–	–	.10	.52	Tr	.03	.22	.06	Tr	6
7	–	–	.01	–	–	.44	.16	.48	–	.13	.23	Tr	7
8	–	.01	.03	.01	.01	–	.12	.30	–	Tr	.12	–	8
9	–	.30	.02	.29	.04	.02	–	.22	.10	–	.22	Tr	9
10	.03	.11	.64	–	.03	.12	–	.06	.02	–	.12	–	10
11	.03	.40	–	–	–	.02	.02	–	.13	–	.09	Tr	11
12	.05	.13	–	–	–	–	.61	Tr	.01	.05	.08	Tr	12
13	–	–	.01	–	–	.02	.02	Tr	.04	–	Tr	–	13
14	Tr	.07	–	–	Tr	.47	.30	1.02	Tr	–	.48	.02	14
15	Tr	.26	–	.08	.04	–	.24	.05	–	–	.01	.04	15
16	.10	.10	–	.13	.19	.46	.03	.18	.28	–	–	–	16
17	–	.08	–	.53	.01	.04	.01	Tr	–	–	Tr	–	17
18	.03	.02	–	.31	–	.39	.25	.08	–	.01	.90	Tr	18
19	.02	.01	–	.03	–	.08	.02	.08	.15	.02	–	Tr	19
20	–	.07	.02	.08	–	–	Tr	.33	–	–	Tr	Tr	20
21	.05	.03	–	–	.19	Tr	–	.01	–	–	.02	Tr	21
22	.03	.07	–	.01	.25	–	–	–	.01	–	Tr	–	22
23	.35	–	–	.06	.30	.25	.24	–	Tr	–	.25	Tr	23
24	.04	.02	–	.19	.56	–	.12	Tr	Tr	.03	Tr	.02	24
25	.02	.14	–	.62	Tr	–	.08	–	–	–	Tr	Tr	25
26	.06	.09	–	.15	–	–	Tr	–	–	–	.32	Tr	26
27	.14	.20	–	.05	.01	–	.01	–	–	.18	.33	.08	27
28	.12	.19	Tr	.12	.17	–	Tr	–	–	–	Tr	.23	28
29	.46	X	–	–	.24	–	Tr	–	–	.23	.01	.04	29
30	.02	X	–	.01	.09	Tr	–	–	.06	–	Tr	–	30
31	.23	X	–	X	.02	X	.01	–	X	.03	X	–	31
TOTAL	1.78	2.81	.21	3.44	2.24	4.34	3.09	4.21	3.46	.94	3.56	.92	YEAR'S TOTAL 31.00
*Days with ·01 in. or more.	17	24	8	20	16	16	20	13	15	10	18	.10	187
*Days with ·04 in. or more.	10	17	2	15	11	12	12	12	10	6	14	8	129

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Henry J Wells

a.c.a.

[P.T.O.

3228

Section **A** for the entry of D Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at DURKAR HOUSE

in the County of Nr Wakefield Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 140 ft.

Station No 3228.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	.02	.06	.01	–	.21	Tr	–	.09	Tr	–	–	1
2	–	.02	–	.56	Tr	.65	Tr	–	.45	.04	.01	.09	2
3	–	Tr	–	.07	–	.02	.04	–	.49	–	.19	.13	3
4	–	.10	Tr	.13	–	–	.27	.08	1.59	–	.12	.09	4
5	–	.05	–	–	.09	1.05	.02	1.32	.01	–	Tr	.18	5
6	–	.32	.02	–	–	.10	.52	Tr	.03	.22	.06	Tr	6
7	–	–	.01	–	–	.44	.16	.48	–	.13	.23	Tr	7
8	–	.01	.03	.01	.01	–	.12	.30	–	Tr	.12	–	8
9	–	.30	.02	.29	.04	.02	–	.22	.10	–	.22	Tr	9
10	.03	.11	.04	–	.03	.12	–	.06	.02	–	.12	–	10
11	.03	.40	–	–	–	.02	.02	–	.13	–	.09	Tr	11
12	.05	.13	–	–	–	–	.61	Tr	.01	.05	.08	Tr	12
13	–	–	.01	–	–	.02	.02	Tr	.04	–	Tr	–	13
14	Tr	.07	–	–	Tr	.47	.30	1.02	Tr	–	.48	.02	14
15	Tr	.26	–	.08	.04	–	.24	.05	–	–	.01	.04	15
16	.10	.10	–	.13	.19	.46	.03	.18	.28	–	–	–	16
17	–	.08	–	.53	.01	.04	.01	Tr	–	–	Tr	–	17
18	.03	.02	–	.31	–	.39	.25	.08	–	.01	.90	Tr	18
19	.02	.01	–	.03	–	.08	.02	.08	.15	.02	–	Tr	19
20	–	.07	.02	.08	–	–	Tr	.33	–	–	Tr	Tr	20
21	.05	.03	–	–	.19	Tr	–	.01	–	–	.02	Tr	21
22	.03	.07	–	.01	.25	–	–	–	.01	–	Tr	–	22
23	.35	–	–	.06	.30	.25	.24	–	Tr	–	.25	Tr	23
24	.04	.02	–	.19	.56	–	.12	Tr	Tr	.03	Tr	.02	24
25	.02	.14	–	.62	Tr	–	.08	–	–	–	Tr	Tr	25
26	.06	.09	–	.15	–	–	Tr	–	–	–	.32	Tr	26
27	.14	.20	–	.05	.01	–	.01	–	–	.18	.33	.08	27
28	.12	.19	Tr	.12	.17	–	Tr	–	–	–	Tr	.23	28
29	.46	×	–	–	.24	–	Tr	–	–	.23	.01	.04	29
30	.02	×	–	.01	.09	Tr	–	–	.06	–	Tr	–	30
31	.23	×	–	×	.02	×	.01	–	×	.03	×	–	31
TOTAL	1.78	2.81	.21	3.44	2.24	4.34	3.09	4.21	3.46	.94	3.56	.92	YEAR'S TOTAL 31.00
*Days with ·01 in. or more.	17	24	8	20	16	16	20	13	15	10	18	.10	187
*Days with ·04 in. or more.	10	17	2	15	11	12	12	12	10	6	14	8	129

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Henry J Wells

[P.T.O.

3228

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Dunkar House

in the County of York

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.02	-	.08	.51	-	.02	Trace	.09	.12			1
2	.11	-	-	-	.39	-	-	.02	.27	.04			2
3	.01	-	-	Trace	Trace	-	.23	-	-	-			3
4	—	Trace	-	.03	.01	Trace	Trace	-	.04	-			4
5	.13	.02	.07	.01	.05	-	-	Trace	.05	-			5
6	.47	-	.11	.20	Trace	-	.04	-	-	-			6
7	.09	-	.19	.14	.03	-	-	-	.28	.10			7
8	-	01	-	.01	.01	-	-	-	.04	.12			8
9	.14	.13	-	.17	Trace	-	-	-	-	-			9
10	.07	.01	.01	.06	-	-	-	-	.07	.20			10
11	.07	.01	.01	.04	.15	.08	.40	Trace	.04	-			11
12	.09	Trace	-	Trace	.06	-	.61	Trace	-	20			12
13	Trace	.03	-	.05	.02	-	.06	Trace	.03	.30			13
14	.02	Trace	-	.23	-	-	.04	Trace	-	.01			14
15	-	-	Trace	Trace	.17	-	-	-	-	.04			15
16	.39	-	-	.10	.03	-	.01	-	-	Trace			16
17	-	Trace	Trace	-	Trace	-	.02	.01	-	.14			17
18	-	-	-	-	.01	-	-	-	.01	-			18
19	-	-	Trace	.10	.07	-	Trace	.02	-	.07			19
20	-	-	Trace	.18	.39	-	Trace	.53	-	.14			20
21	-	-	.19	.05	2.05	-	-	.28	-	70			21
22	Trace	-	.30	.02	.02	-	.13	-	.07	-			22
23	Trace	.01	-	.09	.06	-	.06	-	-	.03			23
24	.02	Trace	-	.01	Trace	-	.26	-	.04	-			24
25	-	.03	-	.08	.01	Trace	Trace	-	Trace	.33			25
26	-	.01	-	.14	.41	—	.10	-	.01	.13			26
27	-	-	.20	.09	.44	.03	.08	-	-	Left Dunkar			27
28	Trace	-	.08	.29	.19	Trace	.31	.15	-				28
29	-	-	.09	.15	.10	.01	.10	.13	.13				29
30	-	✕	.07	.09	-	.19	Trace	.10	.13				30
31	Trace	✕	.09	✕	Trace	✕	.26	-	✕		✕		31
TOTAL	1.70	.28	1.41	2.41	5.18	.31	2.73	1.24	1.30	2.67			YEAR'S TOTAL
*Days with ·01 in. or more.	13	10	12	24	22	4	17	8	15				
*Days with ·04 in. or more.	10	1	10	19	14.	2	14	5	12				

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Henry J Wells

P.T.O.

3229

Section **A** for the entry of
AIR MINISTRY

FORM 1090.

REGIST

Kept at Addingford Isola
in the County of Yorks (

Diameter of Funnel of Gauge
Height of top of Gauge above Groun
,, Ground ,, Sea L

THE MORNING MEASU

An observer who does not conform to
year in the space on the right of th

3229
HORBURY
ADDINGFORD ISOLATION HOSPITAL
1931 — 40

780602

PY FOR OFFICIAL USE.
ORGANIZATION.

lowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	—	·01	·15	·01	—	·25	—	·01	·04	·03	—	—	1
2	—	·01	—	·53	—	·66	—	—	·44	—	—	—	2
3	—	—	—	·08	—	·07	·02	—	·40	·03	·22	·07	3
4	—	·04	—	·15	—	—	·27	—	1·81	—	·12	·14	4
5	—	·06	—	—	·09	1·00	·04	1·38	·03	—	—	·10	5
6	—	·10	·01	—	—	·17	·50	—	·01	·25	·08	·19	6
7	—	·20	·07	—	—	·46	·04	·36	—	—	·21	—	7
8	—	—	—	—	·02	—	·15	·48	—	·15	·13	·01	8
9	—	·34	—	·31	·04	·04	—	·21	·07	—	·25	—	9
10	—	·26	·13	—	·02	·11	—	·11	·01	—	·09	—	10
11	·04	·38	—	—	—	·02	·02	—	·09	—	·10	—	11
12	·04	·12	—	—	—	—	·69	—	·10	·09	·10	—	12
13	—	—	·02	—	—	·01	·03	—	·01	—	·01	—	13
14	—	·18	—	—	·01	·86	·18	·96	—	—	·47	·01	14
15	—	·20	—	·06	·02	—	·28	·09	—	—	·02	·05	15
16	·10	·07	—	·12	·20	·45	·03	·19	·35	—	—	—	16
17	—	·08	—	·45	—	·04	·01	·01	·01	·01	—	—	17
18	·02	·02	·01	·46	—	·38	·21	·10	—	—	·81	—	18
19	·01	·01	—	·02	—	·06	·03	·11	·13	·04	—	·02	19
20	—	·04	—	·07	—	—	·01	·34	—	—	·01	·02	20
21	·06	·04	·01	—	·14	—	—	·01	—	—	·02	—	21
22	·02	·07	—	·01	·27	—	—	—	—	—	·01	—	22
23	·32	—	—	·08	·29	·25	·23	—	·02	—	·28	—	23
24	·06	·04	—	·22	·52	—	·06	—	—	·03	—	·02	24
25	·32	·25	—	·67	—	—	·04	—	—	—	—	—	25
26	·08	·09	—	·20	·01	—	~~[illegible]~~	—	—	—	·38	—	26
27	·02	·10	—	·04	·02	—	·01	—	—	·20	·45	·09	27
28	·09	·19	·01	·15	·21	—	—	·01	—	—	—	·22	28
29	·38	×	—	—	·26	—	—	—	—	·24	—	·10	29
30	·01	×	—	·02	·08	—	—	—	—	—	·02	—	30
31	·25	×	—	×	·12	×	·01	—	×	·02	×	—	31
TOTAL	1·82	2·90	·41	3·65	2·37	4·83	2·86	4·37	3·52	1·09	3·78	1·04	YEAR'S TOTAL 32·64
*Days with ·01 in. or more.	16	24	8	19	17 ~~[illegible]~~	16 ~~[illegible]~~	21	15	16	11	20	13	~~[illegible]~~ 195
*Days with ·04 in. or more.	~~12~~ 11	20	3	15	11 ~~[illegible]~~	14 ~~[illegible]~~	12	11	9	6	14	8	13~~[illegible]~~4

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) John W Horsfall

P.T.O.

3229

Section **A** for the entry of

PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Addingham Isolation Hospital Station

in the County of Yorks (West Riding)

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft — in.

„ Ground „ Sea Level 169 ft.

rework days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·15	·01	—	·25	—	·01	·04	·03	—	—	1
2	—	·01	—	·53	—	·66	—	—	·44	—	—	—	2
3	—	—	—	·08	—	·07	·02	—	·40	·03	·22	·07	3
4	—	·04	—	·15	—	—	·27	—	1·81	—	·12	·14	4
5	—	·06	—	—	·09	1·00	·04	1·38	·03	—	—	·10	5
6	—	·10	·01	—	—	·17	·50	—	·01	·25	·08	·19	6
7	—	·20	·07	—	—	·46	·04	·36	—	—	·21	—	7
8	—	—	—	—	·02	—	·15	·48	—	·15	·13	·01	8
9	—	·34	—	·31	·04	·04	—	·21	·07	—	·25	—	9
10	—	·26	·13	—	·02	·11	—	·11	·01	—	·09	—	10
11	·04	·38	—	—	—	·02	·02	—	·09	—	·10	—	11
12	·04	·12	—	—	—	—	·69	—	·10	·09	·10	—	12
13	—	—	·02	—	—	·01	·03	—	·01	—	·01	—	13
14	—	·18	—	—	·01	·86	·18	·96	—	—	·47	·07	14
15	—	·20	—	·06	·02	—	·28	·09	—	—	·02	·05	15
16	·10	·07	—	·12	·20	·45	·03	·19	·35	—	—	—	16
17	—	·08	—	·45	—	·04	·01	·01	·01	·01	—	—	17
18	·02	·02	·01	·46	—	·38	·21	·10	—	—	·81	—	18
19	·01	·01	—	·02	—	·06	·03	·11	·13	·04	—	·02	19
20	—	·04	—	·07	—	—	·01	·34	—	—	·01	·02	20
21	·06	·04	·01	—	·14	—	—	·01	—	—	·02	—	21
22	·02	·07	—	·01	·27	—	—	—	—	—	·01	—	22
23	·32	—	—	·08	·29	·25	·23	—	·02	—	·28	—	23
24	·06	·04	—	·22	·52	—	·06	—	—	·03	—	·02	24
25	·32	·25	—	·67	—	—	·04	—	—	—	—	—	25
26	·08	·09	—	·20	·01	—	—	—	—	—	·38	—	26
27	·02	·10	—	·04	·02	—	·01	—	—	·20	·45	·09	27
28	·09	·19	·01	·15	·21	—	—	·01	—	—	—	·22	28
29	·38	×	—	—	·26	—	—	—	—	·24	—	·10	29
30	·01	×	—	·02	·08	—	—	—	—	—	·02	—	30
31	·25	×	—	×	·12	×	·01	—	×	·02	×	—	31
TOTAL	1·82	2·90	·41	3·65	2·37	4·83	2·86	4·37	3·52	1·09	3·78	1·04	YEAR'S TOTAL 32·64
*Days with ·01 in. or more.	16	24	8	19	17 ~~16~~	16 ~~22~~	21	15	16	11	20	13	195
*Days with ·04 in. or more.	~~12~~ 11	20	3	15	11 ~~12~~	14 ~~12~~	12	11	9	6	14	8	~~135~~ 134

40-9999

(Signed) John W Horsfall

P.T.O.

*See Instruction 2 (*f*) on other side.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 3229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Addingford Isolation Hospital Horbury.
in the County of York (West Riding.
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 169 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·01	—	·09	·40	—	·01	—	·09	·14	·01	·01	1
2	·13	—	—	—	·45	—	—	·02	·26	·08	·02	·03	2
3	·00	—	—	—	·01	—	·17	—	—	—	—	·21	3
4	·00	—	—	·05	—	·04	·01	—	—	—	·01	·01	4
5	·14	·01	·07	·01	·04	—	—	—	·04	—	—	—	5
6	·51	—	·10	·23	—	—	·08	—	·05	—	—	—	6
7	·09	—	·22	·15	·02	—	—	—	·24	·05	—	—	7
8	·00	·01	—	·03	·01	—	—	—	·04	·16	·01	—	8
9	·10	—	—	·20	·02	—	—	—	—	—	—	·06	9
10	·08	·05	·02	·07	—	—	·01	—	·08	·17	—	·03	10
11	·06	—	—	·04	·15	·07	·57	—	·04	—	·03	—	11
12	·09	·02	—	·01	·04	—	·19	—	—	·20	·05	—	12
13	·00	·03	—	·07	·02	—	·27	·01	·03	·35	·03	·02	13
14	·03	—	·01	·49	—	—	·04	—	—	·01	·18	—	14
15	·00	—	—	·01	·15	—	—	—	—	·04	·10	·01	15
16	·28	—	—	·10	·02	—	·02	—	—	—	·02	—	16
17	·00	—	—	·01	—	—	·04	·02	—	·15	—	—	17
18	·00	—	—	—	·02	—	—	—	·02	—	·01	—	18
19	·00	·01	·01	·09	·03	—	—	·01	—	·05	—	—	19
20	·00	—	·06	·15	·26	—	·02	·65	—	·13	—	—	20
21	·00	—	·11	·02	2·01	—	—	·21	—	·76	·04	·02	21
22	·00	—	·31	·08	·03	—	·01	—	·06	—	·23	·01	22
23	·02	·01	—	·11	·08	—	·08	—	—	·03	·08	·05	23
24	·01	—	—	—	—	—	·24	—	·05	—	·07	—	24
25	·00	·05	—	·09	·02	—	·01	—	—	·30	—	—	25
26	·00	·01	—	·16	·37	—	·13	—	·03	·17	·07	—	26
27	·00	—	·19	·09	·46	·04	·10	—	—	—	·06	—	27
28	·00	—	·08	·08	·20	—	·22	·11	—	—	—	·01	28
29	·00	—	·09	·12	·16	—	·16	·18	·13	·20	—	·03	29
30	·00	×	·06	·09	—	·18	—	·09	·12	—	·12	·13	30
31	·01	×	·10	×	·01	×	·23	—	×	—	×	·05	31
TOTAL	1·65	·21	1·43	2·64	4·98	·33	2·61	1·30	1·28	2·99	1·14	·68	YEAR'S TOTAL 21·24
*Days with ·01 in. or more.	14	10	14	26	24	4	21	9	15	17	18	15	187
*Days with ·04 in. or more.	10	2	11	20	13	4	14	5	12	15	10	5	121

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) John W. Horsfall

P.T.O.

3229

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

File No: - 813297/27.

Kept at ADDINGFORD ISOLATION HOSPITAL, HORBURY,

in the County of YORK (West Riding)

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 169 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·18	·08	-	-	-	-	-	-	-	·04	-		1
2	·08	-	·23	-	-	-	-	-	-	-	·13	-		2
3	·06	·03	·05	·	·29	·	·	·	·	·	·06	·		3
4	·05	·06	·	·	·02	·	·	·	·	·	·	·		4
5	·11	·	·01	·	·19	·	·	·	·	·	·	·		5
6	·	·07	·01	·	·59	·	·	·	·	·	·	·06		6
7	-	·15	·09	·	·22	·	·30	·	·	1·05	·	·01		7
8	·01	·	·03	·	·01	·	·45	·	·	·	·	·08		8
9	·	·18	·	·	·	·	·28	·	·	·17	·01	·		9
10	·01	·04	·	·	·	·26	·05	·	·	·75	·06	·		10
11	·	·	·	·	·	·	·15	·01	·	·49	·	·		11
12	·	·	·	·	·	·25	·07	·	·	·01	·	·02		12
13	·	·	·01	·	·29	·01	·15	·	·06	·03	·15	·		13
14	·04	·	·	·	·	·	·	·01	·	·01	·13	·		14
15	·43	·	·	·	·	·	·13	·05	·	·08	·95	·03		15
16	·35	·	·17	·08	·10	·	·68	·01	·	·07	·03	·		16
17	·21	·	·63	·	·02	·05	·	·02	·	·	·14	·		17
18	·06	·16	·08	·	·	·21	·01	·	·	·	·08	·		18
19	·	·06	·43	-	·	·02	·	·	·	·	·02	·		19
20	·	·	·	·	·02	·	·	·20	·16	·	·02	·		20
21	·	·	·	·	·02	·07	·	·14	·	·01	·02	·		21
22	·	·	·	·	·	·	·	·08	·05	·53	·	·03		22
23	·	·	·	·14	·01	·	·	·03	·35	·01	·	·		23
24	·	1·15	·	·20	·04	·17	·	·	·70	·	·	·02		24
25	·	2·5	·	·18	·08	·	·	·	·26	·	·01	·03		25
26	·	·73	·	·11	·	·	-	·	·	·03	·02	·01		26
27	·	·03	·	·	·04	·	·	·	·01	·14	·	·		27
28	·	·	·	·	·	·	·01	·	·	·12	·	·		28
29	·	·	·	·55	·	·	·02	·	·	·05	·	·01		29
30	·04	X	·	·04	·	·	·02	·	·	·04	·	·04		30
31	·08	X	·	X	·	X	·01	·	X	·06	X	·		31
TOTAL	1·64	5·34	1·82	1·30	1·94	1·04	2·33	·55	1·59	3·65	1·87	·34	Year's Total 23·41	
*Days with ·01 in. or more.	14	13	12	7	15	8	14	9	7	18	16	11	144	
*Days with .04 in. or more.	12	11	8	7	9	6	9	4	6	12	9	3	96	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John W Horsfall

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

FILE NO. 813297/27.

Kept at ADDINGFORD ISOLATION HOSPITAL, HORBURY

in the County of YORK (West Riding)

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 169 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	-	-	·	-	-	-	·07	-	·02	-	·09		1
2	-	·01	·03	·	-	-	-	·08	·08	-	·10	·45		2
3	·01	·02	-	-	-	-	-	-	-	·14	·01	·		3
4	·08	-	·05	·15	-	-	-	-	·	·28	·	·66		4
5	-	-	·03	-	·04	-	-	·26	·	·08	·05	·15		5
6	-	-	·01	-	·27	-	-	·05	-	·15	-	·64		6
7	·03	·03	·01	-	-	·18	-	-	-	·06	·09	·15		7
8	-	-	-	-	·08	·49	-	·04	-	·11	·65	·03		8
9	·	·	·08	·06	-	-	-	·01	·	·03	·66	·08		9
10	·	·	·51	·23	-	-	-	·07	·	·03	·05	-		10
11	·09	-	·09	·55	-	-	-	-	-	-	·01	·14		11
12	-	-	·08	·23	-	-	-	-	-	-	-	·19		12
13	·32	-	-	-	·05	·	·38	·04	-	·	·	-		13
14	·05	-	·34	-	·02	·24	-	-	-	·14	·15	·14		14
15	·30	-	·13	-	·10	-	-	·	·72	·08	·05	·07		15
16	·05	-	·05	-	·26	-	-	·	-	-	·05	·02		16
17	·13	-	·16	-	·04	-	·30	·	·18	·	·01	·06		17
18	·07	-	·10	·20	·02	·02	·10	·01	-	-	-	·04		18
19	-	-	·18	·03	·02	·16	-	·	·04	·	·	·		19
20	·	-	·	·	·01	·14	·	·	·01	-	·	·		20
21	·03	·	·	·	·	·16	·	·	·08	·01	·	·		21
22	-	·	·	·	·	·	·	·10	·19	·03	·	·02		22
23	-	·	·02	·03	·	·	·24	·	·	·02	·08	·07		23
24	·	·	·07	·43	·	·05	·34	·	·02	·01	·	·01		24
25	·01	·	·	·09	·02	·	·02	·	·07	·09	·	·48		25
26	·14	·	·	·11	·	·	·04	·	·10	·	·02	·01		26
27	·	·23	·	·26	·	·16	·09	·	·03	·22	·	·19		27
28	·	·	·	·27	·	·17	·01	·08	·	·02	·	·25		28
29	·	·	·02	·	·	·	·	·16	·53	·	·	·01		29
30	·08	×	·01	·	·	·	·22	·	·	·10	·	·11		30
31	·02	×	·	×	·	×	·	·	×	·09	×	·02		31
													Year's Total	
TOTAL	1·43	·29	1·97	2·64	·93	1·77	1·74	·97	2·05	1·71	1·98	4·08	21·56	✓
*Days with ·01 in. or more.	16	4	19	13	12	10	10	12	12	20	14	25	167	
*Days with .04 in. or more.	10	1	12	11	7	9	8	10	9	12	10	18	117	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) John W. Horsfall

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations. **Station No.** 3229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

FILE No. 813297/27

Kept at ADDINGFORD ISOLATION HOSPITAL, HORBURY

in the County of YORK. (WEST RIDING)

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 169 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	-	·14	·02	-	-	-	-	·14	·35	·08	·25		1
2	-	·01	·05	-	-	·26	-	-	-	·42	·06	·09		2
3	-	·09	·08	·03	-	-	·13	-	·04	·07	·25	-		3
4	-	-	·02	-	-	·09	·08	-	·05	1·28	-	-		4
5	·01	·21	·10	-	-	·15	·01	-	·02	·05	·09	-		5
6	·02	·01	-	·01	-	·11	-	-	-	-	-	-		6
7	·01	-	-	·06	-	·11	-	-	-	·09	·34	·15		7
8	-	-	-	·09	-	·02	-	·48	-	·01	·01	·04		8
9	-	-	-	·20	-	·09	-	-	-	1·10	·14	·02		9
10	·01	-	-	·16	-	·05	-	-	-	·23	·08	-		10
11	·29	-	-	-	-	-	-	-	-	·05	·10	·10		11
12	·05	·02	-	-	-	·06	-	·02	-	-	-	-		12
13	·06	·01	-	·02	·10	·07	-	-	-	-	·01	-		13
14	-	·02	-	·39	·08	·03	-	-	·04	-	·48	·13		14
15	-	·18	-	·30	·05	·23	-	-	·09	-	·09	·18		15
16	·01	·34	·11	·14	-	·04	·08	-	·38	-	·61	-		16
17	-	·03	-	·08	·13	·32	·03	·61	·23	·03	·62	-		17
18	·02	-	-	·08	-	·23	·29	·32	·09	·19	·09	-		18
19	-	·01	-	·13	-	·27	·07	-	-	·08	·14	-		19
20	·01	·10	-	·83	-	·06	·03	-	-	-	·50	-		20
21	-	·34	-	·01	-	-	-	·01	·63	·02	·10	·04		21
22	-	·08	·07	-	-	-	-	-	·01	-	-	-		22
23	-	·01	·16	·18	-	-	-	1·12	·02	·16	-	-		23
24	·22	·55	-	-	-	-	-	-	1·3	·02	-	·32		24
25	·06	·07	·01	-	-	·04	-	-	-	·01	·01	·09		25
26	·08	-	-	-	-	-	·03	·28	·30	·09	·07	·16		26
27	·01	·15	-	-	-	-	·07	-	·25	·08	·06	·40		27
28	·07	·01	-	-	-	-	-	-	·03	·02	·06	·18		28
29	·01	-	·09	-	-	-	-	-	·01	·19	·04	·08		29
30	·03	×	-	·01	-	·01	-	·15	·29	·33	·44	·02		30
31	·02	×	-	×	-	×	-		×	·23	×	·16		31
TOTAL	1·22	2·24	·83	2·74	·36	2·24	·82	2·99	3·65	5·10	4·47	2·41	Year's Total. 29·07	
* Days with .01 in. or more.	19	19	10	18	4	19	10	8	18	23	24	17	189	
* Days with .04 in. or more.	8	10	8	12	4	16	6	6	13	17	21	15	136	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) John W. Horsfall.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

File No. 813297/27

Kept at Addingford Isolation Hospital, Horbury.

in the County of Yorks (West Riding)

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 169 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·07	·23	·33	–	–	·01	·18	·08	–	–	·09		1
2	–	·01	·24	·01	–	1·03	–	·01	–	–	·02	·11		2
3	·01	–	–	–	–	·23	–	·03	·45	–	–	·04		3
4	·04	·05	·01	–	–	·13	–	·02	·04	–	·16	·14		4
5	·07	–	·25	–	·03	–	–	·14	·03	–	·01	·16		5
6	–	–	–	–	–	·02	·10	·84	·48	–	·16	–		6
7	·13	–	·02	–	–	–	1·01	–	·16	·02	·01	·02		7
8	·12	–	·04	–	–	–	–	–	–	·02	·30	·03		8
9	·28	·02	·14	–	–	·02	·42	–	·19	·06	·26	–		9
10	·07	–	–	–	–	–	·36	–	·01	·03	·46	–		10
11	–	–	–	·03	–	·06	–	·01	·10	–	·62	–		11
12	–	–	–	·15	·11	·82	·37	–	·39	–	·27	·06		12
13	–	–	–	·06	–	·14	·02	–	–	·02	·01	·41		13
14	–	–	–	·23	–	·15	–	·05	·12	–	·16	·23		14
15	·24	·05	·01	·10	·10	·01	·01	·08	–	–	·37	·01		15
16	·04	·02	–	·02	·01	–	·03	–	·03	–	·63	–		16
17	–	·45	–	·03	·02	–	·15	~~·40~~	–	·16	·03	·07		17
18	–	·06	–	–	–	–	–	·20	–	·34	–	·02		18
19	·78	·26	·03	–	–	·23	–	·21	–	·15	–	–		19
20	·23	·13	–	–	–	·02	–	–	·01	·05	–	–		20
21	–	–	·01	·02	–	·14	–	–	–	–	–	–		21
22	·05	·46	·07	–	·10	·45	·11	–	–	–	–	·01		22
23	–	–	·14	·10	·08	–	·35	–	–	·01	–	–		23
24	·15	·05	–	–	·32	–	–	–	·09	·23	–	–		24
25	·16	–	·03	–	–	·02	–	–	·44	·18	–	–		25
26	–	·05	·37	–	–	–	–	–	·06	·40	–	–		26
27	·23	–	·05	–	–	–	–	–	·04	·26	–	–		27
28	·38	·59	·05	–	–	–	·09	–	·01	·01	·04	·03		28
29	·19	·43	·09	–	–	·30	·08	–	–	·02	·03	·02		29
30	·05	✕	–	–	·43	·01	·12	·03	–	·61	·16	–		30
31	–	✕	·04	✕	·06	✕	·01	–	✕	·01	✕	·08		31
													Year's Total	
TOTAL	3·23	2·70	1·82	1·08	1·26	3·78	3·24	1·70	2·73	2·58	3·70	1·53	29·35	✓
* Days with .01 in. or more.	19	15	18	11	10	17	16	12	18	18	18	17	189	✓
* Days with .04 in. or more.	17	12	12	6	7	11	11	7	13	10	12	10	128.	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) John W. Horsfall

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Addingford Isolation Hospital Horbury.

in the County of Yorks (West Riding)

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 169 ft.

File. No 813297/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06	·08	·03	–	–	–	–	–	·05	–	·01	·13		1
2	·03	·13	·01	·25	–	·01	–	–	–	–	–	·13		2
3	–	·02	–	·23	·16	·03	–	–	–	–	–	·01		3
4	·18	–	·07	·11	·02	–	–	–	–	–	–	·09		4
5	·25	–	·03	–	–	–	·01	–	–	–	–	·13		5
6	·08	–	·14	·03	·13	–	·42	·22	–	–	·04	·43		6
7	·01	·45	–	·47	·14	·07	–	–	–	–	·06	·01		7
8	–	·46	–	·04	–	–	·04	–	–	–	·03	·06		8
9	–	·06	–	·02	·24	–	·37	·11	–	–	–	·02		9
10	–	·08	–	–	·14	–	–	–	–	–	·03	·16		10
11	–	–	1·09	–	·61	–	–	–	–	–	–	·05		11
12	·08	·30	·13	·01	·19	·15	–	–	·13	–	–	·08		12
13	–	·03	·06	–	·04	·42	–	–	·02	–	–	·07		13
14	–	–	·02	–	–	·04	–	·15	·02	–	–	·26		14
15	·13	·29	–	·26	–	–	1·27	–	–	–	–	·03		15
16	·09	·17	·34	·71	–	–	–	·06	·16	–	·01	·02		16
17	·18	·02	·20	·47	–	–	–	–	·76	–	–	–		17
18	·95	·07	·08	·01	–	·06	–	·05	·03	–	·53	–		18
19	·02	·06	–	–	–	·18	·09	–	–	·01	·51	–		19
20	·11	·22	–	·11	·74	·04	–	–	–	–	–	–		20
21	·06	·07	·01	·01	·01	–	·17	–	–	–	–	·02		21
22	–	–	·06	–	·05	–	·01	–	–	·11	·27	–		22
23	·28	–	–	–	·02	–	·35	–	–	1·04	·35	–		23
24	·24	·23	–	–	·05	·02	·03	–	·01	·30	·01	–		24
25	·07	·52	·16	–	–	–	–	–	–	·28	–	·01		25
26	–	·30	·05	–	·44	–	–	·07	·01	–	–	·03		26
27	–	1·06	–	·25	–	–	–	–	–	·54	–	·01		27
28	–	·19	·02	–	–	–	–	–	–	·04	–	–		28
29	·05	–	–	–	–	–	–	–	–	·03	–	·01		29
30	·34	✕	–	–	–	·03	–	·03	–	·01	·03	·02		30
31	·45	✕	–	✕	–	✕	–	–	✕	·20	✕	–		31
TOTAL	3·66	4·81	2·50	2·98	2·98	1·05	2·76	·69	1·19	2·56	1·88	1·78	Year's Total 28·84	✓ ✓
* Days with .01 in. or more.	20	21	17	15	15	11	10	7	9	10	12	22	169	✓ ✓
* Days with .04 in. or more.	17	18	11	10	12	7	7	6	4	7	6	11	116	✓ ✓

† Spare column, no entries required.

(Signed) John W. Horsfall [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Addingford Isolation Hospital, Horbury.
in the County of Yorks (West Riding)
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 169 ft.

File 813297/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·11	–	–	·01	·57	1·53	·14	–	·01	·24	·15		1
2	·04	–	–	·06	·03	–	–	–	–	·25	·12	·28		2
3	·01	–	–	–	–	·02	·10	–	·11	1·03	·02	–		3
4	·02	–	–	–	–	·06	·08	–	–	·27	·08	·23		4
5	–	·01	–	–	–	–	·09	·31	–	·36	–	·05		5
6	·06	–	–	–	–	–	·20	·19	·05	·05	–	–		6
7	·15	–	–	–	–	–	·30	·35	·30	·62	–	·03		7
8	·35	–	·01	–	–	–	·24	·06	–	·30	–	·15		8
9	·04	·07	–	–	–	·04	·02	·85	–	·01	–	·26		9
10	–	·04	–	–	–	·09	·06	–	·02	·02	·01	·06		10
11	·17	–	–	–	–	–	·09	–	–	·04	·03	·04		11
12	·16	·01	–	–	·01	–	–	·27	–	·17	·05	–		12
13	–	·01	–	–	–	–	–	·02	·05	·11	·08	·23		13
14	·27	·03	–	–	–	–	·18	–	·23	–	·02	–		14
15	·30	–	–	–	–	–	·51	·03	–	·01	–	·17		15
16	·25	–	·01	–	·01	–	·60	·08	–	·01	·09	·22		16
17	–	–	–	–	·11	–	·12	–	–	·12	–	–		17
18	·02	–	–	–	·13	·08	–	–	·01	·11	·23	–		18
19	–	–	–	–	–	·02	–	·20	–	·05	–	·25		19
20	·01	–	–	–	–	–	–	·02	·02	–	·31	·05		20
21	–	–	–	–	–	–	–	·11	·02	–	·01	·14		21
22	–	–	–	–	–	·24	–	–	–	–	·29	·08		22
23	–	–	–	–	·13	·11	–	–	·15	–	·55	–		23
24	–	–	·11	–	·03	–	–	·39	·28	·02	·08	–		24
25	·12	·02	·16	–	–	–	–	–	–	·32	·65	·06		25
26	·02	·46	·07	–	–	–	–	–	·16	·14	·05	–		26
27	·01	·02	–	–	·35	·19	·08	·24	·16	–	·10	–		27
28	·21	–	–	–	·63	·20	·06	·44	·04	·01	–	·07		28
29	·04	X	·03	–	·93	·02	·03	–	–	–	·07	·01		29
30	·02	✕	–	–	·12	·08	–	–	·83	–	·19	·03		30
31	·23	✕	–	✕	·29	✕	–	–	✕	·07	✕	·73		31
TOTAL	2·50	·78	·39	·06	2·78	1·72	4·29	3·70	2·43	4·10	3·27	3·29	Year's Total 29·31	✓ ✓
* Days with .01 in. or more.	21	10	6	0	13	13	17	16	15	23	21	21	176	✓ ✓
* Days with .04 in. or more.	14	4	3	1	8	10	15	13	11	16	16	18	129	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) John H. Horsfall [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~340~~

39

Kept at Addingford Isolation Hospital, Horbury

in the County of Yorkshire (West Riding)

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 169 ft.

Query centre Nov 3.

Entry on Nov 3rd adjusted 12/6/40 as agreed by observer

File No. 813297/27

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·08	–	·07	·08	–	–	·06	·01	·07	·01	–	·02		1
2	·09	–	–	·07	–	–	·07	·14	·83	·08	·05	·01		2
3	·05	–	–	·06	–	–	–	·29	·03	·02	(·20) ~~3·20~~	·31		3
4	·29	–	·07	·52	–	–	·04	·04	–	·11	·02	·39		4
5	·02	–	–	·01	·08	–	·06	·06	–	·24	·24	·19		5
6	·28	–	–	–	–	–	·24	–	–	·05	·22	–		6
7	·08	·05	·09	–	·09	–	–	–	–	·02	·26	·09		7
8	·16	·02	·20	–	–	–	1·24	·01	–	–	·03	·45		8
9	·11	·07	–	–	–	–	·03	·11	–	82	·02	·16		9
10	·66	–	·03	–	–	–	–	·08	·02	04	–	–		10
11	·25	·02	·18	–	·01	·35	–	01	·08	01	·01	–		11
12	·05	·23	–	–	·02	·08	–	–	–	–	·02	–		12
13	–	–	·01	·05	·03	·11	–	–	·03	·02	–	–		13
14	·68	–	–	·01	·22	·11	·29	–	–	·07	·12	–		14
15	·10	–	–	·02	·12	·27	·56	–	–	–	·04	–		15
16	–	–	·26	–	·55	–	·50	–	–	–	·07	–		16
17	·76	·05	–	·08	·32	–	·08	–	–	·29	–	–		17
18	·31	·04	·03	–	·01	·20	·37	–	–	·03	·90	–		18
19	·29	–	–	–	–	·15	·39	·01	·02	–	–	01		19
20	–	–	–	·09	–	·23	·33	·03	·06	–	–	–		20
21	·07	·04	·23	–	·01	·02	–	–	·05	–	–	–		21
22	·16	·34	·02	·07	–	–	·04	–	·04	–	·14	–		22
23	·04	·13	·01	·02	–	·01	·09	·01	–	·08	·25	–		23
24	·01	·01	·04	·01	–	·03	·19	·01	–	–	–	–		24
25	·55	·05	·02	·01	–	·05	–	·26	–	–	·36	04		25
26	·12	·01	–	·01	–	–	–	–	–	·05	·31	04		26
27	·02	·24	·36	·12	–	·05	·02	–	–	·13	·23	–		27
28	·03	·06	·24	–	–	·06	·14	–	–	–	·28	–		28
29	–	×	01	–	–	–	1·18	–	–	31	·07	–		29
30	–	×	–	–	–	·01	–	–	–	–	·09	I		30
31	–	×	–	×	–	×	·08	·08	×	06	×	I	29·37	31
TOTAL	5·26	1·36	1·87	1·23	1·46	1·73	6·00	1·15	1·23	2·44	3·93 ~~6·93~~	1·71	Year's Total ~~32·37~~	
* Days with .01 in. or more.	25	15	19	16	11	15	21	15	10	19	22	11	199	
* Days with .04 in. or more.	21	11	10	9	6	11	19	8	6	13	17	8	139	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) John W. Horsfall

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3229

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at ADDINGFORD ISOLATION HOSPITAL

in the County of YORKS (WEST RIDING)

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

„ Ground „ Sea Level 169 ft.

Jan ~~Feb~~ adjusted by nearby stations

File No. 813297/27/M.O. 3.e.

Letter sent 6.3.41

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·	·14	·	·04	·	·	·	·	·	·	·19	·		1
2	·	·	·	·16	·	·	·	·	·	·	·23	·03		2
3	·08	·22	·	·15	·	·	·	·	·	·19	·06	·04		3
4	·	·20	·	·25	·	·	·	·	·	·15	·28	·18		4
5	·	·01	·	·	·06	·	·14	·	·	·07	·16	·04		5
6	·13	·22	·	·	·	·	·01	·	·	·62	·04	·05		6
7	·	·21	·	·	·09	·	·	·08	·08	·	·	·		7
8	·	·	·	·	·	·	·	·	·	·12	·	·08		8
9	·	·	·21	·	·	·	·04	·05	·02	·38	·91	·01		9
10	·	·	·	·01	·	·	·61	·07	·03	·02	·31	·23		10
11	·	·12	·01	·	·	·03	·11	·	·	·	·49	·		11
12	·	·01	·25	·	·	·	·03	·	·16	·01	·14	·		12
13	·	·01	·32	·	·	·	·	·02	·54	·	·02	·01		13
14	·	·	·	·13	·09	·	·08	·	·	·	·01	·24		14
15	·	·	·02	·02	·07	·	·	·	·02	·02	·31	·		15
16	·	~~·04~~	·01	·	·	·	·45	·	·16	·40	·20	·03		16
17	·	·	·57	·	·	·	·45	·	·09	·02	·23	·02		17
18	·08	~~·04~~	·22	·62	·	·	·23	·09	·04	·	·01	·07		18
19	·	·25	·10	·10	·	·	·11	·	·38	·09	·17	·03		19
20	·	·02	·04	·52	·	·	·06	·15	·08	·05	·04	·		20
21	·05	·	·17	·	·	·04	·01	·	·05	·11	·91	·		21
22	·	·	·01	·	·04	·26	·	·	·15	·01	·	·		22
23	·	·23	·04	·02	·01	·03	·03	·	·02	·06	·03	·03		23
24	·02	·	·	·02	·	·	·	·	·01	·02	·	·10		24
25	·03	·	·	·	·	·	·	·	·	·05	·	·01		25
26	(·80) ~~·30~~	·03	·	·	·02	·01	·05	·	·	·01	·04	·		26
27	(1·00) ~~·50~~	·26	·	·02	·	·	·07	·10	·05	·	·02	·		27
28	·30	·37	·	·01	·08	·	·	·	·	·	·	·		28
29	·	·	·18	·02	·	·06	·01	·	·	·	·	·13		29
30	·10	×	·	·23	·	·	·	·	·	·31	·01	·18		30
31	·11	×	·03	×	·	×	·	·	×	·66	×	·		31
TOTAL	2·70 ~~1·70~~	2·38	2·18	2·32	·46	·43	2·49	·56	1·88	3·37	4·71	1·51	Year's Total ~~23·99~~	24·99 ~~25·37~~
* Days with .01 in. or more.	11	17	15	16	8	6	17	7	16	21	23	19	176	
* Days with .04 in. or more.	9	12	10	9	6	3	12	6	11	14	17	10	119.	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) John W. Horsfall

[P.T.O.

FORM 1090.

B Mo
Su

3230

*** The following register of month
&c., is NOT required if daily o
values are given on the other si

—

3230

"Horbury
"High Fields"
1931

780602

nd also the space for

ister should be sent:—

RAINFALL IN 1931

At "High Fields" Horbu

In the County of Yorks.

Rain Gauge
Diameter of Funnel 5
Height of Top above Ground 1 ft.
Height of Ground above Sea Level

Yorks.

~~in Summer~~

½m. Direction from gauge

00 yds. Direction from gauge N.E.

wall | Open

10 ft.

10 yds

Directions from gauge .. N E W S

Month.	Total Depth.	Greatest Fall in 24 hours.		Nu Da ·01 or m	
	Inches.	Inches.	Date.		
JAN.	160				
FEB.	226				
MAR.	·81				
APRIL	374				
MAY	183				
JUNE	510				
JULY	303				
AUG.	366				
SEPT.	345	201	4th		
OCT.	104				
NOV.	354				
DEC.	·59				
Total	3065				

Signature Geo H Green

Jany 3/32

*See Instruction 2 (*f*) below.

If gauge has been moved during the year state— no

~~Date of move Distance~~ Direction

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Between 9 a.m. & 5.30 p.m. Sept 4th 1,81 fell. On the 5th The Calder overflowed across fields and Huddersfield Rd. at Horbury bridge. and Motor Cars found the road at bottom of Westgate, Wakefield, impassable. water 10 to 12 in. deep – the beck overflowing. The Rain of the 4th was preceded by heavy falls on 2nd. & 3rd. and a very wet August.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.* 9 *a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot 14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

FORM 1090. **B** Mo Su

3230

, The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1931

At "High Fields" Horbury

In the County of Yorks.

Rain Gauge
- Diameter of Funnel 5 in.
- *Height of Top above Ground* 1 *ft.* 0 *in.*
- *Height of Ground above Sea Level* 226 *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	·01 in or more *	·04 in. or more *
JAN.	160				
FEB.	226				
MAR.	·81				
APRIL	374				
MAY	183				
JUNE	510				
JULY	303				
AUG.	366				
SEPT.	345	201	4th		
OCT.	104				
NOV.	354				
DEC.	·59				
Total	3065				

Signature Jno H Green.

Jany 3/32

*See Instruction 2 (*f*) below.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

John H. Green
"High Fields". Horbury. Yorks.

Hour of observation by the clock—in Winter Various ~~in Summer~~

Nearest Railway Station Horbury L.M.S. Distance ½ m. Direction from gauge

Nearest Parish Church at Horbury S. Peter Distance 400 yds Direction from gauge N.E.

Nature of objects nearest to gauge	Trees	Trees	Wall	Open
Heights of objects	30 ft.	32 ft.	10 ft.	
Distances ..	20 yds	15 yds	10 yds	
Directions from gauge ..	N	E	W	S

If gauge has been moved during the year state— no

~~Date of move ... Distance ...~~ Direction ...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked **A** and **B**.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in British Rainfall, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

Between 9 a.m. & 5.30 p.m. Sept 4th 1.81 fell. On the 5th The Calder overflowed across fields and Huddersfield Rd. at Horbury bridge. and motor cars found the road at bottom of Westgate, Wakefield, impassable – water 10 to 12 in. deep – the beck overflowing. The Rain of the 4th was preceded by heavy falls on 2nd & 3rd and a very wet August.

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not ·00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as ·01 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{matrix}17\\18\end{matrix}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02, or 0·3.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(325) Wt.26154/1775/2214 15,000 2/31. Gp. 119/110.

3231

Section **A** for the entry o

AIR MINISTR

OPY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIS

3231

MIRFIELD, COTE WALL

1931 — 39

780602

Kept at Cote W

in the County of Yo

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform *following*

year in the space on the right of

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.		in.	in.	
1			·3	·2		·50			·1				1
2		·2		·77	·1	·72			·52	·3	·1	·40	2
3				·7		·2	·4		1·35		·62	·7	3
4		·10		·20			·22	·25	1·50			·13	4
5		·6			·9	1·10	·7	1·34	·1			·20	5
6		·18	·2				·49			·18	·12		6
7			2			·84		·70		·22	·20		7
8			·4		·6		·18	·20		·2	·18		8
9		·53		·31	·7	·6		·18	·6		·26		9
10	·7	·16	·3		·1	·10		·5	·1		·12		10
11	·8	·50				·4	·12		·15		·22		11
12	·6	·29					·89		·6	·5	·6		12
13			·2			·1	·6	·5					13
14		·3			·4	·42	·26	·92			·61		14
15		·50		·5	·1		·10	·26			·2	·6	15
16	·33	·10		·15	·17	·45	·6	·28	·23				16
17		·9		·61		·13	·2	·2			·6		17
18	·6	·2		·39		·52	·28	·19			·78		18
19	·3	·1		·3		·7	7	·24	·11	·4			19
20		·6	·1	·6				·25					20
21	·6	·3			·25			·4					21
22	·5	·11			·19								22
23	·50	·1		·8	·32	·27	27				·32		23
24	·4	·6		·42	·60		·7						24
25	·6	·3		·87	·10		·15					·6	25
26	·12	·3		·13			·1				·38		26
27	·13	·12			·3		·4			·20	·32	·7	27
28	·12	·27		·13	·50							·21	28
29	·25				·25					·30	·3	·4	29
30		×		·4	·4								30
31	·26	×		×	·21	×			×	·2	×		31
TOTAL	2·22	3·31	·17	4·33	2·95	5·25	3·40	4·97	4·01	1·06	4·31	1·24	YEAR'S TOTAL 37·22
*Days with ·01 in. or more.	16	23	7	17	18	15	19	15	11	9	17	9	176
*Days with ·04 in. or more.	15	15	1	15	14	13	17	14	8	6	14	9	141

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Henry Lee Gardner

To F. P. Mitchell Esq

P.T.O.

3231

Section **A** for the entry o … OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Cote Wall Mirfield

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level — ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.3	.2		.50			.1				1
2		.2		.77	.1	.72			.52	3	.1	.40	2
3				.7		.2	.4		1.35		.62	.7	3
4		.10		.20			.22	.25	1.50			.13	4
5		.6			.9	1.10	.7	1.34	.1			.20	5
6		.18	.2				.49			.18	.12		6
7			2			.84		.70		.22	.20		7
8			.4		.6		.18	.20		.2	.18		8
9		.53		.31	.7	.6		.18	.6		.26		9
10	.7	.16	.3		.1	.10		.5	.1		.12		10
11	.8	.50				.4	.12		.15		.22		11
12	.6	.29					.89		.6	.5	.6		12
13			.2			.1	.6	.5					13
14		.3			.4	.42	.26	.92			.61		14
15		.50		.5	.1		.10	.26			.2	.6	15
16	.33	.10		.15	.17	.45	.6	.28	.23				16
17		.9		.61		.13	.2	.2			.6		17
18	.6	.2		.39		.52	.28	.19			.78		18
19	.3	.1		.3		.7	.7	.24	.11	.4			19
20		.6	.1	.6				.25					20
21	.6	.3			.25			.4					21
22	.5	.11			.19								22
23	.50	.1		.8	.32	.27	.27				.32		23
24	.4	.6		.42	.60		.7						24
25	.6	.3		.87	.10		.15					.6	25
26	.12	.3		.13			.1				.38		26
27	.13	.12			.3		.4			.20	.32	.7	27
28	.12	.27		.13	.50							.21	28
29	.25				.25					.30	.3	.4	29
30		×		.4	.4								30
31	.26	×		×	.21	×			×	.2	×		31
TOTAL	2.22	3.31	.17	4.33	2.95	5.25	3.40	4.97	4.01	1.06	4.31	1.24	YEAR'S TOTAL 37.22
*Days with ·01 in. or more.	16	23	7	17	18	15	19	15	11	9	17	9	176
*Days with ·04 in. or more.	15	15	1	15	14	13	17	14	8	6	14	9	141

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Henry Lee. Gardner

P.T.O.

To F. P. Mitchell Esq

3231

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Cote Wall Mirfield

in the County of Yorks

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.2		.10	.45	–	.07	.02	.15	.30		.03	1
2					.48				.32	.04	.06	.07	2
3							.25					.35	3
4				.8							.02		4
5			.7	.5	.06				.04				5
6			.17	.36	.02		.04		.07				6
7	.65		.36	.20	.02		.01		.37	.10	.02		7
8	.10			.2					.03	.35			8
9	10			.32	.04				.02			.08	9
10	.06	.18		.6					.15	.15			10
11				.7	.15	.03	1.15		.03		.04	.02	11
12	.20				.11		.27			.36	.07		12
13	.03			.5	.03			.02	.06	.53	.02	.02	13
14	.04			.13	.		.07			.06	.17	.01	14
15					.13					.04	.12	.04	15
16	.26			.13			.05					.01	16
17							.04	.01		.37			17
18					.04								18
19				.9	.06		.03			.05			19
20			.2	.22	.65			.80		.15	.05		20
21			.27		1.35			.45	.03	.97	.07		21
22			.23	.5	.03		.12			.01	.27	.04	22
23				.12	.21		.07			.14	.06	.05	23
24	.03						.21		.06	.03	.04		24
25		.5		.16	.06		.05						25
26				.21	.45		.10		.01	.20	.12		26
27			.16	.11	.50	.02	.16				.05		27
28			.8	.1	.21		.36	.07					28
29			.12	.15	.25	.03	.03	.09	.15	.31		.02	29
30		×	.10	.17	.	.15	.02	.04	.11		.10	.12	30
31		×	.13	×	.01	×	.26		×		×		31
TOTAL	1.62	.25	1.71	2.96	5.31	.23	3.36	1.50	1.60	4.16	1.28	.86	YEAR'S TOTAL 24.84
*Days with ·01 in. or more.	10	03	11	22	22	4	20	8	15	18	16	13	162
*Days with ·04 in. or more.	8	2	10	21	17	1	16	5	10	16	13	7	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Henry Lee Gardener

P.T.O.

Fr F P Mitchell Esq

3231

FORM 1090. **B** Monthly Summary.

*** The following register of monthly totals, &c., is NOT required if daily or weekly values are given on the other side.

RAINFALL IN 1932

At Cote Wall. 4 Sands Lane Mirfield

In the County of Yorks

Rain Gauge
- Diameter of Funnel 8 in.
- *Height of Top above Ground* 1 *ft* ... *in.*
- *Height of Ground above Sea Level* ... *ft.*

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
				·01 in. or more	·04 in. or more
	Inches	Inches	Date.	*	*
JAN.	1.62			10	
FEB.	·25			3	
MAR.	1·71			11	
APRIL	2·96			22	
MAY	5·31			22	
JUNE	·21			4	
JULY	3·36			20	
AUG.	1·50			8	
SEPT.	1·60			15	
OCT.	4·01			18	
NOV.	1·28			15	
DEC.	·86			14	
Total	67 24·55			138	

Signature Henry Lee

M

*See Instruction 2 (*f*) below.

C Particulars of Station.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:— Henry Lee. 4 Sands Lane Mirfield Gardener to. F. P. Mitchell Esq (Yorks

Hour of observation by the clock—in Winter 9 A M in Summer 10.A.M

Nearest Railway Station Mirfield Distance 1 mile Direction from gauge W

Nearest Parish Church at Mirfield Distance 1 mile Direction from gauge N

Nature of objects nearest to gauge	Thorn Edgy	Iron fence		
Heights of objects	6 ft	3 ft 6 in		
Distances ..	8 ft	5 ft		
Directions from gauge ..	E.	W		

If gauge has been moved during the year state—

Date of move ... Distance ... Direction ...

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)

If the gauge is of a self-registering or self-recording type please give particulars.



If you know of any record of rainfall not quoted in **British Rainfall**, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

(a) Is it known that the gauge was empty at the beginning of the measured rainfall?
(b) What note was made of the times of beginning and end of this fall?
(c) When was the measurement made?

M.O. 7
3 JA[illegible]

D INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply *also* to the summary form above are printed in *italic type*:—

(*a*) *Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd. 9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.*

(*b*) *The rain-gauge should be visited every morning without exception.* When there has been no precipitation the entry in the register should be a dash— (not 0·0). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than ·05 mm. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(*c*) *On some measures there is graduation marked ·005; this graduation is to show the limit between the amounts which count as 0·1 and those which are mere "traces."* An entry ·005 is not to be made in the register.

(*d*) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus $\left.\begin{array}{r}17\\18\end{array}\right\}\cdot14$ would show that the reading on the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was ·14 in.

(*e*) *The total rainfall for the month is found by addition. The addition should always be done a second time as a check.* The check is of special importance when the total has already been found in another copy of the register.

(*f*) *The "number of days with ·01 in. or more" includes all the days with any rain except those for which the entry is "trace" The "number of days with ·04 in. or more" includes all the days with any rain except those for which the entries are trace, ·01, ·02 or ·03.*

(*g*) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(*h*) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JOHN CORAH & SON, LTD., Loughborough and London.

(457) Wt.9673/738 16000 8/32. Gp. 119/110.

July corrd. for arith Gbgr. agrees

3231

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Mirfield, Cote Wall

in the County of W. R. Yorks

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13	·42		-							·08		1
2	·15		·32								·09		2
3	·02	·05	·10		·33						·09		3
4	·10	·10	·02		·22								4
5	·12	·02	·01		·10								5
6		·11			·78							·06	6
7	·01	·15	·14		·25		·20			·92		·01	7
8	04	·02					·75					·10	8
9		·25					·22			·24	·01		9
10	·02	·07				·10				·86	·11		10
11							·28	·02		·57			11
12						·26	·06			·02		·02	12
13			·01		·26	·01	·06		·14	·06	·14		13
14	·12				·02			·05		01	·21		14
15	·70						·07	·05		10	·92	·02	15
16	·30		·16	·24	·11		·42			·07	·03		16
17	·05		·79		·01	·12		·07			·20		17
18			·19		·03	·22					·13		18
19		·05	·51	·03				02	·15		·03		19
20											·04		20
21					1·03	·29		·14	·05	·03	·02		21 52
22						·20		·10		·47			22 21
23		·11		·13	·05			·02	·60	·03			23
24		·77		·21	·08	·30			1·07		·02	·07	24
25		1·35		·16	·03				·07			·05	25
26		1·20		·07									26
27					·20				·02	·06			27
28				·06			·01			·06			28
29				·88			·01			·27			29
30	·04	X		·06			·08			·07		·10	30
31	15	X	·02	X		X			X	·07	X		31
TOTAL	1·95	4·67	2·27	1·84	3·50	1·50	2·16 ~~2·21~~	·47	2·10	3·91	2·1~~4~~2	·43	YEAR'S TOTAL 26·92
*Days with ·01 in. or more.	14	14	11	9	15	8	11	8	7	17	15	8	137
*Days with ·04 in. or more.	11	12	7	8	11	7	9	5	6	13	10	5	104

40-9999

*See Instruction 2 (*f*) on other side.

DM

(*Signed*) H. See for F. P. Mitchell [P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. 3231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Mirfield, Cote Wall

in the County of W. R. Yorks

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level .... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·06							·10		·05		·05		1
2			·06					·18	·05		·15	·47		2
3		·03								·06				3
4	·05		·10	·15					·10	·39		·87		4
5			·04					·30		·10	·03	·24		5
6			·05		·30	·03		·05		·16		·59		6
7	·10	·03	·02		·07	·36				·10	·27	·14		7
8						·57		·06		·11	·77	·03		8
9			·11	·10				·10		·03	80	·03		9
10			·74	·33						·04				10
11	·11		·13	·70							04	·10		11
12			·14	06			·03	·01				·05		12
13	38				04		·10	·02			·01			13
14	·03		·45		02	·02				·19	·15	12		14
15	·43		·19		·18				·14	·05	·03	·10		15
16	·09		·07		·23						·07	·08		16
17	·18		·20		·03		·57		·18			·09		17
18	·25		·21	·15	·07	·07						·10		18
19			·26	·05	·03				·04			·01		19
20					·04	·05			·02					20
21	·02					·17			·08	·04				21
22								·10	·20	·04		·02		22
23			·11	·10		·01	·22			·05	·04	·12		23
24			·05	·21		·03	·07		·05			·02		24
25	·03			·07	·02		·10		·15	·13		·46		25
26				·42					·06	·04	·01	·02		26
27		·10		·35		·33	·10			·27		·19		27
28				·28		·03	·02	·10		·02		·45		28
29			·03					·09	·63			·03		29
30	·10	×					·15			·22		·17		30
31	·02	×		×		×			×	·04	×	·03		31
TOTAL	1·85	·16	2·96	2·97	1·03	1·67	1·36	1·11	1·70	2·13	2·37	4·58	Year's Total 23·89	
*Days with ·01 in. or more.	14	3	18	13	11	11	9	11	12	20	12	26	160	
*Days with ·04 in. or more.	10	1	16	13	7	6	7	9	11	18	8	18	124	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) H. Lee (Gardener)

[P.T.O.

Query sent for [illegible]
Obs. agrees: amendment [illegible]

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations.** **Station No.** 3231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Mirfield, Cote Wall

in the County of W. R. Yorks

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

,, Ground ,, Sea Level .... ft.

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·29	·02	·11				·03		·42	·10	·05	·42		1
2		·02	·01			·25				·63	·24	·24		2
3	·02	·13	·11	·06		·02	·12		·06	·28	·22	·02		3
4		·03	·02	·05		·08	·06		·02	·12				4
5		·36	·11			·15			·07	1·09	·05	·04		5
6	·07			·02		·12				·04				6
7	·02			·04		·28					·40	·14		7
8				·14						·17	·03	·16		8
9				·31		·10				·08	·15	·02		9
10			·02	·46		·04				1·30	·25			10
11	·62	·01				·01		·02		·25	·10	·11		11
12		·02				·15				·10		·03		12
13	·05	·02		·03	·10	·04			·04		·03			13
14		·03		·17	·10	·03			·06		·68	·17		14
15		·62		·35	·05	·03			·06			·17		15
16		·51	·17	·12		·08	·16		·50		1·00			16
17		·04		·12	·32	·55	·19	1·50	·42	·03	·48			17
18	·04				·02	·12	·05	·10	·13	·37	·04			18
19				·15		·30	·10				·15			19
20		·22		·70		·05	·05				·88			20
21		·31		·03				·03	·85	·05	·13	·06		21
22		·09	·16						·03					22
23			·24	1·55				·80	·03	·25				23
24	·28	·80							1·35			·25		24
25	·10	·06	·04								·04	·14		25
26	·06						·04	·29	·40	·14	·04	·12		26
27	·01	·12					·13		·63	·22	·09	·39		27
28	·02							·01	·04	·05		·16		28
29	·01		·13						·46	·24	·03	·10		29
30	·03	×		·02		·04		·10	·10	·55	·53	·05		30
31	·03	×		×		×			×	·29	×	·20		31
													Year's Total	
TOTAL	1·65	3·41	1·12	4·32	·59	2·~~24~~ 4	·93	2·85	5·67	6·35	5·61	2·99	37·93	
*Days with ·01 in. or more.	15	18	11	17	5	19	10	8	19	21	22	20	185	
*Days with ·04 in. or more.	8	11	8	13	4	15	9	5	16	20	19	17	145	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) H. Lee

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Mirfield, Cote Wall

in the County of W. R. Yorks

Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level .... ft.

Copy by BRO

TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·16	·15	·05				·12	·07	–	–	·18		1
2		·05	·05	·02		1·60			–	–	–	·09		2
3		·02				·15			·22	–	–	·05		3
4	·10	·06	01			·02		·08	·26	–	·19	·24		4
5	·11		·32		·01			·26	–	–	·10	·17		5
6	·02						21	·28	·57	–	·17	–		6
7	·15		·02				·24		–	·01	·20	·03		7
8	·17		·17						–	–	·31	–		8
9	·27		·11				·12		·32	·11	·32	–		9
10	·09						·41		–	–	·65	–		10
11				·05		·09			·24	–	·69	–		11
12				·17	·05	·95	·46		·62	·02	·21	·16		12
13				·07		·08	06		–	–	–	·53		13
14				·24		05		·01	·28	–	·16	·41		14
15				10	·07			·32	–	–	·34	·02		15
16	·09	·08		·04					–	–	·78	–		16
17		·45			·04		·10		–	·27	·30	·12		17
18		·03				·02		·07	–	·40	–	·02		18
19	·87	·25	03			·14	·02	·22	–	·03	–	–		19
20	·12	·12				·14			·01	·01	–	–		20
21	·02			·05		·15			–	–	–	–		21
22	·07	·48	·10		·12	1·05	·28		–	–	–	·05		22
23		·02	·19	·15	·11		·29		–	·02	–	–		23
24	·22	·05		·02	·32				·17	·38	–	–		24
25	·10		·11						·47	·14	–	–		25
26	02	·07	·64						·09	·38	–	–		26
27	48		·12						–	·29	–	–		27
28	29	·79	·14				·18		–	–	·60	·02		28
29	·10	·37	·10		·05	·55	·05		–	·04	·10	·03		29
30	·04	×			·41		·07		–	·38	·19	–		30
31	·04	×		×		×	·01		×	–	×	·08		31
TOTAL	3·37	3·00	2·26	·96	1·18	4·99	2·50	1·36	3·32	2·48	5·31 ~~5~~·61	2·20	Year's Total. 32·43	√
* Days with .01 in. or more.	20	15	15	11	9	13	14	8	12	14	16	16	163	√
* Days with .04 in. or more.	17	12	12	9	8	11	12	7	11	9	16	11	135	√

d

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) H. Lee

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. **Station No.** 3231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Wingfield, Cote Wall
in the County of W. R. Yorks
Diameter of Funnel of Gauge..................in.
Height of top of Gauge above Ground.........ft..........in.
,, Ground ,, Sea Level ....ft.

T. L.

Copy by B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	·08	–	–	–	–	–	–	·05	–	–	·32		1
2	–	·13	·02	·36	–	–	–	–	–	–	–	·17		2
3	–	·06	–	·18	·05	·05	–	–	–	–	–	–		3
4	·21	–	·07	·25	·02	–	–	·08	–	–	–	·20		4
5	·41	–	·14	–	–	–	–	–	–	–	–	·07		5
6	·10	–	·07	·02	·08	–	·72	·17	–	·02	·07	·45		6
7	–	·65	–	·33	·08	·05	–	–	·02	–	·05	·02		7
8	–	·52	–	·03	–	–	·09	–	–	–	·04	·07		8
9	–	·08	–	–	·38	–	·30	·15	–	–	–	–		9
10	–	·08	–	–	·04	–	–	·15	–	–	–	·22		10
11	–	–	1·22	–	·63	–	–	–	–	–	–	·02		11
12	·07	·34	·30	·04	·14	·14	–	–	·24	–	–	·10		12
13	–	·03	·06	–	·02	·50	–	·02	–	–	–	·11		13
14	–	–	·02	–	–	·02	–	·20	–	–	–	·30		14
15	·15	·30	–	·42	–	–	1·50	–	–		–	·05		15
16	–	·24	·37	·55	–	–	–	·04	·24	–	–	·06		16
17	·14	·04	·23	·18	–	·09	–	–	·64	–	–	–		17
18	1·00	·04	·16	–	–	·02	–	·06	·05	–	·60	–		18
19	·04	·09	–	–	–	·22	·05	–	–	–	·59	–		19
20	·09	·35	–	·19	·72	·06	–	–	–	–	–	·10		20
21	·04	·05	·02	·02	–	–	·15	–	–	–	–	·08		21
22	–	–	·06	–	·04	–	·02	–	–	·27	·37	–		22
23	·25	–	–	–	·02	–	·25	–	–	1·27	·39	–		23
24	·19	·30	·04	–	·07	–	–	–	–	·36	–	–		24
25	·13	·66	·12	–	–	–	–	·05	·05	·30	–	–		25
26	·02	·44	·06	–	·30	–	–	·03	–	–	–	·06		26
27	–	·59	–	·29	–	–	–	–	–	·65	·01	·02		27
28	–	·43	·02	–	–	·01	–	–	–	·10	–	–		28
29	·03	–	–	–	–	·01	–	–	–	·03	–	·01		29
30	·45	✕	–	–	–	–	–	·02	–	·01	·06	·03		30
31	·57	✕	–	✕	–	✕	–	·03	✕	·25	✕	–		31
TOTAL	4·01	5·50	2·98	2·86	2·59	1·17	3·08	1·00	1·29	3·26	2·18	2·46	Year's Total 32·38	
* Days with .01 in. or more.	18	21	17	13	14	11	8	12	7	10	9	20	160	
* Days with .04 in. or more.	16	20	13	10	11	7	7	8	6	7	8	15	128	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 3231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Mirfield, Cote Wall

in the County of W. R. Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 200 ft.

Copy by B.R.O.

10.9.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1		·11		·15		1·06	·48	·17	–	·10	·30	·10		1
2	·09				·04		–	–	–	·50	·07	·18		2
3	·02						·05	–	·09	1·50	·05	–		3
4	·06						·30	–	–	·12	·05	·22		4
5		·02					·17	·74	–	·22	–	·04		5
6	·08						·45	·19	·05	·05	–	–		6
7	·18						·17	·28	·40	·05	–	·02		7
8	·37						·26	·09	–	·11		·07		8
9	·08	·02				·13	·04	·40	–	·03	–	·08		9
10							·07	–	–	·04	·01	–		10
11	·27					·02	·10	·10	–	·05	·04	·08		11
12	·25				·02		–	·14	–	·15	·12	–		12
13		·06					–	–	–	·07	–	·11		13
14	·30				·01		·41	–	·07	–	–	–		14
15	·35						·31	–	–	–	–	·09		15
16	·34				·05		·73	·12	–	–	·14	·12		16
17					·15		·17	–	–	·10	–	·01		17
18					·05	·02	–	–	·58	·17	·25	–		18
19					·03		–	·20	–	–	–	·20		19
20	·03						–	·02	–	–	·20	·06		20
21								1·15	–	–	·04	·17		21
22						·34		–	–	–	·24	·09		22
23	·11				·12	·15		–	·40	–	·12	–		23
24	·10		·19					·37	·10	–	·07	–		24
25	·05		·14				·03	–	–	·18	·27	·07		25
26	·03	·40	·09			·16	–	–	·19	·07	·07	–		26
27	·21	·03			·66	·22	·06	·32	·05	–	·06	–		27
28	·03	·01			·83	·26	·04	·43	·08	–	–	·06		28
29			·06		1·35	·05	–	–	–	–	·09	·02		29
30		✕			·07	·04	–	–	·77	–	·23	·07		30
31	·24	✕		✕	·30	✕	–	–	✕	–	✕	·18		31
TOTAL	3·19	·65	·48	·15	3·68	2·39	3·84	4·72	2·78	3·51	2·42	2·04	Year's Total 29·85	
Days with .01 in. or more.	20	7	4	1	13 ~~16~~	11	17	15	11	17	19	21	~~153~~	156
Days with .04 in. or more.	16	3	4	1	10 ~~8~~	9	16	14	11	16	18	18	~~134~~	136

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Henry Lee

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3231

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Mirfield, Cote Wall

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 200 ft.

April corr'd for sum

Copy by B.R.O.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·07	—	·12	·10	—	—	—	—	—	·02	·13	·09		1
2	·05	—	—	·08	—	—	·17	·20	·80	—	—	·15		2
3	·14	—	—	·09	—	—	—	·17	·01	—	·10	·40		3
4	·10	—	·08	·23	—	—	·06	—	—	—	·16	·63		4
5	—	—	—	—	·06	—	·15	·10	—	·21	—	·12		5
6	·30	—	—	—	—	—	·22	—	—	—	·57	—		6
7	·02	·06	·10	—	·07	—	·04	—	—	·30	·07	·50		7
8	·30	·02	·11	—	—	—	1·20	—	—	·30	·17	·18		8
9	·08	·12	—	—	—	—	—	·15	—	·50	·12	·27		9
10	·62	—	—	—	—	—	—	—	·04	·05	—	—		10
11	·28	·11	·11	—	—	·23	—	·05	—	—	·02	—		11
12	·07	·10	—	—	—	—	—	—	—	—	—	—		12
13	·01	—	—	·07	·03	·24	—	—	—	—	·05	—		13
14	·32	—	·02	·06	·04	·17	·55	—	—	·20	—	—		14
15	·05	—	—	·07	·05	·22	·40	—	—	—	·25	—		15
16	·03	—	·11	—	·70	—	·38	—	—	—	·05	—		16
17	·15	·04	·01	·10	·05	—	·02	—	—	·40	·05	—		17
18	·06	·07	·01	—	—	·32	·09	—	—	·03	—	—		18
19	·02	—	—	—	—	·45	·52	—	—	—	1·28	—		19
20	—	—	—	—	·04	·15	1·55	—	·06	—	—	—		20
21	·07	—	·22	·05	—	—	·05	·40	·03	—	—	—		21
22	·09	·43	·05	—	—	—	·06	—	—	—	—	—		22
23	·05	·24	·03	·05	—	·05	·18	—	—	·15	·24	·02		23
24	—	·01	—	—	—	—	—	—	—	·10	·20	—		24
25	·51	·11	·03	—	—	—	—	·20	—	—	—	·06		25
26	·05	·01	—	—	—	—	—	—	—	·12	·40	—		26
27	·12	·38	·35	—	—	—	—	—	—	—	·90	—		27
28	·01	·05	·23	·09	—	—	·14	—	—	—	·26	—		28
29	—		·02	—	—	—	·90	—	—	—	·45	—		29
30	—	×	—	—	—	—	·02	—	—	·40	·20	—		30
31	—	×	—	×	—	×	·27	—	×	—	×	—		31
TOTAL	3·60	1·78	1·60	9 1·~~4~~9	1·04	1·83	6·97	1·27	·94	2·78	5·67	2·42	Year's Total 31.89	✓
* Days with .01 in. or more.	25	14	16	11	8	8	20	7	5	13	20	10	157	✓
* Days with .04 in. or more.	20	11	10	11	7	8	18	7	3	11	19	9	134	✓

† Spare column, no entries required.

(*Signed*) ....

* See Instruction 3 (f) on other side.

[P.T.O.

3232

Section **A** for the entry of D

AIR MINISTRY.-

FORM 1090.

REGIST

Kept at W.R. Rivers Boa

in the County of West Ri

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Leve

THE MORNING MEASURE

An observer who does not conform to this
year in the space on the right of this p

Pl

Y FOR OFFICIAL USE.

ORGANIZATION.

ing

Jan. 1, following

3232

WAKEFIELD, SEWAGE WKS.

1931 — 40

780602

Date	Jan.	Feb.	March	Ap							ov.	Dec.	Date
	in.	in.	in.	i							in.	in.	
1	-	tr	snow 0.08	-	-	0.21	-	-	-	-	-	-	1
2	-	0.02	-	0.10	-	0.68	-	-	0.56	-	-	0.09	2
3	-	-	-	0.52	-	0.02	0.06	-	0.61	-	0.16	-	3
4	-	rain & snow 0.08	-	0.07	-	0.05	0.27	0.08	1.28	-	0.05	-	4
5	-	snow tr	-	-	-	1.04	-	1.30	-	-	-	-	5
6	-	0.29	snow tr	-	-	0.12	1.11	0.15	0.01	0.19	0.05	-	6
7	tr	tr	snow tr	-	tr	0.45	0.13	0.52	-	0.17	0.28	-	7
8	-	0.01	snow 0.02	tr	-	tr	0.12	0.23	-	-	0.06	-	8
9	-	0.28	snow tr	0.31	0.09	0.01	-	0.26	0.02	-	0.21	-	9
10	tr	0.08	-	-	0.03	0.14	-	0.07	-	0.02	0.09	-	10
11	0.02	0.27	-	-	-	0.03	0.02	-	-	-	0.13	tr	11
12	0.06	0.05	tr	-	-	-	0.61	-	0.28	0.04	0.02	tr	12
13	-	-	-	-	tr	0.03	0.03	tr	0.02	-	tr	tr	13
14	tr	tr	tr	-	0.02	0.70	0.47	0.96	-	-	0.49	-	14
15	0.01	0.22	-	0.08	-	tr	tr	0.05	-	-	0.03	0.04	15
16	0.01	0.07	-	tr	0.17	0.47	0.08	0.08	0.33	-	-	-	16
17	tr	0.07	-	0.63	tr	0.03	0.13	0.01	-	-	0.01	-	17
18	0.03	0.03	-	0.27	-	0.42	0.21	0.07	-	-	0.64	-	18
19	0.01	0.02	-	0.03	-	0.03	0.11	0.09	0.12	-	tr	-	19
20	tr	-	-	0.03	-	-	-	0.42	-	-	tr	-	20
21	0.04	0.01	-	0.02	0.23	-	-	-	tr	-	tr	-	21
22	0.01	0.01	-	tr	0.26	-	tr	-	0.02	-	0.03	-	22
23	0.30	-	-	0.02	0.33	0.23	0.24	-	-	-	0.26	-	23
24	-	tr	-	0.18	0.53	-	0.10	-	-	-	-	-	24
25	tr	0.21	-	0.64	0.35	-	0.21	-	-	-	tr	-	25
26	0.06	0.02	-	0.08	-	-	-	-	-	-	0.30	-	26
27	0.08	rain & snow 0.19	-	tr	tr	-	-	-	-	-	0.34	0.09	27
28	0.17	snow 0.13	-	0.11	0.19	-	-	-	-	-	tr	rain & snow 0.23	28
29	0.41	X	-	tr	0.20	-	-	-	-	0.43	-	-	29
30	0.01	X	-	0.01	-	-	-	-	0.04	0.02	-	-	30
31	0.21	X	-	X	-	X	tr	-	X	0.03	X	-	31
TOTAL	1.43	2.06	0.10	3.10	2.40	4.66	3.90	4.28	3.29	0.90	3.15	0.45	YEAR'S TOTAL 29.72
*Days with ·01 in. or more.	15	19	2	16	11	17	16	14	11	7	17	4	~~149~~
*Days with ·04 in. or more.	8	12	1	11	9	11	14	13	7	4	13	4	~~107~~

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J H Garner

P.T.O.

3232

Section **A** for the entry of D Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at W. R. Rivers Board, Wakefield

in the County of West Riding of York

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 174 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	tr	Snow 0.08	–	–	0.21	–	–	–	–	–	–	1
2	–	0.02	–	0.10	–	0.68	–	–	0.56	–	–	0.09	2
3	–	–	–	0.52	–	0.02	0.06	–	0.61	–	0.16	–	3
4	–	Rain & snow 0.08	–	0.07	–	0.05	0.27	0.08	1.28	–	0.05	–	4
5	–	snow tr	–	–	–	1.04	–	1.30	–	–	–	–	5
6	–	0.29	snow tr	–	–	0.12	1.11	0.15	0.01	0.19	0.05	–	6
7	tr	tr	snow tr	–	tr	0.45	0.13	0.52	–	0.17	0.28	–	7
8	–	0.01	snow 0.02	tr	–	tr	0.12	0.23	–	–	0.06	–	8
9	–	0.28	snow tr	0.31	0.09	0.01	–	0.26	0.02	–	0.21	–	9
10	tr	0.08	–	–	0.03	0.14	–	0.07	–	0.02	0.09	–	10
11	0.02	0.27	–	–	–	0.03	0.02	–	–	–	0.13	tr	11
12	0.06	0.05	tr	–	–	–	0.61	–	0.28	0.04	0.02	tr	12
13	–	–	–	–	tr	0.03	0.03	tr	0.02	–	tr	tr	13
14	tr	tr	tr	–	0.02	0.70	0.47	0.95	–	–	0.49	–	14
15	0.01	0.22	–	0.08	–	tr	tr	0.05	–	–	0.03	0.04	15
16	0.01	0.07	–	tr	0.17	0.47	0.08	0.08	0.33	–	–	–	16
17	tr	0.07	–	0.63	tr	0.03	0.13	0.01	–	–	0.01	–	17
18	0.03	0.03	–	0.27	–	0.42	0.21	0.07	–	–	0.64	–	18
19	0.01	0.02	–	0.03	–	0.03	0.11	0.09	0.12	–	tr	–	19
20	tr	–	–	0.03	–	–	–	0.42	–	–	tr	–	20
21	0.04	0.01	–	0.02	0.23	–	–	–	tr	–	tr	–	21
22	0.01	0.01	–	tr	0.26	–	tr	–	0.02	–	0.03	–	22
23	0.30	–	–	0.02	0.33	0.23	0.24	–	–	–	0.26	–	23
24	–	tr	–	0.18	0.53	–	0.10	–	–	–	–	–	24
25	tr	0.21	–	0.64	0.35	–	0.21	–	–	–	tr	–	25
26	0.06	0.02	–	0.08	–	–	–	–	–	–	0.30	–	26
27	0.08	Rain & snow 0.19	–	tr	tr	–	–	–	–	–	0.34	0.09	27
28	0.17	snow 0.13	–	0.11	0.19	–	–	–	–	–	tr	Rain & snow 0.23	28
29	0.41	×	–	tr	0.20	–	–	–	–	0.43	–	–	29
30	0.01	×	–	0.01	–	–	–	–	0.04	0.02	–	–	30
31	0.21	×	–	×	–	×	tr	–	×	0.03	×	–	31
TOTAL	1.43	2.06	0.10	3.10	2.40	4.66	3.90	4.28	3.29	0.90	3.15	0.45	YEAR'S TOTAL 29.72
*Days with ·01 in. or more.	13	19	2	16	11	17	16	14	11	7	17	4	[illegible]
*Days with ·04 in. or more.	8	12	1	11	9	11	14	13	7	4	13	4	[illegible]

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) J Garner

P.T.O.

Section **A** **for the entry of Daily Observations.**

COPY FOR OFFICIAL USE.

Station No. 3232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at W. R. Rivers Board, Wakefield

in the County of West Riding of York

Diameter of Funnel of Gauge 8.0 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 174 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.15			0.06	0.50				0.16	0.11		0.02	1
2					0.32				0.19	0.03		0.02	2
3		tr					0.20					0.18	3
4		tr		0.03									4
5	0.10	0.04		tr	0.04				0.05		0.02		5
6	0.45		R+S 0.09	0.18				tr	0.08				6
7			0.22						0.32		0.01		7
8				0.02					0.04	0.21			8
9	0.18	snow tr		tr								0.06	9
10	0.07			0.16						0.22			10
11	0.09			0.06	0.31	0.08	0.17		0.01				11
12	0.06				0.07		0.27		0.01	0.16	0.03		12
13		0.18		0.03	0.03		0.06		0.02		0.02		13
14				0.08							0.19	0.05	14
15	0.02				0.06					0.02	0.04	0.01	15
16	0.29			0.10	0.02		0.05				0.02		16
17							0.04	0.02		0.18	0.02		17
18													18
19				0.07			0.03			0.09			19
20				0.08	0.58			0.55		0.10	0.01		20
21			0.20	0.07	2.03			0.19		0.72	0.01		21
22			0.29	0.02			0.25				0.12		22
23				0.02			0.07			0.04	0.19	0.06	23
24	0.02	0.03					0.20				0.10	0.02	24
25				R+S 0.11	0.09		0.03			0.30			25
26				R&S 0.08	0.39		0.05		0.01	0.21	0.08		26
27			0.19	0.07	0.33		0.08				0.21		27
28			0.08	0.40	0.23	0.02	0.36	0.25	0.01		0.01		28
29			0.13	0.06	0.03	0.02		0.20	0.01	0.25	0.09	0.06	29
30		×		0.05		0.14	0.02	0.08	0.20	0.02	0.14	0.13	30
31		×	0.09	×		×	0.24		×		×	0.04.	31
TOTAL	1.43	0.25	1.29	1.45	5.03	0.26	2.12	1.29	1.11	2.66	1.31	0.65	YEAR'S TOTAL 19.15
*Days with ·01 in. or more.	~~10~~	~~3~~	~~9~~	~~20~~	~~15~~	~~4~~	~~16~~	~~6~~	~~13~~	~~15~~	~~18~~	~~11~~	~~140~~
*Days with .04 in. or more.	~~8~~	~~2~~	~~9?~~	~~15~~	~~12~~	~~2~~	~~13~~	~~5~~	~~7~~	~~12~~	~~9~~	~~7~~	~~101~~

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) J. Garner

P.T.O.

3232

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Day

Later [illegible] [illegible] 7/3/24

Kept at W. R. Rivers Board, Wakefield

in the County of West Riding of Yorkshire

Diameter of Funnel of Gauge 8.0 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 174 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.09	0.12	–	–	–	–	–	–	–	–	–	–		1
2	0.07	–	0.39	–	–	–	–	–	–	–	0.18	–		2
3	–	0.05	0.08	–	0.36	–	–	–	–	–	0.07	–		3
4	0.06	–	–	–	0.15	–	–	–	–	–	0.02	–		4
5	0.10	0.03	0.03	–	0.16	–	–	–	–	–	tr	0.02		5
6	–	–	–	–	0.68	–	–	–	–	–	–	–		6
7	–	0.13	–	–	0.20	–	0.03	–	–	1.11	–	–		7
8	–	0.05	0.19	–	–	–	–	–	–	0.23	–	–		8
9	–	0.31	–	–	–	–	0.49	–	–	–	0.01	–		9
10	–	–	–	–	–	0.11	–	–	–	0.83	–	–		10
11	–	–	–	–	0.03	–	–	0.05	–	0.29	–	–		11
12	–	–	–	–	–	–	–	–	0.06	–	–	–		12
13	–	–	–	–	0.38	0.25	–	–	–	0.07	0.18	–		13
14	0.08	–	–	–	–	–	0.13	0.02	–	–	0.33	–		14
15	R&S 0.51	–	–	–	0.01	–	}0.08	}0.07	–	0.05	0.75	–		15
16	R&S 0.62	–	0.20	–	0.11	–			–	0.09	0.04	–		16
17	–	–	0.57	–	–	}0.29	–	–	0.02	–	0.19	–		17
18	–	snow 0.06	0.08	–	0.01		–	–	–	–	0.09	–		18
19	–	snow 0.05	0.47	–	–	–	–	–	0.14	–	0.02	–		19
20	–	–	–	–	0.01	–	–	0.07	–	–	0.04	–		20
21	–	–	–	–	0.01	0.07	–	0.02	–	–	–	–		21
22	–	–	–	–	–	–	–	0.03	–	0.68	–	–		22
23	–	snow 0.20	–	0.11	}0.07	–	–	0.02	0.37	0.02	–	–		23
24	–	snow 1.30	–	0.26		–	–	–	0.85	0.01	–	}0.14		24
25	–	snow 1.05	–	0.22	0.22	0.14	–	–	0.06	–	–			25
26	–	snow 1.15	–	0.02	0.16	–	–		–	0.04	–	0.05		26
27	–	–	–	0.12	}0.11	–	–	–	0.01	0.11	–	–		27
28	–	–	–	0.01		–	0.03	–	–	0.13	–	–		28
29	–	×	–	0.53	–	–	–	–	–	}0.27	–	–		29
30	0.13	×	tr	0.10	–	–	0.02	–	–		–	–		30
31	0.05	×	–	×	–	×	–	–	×		×	–		31
TOTAL	1.71	4.50	2.01	1.37	2.67	0.86	0.78	0.28	1.51	3.93	1.92	0.21	Year's Total 21.75	
*Days with ·01 in. or more.	9	12	8	8	(17)	(6)	(7)	(8)	4	(14)	12	(4)	(112)	
*Days with ·04 in. or more.	9	11	7	6	(12)	(6)	(4)	(4)	5	(12)	9	(3)	(88)	

40-9999

† Spare column, no entries required.

(*Signed*) Jos Games

*See Instruction 2 (*f*) on other side.

[P.T.O.

WAKEFIELD (SEWAGE WORKS)

COPY FOR OFFICIAL USE. f 677318/26

Section **A** for the entry of Daily Observations. Station No. 3232.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

1X/W. Riding/8

1933 Low up.

Kept at Sewage Works - by W. R. Rivers Board. Wakefield.

in the County of Yorkshire (W. R.)

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 74 ft.

New standard g ordered 22/3/34 to be set up in new position

g moved in March see over

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				–	–	–	–	0·03	–	0·04	0·03	0·25		1
2				–	–	–	–	0·05	0·09	–	0·11	0·34		2
3				–	–	–	–	0·02	–	0·07	0·02	–		3
4				0·17	–	–	–	–	0·10	0·22	–	0·62		4
5				–	0·06	–	–	0·29	–	0·08	0·08	0·11		5
6				–	0·28	–	–	0·05	–	0·13	–	0·69		6
7				–	0·01	0·15	–	–	–	0·06	0·20	0·17		7
8				–	0·08	0·28	–	0·06	–	0·10	0·57	0·03		8
9				0·04	–	–	–	0·04	–	0·06	0·63	0·08		9
10				0·23	–	–	–	0·02	–	0·01	0·01	–		10
11				0·36	–	–	–	–	–	–	0·02	0·21		11
12				0·09	–	–	0·02	0·01	–	–	–	0·07		12
13				–	0·02	–	0·94	0·05	–	–	–	–		13
14				–	0·02	0·02	–	–	–	0·20	0·17	0·17		14
15				–	0·08	–	–	–	0·24	0·12	0·05	–		15
16				–	0·19	0·31	–	–	–	–	0·07	0·02		16
17				–	–	–	0·28	–	0·25	0·01	–	0·09		17
18				0·18	0·02	0·10	–	–	–	–	–	0·03		18
19				0·03	0·02	0·09	–	–	0·05	–	–	–		19
20				–	0·01	0·08	–	–	tr.	–	–	–		20
21				–	–	0·16	–	–	0·12	0·01	–	–		21
22				–	–	–	–	0·07	0·21	0·03	0·01	–		22
23				0·05	–	–	0·29	–	–	0·02	0·12	·10		23
24				0·13	–	0·05	0·11	–	0·03	tr.	–	·03		24
25				0·08	TRACE	–	0·03	–	0·11	0·06	–	·45		25
26				0·05	–	0·02	0·01		0·05	–	0·03	·02		26
27				0·28	–	0·28	0·12	–	0·04	0·18	–	·17		27
28				0·29	–	0·02	–	0·11	–	0·02	–	·26		28
29				Trace	–	–	–	0·11	0·51	–	–	·03		29
30		X		–	–	–	0·29	–	–	0·15	–	·10		30
31		X		X	–	X	–	–	X	–	X	·02		31
													Year's Total.	
TOTAL	–	–	–	1·98	0·79	1·56	2·09	0·91	1·80	1·57	2·12	4·06	inp	
* Days with .01 in. or more.	–	–	–	13	11	12	9	13	12	19	15	23	–	
* Days with .04 in. or more.	–	–	–	12	5	9	6	9	10	13	9	16.	–	

40-9999

See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. H. GARNER

[P.T.O.

WAKEFIELD (SEWAGE WORKS.) 679318/26

CROWN COPYRIGHT RESERVED.

Section A for the entry of Daily Observations. **Station No.** 3232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Calder Vale Sewage Works. Wakefield

in the County of Yorkshire

Diameter of Funnel of Gauge 5·0 ins

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 85 ft.

1933 up
1934 up

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·20	-	0·02	-	-	-	0·01	-	0·21	0·26	0·11	0·20		**1**
2	0·01	0·02	-	-	-	0·24	-	-	-	0·43	0·04	0·08		**2**
3	-	0·05	0·16	0·11	-	0·02	0·03	-	-	0·11	0·32	-		**3**
4	trace	0·01	0·01	-	-	0·13	0·05	-	-	1·15	0·02	-		**4**
5	0·01	0·24	0·06	-	-	0·07	-	-	0·02	0·01	0·11	0·01		**5**
6	0·03	0·03	0·06	0·02	-	0·05	-	-	0·07	-	-	-		**6**
7	0·02	-	-	0·02	-	0·08	-	-	-	0·05	0·38	0·13		**7**
8	-	-	-	0·05	-	-	-	0·48	-	0·01	0·03	0·11		**8**
9	-	-	-	0·31	-	0·17	-	-	-	1·15	0·14	-		**9**
10	trace.	-	-	0·11	-	0·03	-	-	-	0·18	0·13	-		**10**
11	0·23	-	-	-	-	-	-	0·01	-	0·03	0·10	0·07		**11**
12	-	0·02	-	-	-	0·01	-	-	-	-	-	-		**12**
13	0·07	0·02	-	0·13	0·11	0·02	-	-	-	-	0·01	-		**13**
14	-	0·01	-	0·25	0·13	0·07	-	-	0·03	-	0·45	0·11		**14**
15	-	0·12	-	0·33	0·17	0·06	-	-	0·11	-	0·13	0·13		**15**
16	-	0·26	0·11	0·29	-	0·05	0·06	-	0·43	-	0·71	-		**16**
17	-	0·02	-	0·11	0·16	0·51	0·24	0·17	0·15	-	0·75	-		**17**
18	0·03	-	-	0·07	0·19	0·08	0·09	-	0·10	0·15	0·03	-		**18**
19	-	-	-	0·11	-	0·22	0·08	-	-	0·16	0·14	-		**19**
20	-	0·06	-	0·44	-	0·07	-	-	-	-	0·53	-		**20**
21	-	0·32	-	-	0·19	-	-	-	0·55	0·03	0·10	-		**21**
22	-	0·14	0·08	-	-	-	-	-	-	-	-	-		**22**
23	-	-	0·17	2·04	-	-	-	0·71	-	0·15	-	-		**23**
24	0·24	0·41	-	-	-	-	-	-	1·12	-	-	-		**24**
25	0·03	0·03	-	-	-	-	-	-	-	-	-	SNOW 0·40		**25**
26	0·06	0·05	0·01	-	-	0·01	0·05	0·36	0·36	0·08	0·04	0·20		**26**
27	0·05	0·04	-	-	-	-	0·08	-	0·34	0·07	0·14	0·49		**27**
28	0·03	-	-	-	-	-	-	-	0·02	0·06	0·04	0·14		**28**
29	0·01	-	0·02	-	-	-	-	0·03	0·22	0·16	-	0·07		**29**
30	0·02	×	-	-	-	-	-	0·13	0·02	0·19	0·41	0·01		**30**
31	-	×	-	×	-	×	-	-	×	0·22	×	0·02		**31**
TOTAL	1·04	1·85	0·70	4·39	0·95	1·89	0·69	1·89	3·75	4·55	4·86	2·17	Year's Total 28·73	
* Days with .01 in. or more.	15	18	10	15	6	13	9	7	15	20	23	15	171	
* Days with .04 in. or more.	6	10	6	13	6	13	7	5	11	16	19	12	124	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. S. Garner, B.Sc

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Wakefield Sewage Works

in the County of Yorkshire W.R.

Diameter of Funnel of Gauge 5.0 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" Ground " Sea Level 71 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.01	0.12	0.20	0.30	-	0.21	0.03	0.21	0.07	-	-	0.05		1
2	-	snow 0.02	0.14	-	-	1.09	-	0.04	0.01	-	0.03	0.07		2
3	-	-	0.01	-	-	0.12	-	0.14	0.30	-	-	-		3
4	0.02	snow 0.02	0.06	-	-	0.06	-	0.05	0.07	-	0.18	0.12		4
5	0.11	-	0.22	-	0.01	-	-	0.23	-	0.02	0.01	0.14		5
6	-	-	-	-	-	0.02	0.06	0.35	0.50	-	0.13	-		6
7	0.13	-	-	-	-	-	0.98	-	0.10	0.01	-	0.01		7
8	0.11	-	0.04	-	-	-	-	-	0.03	0.03	0.21	-		8
9	0.24	-	0.02	-	-	0.01	0.75	-	0.08	0.09	0.14	0.01		9
10	0.02	-	-	-	-	-	0.45	-	0.02	0.08	0.33	0.01		10
11	-	-	-	0.02	-	0.04	-	0.10	0.05	-	0.52	-		11
12	-	-	-	0.17	0.09	0.84	0.34	-	0.23	-	0.24	0.09		12
13	-	-	-	0.06	-	0.10	0.03	-	0.01	0.01	0.01	0.36		13
14	snow. 0.11	-	-	0.27	-	0.13	-	0.04	0.12	-	0.11	0.12		14
15	-	0.01	0.01	0.20	0.28	0.01	0.11	0.03	-	-	0.13	-		15
16	-	0.02	-	0.04	0.01	-	0.02	-	-	-	0.60	-		16
17	-	0.47	-	-	-	-	0.07	-	-	0.13	0.01	0.04		17
18	-	0.07	-	-	-	-	0.01	0.07	-	0.26	-	0.01		18
19	snow 0.52	0.23	0.02	-	-	0.20	-	0.23	-	0.04	-	-		19
20	0.05	0.15	-	-	-	0.17	0.05	-	-	0.04	-	-		20
21	-	-	-	0.04	-	0.13	-	-	-	-	-	-		21
22	snow 0.03	0.59	0.07	-	0.06	0.57	0.18	-	-	-	-	-		22
23	-	-	0.03	0.07	0.08	-	0.24	-	-	-	-	-		23
24	0.15	0.03	-	-	0.35	-	-	-	0.05	0.20	-	-		24
25	0.15	-	0.01	-	-	-	-	-	0.30	0.14	-	-		25
26	0.01	0.03	0.35	-	-	-	-	-	0.06	0.23	-	-		26
27	0.33	-	0.03	-	-	-	-	-	0.05	0.20	-	-		27
28	0.23	0.60	0.06	-	-	0.03	0.19	-	-	-	-	0.04		28
29	0.17	0.30	0.05	-	0.24	0.25	0.03	-	-	0.04	0.14	0.04		29
30	0.04	✕	-	-	0.31	0.01	0.13	-	-	0.49	-			30
31	-	✕	0.04	✕	0.02	✕	0.01	-	✕	-	✕	0.05		31
TOTAL	2.43	2.66	1.36	1.17	1.45	3.99	3.68	1.49	2.05	2.01	2.79	1.16	Year's Total 26.24	✓ ✓
* Days with .01 in. or more.	18	14	17	9	10	18	18	11	17	16	15	15	178	✓
* Days with .04 in. or more.	13	8	10	8	7	13	12	10	13	12	11	11	113	✓

† Spare column, no entries required

(Signed) J. Garner

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 3232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Wakefield Sewage Works

in the County of Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 71 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03	0·08	0·04	-	-	-	-	-	0·07	-	0·01	0·14		1
2	0·02	0·09	0·01	0·26	-	0·02	-	-	-	-	-	0·12		2
3	-	0·01	-	0·26	0·05	-	-	-	-	-	-	-		3
4	0·10	-	0·04	0·12	0·03	-	-	-	-	-	-	0·14		4
5	0·19	-	0·09	-	-	-	0·01	-	-	0·01	-	0·18		5
6	0·12	-	0·04	0·05	0·21	-	0·26	-	-	0·01	0·03	0·38		6
7	-	0·46	-	0·40	0·12	0·06	-	-	-	-	0·02	0·10		7
8	-	0·46	-	0·04	-	-	0·06	-	-	-	0·03	0·10		8
9	-	0·02	-	0·03	0·26	-	0·40	0·12	-	-	-	-		9
10	-	0·08	-	0·03	0·03	0·01	-	-	-	-	0·06	-		10
11	-	-	0·93	-	0·70	-	-	-	-	-	-	0·28		11
12	0·03	0·30	0·08	0·02	0·27	0·44	-	-	-	-	-	0·14		12
13	-	0·05	0·02	-	0·06	0·61	-	-	-	-	-	0·08		13
14	-	-	0·02	-	-	0·02	-	0·10	-	-	-	0·20		14
15	0·13	0·31	-	0·24	-	-	1·34	-	0·01	-	-	0·02		15
16	0·02	0·09	0·36	0·53	-	0·01	-	0·04	0·25	-	-	-		16
17	0·18	0·03	0·22	0·37	-	-	-	-	0·89	-	-	-		17
18	0·91	0·05	0·11	-	-	0·13	0·02	0·05	-	-	0·67	-		18
19	-	0·02	-	0·01	-	0·26	0·04	-	-	-	0·54	-		19
20	0·10	0·14	-	0·14	0·59	0·05	-	-	0·07	-	-	-		20
21	0·05	-	-	0·01	-	-	0·18	-	-	-	-	-		21
22	0·02	-	0·02	0·01	0·02	-	0·01	-	-	0·14	0·17	-		22
23	0·32	-	-	-	0·04	-	0·22	-	-	1·30	0·40	-		23
24	0·10	0·17	-	-	0·04	-	-	-	-	0·28	-	-		24
25	0·08	0·45	0·07	-	-	-	-	-	-	0·31	-	-		25
26	-	0·30	-	-	0·41	-	-	-	-	-	-	-		26
27	-	0·02	0·05	0·17	-	-	-	-	-	0·44	-	0·06		27
28	-	0·60	0·01	-	tr	-	-	0·03	-	0·01	-	-		28
29	-	X	-	-	-	0·02	-	-	-	0·02	-	0·01		29
30	0·30	✕	-	-	-	-	-	0·01	-	-	0·05	0·01		30
31	0·47	✕	-	✕	-	✕	-	-	✕	0·12	✕	-		31
TOTAL	3·17	3·73	2·11	2·69	2·83	1·63	2·54	0·35	1·30	2·64	1·99	1·96	Year's Total ~~27·04~~	26·94 ✓
* Days with .01 in. or more.	18	20	16	17	14	11	10	6	5	10	10	15	152	✓
* Days with .04 in. or more.	13	15	11	11	11	6	7	2	4	6	6	12	104	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Gaines. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Calder Vale Sewage Works

in the County of Yorkshire, W.R.

Diameter of Funnel of Gauge 8^5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 80 112 ft.

May 1st & Dec 30th est to prev. reg. monthly totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	–	0·04	–	–	(0·05)	0·39	0·29	0·10	–	0·01	0·30	0·13		1
2	0·03	–	–	0·03	0·04	–	–	–	–	0·14	0·10	0·23		2
3	0·02	–	–	–	–	0·03	0·08	–	0·40	0·93	0·03	0·23		3
4	–	–	–	–	–	0·08	0·07	–	–	0·09	0·40	–		4
5	0·05	0·02	–	–	–	–	0·09	0·46	0·02	0·29	–	0·03		5
6	0·13	–	–	–	–	0·02	0·31	0·70	0·18	0·03	–	–		6
7	–	–	–	–	–	–	0·11	0·43	0·70	0·40	–	0·02		7
8	0·41	–	–	–	–	–	0·16	0·03	–	–	–	0·14		8
9	0·04	0·02	–	–	–	0·05	0·02	0·11	–	0·02	–	0·29		9
10	–	0·03	–	–	–	–	0·04	–	0·78	0·01	0·01	0·03		10
11	0·17	–	–	–	–	–	0·07	0·01	–	0·02	0·03	0·03		11
12	0·12	0·02	–	–	0·04	–	–	0·23	–	0·20	0·01	0·18		12
13	–	0·02	–	–	–	–	0·01	0·01	0·46	0·04	0·03	–		13
14	0·30	–	–	–	–	–	0·33	–	0·30	–	–	0·24		14
15	0·20	–	–	–	0·01	–	0·26	0·04	–	–	0·01	0·24		15
16	0·20	–	–	–	0·01	–	0·66	0·08	–	0·02	0·05	0·20		16
17	–	–	–	–	0·18	–	0·13	–	0·10	0·10	–	0·02		17
18	0·03	–	–	–	0·12	–	–	–	0·30	0·18	0·20	–		18
19	–	–	–	–	–	0·01	–	0·14	–	–	–	–		19
20	0·02	–	–	–	–	0·02	–	–	–	–	0·28	–		20
21	–	–	–	–	–	–	–	0·11	0·02	– ~~0·02~~	0·02	0·10		21
22	–	–	–	0·02	–	0·22	–	–	0·52	–	0·23	0·10		22
23	–	–	–	–	0·21	0·10	–	–	–	–	0·33	0·03		23
24	0·01	–	0·13	–	0·03	–	–	0·29	0·10	–	0·08	–		24
25	0·10	–	–	–	–	–	0·03	–	–	0·29	0·80	0·03		25
26	–	0·60	0·06	–	–	–	–	–	0·12	0·11	0·03	–		26
27	–	–	–	–	0·28	0·05	0·09	0·20	0·10	–	0·08	0·03		27
28	0·28	–	0·01	–	0·59	0·06	0·07	0·50	0·05	0·01	0·07	0·01		28
29	0·02	–	–	0·01	0·82	0·14	–	–	–	–	–			29
30	0·01	✕	–	–	0·14	0·03	–	–	0·49	–	0·10	(0·02)		30
31	0·15	✕	–	✕	0·22	✕	–	–	✕	0·06	✕	0·67		31
TOTAL	2·29 ✓	0·75 ✓	0·20 ✓	0·06 ✓	~~1·20~~ 2·77	~~2·77~~ 1·20	2·82 ✓	3·44 ✓	4·64 ✓	2·95 ✓	3·19 ✓	3·00 ✓	Year's Total 27·31	✓
* Days with .01 in. or more.	19	7	3	3	1~~3~~4	13	18	16	16	19	21	~~21~~ 22	~~169~~	✓ 171
* Days with .04 in. or more.	12	2	2	0	1~~0~~1	8	15	13	14	12	12	12	~~112~~	113

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. Garner

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Calder Vale Sewage Works

in the County of Yorks W. R.

Diameter of Funnel of Gauge 8·0 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 80 ft.

Nov. corr'd for arith.

B.A. ✓

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0·03	-	0·03	0·04	-	-	0·32	0·01	-	-	-	-		1
2	0·09	-	-	0·10	-	-	0·03	0·14	-	0·09	0·04	-		2
3	-	-	-	0·14	-	-	-	0·27	-	0·03	-	0·20		3
4	0·14	-	0·09	0·47	-	-	0·08	0·05	-	0·08	-	0·33		4
5	-	-	-	-	0·05	-	-	0·06	-	0·20	0·24	0·09		5
6	0·33	-	-	-	-	-	0·22	-	-	-	0·17	-		6
7	0·08	0·03	0·08	-	0·95	-	0·07	-	-	0·11	0·23	0·33		7
8	0·09	-	0·13	-	-	-	1·18	-	-	-	0·02	0·16		8
9	-	0·09	-	-	-	-	-	0·11	-	0·88	-	0·29		9
10	0·32	-	-	-	-	-	-	0·05	-	0·06	-	-		10
11	0·33	-	0·19	-	0·08	0·18	-	-	0·15	0·04	-	-		11
12	-	-	-	-	-	-	-	-	-	-	-	0·02		12
13	-	0·21	-	0·11	0·05	0·07	-	-	0·01	0·01	-	-		13
14	0·66	-	-	0·01	0·24	0·19	0·28	-	-	0·05	0·09	-		14
15	0·09	-	-	-	0·15	0·33	0·08	-	-	-	-	-		15
16	-	-	0·22	-	0·87	-	1·08	-	-	-	0·06	-		16
17	0·83	-	0·02	0·05	0·03	-	0·27	-	-	0·25	-	-		17
18	0·20	0·02	-	-	-	0·43	0·31	-	-	0·02	0·94	-		18
19	0·28	0·23	-	-	-	0·13	0·11	-	-	-	-	0·02		19
20	-	-	-	-	-	0·13	0·55	-	0·05	-	-	-		20
21	0·11	0·03	0·22	0·06	0·03	0·01	0·01	-	0·06	-	-	0·01		21
22	0·09	0·29	-	-	-	-	0·04	-	-	-	0·19	-		22
23	0·03	0·04	-	0·03	-	0·08	0·07	-	0·02	0·05	0·20	-		23
24	0·01	-	0·26	0·02	-	-	0·01	0·18	-	-	-	-		24
25	-	0·06	0·01	-	-	-	-	-	-	-	0·30	0·01		25
26	-	0·01	-	-	-	-	-	-	-	0·08	0·17	-		26
27	-	0·28	0·34	0·03	-	0·09	0·02	-	-	0·11	0·18	-		27
28	0·01	0·04	0·17	0·07	-	0·04	0·14	-	-	-	0·24	-		28
29	-	X	-	-	-	-	1·20	-	-	0·29	0·02	-		29
30	-	✕	-	-	-	-	0·02	-	-	-	0·09	-		30
31	-	✕	0·01	✕	-	✕	-	-	✕	0·02	✕	-		31
	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	Year's Total	
TOTAL	3·72	1·33	1·77	1·13	2·45	1·68	6·09	0·87	0·29	2·37	3·18 ~~3·08~~	1·46	3 26·24	
* Days with .01 in. or more.	18	12	13	12	9	11	21	8	5	17	16	10	152.	
* Days with .04 in. or more.	14	8	9	8	7	10	16	7	3	13	14	6	115.	

† Spare column, no entries required.

(Signed) J. Garner.

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations — Station No. 3232

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at CALDER VALE SEWAGE WORKS, WAKEFIELD
in the County of YORKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 75 ft.

Jan 26 cord for snow.
Snow circ. sent 25-3-41.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	-	-	-	-	-	-	-	-	-	0·14	0·01		1
2	-	-	-	0·19	-	-	-	-	-	-	0·15	0·13		2
3	0.02	0·26	-	0·08	-	-	-	-	-	0·23	0·05	0·01		3
4	-	0·18	-	0·11	-	-	0·02	-	-	0·17	0·32	0·14		4
5	-	-	-	-	0·10	-	0·33	-	-	0·04	0·17	0·20		5
6	-	0·21	-	-	-	-	0·14	-	-	0·56	0·02	0·02		6
7	-	0·23	-	-	0·09	-	-	0·02	0·08	-	-	-		7
8	-	-	-	0·10	-	-	-	0·01	-	0·15	-	0·11		8
9	-	-	0·22	-	-	-	0·03	0·04	0·06	0·25	1·01	-		9
10	-	-	0·01	-	-	0·20	0·97	0·01	-	0·03	0·01	0·07		10
11	-	-	-	-	-	-	0·22	-	-	-	0·70	-		11
12	-	0·03	0·20	-	-	-	0·11	-	0·18	-	0·11	-		12
13	-	-	0·31	-	-	-	0·05	-	0·52	-	-	-		13
14	-	0·15	-	0·08	0·14	-	0·02	-	-	0·02	-	0·80		14
15	0·22	-	0·01	0·01	-	-	-	-	-	0·02	0·20	-		15
16	-	-	-	-	-	-	0·26	-	0·03	0·51	0·21	-		16
17	-	0·08	0·56	-	-	-	1·00	-	0·08	-	0·26	-		17
18	-	0·11	0·08	0·70	-	-	0·03	-	0·13	-	-	-		18
19	-	0·22	0·06	0·08	-	0·03	0·09	-	0·23	0·10	0·15	0·30		19
20	-	0·02	-	0·39	-	-	0·05	0·17	0·05	0·11	0·09	-		20
21	0·04	-	0·19	-	-	0·21	-	-	0·15	0·06	1·01	-		21
22	0·02	-	-	-	0·01	0·11	-	-	0·14	0·02	-	0·05		22
23	-	0·17	0·05	0·01	-	0·05	-	-	-	0·07	0·02	0·06		23
24	0·02	-	-	0·01	0·02	-	-	-	0·01	0·01	-	0·21		24
25	-	-	-	-	-	-	-	-	0·03	0·03	-	-		25
26	(·67) ~~0·17~~	0·02	-	-	-	-	-	0·05	0·05	0·02	0·02	-		26
27	0·02	0·39	-	0·05	-	-	0·42	-	0·02	-	-	-		27
28	1·08	0·36	-	-	0·04	-	-	-	-	-	-	-		28
29	-	-	0·17	-	-	0·07	-	-	-	-	-	0·32		29
30	0·01	✕	-	0·05	-	-	-	-	-	0·26	0·02	0·16		30
31	0·03	✕	0·02	✕	-	✕	-	-	✕	0·66	✕	0·05		31
TOTAL	2·13 ~~1·63~~	2·43	1·88	1·86	0·40	0·67	3·74	0·30	1·76	3·32	4·66	2·64	Year's Total ~~25·29~~	25·79
* Days with .01 in. or more.	10	14	12	13	6	6	15	6	15	20	19	16	152	
* Days with .04 in. or more.	4	11	9	10	4	5	11	3	11	13	14	13	108	

† Spare column, no entries required.

(*Signed*) J. Garner

* See Instruction 3 (f) on other side.

[P.T.O.

3233

WAKEFIELD CLARENCE PK

1931 – 40

780602

Se

Fo

3233

FOR OFFICIAL USE.

FFICE.—BRITISH RAINFALL ORGANIZATION.

NFALL IN 1931.

TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·06	·01	—	·27	—	·01	·06	—	—	—	1
2	·01	·02	—	·56	—	·70	—	—	·50	·02	·01	·08	2
3	—	—	—	·08	—	·03	·06	—	·68	—	·13	·16	3
4	·01	·07	—	·13	—	—	·27	·09	1·36	—	·14	·06	4
5	—	·06	—	—	·09	1·04	·01	1·22	·01	—	—	·12	5
6	—	·21	·04	—	—	·11	·68	·09	·02	·21	·06	·01	6
7	·01	·01	·05	—	—	·42	·06	·55	—	·15	·23	—	7
8	—	·02	·04	·02	·01	—	·13	·25	—	·01	·12	—	8
9	—	·29	·04	·30	·04	·05	—	·27	·05	—	·23	—	9
10	·02	·12	·06	—	·03	·13	—	·11	·08	—	·11	·01	10
11	·05	·33	—	—	—	·03	·02	—	·18	—	·09	·01	11
12	·04	·08	—	—	—	—	·63	—	·01	·05	·08	—	12
13	—	—	·01	—	—	·02	·04	·01	·01	—	·01	—	13
14	·01	·06	—	—	·02	·60	·58	·94	—	—	·48	·02	14
15	·01	·25	—	·07	·03	—	·25	·06	—	—	·04	·03	15
16	·04	·10	—	·12	·17	·47	·03	·12	·31	—	—	—	16
17	—	·09	—	·60	·01	·02	·01	·01	—	—	—	—	17
18	·04	·03	—	·31	—	·37	·23	·08	—	·01	·79	—	18
19	·02	·01	—	·02	—	·08	·11	·10	·09	·03	—	·01	19
20	·01	·04	·01	·08	—	—	—	·37	—	—	—	·01	20
21	·07	·02	—	—	·20	—	—	·02	—	—	·03	—	21
22	·02	·05	—	·01	·25	—	—	—	·02	—	·01	—	22
23	·26	·01	—	·04	·32	·24	·24	—	—	—	·29	—	23
24	·03	·03	—	·17	·57	—	·09	—	—	·02	—	—	24
25	·01	·16	—	·68	—	—	·15	—	—	—	—	—	25
26	·05	·08	—	·09	—	—	—	—	—	—	·34	—	26
27	·09	·16	—	·01	·01	—	·01	—	—	·18	·41	·06	27
28	·18	·25	—	·10	·19	—	—	—	—		—	·18	28
29	·51	×	—	—	·22	—	—	—	—	·27	·01	·05	29
30	·01	×	—	·01	·21	—	—	—	·03	·01	—		30
31	·21	×	—	×	·02	×	·01	—	×	·05	×		31
99 TOTAL	1.71	2.56	0.31	3.41	2·39	4·58	3.61	4·30	3.41	1·01	3·61	0·81	YEAR'S TOTAL 31.71
*Days with ·01 in. or more.	23	26	8	20	17	16	20	17	15	12	20	14	208
*Days with ·04 in. or more.	11	17	6	14	10	12	14	13	9	6	15	7	134
40-9999	43·4	65·0	79	86·6	60·7	116·3	91·7	109·2	86·6	25·7	91·7	20·6	805·4

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

Se

3233

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1931.

Kept at Wakefield A.R.
in the County of W.R. Yorks.
Diameter of Funnel of Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
,, Ground ,, Sea Level 124 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
31	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·06	·01	—	·27	—	·01	·06	—	—	—	1
2	·01	·02	—	·56	—	·70	—	—	·50	·02	·01	·08	2
3	—	—	—	·08	—	·03	06	—	·68	—	·13	·16	3
4	·01	·07	—	·13	—	—	·27	·09	1·36	—	·14	·06	4
5	—	·06	—	—	·09	1·04	·01	1·22	·01	—	—	·12	5
6	—	·21	·04	—	—	·11	·68	·09	·02	·21	·06	·01	6
7	·01	·01	·05	—	—	·42	·06	·55	—	·15	·23	—	7
8	—	·02	·04	·02	·01	—	·13	·25	—	·01	·12	—	8
9	—	·29	·04	·30	·04	·05	—	·27	·05	—	·23	—	9
10	·02	·12	·06	—	·03	·13	—	·11	·08	—	·11	·01	10
11	·05	·33	—	—	—	·03	·02	—	·18	—	·09	·01	11
12	·04	·08	—	—	—	—	·63	—	·01	·05	·08	—	12
13	—	—	·01	—	—	·02	·04	·01	·01	—	·01	—	13
14	·01	·06	—	—	·02	·60	·58	·94	—	—	·48	·02	14
15	·01	·25	—	·07	·03	—	·25	·06	—	—	·04	·03	15
16	·04	·10	—	·12	·17	·47	·03	·12	·31	—	—	—	16
17	—	·09	—	·60	·01	·02	·01	·01	—	—	—	—	17
18	·04	·03	—	·31	—	·37	·23	·08	—	·01	·79	—	18
19	·02	·01	—	·02	—	·08	·11	·10	·09	·03	—	·01	19
20	·01	·04	·01	·08	—	—	—	·37	—	—	—	·01	20
21	·07	·02	—	—	·20	—	—	·02	—	—	·03	—	21
22	·02	·05	—	·01	·25	—	—	—	·02	—	·01	—	22
23	·26	·01	—	·04	·32	·24	·24	—	—	—	·29	—	23
24	·03	·03	—	·17	·57	—	·09	—	—	·02	—	—	24
25	·01	·16	—	·68	—	—	·15	—	—	—	—	—	25
26	·05	·08	—	·09	—	—	—	—	—	—	·34	—	26
27	·09	·16	—	·01	·01	—	·01	—	—	·18	·41	·06	27
28	·18	·25	—	·10	·19	—	—	—	—		—	·18	28
29	·51	×	—	—	·22	—	—	—	—	·27	·01	·05	29
30	·01	×	—	·01	·21	—	—	—	·03	·01	—		30
31	·21	×	—	×	·02	×	·01	—	×	·05	×		31
99 TOTAL	1·71	2·56	0·31	3·41	2·39	4·58	3·61	4·30	3·41	1·01	3·61	0·81	YEAR'S TOTAL 31·71
*Days with ·01 in. or more.	23	26	8	20	17	16	20	17	15	12	20	14	208
*Days with ·04 in. or more.	11	17	6	14	10	12	14	13	9	6	15	7	134
40-9999	43·4	65·0	7·9	86·6	60·7	116·3	91·7	109·2	86·6	25·7	91·7	20·6	805·4

(Signed).. [P.T.O.

*See Instruction 2 (*f*) on other side.

3233

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1932.

Kept at Wakefield A.P.

in the County of W.R. Yorks.

150 128

Diameter of Funnel of Gauge.................in.

Height of top of Gauge above Ground.........ft.........in.

,, Ground ,, Sea Level 124 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
32	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09	·02	—	·05	·48	—	·03	·01	·15	·12	·02	·01	1
2	·12	—	—	—	·37	—	—	·01	·21	·04	·02	·03	2
3	·01	—	—	—	—	—	·21	—	—	—	—	·21	3
4	—	—	—	·03	·01	—	·01	—	—	—	·01	—	4
5	·10	·01	·05	—	·03	—	—	·01	·05	—	—	·01	5
6	·47	—	·12	·13	·01	—	·07	—	·08	—	—	—	6
7	·13	—	·21	·11	·04	—	—	—	·31	·09	·01	·01	7
8	—	·02	—	·01	—	—	—	—	·04	·15	·01	·01	8
9	·10	·16	—	·14	·01	—	—	—	—	—	—	·06	9
10	·08	·02	·01	·04	—	—	—	—	·08	·22	—	·04	10
11	·09	·02	·01	·04	·26	·09	·17	—	·02	—	·04	—	11
12	·07	—	—	·01	·08	—	·30	—	·01	·19	·06	—	12
13	·01	·04	—	·04	·02	—	·06	·01	·04	·31	·03	·03	13
14	·02	·01	—	·14	—	—	·03	·02	—	·01	·19	—	14
15	—	—	—	·01	·08	—	—	—	—	·05	·06	·02	15
16	·34	—	—	·10	·03	—	·02	—	—	·01	·02	—	16
17	—	—	—	—	—	—	·04	·03	—	·14	·02	—	17
18	—	—	—	—	·03	—	—	—	·01	—	—	—	18
19	—	—	—	·07	·07	—	·03	·02	—	·08	—	·01	19
20	—	—	—	·10	·56	—	—	·63	—	·13	·01	·01	20
21	—	—	·20	·06	2.08	—	·01	·21	—	·75	·03	·02	21
22	·01	—	·31	·02	·02	—	·21	—	·05	·01	·15	·02	22
23	—	·02	—	·05	·08	—	·09	—	—	·03	·19	·04	23
24	·02	—	—	·01	—	—	·22	—	·04	·01	·11	·01	24
25	—	·05	—	·11	·01	—	·03	—	—	·31	·01	—	25
26	—	·02	—	·08	·45	—	·07	—	·01	·21	·07	·01	26
27	—	—	·21	·09	·37	·02	·11	—	—	—	·09	·01	27
28	—	—	·07	·56	·19	—	·38	·23	—	—	—	·01	28
29	—	—	·09	·10	·03	·01	·06	·21	·11	·19	—	·06	29
30	—	×	·05	·12	—	·17	·01	·09	·12	·02	·16	·13	30
31	·01	×	·10	×	·01	×	·27	·01	×	—	×	·04	31
99 TOTAL	1·67	0·39	1·43	2·22	5·32	0·29	2·43	1·49	1·33	3·07	1·31	0·80	YEAR'S TOTAL 21·75
*Days with ·01 in. or more.	16	11	12	25	24	4	22	13	16	21	21	22	207
*Days with ·04 in. or more.	10	3	10	19	13	2	14	5	12	15	10	7	120
40-9999	42·4	9·9	36·3	56·4	135·1	7·4	61·7	37·8	33·8	78·0	33·3	20·3	55·24

(Signed).. [P.T.O.

*See Instruction 2 (*f*) on other side.

3233

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 10

REGISTER OF RAINFALL IN 1933.

Kept at Wakefield (Clarence Park)
in the County of Yorks W.R.
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 124 ft.

+A.P 150

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
33	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·15	·14	—	—	—	—	—	—	—	·05	—	1
2	·06	—	·24	—	—	—	—	—	—	·01	·15	—	2
3	·05	·04	·08	—	·31	—	—	—	—	—	·10	—	3
4	·07	·05	·01	—	·15	—	—	—	—	—	·01	—	4
5	·11	—	·03	—	·14	—	—	—	—	—	—	—	5
6	—	·08	·01	—	·67	—	—	—	—	·03	—	·06	6 in c. book adds to 0·52
7	·01	·13	·11	—	·20	—	·07	—	—	1·03	—	·05	7
8	·01	·01	·12	—	·01	—	·37	—	—	—	—	·08 ~~·20~~	8 ?
9	—	·25	—	—	—	—	·22	—	—	·21	·01	·01	9
10	·01	·03	—	—	·01	·17	·02	—	—	·81	·06	—	10
11	—	—	—	—	·03		·14	·04	—	·40	—	—	11
12	·01	—	—	—	—	·23	·09	—	—	—	—	·04	12
13	—	—	—	—	·34	·01	·12	—	·06	·08	·15	—	13
14	·04	—	—	—	—	—	·02	·05	—	·02	·21	—	14
15	·80	—	·01	—	·01	—	·65	·03	—	·08	·86	·07	15
16	·39	—	·20	·07	·10	·05	·52	·01	—	·09	·03	·01	16
17	·10	—	·62	—	·01	·09	—	·06	·02	—	·18	·01	17
18	—	·10	·08	—	·01	·20	·01	—	—	—	·09	—	18
19	—	·06	·46	·01	—	—	—	—	·16	—	·03	·02	19
20	—	·01	—	—	·02	—	—	·07	—	—	·03	—	20
21	—	—	—	—	·01	·10	—	·08	·01	—	·03	—	21
22	—	—	—	—	—	—	—	·05	·01	·61	·01	·01	22
23	—	·10	—	·10	·04	—	—	·01	·36	·01	—	—	23
24	—	·74	—	·22	·05	·13	—	—	·92	·01	·01	·03	24
25	—	1·52	—	·21	·24	—	—	—	·05	—	·01	·05	25
26	—	·98	—	·16	—	—	—	—	—	·02	·02	·04	26
27	—	·04	—	—	·05	·01	—	—	·01	·15	—	—	27
28	—	·01	—	·04	·05	—	·02	—	—	·16	—	—	28
29	—	×	—	·63	—	—	·03	—	—	·28	—	·01	29
30	·04	×	—	·12	—	—	·01	—	—	·07	—	·03	30
31	·07	×	·01	×	—	×	—	·01	×	·03	×	—	31 24·26
99 TOTAL	1·88	4·30	2·12	1·56	2·45	0·99	2·29	0·41	1·60	4·10	2·04	0·52	YEAR'S TOTAL 24·26
*Days with ·01 in. or more.	15	17	14	9	20	9	14	10	9	19	19	15	170
*Days with ·04 in. or more.	11	13	9	8	12	7	8	6	5	12	9	7	107
40-9999	47·8	109·2	53·8	39·6	62·2	25·1	58·2	10·4	40·6	104·1	51·8	13·2	

(Signed) .... [P.T.O.

*See Instruction 2 (*f*) on other side.

B M.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. 3233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Wakefield ([illegible]

in the County of Yorks W.R.

150

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 124 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
34	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	—	—	—	—	.05	—	.02	—	.15	1
2	.01	.01	.02	—	—	—	—	.07	.08	—	.12	.33	2
3	.01	.02	—	—	—	—	—	—	—	.08	.02	—	3
4	.04	—	.05	.18	—	tr	—	—	.06	.25	—	.64	4
5	—	—	.01	—	.05	—	—	.30	—	.07	.07	.13	5
6	—	—	.01	—	.33	tr	—	.02	—	.14	—	.71	6
7	.03	.01	.01	.01	.02	.17	—	—	—	.06	.20	.19	7
8	—	—	—	—	.09	.33	—	.06	.01	.11	.55	.02	8
9	—	—	.13	.04	—	—	—	.03	—	.07	.67	.07	9
10	—	—	.41	.27	—	—	—	.04	—	.02	.02	.01	10
11	.10	—	.08	.44	—	—	—	—	—	—	.02	.23	11
12	—	.01	.09	.11	.01	—	.02	—	—	—	—	.07	12
13	.30	—	.01	—	.02	—	.62	.04	.01	—	—	.01	13
14	.05	—	.29	—	.01	.02	—	—	—	.17	.16	.16	14
15	.27	—	.07	—	.09	tr	—	—	.25	.13	.04	.02	15
16	.08	—	.04	—	.20	.14	—	—	—	.01	.07	.02	16
17	.08	—	.09	—	.01	—	.26	—	.27	.01	.01	.08	17
18	.10	—	.11	.24	.03	.10	—	.01	—	—	—	.04	18
19	—	—	.15	.02	.02	.07	—	—	.05	—	—	—	19
20	—	—	.01	—	.01	.17	—	—	.01	—	—	—	20
21	.03	—	—	—	—	.15	—	—	.11	.01	—	.01	21
22	—	—	—	—	—	tr	—	.07	.21	.02	—	—	22
23	—	—	.06	.04	—	.01	.28	—	—	.03	.12	.10	23
24	—	—	.03	.22	—	.03	.12	—	.03	.01	.01	.02	24
25	.02	—	—	.08	.01	.01	.03	—	.10	.06	—	.45	25
26	.13	—	—	.11	—	.03	.01	—	.07	—	.03	.01	26
27	.01	.29	—	.31	—	.23	.13	—	.04	.15	.01	.20	27
28	—	—	—	.30	—	.02	.01	.10	—	.01	—	.27	28
29	—	×	.04	—	—	—	.01	.12	.51	—	—	.02	29
30	.09	×	.01	—	—	—	.25	—	.01	.16	—	.12	30
31	.02	×	—	×	—	×	—	—	×	.03	×	.02	31
99 TOTAL	1.39	0.34	1.72	2.37	0.90	1.48	1.74	0.91	1.82	1.62	16.41 2.12	4.10	YEAR'S TOTAL 28.51
*Days with .01 in. or more.	18	5	21	14	14	14	11	12	16	22	16	27	190
*Days with .04 in. or more.	10	1	13	12	5	8	6	9	11	12	9	17	113
40-9999	35.3	8.6	43.7	60.2	22.9	37.6	44.2	23.1	46.2	41.1	53.8	104.1	

*See Instruction 2 (*f*) on other side.

(*Signed*) ....

P.T.O.

3233
3233

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE. Station No. 3233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Wakefield (Clarence Pk)
in the County of Yorks W.R A.D.
Diameter of Funnel of Gauge .... in.
Height of top of Gauge above Ground .... ft .... in.
,, Ground ,, Sea Level 124 ft.

150
TL

128

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
35	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.22	—	.12	.01	—	.02	.01	—	.14	.29	.07	.20		1
2	—	.01	.04	—	—	.25	—	—	—	.50	.06	.09		2
3	—	.05	.11	.07	—	.02	.04	—	.02	.14	.32	—		3
4	—	.01	.01	.01	—	.07	.10	—	.01	1.20	.01	.01		4
5	.01	.25	.09	—	—	.10	.01	—	.06	.03	.10	.01		5
6	.02	—	—	.02	—	.10	—	—	—	—	—	—		6
7	.02	—	—	.04	—	.07	—	—	—	.07	.37	.13		7
8	.01	—	—	.09	—	.01	—	.39	—	.02	.03	.08		8
9	—	—	.01	.21	.01	.14	—	—	—	1.13	.15	.02		9
10	—	—	.01	.13	—	.05	.01	—	—	.17	.14	—		10
11	.21	—	—	—	—	—	—	.01	—	.03	.11	.11		11
12	—	.01	—	—	—	.04	—	—	—	—	—	.01		12
13	.07	.02	—	.02	.13	.05	—	—	.03	—	.01	—		13
14	.01	—	—	.23	.17	.04	—	—	.03	—	.51	.13		14
15	.01	.10	—	.36	.05	.10	.01	—	.08	—	.11	.13		15
16	—	.24	.11	.05	—	.04	.06	—	.41	—	.70	—		16
17	—	.03	—	.06	.15	.50	0.30	.09	.14	.01	.69	.01		17
18	.03	—	—	.08	.09	.11	.06	.04	.10	.12	.04	—		18
19	.01	—	—	.12	—	.26	.07	—	—	.05	.16	—		19
20	—	.07	—	.45	.01	.09	.04	—	—	—	.52	—		20
21	—	.33	—	.01	—	—	—	.02	.55	.03	.11	.04		21
22	—	.12	.07	—	—	—	—	—	.01	—	—			22
23	—	—	.17	.48	—	—	—	.83	.02	.16	—			23
24	.23	.52	.01	—	—	—	—	—	1.09	.01	.01	.29		24
25	.07	.06	.01	—	—	.02	—	—	—	—	.01	.08		25
26	.29	.01	—	—	—	—	.04	.35	.34	.05	.05	.24		26
27	.07	.17	—	—	—	—	.07	—	.29	.03	.10	.45		27
28	.02	.01	—	—	—	—	—	—	.02	.05	.06	.14		28
29	.01	X	.09	—	—	—	—	.04	.24	.15	.02	.08		29
30	.05	X	—	.02	—	.01	—	.12	.03	.24	.41	.02		30
31	.01	X	—	X	—	X	—	—	X	.17	X	.19		31
99 TOTAL	1.11	2.01	0.85	2.46	0.61	2.09	0.82	1.89	3.61	4.65	4.87	2.46	Year's Total 27.43	
*Days with .01 in. or more.	19	17	13	19	7	21	13	9	19	22	26	21	206	
*Days with .04 in. or more.	7	10	8	13	5	16	9	7	11	15	20	15	136	

40-9999

*See Instruction 2 (*f*) on other side.

M

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

3233

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. ~~128~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM

REGISTER OF RAINFALL IN 1936.

Kept at Wakefield, Clarence Park A.P.

in the County of Yorks, W.R.

Diameter of Funnel of Gauge .... in.

Height of top of Gauge above Ground .... ft .... in.

,, Ground ,, Sea Level 124 ft.

150
400
TL

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
36	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·13	·22	·31	—	·08	·06	·20	·07	—	·01	·04		1
2	—	·03	·26	·01	—	1·17	—	·02	·01	—	·03	·09		2
3	·03	·02	·01	—	—	·14	—	·14	·36	—	—	·01		3
4	·04	·02	·04	—	—	·06	—	·05	·11	—	·17	·13		4
5	·12	·01	·26	—	·02	—	—	·26	—	·03	·02	·10		5
6	·01	—	·01	—	—	·03	·09	·29	·51	—	·13	—		6
7	·13	—	·01	—	—	—	·79	—	·09	·02	—	·02		7
8	13	—	·05	—	—	—	—	—	·04	·03	·21	·02		8
9	·26	·01	·06	—	·01	·01	·55	—	·13	·09	·17	—		9
10	·03	—	—	—	—	—	·64	—	·01	·05	·36	—		10
11	—	—	—	·06	—	·05	—	·02	·08	—	·58	·01		11
12	—	—	—	·20	·10	·94	·37	—	·32	—	·27	·13		12
13	—	—	—	·09	—	·12	·04	—	—	·01	·01	·37		13
14	—	—	—	·28	—	·15	—	·04	·12	—	·15	·16		14
15	·25	·07	·01	·13	·07	·02	·05	·04	·01	—	·19	—		15
16	·12	·05	—	·07	·02	—	·03	—	—	—	·58	—		16
17	·01	·40	—	·02	·02	—	·13	—	—	·10	·02	·05		17
18	—	·08	—	—	—	·01	·01	·11	—	·27	—	·02		18
19	0·66	·25	·02	—	—	·21	·01	·22	—	·03	—	—		19
20	·03	·13	·01	—	—	·16	·06	—	·01	·04	—	—		20
21	—	—	·01	·04	—	·12	—	·01	—	—	—	—		21
22	·05	·57	·07	—	·08	·47	·21	—	—	—	·01	·02		22
23	—	·01	·05	·07	·10	—	·27	—	—	—	—	—		23
24	·14	·04	—	·01	·35	—	—	—	·07	·21	·01	—		24
25	·17	·01	·04	—	—	—	—	—	·38	·15	·01	—		25
26	·01	·04	·37	—	—	—	—	—	·06	·23	—	—		26
27	·35	—	·05	—	—	—	—	—	·04	·21	—	—		27
28	·27	·65	·06	—	—	·02	·17	—	·01	—	·02	·04		28
29	19	·36	·07	—	·15	·26	·07	—	—	·03	·07	·04		29
30	·06	✗	·01	—	·34	·01	·13	—	—	·56	·07	—		30
31	—	✗	·04	✗	·07	✗	·01	—	✗	·01	✗	·07		31
99 TOTAL	3·07	2·88	1·73	1·29	1·33	4·03	3·69	1·40	3·43	2·07	3·09	1·32	Year's Total 28·33	
*Days with ·01 in. or more.	22	19	22	12	12	19	19	12	19	17	21	17	211	
*Days with ·04 in. or more.	15	12	14	9	8	13	15	9	14	10	12	11	142	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE. 3233

Secti **A** for the entry of Daily Observations.
Station No. 128.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Wakefield, (Clarence Park)
in the County of Yorks, W.R.
A.P.
TL .150400.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 124 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
37	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·07	·03	—	—	—	—	—	·06	—	·01	·15		1
2	·02	·12	·02	·24	—	·01	—	—	—	—	—	·14		2
3	—	·02	·01	·22	·08	·02	—	—	—	—	—	·01		3
4	·13	—	·06	·17	·03	—	—	—	—	—	—	·18		4
5	·22	—	·10	·01	—	—	·01	—	—	·01	—	·10		5
6	·08	—	·06	·04	·24	—	·27	·07	—	·01	·03	·45		6
7	—	·44	—	·38	·11	·08	—	—	·01	—	·04	·01		7
8	—	·46	·01	·05	—	—	·06	—	—	—	·03	·10		8
9	—	·03	—	·03	·29	—	·36	·12	—	—	—	·02		9
10	—	·09	—	·02	·07	·01	·01	—	—	—	·06	·16		10
11	—	—	1·14	·01	·71	—	—	·01	—	—	—	·05		11
12	·04	·27	·06	·02	·26	·26	—	·01	·12	—	—	·12		12
13	—	·05	·02	—	·06	·49	—	—	·03	—	—	·09		13
14	—	—	·02	—	—	·03	—	·14	·01	—	—	·22		14
15	·13	·32	·01	·25	—	—	1·35	—	·01	—	—	·03		15
16	·05	·11	·31	·59	—	·01	—	·06	·37	—	·01	·04		16
17	·18	·03	·22	·38	—	·02	—	—	·64	—	—	·01		17
18	1·01	·05	·08	·01	—	·13	·04	·08	·05	·01	·63	—		18
19	·01	·03	·01	·01	—	·26	·04	—	—	—	·54	—		19
20	·11	·16	—	·12	·60	·02	·01	—	·03	—	—	—		20
21	·07	—	·01	·01	·01	—	·16	—	—	—	—	·01		21
22	·01	—	·04	—	·03	—	·01	—	—	·13	·19	·01		22
23	·28	—	—	—	·04	—	·26	—	—	1·20	·37	—		23
24	·19	·17	·01	—	·05	·02	·01	—	·01	·30	·01	—		24
25	·08	·40	·09	—	—	—	—	·01	·01	·33	—	·01		25
26	·01	·33	·07	—	·38	—	—	·04	·01	—	—	·03		26
27	—	·46	—	·18	—	—	—	—	—	·46	·01	·02		27
28	·01	·71	·03	—	—	·01	—	—	—	·03	—	—		28
29	·05	×	—	—	—	·02	—	—	—	·03	·01	·02		29
30	·30	✕	—	—	—	—	—	·02	—	·01	·03	·03		30
31	·42	✕	—	✕	—	✕	—	—	✕	·14	✕	·01		31
99 TOTAL	3·45 ✓	4·32 ✓	2·41 ✓	2·74 ✓	2·96 ✓	1·39 ✓	2·59 ✓	·56 ✓	1·36 ✓	2·66 ✓	1·97 ✓	2·02 ✓	Year's Total 28·43 ✓ ✓	
* Days with .01 in. or more.	22	20	22	19	15	15	13	10	13	12	14	25	200 ✓ ✓	
* Days with .04 in. or more.	17	16	11	11	12	5	8	6	5	6	6	12	115 ✓ ✓	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) .... [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Wakefield (Clarence Park A.P.)

in the County of Yorks. W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 124 ft.

T·L 150

400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
38	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·05	—	—	·05	·44	·52	·14	—	—	·28	·12		1
2	·04	—	—	·04	—	—	—	—	·01	·22	·12	·27		2
3	·02	—	—	·01	—	·02	·04	—	·17	·97	·03	—		3
4	·03	—	·01	—	—	·12	·07	—	—	·09	·03	·24		4
5	—	·01	—	—	—	—	·10	·47	·02	·32	—	·04		5
6	07	·01	—	—	—	—	·33	1·20	·04	·04	—	—		6
7	·15	—	·01	—	—	—	·12	·42	·28	·43	—	·02		7
8	·36	—	—	—	—	—	·24	·05	—	·30	—	·18		8
9	·05	·03	—	—	—	·06	·03	·40	—	·03	—	·27		9
10	·01	·05	—	—	—	·01	·05	—	·01	·01	·01	·05		10
11	·19	—	—	—	—	—	·08	—	—	·03	·03	·05		11
12	·14	·01	—	—	·03	—	·01	·11	—	·20	·02	·01		12
13	·01	·02	—	—	—	—	·01	·02	·14	·05	·04	·19		13
14	·31	·01	—	—	—	—	·26	—	·11	—	·01	·01		14
15	·21	—	—	—	·01	—	·35	·04	—	·01	·01	·21		15
16	·25	—	—	—	02	—	·63	09	—	·02	·07	·22		16
17	—	—	—	—	·21	—	·14	—	·01	·14	—	·02		17
18	·03	—	—	—	·10	·12	—	·01	·01	·17	·18	—		18
19	—	·01	—	—	·02	·03	—	17	·01	·02	—	·25		19
20	·01	—	—	—	—	—	—	·01	·01	—	·31	·07		20
21	—	—	—	·01	—	—	—	·11	·03	—	·02	·12		21
22	—	—	—	·01	—	·24	—	—	—	—	·26	·10		22
23	—	—	—	—	·19	·10	—	—	·53	·01	·41	·01		23
24	·02	—	·12	—	·04	—	—	·35	·09	—	·07	—		24
25	·11	·08	·10	—	—	—	·01	·01	—	·29	·67	·03		25
26	·01	·53	·06	—	·01	·08	—	—	·11	·13	·06	·01		26
27	—	—	—	—	·28	·09	·09	·20	·09	—	·08	—		27
28	·18	—	·01	—	58	·15	·07	·53	·04	·01	—	·06		28
29	·03	✕	·01	·01	·95	·02	—	—	—	—	·08	·01		29
30	—	✕	—	—	·09	·11	—	—	·72	—	·27	·03		30
31	·19	✕	—	✕	·29	✕	—	—	✕	·05	✕	·69		31
99 TOTAL	2·42	·81	·32	·08	2·87	1·59	3·15	4·33	2·43	3·54	3·06	3·28	Year's Total 27·88	✓
* Days with .01 in. or more.	22	11	7	5	15	14	19	18	19	22	22	26	200	✓
* Days with .04 in. or more.	13	4	3	1	10	10	15	14	11	14	14	17	126	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

1·21

COPY FOR OFFICIAL USE

~~128~~

Station No. 3233

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM [illegible]0

REGISTER OF RAINFALL IN 1939

100

150

T.L.

400

Kept at Wakefield (Clarence Park A.P.)

in the County of Yorks W.R.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 124 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05	-	.05	.05	-	-	.19	.02	.05	.01	Trace	Trace		1
2	.09	-	.01	.11	Trace	-	.03	.16	1.13	.07	.07	Trace		2
3	.13	-	-	.14	-	-	-	.32	.02	.03	.21	.23		3
4	.14	Trace	.08	.46	Trace	-	.06	.04	-	.12	.01	.34		4
5	-	Trace	Trace	Trace	.04	-	.04	.07	-	.33	.39	.14		5
6	.32	Trace	Trace	-	-	-	.20	Trace	-	.02	.05	-		6
7	.07	.04	.09	-	.40	-	.07	Trace	-	.02	.26	.22		7
8	.12	.01	.08	Trace	-	-	1.19	Trace	-	.04	.02	.30		8
9	.09	.09	Trace	-	-	-	.01	.13	Trace	.98	Trace	.18		9
10	.74	.01	.02	-	-	.01	-	.04	.01	.06	.01	Trace		10
11	.33	.01	.20	-	.05	.19	-	Trace	.04	Trace	.01	.01		11
12	.01	.15	.01	-	Trace	.01	-	-	Trace	Trace	.02	.01		12
13	.01	.01	Trace	.10	.06	.07	Trace	-	.02	.04	.01	Trace		13
14	.67	-	.01	.03	.24	.11	.22	-	Trace	.04	.07	.01		14
15	.10	Trace	Trace	.01	.18	.32	.14	-	Trace	Trace	.01	.01		15
16	.01	Trace	.24	Trace	.82	Trace	.86	-	Trace	Trace	.06	Trace		16
17	.86	.02	.01	.08	.04	Trace	.15	Trace	Trace	.26	Trace	-		17
18	.20	.04	.02	-	-	.24	.37	.01	Trace	.05	.90	-		18
19	.27	Trace	Trace	-	-	.17	.17	.01	.01	-	-	.02		19
20	Trace	.01	Trace	-	Trace	.14	.51	.02	.05	-	Trace	Trace		20
21	.11	.03	.23	.08	.03	.01	.01	Trace	.06	-	-	Trace		21
22	.12	.32	.01	Trace	Trace	Trace	.05	.01	.02	Trace	.19	.01		22
23	.05	.08	Trace	.05	-	.05	.09	.01	Trace	.05	.21	.01		23
24	.01	Trace	.09	.02	Trace	.02	.11	.01	Trace	-	-	Trace		24
25	.66	.08	.02	Trace	Trace	.01	-	.21	-	Trace	.31	.03		25
26	.08	.02	.01	Trace	Trace	Trace	Trace	Trace	Trace	.10	.19	.02		26
27	.06	.28	.40	.04	Trace	.11	.03	Trace	-	.14	.18	Trace		27
28	.01	.05	.21	.09	Trace	Trace	.14	Trace	-	-	.26	Trace		28
29	Trace		.01	Trace	-	-	1.15	Trace	-	.29	.03	-		29
30	-	✕	-	Trace	-	.02	Trace	-	-	-	.09	Trace		30
31	-	✕	.01	✕	-	✕	.04	.06	✕	.03	✕			31
TOTAL	5.31	1.25	1.81	1.26	1.86	1.48	5.83	1.12	1.41	2.68	3.56	1.54	Year's Total 29.11	
* Days with .01 in. or more.	26	17	21	13	9	15	23	15	10	19	23	15	206	
* Days with .04 in. or more.	21	9	10	10	8	9	19	8	5	14	15	6	134	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) .... [P.T.O.

Section | A | **for the entry of Daily Observations**

Station No. 3233

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Wakefield (Clarence Park A.P.)
in the County of Yorkshire W.R.
Diameter of funnel of gauge 5 in.
Height of top of gauge above ground 1 ft. 0 in.
Height of ground above sea level 124 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
39	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	—	·05	·05	—	—	·19	·02	·05	·01	—	—		1
2	·09	—	·01	·11	—	—	·03	·16	1·13	·07	·07	—		2
3	·13	—	—	·14	—	—	—	·32	·02	·03	·21	·23		3
4	·14	—	·08	·46	—	—	·06	·04	—	·12	·01	·34		4
5	—	—	—	—	·04	—	·04	·07	—	·33	·39	·14		5
6	·32	—	—	—	—	—	·20	—	—	·02	·05	—		6
7	·07	·04	·09	—	·40	—	·07	—	—	·02	·26	·22		7
8	·12	·01	·08	—	—	—	1·19	—	—	·04	·02	·30		8
9	·09	·09	—	—	—	—	·01	·13	—	·98	—	·18		9
10	·74	·01	·02	—	—	·01	—	·04	·01	·06	·01	—		10
11	·33	·01	·20	—	·05	·19	—	—	·04	—	·01	·01		11
12	·01	·15	·01	—	—	·01	—	—	—	—	·02	·01		12
13	·01	·01	—	·10	·06	·07	—	—	·02	·04	·01	—		13
14	·67	—	·01	·03	·24	·11	·22	—	—	·04	·07	·01		14
15	·10	—	—	·01	·18	·32	·14	—	—	—	·01	·01		15
16	·01	—	·24	—	·82	—	·86	—	—	—	·06	—		16
17	·86	·02	·01	·08	·04	—	·15	—	—	·26	—	—		17
18	·20	·04	·02	—	—	·24	·37	·01	—	·05	·90	—		18
19	·27	—	—	—	—	·17	·17	·01	·01	—	—	·02		19
20	—	·01	—	—	—	·14	·51	·02	·05	—	—	—		20
21	·11	·03	·23	·08	·03	·01	·01	—	·06	—	—	—		21
22	·12	·32	·01	—	—	—	·05	·01	·02	—	·19	·01		22
23	·05	·08	—	·05	—	·05	·09	·01	—	·05	·21	·01		23
24	·01	—	·09	·02	—	·02	·11	·01	—	—	—	—		24
25	·66	·08	·02	—	—	·01	—	·21	—	—	·31	·03		25
26	·08	·02	·01	—	—	—	—	—	—	·10	·19	·02		26
27	·06	·28	·40	·04	—	·11	·03	—	—	·14	·18	—		27
28	·01	·05	·21	·09	—	—	·14	—	—	—	·26	—		28
29	—	X	·01	—	—	—	1·15	—	—	·29	·03	—		29
30	—	X	—	—	—	·02	—	—	—	—	·09	—		30
31	—	X	·01	X	—	X	·04	·06	X	·03	X	—		31
TOTAL 99	5·31	1·25	1·81	1·26	1·86	1·48	5·83	1·12	1·41	2·68	3·56	1·54	Year's total 29·11	
*Days with .01 in. or more.	26	17	21	13	9	15	23	15	10	19	23	15	206	
*Days with .04 in. or more.	21	9	10	10	8	9	19	8	5	14	15	6	134	

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

128

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3233

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19340

Kept at Wakefield (Clarence Park R.P.)
in the County of Yorks W.R.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 124 ft.

Daily Values.

100 150 400

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
40	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	·11	~~tr~~	·04	-	-	·01	-	-	-	·16	·01		1
2	-	·02	~~tr~~	·19	~~tr~~	-	·01	-	~~tr~~	-	·16	·09		2
3	·04	·17	-	·15	-	-	·02	-	~~tr~~	·28	·05	·02		3
4	-	·19	-	·13	-	-	·01	~~tr~~	-	·14	·28	·15		4
5	~~tr~~	·01	-	~~tr~~	·08	-	·18	-	-	·04	·21	·16		5
6	·12	·21	~~tr~~	-	-	-	·03	-	-	·61	·01	·02		6
7	·02	·25	~~tr~~	~~tr~~	·10	-	-	·06	·09	~~tr~~	-	·01		7
8	·01	~~tr~~	~~tr~~	·05	~~tr~~	-	·01	·01	~~tr~~	·15	~~tr~~	·08		8
9	-	~~tr~~	·22	·01	-	-	·04	·06	·07	·33	·96	·01		9
10	-	-	·01	~~tr~~	-	·09	1·27	·01	~~tr~~	·06	·17	·12		10
11	-	·14	~~tr~~	~~tr~~	-	-	·36	-	~~tr~~	-	·49	·01		11
12	-	·03	·22	-	~~tr~~	~~tr~~	·03	·01	·27	-	·09	~~tr~~		12
13	-	·05	·34	~~tr~~	-	-	·01	·01	·49	-	·01	·01		13
14	-	·01	·01	·08	·17	-	·03	~~tr~~	~~tr~~	·01	-	·29		14
15	·01	-	~~tr~~	·02	·01	~~tr~~	-	-	~~tr~~	~~tr~~	·18	~~tr~~		15
16	·18	·24	·02	~~tr~~	-	-	·32	-	·14	·44	·21	·03		16
17	-	·02	·57	~~tr~~	~~tr~~	-	·80	-	·07	·01	·24	·01		17
18	·06	·25	·12	·69	-	-	·17	·09	·16	·06	·01	·12		18
19	~~tr~~	·18	·05	·09	-	·02	·09	~~tr~~	·23	·04	·17	·02		19
20	-	·01	·02	·45	-	-	·06	·11	·06	·11	·05	-		20
21	·07	·01	·20	~~tr~~	-	·23	·02	·01	·18	·07	·92	-		21
22	·03	~~tr~~	·01	~~tr~~	·02	·10	~~tr~~	~~tr~~	·14	·02	~~tr~~	·02		22
23	-	·17	·04	·01	·01	·03	·04	~~tr~~	·02	·04	·02	·03		23
24	·01	~~tr~~	~~tr~~	·02	·02	-	~~tr~~	~~tr~~	·01	·01	~~tr~~	·08		24
25	·03	~~tr~~	-	~~tr~~	~~tr~~	~~tr~~	~~tr~~	-	-	·04	-	·01		25
26	·90	·03	-	~~tr~~	·02	·01	·03	·08	·04	·03	·03	-		26
27	·81	·43	~~tr~~	·07	-	-	·16	~~tr~~	·02	·01	·03	~~tr~~		27
28	·16	·23	-	·01	·05	-	-	~~tr~~	-	~~tr~~	-	-		28
29	~~tr~~	·01	·17	·01	~~tr~~	·07	·01	-	·01	~~tr~~	-	·24		29
30	·15		-	·08	~~tr~~	-	-	-	-	·28	·01	·15		30
31	·14		·03		~~tr~~		-	~~tr~~		·63		·08		31
99 TOTAL	2·74	2·77	2·03	2·10	·48	·55	3·71	·45	2·00	3·41	4·46	1·77	Year's Total 26·47	
* Days with .01 in. or more.	16	22	15	17	9	7	23	10	16	22	22	24	203	
* Days with .04 in. or more.	10	13	9	11	4	4	11	5	12	16	15	11	121	

† Spare column, no entries required.

(Signed) .... [P.T.O.

* See Instruction 3 (f) on other side.

3234

Section **A** for the entry o
AIR MINISTR

FORM 1090.

REGIS

Kept at Wakefield, Fi
in the County of W. R.

Diameter of Funnel of Gauge
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

3234

WAKEFIELD, FIELDHEAD RES.

1931 — 35

780602

FOR OFFICIAL USE.
ORGANIZATION.

llowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·17			·10				1
2				·53		·68			·51	·02		·23	2
3				·07		·05	·07		1·11		·23	·03	3
4		·04		·11			·28	·02	·67			·04	4
5					·09	1·02		1·49				·13	5
6		·25				·13	·54	·24	·02	·24	·08		6
7		·07				·49		·44		·11	·30		7
8		·03			·02		·14	·22			·04		8
9		·29		32	·02	·05		·34			·23		9
10		·09			·05	·15		·03	·10		·09		10
11	·09	·21				·02	·03				·15		11
12		·05					·62		·20	·04	·04		12
13						·02	·04	·01					13
14	·05	·05	·15			·74	·50	·85			·50	·03	14
15		·20		·08	·05		·10	·13			·03	·01	15
16	·06	·08		·09	·14	·51	·02	·09	·32				16
17		·04		·56		·02	·03	·01					17
18	·05	·02		·22		·60	·26	·08			·58		18
19							·11	·12	·08	·03			19
20		·02		·07				·43			·01	·01	20
21	·10				·21						·03		21
22	·04	·03			·19								22
23	·29			·02	·43	·23	·24				·31		23
24		·01		·18	·44		·12			·01			24
25		·13		·50			·31						25
26	·07	·09		·05							·31		26
27	·11	·13			·04					·20	·29	·04	27
28	·20	·20		·18	·19							·17	28
29	·42				·28				·07	·30	·04		29
30		×		·01	·22								30 d.
31	·22	×		×		×			×	·07	×		31
TOTAL	1·70	2·03	·15	2·99	2·37	4·88	3·41	4·50	3·18	1·02	3·26	·69	YEAR'S TOTAL 30·18
*Days with ·01 in. or more.	~~12~~	~~20~~	~~1~~	~~15~~	~~14~~	~~15~~	~~16~~	~~15~~	~~10~~	~~9~~	~~17~~	~~9~~	~~133~~
*Days with ·04 in. or more.	12	15	1	13	12	12	12	11	9	6	13	5	131

40-9999 M

*See Instruction 2 (f) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer. B.

P.T.O.

3234

Section **A** for the entry o

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Wakefield, Fieldhead Res.
in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·17			·10				1
2				·53		·68			·51	·02		·23	2
3				·07		·05	·07		1·11		·23	·03	3
4		·04		·11			·28	·02	·67			·04	4
5					·09	1·02		1·49				·13	5
6		·25				·13	·54	·24	·02	·24	·08		6
7		·07				·49		·44		·11	·30		7
8		·03			·02		·14	·22			·04		8
9		·29		·32	·02	·05		·34			·23		9
10		·09			·05	·15		·03	·10		·09		10
11	·09	·21				·02	·03				·15		11
12		·05					·62		·20	·04	·04		12
13						·02	·04	·01					13
14	·05	·05	·15			·74	·50	·85			·50	·03	14
15		·20		·08	·05		·10	·13			·03	·01	15
16	·06	·08		·09	·14	·51	·02	·09	·32				16
17		·04		·56		·02	·03	·01					17
18	·05	·02		·22		·60	·26	·08			·58		18
19							·11	·12	·08	·03			19
20		·02		·07				·43			·01	·01	20
21	·10				·21						·03		21
22	·04	·03			·19								22
23	·29			·02	·43	·23	·24				·31		23
24		·01		·18	·44		·12			·01			24
25		·13		·50			·31						25
26	·07	·09		·05							·31		26
27	·11	·13			·04					·20	·29	·04	27
28	·20	·20		·18	·19							·17	28
29	·42				·28				·07	·30	·04		29
30		×		·01	·22								30 d.
31	·22	×		×		×			×	·07	×		31
TOTAL	1·70	2·03	·15	2·99	2·37	4·88	3·41	4·50	3·18	1·02	3·26	·69	YEAR'S TOTAL 30·18
*Days with ·01 in. or more.	~~12~~	~~20~~	~~1~~	~~15~~	~~14~~	~~15~~	~~16~~	~~15~~	~~10~~	~~9~~	~~17~~	~~9~~	~~133~~
*Days with ·04 in. or more.	12	15	1	13	12	12	13	11	9	6	13	5	121

40-9999 M

*See Instruction 2 (x) on other side.

(Signed) C. Clemesha Smith
Waterworks Engineer.

P.T.O.

3234

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Wakefield, Fieldhead Res.

in the County of W. R. Yorkshire 8

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·02		·05	·34		·02		·13	·17	·02		1
2	·08				·36				·25		·03		2
3					·01		·19					·17	3
4				·03	·01		·02						4
5	·17	·02	·07		·02			·01	·07				5
6	·46		·09	·11			·01		·07				6
7			·22	·10					·33	·14			7
8					·01								8
9	·08	·17		·10								·05	9
10	·07								·11	·26		·01	10
11	·11	·10		·07	·37	·08	·28				·03		11
12	·10						·43		·01	·35	·04		12
13	·01			·02	·08		·04		·04	·18	·02	·02	13
14	·03	·03		·08			·03				·12		14
15					·07					·08	·04	·03	15
16	·27			·08	·02					·01	·02		16
17							·05	·01		·14			17
18					·04								18
19				·07	·18					·12			19
20				·08	·42		·05	·50		·11			20
21			·33	·11	2·08			·07		·70			21
22			·21	·01			·21		·04		·11	·03	22
23				·01	·11		·07		·04	·06	·10	·05	23
24							·22				·08		24
25		·04		·16			·03			·29			25
26				·02	·31		·07			·18	·11	·01	26
27			·22	·04	·17	·01	·08						27
28			·09	·40	·15	·01	·34	·27			·05	·01	28
29			·11	·07	·02		·07	·16	·08	·14	·04	·07	29
30		×	·07	·09		·16	·01	·10	·10	·01	·08	·14	30
31	02	×		×	·01	×	·22	·06	×		×	·07	31

	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	YEAR'S TOTAL
TOTAL	1·55	·38	1·41	1·70	4·78	·26	2·44	1·18	1·27	2·94	·89	·66	19·46
*Days with ·01 in. or more.	~~12~~	~~6~~	~~9~~	~~20~~	~~20~~	~~4~~	~~20~~	~~8~~	~~12~~	~~16~~	~~15~~	~~12~~	~~154~~
*Days with ·04 in. or more.	9	3	8	15	13	2	14	6	11	14	10	6	111

40-9999

M

*See Instruction 2 (*f*) on other side.

(*Signed*) C. Clemesha Smith

P.T.O.

3234

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Wakefield, Fieldhead Res.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·04	·15								·04		1
2	·03		·21		~~·30~~						·09		2
3	·06	·08	·07		·30						·06		3
4	·08	·04			·27								4
5	·12		·04		·05								5
6		·10	·10		·64					·02			6
7	·01	·10			·17		·38			1·16		·08	7
8		·01	·12				·22					·10	8
9		·22					·04			·24			9
10	·01					·15	·10			·80	·09		10
11					·03		·11	·04		·21			11
12						·21	·09						12
13					·41	·01	·19		·06	·08	·15		13
14	·08						·15	·11		·01	·27		14
15	·57		·01				·16			·07	·70	·07	15
16	·16		·16	·09	·14	·08							16
17	·13		·55		~~·02~~	·04		·08	·03		·12		17
18		·02	·08		·02	·17		·03			·07		18
19			·41					·02	·17		·04		19
20					·04			·02			·03		20
21						·08		·05			·01		21
22								·05		·60			22
23				·08	·03			·01	·28				23
24		·32		·24	·06	·18			·71			·11	24
25		·54		·20	·18				·05			·05	25
26		·87		·18	·02					·02	·02		26
27										·11			27
28					·01		·04			·15			28
29	·03			·88						·14			29
30		✕					·02			·09		·04	30
31	·14	✕	·02	✕		✕			✕		✕		31
TOTAL	1·52 ✓	2·34 ✓	1·92 ✓	1·67 ✓	2·37 ✓	·92	1·50 ✓	·41 ✓	1·30 ✓	3·70 ✓	1·69 ✓	·45 ✓	YEAR'S TOTAL 19·79 ✓
*Days with ·01 in. or more.	~~13~~	~~11~~	~~12~~	~~6~~	~~15~~	~~8~~	~~11~~	~~9~~	~~6~~	~~14~~	~~13~~	~~6~~	~~124~~
*Days with ·04 in. or more.	9	9	10	6	10	7	10	5	5	11	10	6	98

40-9999

*See Instruction 2 (*f*) on other side.

MD

(*Signed*) A. G. Beaumont. P.T.O.

23

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3234

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090

REGISTER OF RAINFALL IN 1934.

Kept at Wakefield, Fieldhead Res.

in the County of W. R. Yorks.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01							·06		·02		·32	1
2			·01					·07	·08		·16	·23	2
3	·01									·22		·02	3
4				·14						·32		·64	4
5		·02			·05			·30		·09	·06	·12	5
6					·35			·07		·15		·68	6
7	·05	·02				·02		·07		·05	·31	·12	7
8					·11	·42			·05	·10	·43	·01	8
9			·19	·04				·03		·06	·60	·06	9
10			·40	·28				·01		·01			10
11	·11		·04	·42								·16	11
12			·06	·05			·03	·05					12
13	·28						·46	·01			·02		13
14	·01		·24		·02	·04				·18	·13	·17	14
15	·21		·07		·10				·27	·08	·04	·06	15
16	·11				·17	·10							16
17	·06		·11		·03		·37		·23	·01		·08	17
18	·14		·08	·17		·09						·02	18
19			·14	·02		·02			·06				19
20						·09							20
21	·02					·14			·18				21
22								·08	·14	·09		·02	22
23			·09	·07			·25			·04	·15	·10	23
24				·12		·03	·09		·03			·10	24
25				·13			·01		·15	·07		·34	25
26				·13					·04		·03		26
27		·16		·31		·24	·13		·05	·15		·17	27
28				·20		·06		·15				·30	28
29			·02					·05	·53				29
30	·14	×					·32		·02	·15		·09	30
31		×		×		×			×		×	·03	31
TOTAL	1·15 ✓	0·20 ✓	1·45 ✓	2·08 ✓	0·83 ✓	1·25 ✓	1·66 ✓	·95 ✓	1·83 ✓	1·79 ✓	1·93 ✓	3·84 ✓	YEAR'S TOTAL 18·96
*Days with ·01 in. or more.	12	3	12	13	7	11	8	12	13	17	10	22	~~140~~
*Days with ·04 in. or more.	8	1	10	12	5	8	6	9	11	14	8	17	109

40-9999

*See Instruction 2 (*f*) on other side.

M (Signed) A. G. Beaumont P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3234

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 109

REGISTER OF RAINFALL IN 1935.

Kept at Wakefield, Fieldhead Res.

in the County of W.R. Yorks.

Diameter of Funnel of Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

,, Ground ,, Sea Level..........ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2														2
3														3
4														4
5														5
6														6
7														7
8														8
9														9
10														10
11														11
12														12
13														13
14														14
15														15
16														16
17														17
18														18
19														19
20														20
21														21
22														22
23														23
24														24
25														25
26														26
27														27
28														28
29														29
30		×												30
31		×		×		×			×		×			31
TOTAL													Year's Total	
*Days with ·01 in. or more.														
*Days with ·04 in. or more.														

Discontinued — See letter to Meteorological Office, 5 December 1934.

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*)..........

[P.T.O.

3235

3235

NORMANTON, HAW HILL PARK

1931 — 40

780602

Section **A** for the entry o

AIR MINISTR

OPY FOR OFFICIAL USE.

L ORGANIZATION.

FORM 1090.

REGIS

Kept at *Haw-Hill Park.*

in the County of *Yor*

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of t

ollowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	—	T.R.	·07	T.R.	—	·23	—	—	·12	·01	—	—	1
2	—	·01	—	·61	—	·69	—	—	·40	·02	—	·09	2
3	·02	T.R.	—	·06	—	·03	·10	—	·39	—	·08	·15	3
4	·01	·10	—	·08	—	—	·27	T.R.	1·74	—	·17	·03	4
5	—	·04	—	—	·07	·92	·03	1·51	·02	—	—	·11	5
6	—	·26	·05	—	·02	·10	·28	·08	·01	·19	·02	—	6
7	—	—	·03	—	—	·42	—	·44	—	·10	·27	—	7
8	·02	·03	·03	·02	·01	—	·14	·35	—	·01	·12	—	8
9	—	·25	·02	·27	·01	·02	—	·27	·02	—	·24	·01	9
10	·01	·07	·07	—	·10	·16	—	·12	·03	—	·12	—	10
11	·05	·21	—	—	—	·03	·03	—	·14	—	·05	—	11
12	·04	·03	—	—	—	—	·79	—	·04	·05	·08	—	12
13	T.R.	—	T.R.	—	—	·03	·12	—	·02	—	—	—	13
14	T.R.	·05	—	—	—	·74	·45	·93	—	—	·44	·02	14
15	·01	·15	—	·09	·04	—	·16	·05	—	—	·03	·02	15
16	·06	·15	—	·07	·10	·49	·03	·09	·27	T.R.	—	—	16
17	—	·07	—	·53	—	·02	·02	·03	—	T.R.	—	—	17
18	·03	·02	—	·28	—	·39	·26	·06	—	·02	·67	—	18
19	·01	·03	—	·02	—	·03	·15	·14	·07	·01	—	·01	19
20	—	·04	T.R.	·07	—	—	—	·62	—	—	·01	T.R.	20
21	·08	T.R.	—	—	·14	—	—	—	—	—	·03	—	21
22	·03	T.R.	—	—	·32	—	—	—	·02	—	·01	—	22
23	·22	·01	T.R.	·02	·42	·23	·25	—	—	—	·29	—	23
24	·02	·01	—	·25	·45	—	·22	—	—	·02	—	T.R.	24
25	·02	·12	—	·69	T.R.	—	·52	—	—	—	—		25
26	·04	·07	—	·06	·04	—	—	T.R.	—	—	·30	—	26
27	·10	·12	—	·03	—	—	—	—	—	·18	·27	·04	27
28	·23	·19	T.R.	·10	·21	—	—	—	—	—	—	·17	28
29	·33	✕	—	—	·07	—	T.R.	—	—	·29	·03	·05	29
30	·02	✕	—	—	·35	—	—	—	·08	T.R.	T.R.	—	30
31	·22	✕	—	✕	·08	✕	T.R.	—	✕	·10	✕	T.R.	31
TOTAL	1·57	2·03	·27	3·25	2·43	4·53	3·82	4·69	3·37	1·—	3·23	·70	YEAR'S TOTAL 30·89
*Days with ·01 in. or more.	21	22	6	17	16	16	17	13	15	12	19	11	185
*Days with ·04 in. or more.	10	15	3	13	13	10	13	12	9	6	13	6	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E Smith.

[P.T.O.

3235

Section **A** for the entry

OPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Haw-Hill Park. Normanton.

in the County of York.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 135'.59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	T.R.	·07	T.R.	—	·23	—	—	·12	·01	—	—	1
2	—	·01	—	·61	—	·69	—	—	·40	·02	—	·09	2
3	·02	T.R.	—	·06	—	·03	·10	—	·39	—	·08	·15	3
4	·01	·10	—	·08	—	—	·27	T.R.	1·74	—	·17	·03	4
5	—	·04	—	—	·07	·92	·03	1·51	·02	—	—	·11	5
6	—	·26	·05	—	·02	·10	·28	·08	·01	·19	·02	—	6
7	—	—	·03	—	—	·42	—	·44	—	·10	·27	—	7
8	·02	·03	·03	·02	·01	—	·14	·35	—	·01	·12	—	8
9	—	·25	·02	·27	·01	·02	—	·27	·02	—	·24	·01	9
10	·01	·07	·07	—	·10	·16	—	·12	·03	—	·12	—	10
11	·05	·21	—	—	—	·03	·03	—	·14	—	·05	—	11
12	·04	·03	—	—	—	—	·79	—	·04	·05	·08	—	12
13	T.R.	—	T.R.	—	—	·03	·12	—	·02	—	—	—	13
14	T.R.	·05	—	—	—	·74	·45	·93	—	—	·44	·02	14
15	·01	·15	—	·09	·04	—	·16	·05	—	—	·03	·02	15
16	·06	·15	—	·07	·10	·49	·03	·09	·27	T.R.	—	—	16
17	—	·07	—	·53	—	·02	·02	·03	—	T.R.	—	—	17
18	·03	·02	—	·28	—	·39	·26	·06	—	·02	·67	—	18
19	·01	·03	—	·02	—	·03	·15	·14	·07	·01	—	·01	19
20	—	·04	T.R.	·07	—	—	—	·62	—	—	·01	T.R.	20
21	·08	T.R.	—	—	·14	—	—	—	—	—	·03	—	21
22	·03	T.R.	—	—	·32	—	—	—	·02	—	·01	—	22
23	·22	·01	T.R.	·02	·42	·23	·25	—	—	—	·29	—	23
24	·02	·01	—	·25	·45	—	·22	—	—	·02	—	T.R.	24
25	·02	·12	—	·69	T.R.	—	·52	—	—	—	—	—	25
26	·04	·07	—	·06	·04	—	—	T.R.	—	—	·30	—	26
27	·10	·12	—	·03	—	—	—	—	—	·18	·27	·04	27
28	·23	·19	T.R.	·10	·21	—	—	—	—	—	—	·17	28
29	·33	×	—	—	·07	—	T.R.	—	—	·29	·03	·05	29
30	·02	×	—	—	·35	—	—	—	·08	T.R.	T.R.	—	30
31	·22	×	—	×	·08	×	T.R	—	×	·10	×	T.R.	31
TOTAL	1·57	2·03	·27	3·25	2·43	4·53	3·82	4·69	3·37	1·—	3·23	·70	YEAR'S TOTAL 30·89
*Days with ·01 in. or more.	21	22	6	17	16	16	17	13	15	12	19	11	185
*Days with ·04 in. or more.	10	15	3	13	13	10	13	12	9	6	13	6	123

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. Smith.

[P.T.O.

3235

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No** 3235.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Haw-Hill Park Normanton.

in the County of York.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 135·59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·04	—	·06	·50	—	·03	—	·11	·10	·01	·01	1
2	·05	—	—	—	·35	—	—	·01	·33	·02	·05	·02	2
3	·01	—	—	T.R.	—	—	·28	—	—	—	—	·14	3
4	—	—	—	·02	·01	·01	—	—	—	—	·01	—	4
5	·08	T.R.	·04	T.R.	·08	—	—	T.R.	·05	—	—	—	5
6	·37	—	·09	·11	·01	—	·04	—	·12	—	—	T.R.	6
7	·04	—	·19	·10	·01	—	T.R.	—	·30	·10	T.R.	—	7
8	—	·01	—	·01	—	—	—	—	·05	·11	·01	·01	8
9	·11	·18	T.R.	·08	—	—	—	—	—	—	—	·06	9
10	·09	·03	·02	·02	—	—	—	—	·09	·19	—	·03	10
11	·10	·02	T.R.	·08	·39	·07	1·30	—	T.R.	T.R.	·04	—	11
12	·11	—	—	·01	·07	—	·27	T.R.	—	·18	·07	—	12
13	·01	·06	—	·02	·01	—	·06	T.R.	·03	·27	·02	·02	13
14	·01	T.R.	—	·10	—	—	·03	T.R.	—	·01	·16	—	14
15	—	—	—	·01	·07	—	—	—	—	·05	·07	·02	15
16	·39	—	—	·07	·03	—	·02	—	—	·01	·02	T.R.	16
17	—	—	—	T.R.	—	—	·09	·01	—	·14	·01	—	17
18	—	—	—	—	·04	—	—	—	T.R.	—	—	—	18
19	—	·01	—	·10	—	—	·02	·02	T.R.	·15	—	T.R.	19
20	—	—	T.R.	·09	·35	—	·01	·55	—	·13	—	·01	20
21	—	—	·20	·11	2·68	—	·01	·25	T.R.	·66	·02	·03	21
22	—	—	·38	·02	—	—	·32	—	·05	T.R.	·09	·03	22
23	—	·01	—	·01	·07	—	·06	—	—	·03	·13	·01	23
24	·02	T.R.	—	T.R.	T.R.	—	·23	—	·03	T.R.	·11	—	24
25	—	·02	—	·07	·02	—	—	—	—	·25	T.R.	T.R.	25
26	—	—	—	·13	·33	—	·06	—	·02	·23	·07	·01	26
27	—	—	·17	·07	·24	·01	·06	—	—	—	·08	T.R.	27
28	—	—	·05	·20	·22	·02	·33	·28	—	T.R.	—	·01	28
29	T.R.	—	·07	·07	·02	·01	·10	·12	·12	·15	T.R.	·09	29
30	—	×	·05	·06	—	·14	—	·07	·11	·01	·14	·19	30
31	—	×	·07	×	·01	×	·48	—	×	T.R.	×	·06	31
													YEAR'S TOTAL
TOTAL	1·49	·38	1·33	1·62	5·51	·26	3·80	1·31	1·41	2·49	1·11	·75	21·46
*Days with ·01 in. or more.	14	9	11	24	21	6	20	8	13	19	18	17	180
*Days with .04 in. or more.	10	3	10	16	13	2	14	5	10	14	11	5	113

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E Smith.

P.T.O.

3235

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3235

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Haw Hill Park. Normanton

in the County of York.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 135'·59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·10	·09	·14	—	—	—	—	—	—	—	·07	—		1
2	·05	—	·24	—	—	—	—	—	—	T·R.	·12	—		2
3	·02	·09	·09	—	·30	—	—	—	—	—	·16	—		3
4	·07	·02	·02	—	·04	—	—	—	—	—	·01	—		4
5	·11	T·R.	·04	—	·25	—	T·R.	—	T·R.	—	T·R.	—		5
6	·01	·10	·02	—	·70	—	—	—	—	·07	T·R.	·05		6
7	T·R.	·11	·10	—	·25	—	·21	—	—	·89	—	·05		7
8	·02	T·R.	·19	—	·02	—	·42	—	—	—	T·R.	·08		8
9	—	·30	—	—	—	—	·25	—	—	·30	·02	T·R.		9
10	·01	·02	—	—	—	·09	·01	—	—	·82	·10	—		10
11	—	—	—	—	·04	—	·16	·02	—	·24	—	·01		11
12	·03	—	T·R.	—	—	·25	·12	—	—	T·R.	—	·02		12
13	T·R.	—	T·R.	—	·34	·01	·06	—	·05	·06	·14	—		13
14	·03	—	—	—	—	—	T·R.	·01	—	·02	·27	—		14
15	·78	—	·01	—	—	—	·04	·07	—	·03	·78	·15		15
16	·33	—	·21	·08	·12	·08	·23	T·R	—	·08	·04	T·R.		16
17	·15	T·R.	·60	—	·01	·04	—	·05	·15	—	·17	T·R.		17
18	—	·11	·09	—	·01	·16	·01	·04	—	—	·07	—		18
19	—	·01	·57	T·R.	—	·04	—	—	—	—	·03	·02		19
20	—	·02	—	T·R.	·01	—	—	·08	·22	·01	·03	—		20
21	—	T·R.	—	—	·01	·13	—	·02	—	—	·02	T·R.		21
22	—	—	—	—	—	—	—	·04	T·R.	·65	T·R.	·01		22
23	—	·08	—	·12	·01	—	—	·02	·13	·01	—	—		23
24	—	·63	—	·23	·06	·16	—	—	·82	T·R.	T·R.	·04		24
25	—	1·62	—	·20	·21	—	—	—	·11	—	·01	·05		25
26	T·R.	1·01	—	·21	T·R.	T·R.	—	—	T·R.	·04	·02	·03		26
27	T·R.	·04	—	—	T·R.	·01	—	—	·01	·14	—	—		27
28	·01	·02	—	·02	·01	—	·02	—	—	·06	—	—		28
29	—	×	—	·27	—	—	·01	—	—	·21	—	·01		29
30	·03	×	T·R.	T·R.	—	—	T·R.	—	—	·07	—	·02		30
31	·04	×	·03	×	—	×	—	T·R.	×	—	×	—		31
TOTAL	1·79	4·27	2·35	1·13	2·39	·97	1·54	·35	1·49	3·40	2·06	·54	Year's Total 22·28	
*Days with ·01 in. or more.	16	16	14	7	17	10	12	9	7	17	17	13	155	
*Days with ·04 in. or more.	8	11	10	6	10	8	8	5	6	13	10	6	101	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required

(*Signed*) E. Smith

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3235.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at HAW-HILL PARK NORMANTON.

in the County of YORKS

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 135·59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	—	—	T·R.	—	—	—	·07	T·R.	·03	—	·19		1
2	T·R.	·01	T·R.	—	—	—	—	·06	·10	—	·10	·30		2
3	T·R.	·02	—	—	—	—	—	—	—	·07	·05	T·R.		3
4	·02	—	·10	·17	T·R.	—	—	—	·19	·21	—	·56		4
5	—	—	·01	—	·07	—	—	·26	—	·10	·11	·07		5
6	—	—	T·R.	—	·31	—	—	·13	T·R.	·13	—	·60		6
7	·03	·02	T·R.	—	T·R.	·16	—	—	—	·05	·16	·15		7
8	—	—	T·R.	—	·10	·45	—	·06	—	·07	·55	·02		8
9	—	—	·13	·04	—	—	—	·03	T·R.	·03	·64	·06		9
10	—	—	·39	·23	—	—	—	·01	—	·01	·01	T·R.		10
11	·16	—	·06	·35	—	—	—	—	—	—	·01	·19		11
12	—	·01	·06	·11	—	—	·03	·02	—	—	—	·08		12
13	·28	—	·02	T·R.	·01	—	·28	·03	T·R.	·01	T·R.	·01		13
14	·05	—	·23	—	·02	·07	—	—	—	·17	·18	·19		14
15	·17	—	·06	—	·08	—	—	—	·90	·10	·03	·02		15
16	·14	—	·03	—	·21	·15	—	—	—	—	·07	·01		16
17	·05	—	·04	—	·01	—	·24	—	·21	·02	T·R.	·09		17
18	·12	—	·06	·12	·03	·08	·02	—	—	—	—	·03		18
19	—	—	·14	·08	·01	·11	—	—	·04	—	—	—		19
20	—	—	T·R.	·01	·02	·04	—	—	·01	—	—	T·R.		20
21	·02	—	—	—	—	·13	—	—	·10	·02	T·R.	·01		21
22	—	—	—	—	—	—	—	·06	·22	·02	—	T·R.		22
23	—	—	·06	·09	—	—	·25	—	—	·02	·09	·11		23
24	—	T·R.	·03	·04	—	·07	·09	—	·04	T·R.	—	·02		24
25	·02	—	—	·16	T·R.	—	·01	—	·11	·07	—	·32		25
26	·06	—	—	·10	—	·01	·01	—	·03	—	·01	·01		26
27	—	·49	T·R.	·44	—	·17	·07	—	·03	·12	T·R	·16		27
28	—	—	—	·36	—	·26	·02	·09	—	T·R.	—	·25		28
29	—	X	·02	—	—	—	—	·05	·47	—	—	·02		29
30	·06	X	—	—	—	—	·31	—	T·R	·14	—	·09		30
31	·06	X	—	X	—	X	T·R.	—	X	·03	X	·02		31
TOTAL	1·25	·55	1·44	2·30	·87	1·70	1·33	·87	2·45	1·42	2·01	3·58	Year's Total. 19·77	
* Days with .01 in. or more.	15	5	16	14	11	12	11	12	13	20	13	26	168	
* Days with .04 in. or more.	10	1	11	13	5	11	6	8	10	11	9	16	111	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) E Smith.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3235.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Haw Hill Park Normanton.

in the County of Yorks.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft 1 in.

,, Ground ,, Sea Level 135·59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	—	T·R·	—	—	T·R·	·01	—	·40	·30	·10	·20		1
2	T·R·	—	·04	—	—	·14	—	T·R·	T·R·	·34	·03	·02		2
3	T·R·	·03	·21	·04	—	·02	T·R·	—	·03	·02	·29	—		3
4	—	·02	·01	T·R·	—	·36	·02	—	·01	1·41	·03	·01		4
5	·01	·18	·01	·03	—	·04	—	—	·04	T·R·	·07	T·R·		5
6	·03	—	T·R·	·02	—	·10	—	—	—	—	T·R·	—		6
7	·03	—	—	·03	—	·14	—	—	—	·06	·39	·16		7
8	·01	—	T·R·	·09	—	T·R·	—	·21	—	·03	T·R·	·18		8
9	·01	—	T·R·	·18	T·R·	·16	—	—	—	1·07	·13	T·R·		9
10	—	T·R·	T·R·	·07	—	·04	—	T·R·	—	·16	·05	—		10
11	·24	—	—	—	T·R·	—	—	·01	—	·03	·09	·09		11
12	—	·02	—	—	—	·02	—	—	—	—	T·R·	T·R·		12
13	·07	·01	—	·06	·13	·07	—	—	·05	—	·01	—		13
14	—	·03	—	·10	·07	·08	—	—	T·R·	—	·40	·13		14
15	T·R·	·10	—	·35	·04	·08	—	—	·17	T·R·	·17	·15		15
16	—	·23	·09	·05	T·R·	·03	·03	—	·40	—	·68	—		16
17	—	·03	—	·06	·17	·44	·10	·16	·13	—	·82	—		17
18	·02	—	—	·05	·17	·14	·19	·01	·09	·08	·02	—		18
19	·01	—	—	·08	—	·19	·04	—	—	·05	·14	—		19
20	T·R·	·04	—	·21	·01	·10	·01	—	—	—	·50	—		20
21	—	·26	—	·06	—	—	—	·01	·52	·02	·10	·04		21
22	—	·11	·07	—	—	—	—	—	—	—	—	—		22
23	—	·01	·17	1·23	—	—	—	·52	·02	·12	—	—		23
24	·12	·52	·01	—	—	—	—	T·R·	1·00	—	T·R·	·25		24
25	·05	·06	·01	—	—	·04	—	—	—	T·R·	·01	·07		25
26	·16	T·R·	—	—	—	—	·05	·40	·34	·03	·05	·20		26
27	·07	·16	—	—	·01	—	·08	—	·31	·01	·18	·53		27
28	·03	—	—	—	—	—	—	·13	·03	·10	·06	·17		28
29	·01	×	·06	—	—	—	—	T·R·	·10	·09	·02	·05		29
30	·03	×	—	T·R·	—	—	—	·18	·14	·16	·37	·03		30
31	—	×	—	×	—	×	—	—	×	·14	×	·18	Year's Total.	31
TOTAL	1·13	1·81	·68	2·71	·60	2·19	·53	1·63	3·78	4·22	4·74	2·46	26·48	
* Days with .01 in. or more.	17	16	10	17	7	18	9	9	17	19	24	17	180	
* Days with .04 in. or more.	7	9	6	14	5	15	5	6	13	13	18	14	125	

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) E. Smith.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3235.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Haw Hill Park Normanton

in the County of York.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 135·59 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·16	·16	·37	—	·23	·02	·25	·05	—	·02	·01		1
2	T.R.	·01	·11	·01	—	·89	T.R.	·02	—	T.R.	·04	·10		2
3	—	·05	T.R.	—	—	·20	—	·05	·37	—	—	T.R.		3
4	·02	·02	·08	T.R.	T.R.	·03	—	·01	·07	—	·15	·15		4
5	·08	·02	·16	—	·02	T.R.	—	·19	·01	·02	·03	·12		5
6	—	—	—	—	—	·02	·07	·34	·49	T.R.	·11	—		6
7	·13	—	·01	—	—	—	1·13	T.R.	·04	·01	—	·02		7
8	·10	—	·05	—	—	—	—	—	T.R.	·03	·19	·01		8
9	·21	T.R.	·03	—	T.R.	T.R.	·87	—	·03	·04	·15	—		9
10	·02	—	T.R	T.R.	—	—	·27	T.R.	T.R.	·01	·27	T.R.		10
11	—	—	—	·09	—	·05	T.R.	·14	·03	—	·63	·01		11
12	—	—	—	·18	·11	·85	·31	—	·23	—	·27	·09		12
13	T.R.	—	—	·06	—	·11	T.R.	—	—	·02	·01	·28		13
14	—	—	—	·27	—	·17	—	·02	·05	T.R.	·08	·10		14
15	·27	·06	·01	·10	·12	·02	·15	·02	T.R.	·01	·14	—		15
16	·14	·04	—	·04	·01	—	·02	—	—	·01	·48	—		16
17	T.R.	·39	—	—	—	—	·02	—	—	·14	·01	·02		17
18	—	·02	—	—	—	—	·02	·11	—	·19	T.R	—		18
19	·60	·22	·02	T.R.	—	·21	T.R	·25	—	·08	T.R.	—		19
20	·01	·16	·01	—	T.R.	·10	·21	—	·01	·03	—	—		20
21	—	—	·01	·03	—	·18	—	—	—	T.R.	T.R.	—		21
22	·04	·58	·06	—	·07	·78	·17	—	T.R.	—	·01	·01		22
23	—	T.R.	·01	·07	·10	—	·22	—	—	T.R.	T.R.	—		23
24	·14	·03	—	T.R	·37	—	T.R.	—	·05	·16	—	—		24
25	·15	—	·02	—	T.R.	—	T.R.	—	·20	·10	·03	—		25
26	—	·02	·35	—	—	—	T.R	—	·10	·20	—	—		26
27	·39	—	·02	—	—	—	—	—	·03	·18	—	—		27
28	·26	·58	·05	—	—	T.R.	·07	T.R	·01	T.R.	·04	·04		28
29	·20	·26	·04	—	·14	·31	T.R.	—	—	·04	·20	·05		29
30	·05	✕	—	—	·37	T.R.	·22	—	—	·48	·02	—		30
31	T.R	✕	·03	✕	·01	✕	·01	—	✕	T.R.	✕	·05		31
													Year's Total	
TOTAL	2·81	2·62	1·23	1·22	1·32	4·15	3·78	1·40	1·77	1·75	2·88	1·06	25·99	✓
* Days with .01 in. or more.	17	16	19	10	10	15	16	11	16	18	20	15	183	✓
* Days with .04 in. or more.	14	10	9	8	7	12	11	7	10	10	13	9	120	✓

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E Smith

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3235.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Haw Hill Park. Normanton.
in the County of York.
Diameter of Funnel of Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 135·59 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	·08	·06	—	T.R.	—	·01	—	·09	—	·01	·15		1
2	·02	·07	·02	·29	—	·02	—	—	T.R.	T.R.	—	·14		2
3	—	·01	·01	·23	T.R.	·02	T.R.	—	—	—	T.R.	T.R.		3
4	·08	T.R.	·05	·16	·01	—	—	T.R.	—	—	—	·26		4
5	·20	—	·14	—	—	—	—	—	—	T.R.	—	·15		5
6	·10	—	·04	·04	·21	—	·52	·01	—	·02	·03	·38		6
7	—	·50	—	·44	·14	·08	—	—	—	—	·03	T.R.		7
8	T.R.	·33	·02	·06	—	T.R.	·03	—	—	—	·02	·13		8
9	—	·05	—	·02	·22	—	·34	·13	—	—	—	·04		9
10	T.R.	·04	T.R.	·02	·09	T.R.	T.R.	—	T.R.	—	·06	·15		10
11	—	—	·83	·02	·74	—	·01	·02	—	—	—	·05		11
12	·03	·26	·04	·01	·31	·62	—	·88	·08	—	—	·11		12
13	—	·05	·04	·01	·02	·56	—	—	·02	—	—	·10		13
14	—	T.R.	·03	—	—	·01	—	·04	·01	—	—	·16		14
15	·12	·32	·02	·23	—	—	1·17	—	·02	—	—	·03		15
16	·06	·09	·20	·61	—	·05	—	·04	·16	—	—	·02		16
17	·17	·02	·19	·46	—	·01	—	—	·84	—	—	—		17
18	·82	·04	·09	—	—	·10	T.R.	·07	T.R.	T.R	·50	—		18
19	·01	·02	·09	·01	—	·24	·06	—	—	·01	·40	—		19
20	·07	·06	—	·15	·73	T.R.	—	—	—	—	—	·01		20
21	·05	—	T.R.	·01	—	—	·19	—	—	·01	—	·02		21
22	·01	—	·01	T.R.	·03	—	·02	—	—	·15	·13	T.R.		22
23	·30	—	—	—	·03	—	·24	—	—	1·21	·32	—		23
24	·09	·14	T.R.	—	·04	·03	T.R.	—	T.R.	·23	T.R.	·01		24
25	·05	·35	·09	—	—	—	—	T.R.	T.R.	·21	·01	·01		25
26	—	·31	·01	—	·57	—	—	·03	·01	—	—	·01		26
27	T.R.	·32	·04	·16	—	—	T.R.	·01	—	·42	—	·01		27
28	T.R.	·76	T.R	—	—	T.R.	—	—	—	·01	—	—		28
29	·05		—	—	—	T.R.	—	—	—	·02	·01	·01		29
30	·30	✕	—	—	—	·02	—	—	—	·01	·18	·01		30
31	·40	✕	—	✕	—	✕	—	—	✕	·15	✕	·01		31
TOTAL	3·04	3·82	2·02	2·93	3·14	1·49	2·59	1·23	1·26	2·45	1·70	1·97	Year's Total 27·94	✓
* Days with .01 in. or more.	20	20	20	18	13	12	10	9	8	12	12	23	177	✓
* Days with .04 in. or more.	16	17	13	11	9	6	6	5	4	6	6	12	111	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(Signed) E. Smith.

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations Station No. 3235.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at Haw-Hill Park, Normanton.

in the County of York.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 135 . 59 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	T.R.	·08	—	—	T.R.	·41	·08	·08	—	T.R.	·24	·12		1
2	·03	T.R.	—	·02	·03	—	—	—	·01	·18	·20	·19		2
3	·02	—	—	T.R.	—	·03	·07	—	·13	·75	·03	—		3
4	·06	—	T.R.	—	—	·06	·09	—	—	·10	·01	·21		4
5	T.R.	·01	—	—	—	·01	·05	·66	·01	·31	—	·09		5
6	·05	T.R.	—	—	—	·01	·25	·70	·02	·02	—	T.R.		6
7	·09	T.R.	T.R.	—	—	—	·12	·53	·27	·18	—	·02		7
8	·38	—	T.R.	—	—	—	·30	·14	T.R.	·34	—	·14		8
9	·05	·03	—	—	—	·04	·04	T.R.	—	·03	—	·22		9
10	T.R.	—	—	—	—	·10	·03	—	·03	·01	T.R.	·04		10
11	·21	—	—	—	—	—	·05	·06	—	·04	·02	·03		11
12	·12	·05	—	—	·05	—	T.R.	·11	—	·30	·01	T.R.		12
13	—	·04	T.R.	—	T.R.	—	—	—	·17	·02	·04	·17		13
14	·23	·01	—	—	T.R.	—	·22	T.R.	·15	T.R.	T.R.	T.R.		14
15	·20	—	—	—	T.R.	—	·40	·04	T.R.	·01	·01	·26		15
16	·19	—	—	—	T.R.	—	·62	·08	T.R.	·01	·02	·20		16
17	—	T.R.	—	—	·26	—	·13	·01	—	·14	—	T.R.		17
18	·03	T.R.	—	—	·10	·03	—	T.R.	·05	·15	·18	T.R.		18
19	—	T.R.	—	—	T.R.	—	—	·20	·03	—	T.R.	·24		19
20	·02	—	—	—	—	—	—	T.R.	—	T.R.	·30	·10		20
21	—	—	T.R.	—	—	—	—	·07	·01	T.R.	·02	·14		21
22	—	—	—	·01	—	·21	—	—	T.R.	T.R.	·24	·11		22
23	—	—	—	—	·20	·07	—	—	·41	·01	·35	—		23
24	T.R.	—	·16	—	·09	—	—	·25	·16	T.R.	·05	—		24
25	·08	·24	·03	—	T.R.	T.R.	·01	T.R.	—	·29	·66	·04		25
26	·01	·73	·05	—	T.R.	·05	—	—	·14	·12	·03	·01		26
27	T.R.	·01	—	—	·11	·12	·13	·24	·12	—	·10	—		27
28	·20	T.R.	T.R.	—	·63	·17	·08	·56	·04	·02	—	·01		28
29	·06		—	·01	·76	·02	·01	T.R.	·01	T.R.	·06	·01		29
30	·01		—	—	·24	·05	—	—	·22	—	·34	·03		30
31	·16		—		·26		—	·09		·07		·51		31
TOTAL	2·20	1·20	·24	·04	2·73	1·38	2·68	3·82	1·98	3·10	2·94	2·89	Year's Total 25·20	✓
* Days with .01 in. or more.	20	9	3	3	11	15	18	16	18	21	20	22	176	✓
* Days with .04 in. or more.	14	5	2	0	10	10	15	15	11	13	12	16	123	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E Smith

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 32 35.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Haw-Hill Park: Normanton.

in the County of York.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 135·59 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	—	·03	·03	—	—	·18	·01	·03	T·R·	T·R·	—		1
2	·11	—	—	·12	—	—	·01	·13	·94	·11	·06	—		2
3	·08	—	—	·09	—	—	—	·25	·01	T·R·	·19	·21		3
4	·11	—	·08	·46	—	—	·06	·06	—	·07	·01	·23		4
5	—	—	—	—	·07	—	·17	·10	—	·17	·21	·11		5
6	·26	T·R·	—	—	—	—	·23	·02	—	·03	·16	—		6
7	·06	·04	·10	—	1·25	—	·07	—	—	·02	·23	·19		7
8	·05	T·R·	·13	—	—	—	1·15	·04	—	—	·03	·30		8
9	·05	·08	—	—	—	—	·01	·11	—	·61	—	·26		9
10	·54	—	·04	—	—	T·R·	—	·06	·01	·07	T·R·	T·R·		10
11	·32	—	·23	—	·04	·25	—	T·R·	·02	·05	·01	—		11
12	·03	·16	—	—	—	T·R·	—	—	—	—	·03	·01		12
13	T·R·	—	—	·15	·06	·04	T·R·	—	·04	T·R·	·07	—		13
14	·54	—	·01	·03	·22	·13	·38	—	—	·06	·07	T·R·		14
15	·07	T·R·	T·R·	—	·13	·32	·36	—	T·R·	—	·02	·01		15
16	T·R·	—	·30	—	·81	—	·78	—	—	—	·06	—		16
17	·74	·01	·01	·13	·09	—	·07	—	—	·19	—	—		17
18	·21	·04	·03	—	—	·48	·29	—	—	·02	·92	—		18
19	·23	T·R·	—	—	—	·22	·16	T·R·	T·R	—	—	·01		19
20	T·R·	—	—	—	—	·05	·49	·02	·10	—	—	—		20
21	·13	·03	·22	·04	·15	·01	·03	—	·05	T·R·	—	—		21
22	·08	·25	·01	·01	—	—	·04	—	·02	·01	·19	·01		22
23	·03	·06	T·R·	·04	—	·05	·04	T·R·	—	·06	·23	T·R·		23
24	T·R·	T·R·	·18	·01	—	T·R·	T·R·	—	—	—	—	—		24
25	·55	·03	·02	—	—	·01	—	·15	—	—	·33	·07		25
26	·05	·01	T·R·	·04	—	—	—	·03	T·R	·06	·18	·05		26
27	·10	·28	·37	·02	—	·10	·01	T·R·	—	·12	·18	—		27
28	·01	·06	·16	·10	—	·01	·13	·29	—	—	·19	—		28
29	—	×	T·R	—	—	—	1·02	—	—	·29	·01	—		29
30	—		—	—	—	·04	—	—	—	—	·08	—		30
31	—		T·R·		—		·02	T·R·		·02		—		31
TOTAL	4·39	1·05	1·92	1·27	2·82	1·71	5·70	1·27	1·22	1·96	3·46	1·46	Year's Total 28·23	
* Days with .01 in. or more.	23	12	16	14	9	13	22	13	9	17	22	12	182	
* Days with .04 in. or more.	20	8	10	9	9	10	17	9	4	12	16	8	132	

† Spare column, no entries required.

(*Signed*) E Smith

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 3235

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at HAW-HILL PARK. NORMANTON.

in the County of YORK

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 1 in.

,, Ground ,, Sea Level 135.59 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	—	·14	—	·05	—	—	T.R.	—	—	—	·15	T.R.		1
2	—	—	—	·16	—	—	T.R.	—	—	T.R.	·11	·10		2
3	·03	·15	—	·08	—	—	—	—	—	·18	·03	·14		3
4	—	·10	—	·11	—	—	—	—	—	·17	·28	·12		4
5	—	T.R.	—	—	·08	—	·27	—	—	·03	·21	·19		5
6	·12	·19	—	—	—	—	·09	—	—	·55	·02	·02		6
7	·02	·25	—	·05	·05	—	T.R.	·01	·08	—	—	·10		7
8	—	T.R.	T.R.	·05	—	—	—	T.R.	·03	·13	T.R.	·19		8
9	—	—	·16	T.R.	—	—	·03	·06	·02	·19	·97	·01		9
10	—	—	·03	—	—	·14	·58	—	·01	T.R.	·15	·04		10
11	—	·11	·01	T.R.	—	—	·28	—	·01	T.R.	·44	—		11
12	—	·03	·21	—	—	—	·02	T.R.	·14	—	·12	—		12
13	—	·03	·27	·03	—	—	·04	·02	·27	—	T.R.	·01		13
14	—	T.R.	·02	·15	·18	—	·02	—	·06	·04	—	·30		14
15	·02	—	·01	—	·02	·02	—	—	—	—	·15	—		15
16	·22	·20	·01	T.R.	—	—	·17	—	·16	·69	·18	·01		16
17	—	—	·46	—	—	—	·97	—	·09	·01	·19	T.R.		17
18	·03	·21	·06	·72	—	—	·13	·12	·22	—	T.R.	·09		18
19	T.R.	·16	·06	·08	—	T.R.	·13	—	·27	·06	·15	·01		19
20	—	—	·02	·40	—	·03	·04	·07	·04	·10	·10	—		20
21	·05	T.R.	·17	—	—	·23	·11	—	·11	·09	·94	—		21
22	·02	·01	T.R.	—	·01	·18	—	—	·13	·02	—	·01		22
23	—	·20	·05	·01	·01	·06	·03	—	·03	·01	·02	·02		23
24	·05	—	—	·02	—	—	—	—	T.R.	T.R.	—	·05		24
25	·02	—	—	—	—	—	—	—	—	·05	—	T.R.		25
26	·77	·02	—	—	·02	·01	·06	·08	·02	·02	·02	—		26
27	·80	·41	—	·27	—	—	·28	·02	·04	—	·02	—		27
28	·07	·47	—	·01	·17	—	—	—	—	—	—	—		28
29	T.R.	—	·20	—	—	·05	T.R.	—	—	T.R.	—	·30		29
30	·20	✕	—	·02	—	—	—	—	—	·23	·01	·29		30
31	·16	✕	·02	✕	—	✕	—	—	✕	·64	✕	·07		31
													Year's Total	
TOTAL	2·58	2·68	1·76	2·21	·54	·72	3·25	·38	1·73	3·21	4·89	2·07	26·02	
* Days with .01 in. or more.	15	16	16	16	8	8	17	4	18	18	20	20	179	
* Days with .04 in. or more.	9	12	9	11	4	5	13	4	12	13	14	13	119	

* See Instruction 3 (f) on other side.

Surveyor. U.D.C.

† Spare column, no entries required.

(*Signed*) E. Smith.

[P.T.O.

Section **A** for the entry

SPA

AIR MINIST

FORM 1090.

REGIS

COPY FOR OFFICIAL USE.

L ORGANIZATION.

3236

3236

SOWERBY THE HAUGH END

1931

780602

3 6.

Kept at THE HAUGH EN

in the County of YORK

Diameter of Funnel of Gauge

Height of top of Gauge above Gro

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform
year in the space on the right of

ollowing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	—	—	—	0·14	—	0·25	—	—	0·02	0·03	—	—	1
2	0·07	0·35	—	0·64	0·04	0·89	—	—	1·83	0·06	0·20	0·52	2
3	—	—	—	0·03	—	0·06	0·18	—		0·01	1·84	0·14	3
4	—	—	—	0·33	—	—	0·09	0·26	1·39	0·04	0·02	0·32	4
5	—	—	—	—	0·14	1·09	0·01	0·71	0·01	—	—	0·42	5
6	—	0·45	—	—	—	0·12	0·70	—	0·01	[illegible]	0·21	—	6
7	—	—	0·02	—	—	0·70	—	0·32	—	—	0·27	0·06	7
8	—	0·09	—	0·12	0·01	—	0·21	0·30	—	—	0·05	—	8
9	0·02	1·04	0·06	0·14	—	0·24	—	0·34	0·09	0·25	0·28	—	9
10	—	0·18	0·05	—	0·08	0·07	—	0·04	0·01	—	0·25	—	10
11	—	0·80	—	—	—	0·13	0·02	—	0·23	—	0·48	—	11
12	0·07	0·35	—	—	—	—	0·51	—	—	0·29	0·16	—	12
13	0·26	—	—	—	0·05	0·02	0·19	—	—	—	—	—	13
14	—	0·04	—	—	—	0·72	0·05	1·02	—	—	0·54	0·07	14
15	—	0·69	—	0·05	0·06	0·02	0·04	0·33	—	—	0·01	—	15
16	0·03	0·20	—	0·35	0·46	0·45	0·08	0·55	0·20	—	—	—	16
17	0·70	0·09	—	0·46	—	0·10	0·15	0·04	—	0·01	0·12	—	17
18	0·70	—	—	0·25	—	0·47	0·26	0·14	—	0·01	0·61	—	18
19	0·54	0·35	—	0·03	—	—	—	1·10	0·02	0·02	—	—	19
20	0·16	—	0·03	—	0·27	—	—	0·09	—	—	0·08	0·03	20
21	0·10	0·05	—	—	0·01	0·09	—	0·08	—	—	—	—	21
22	0·01	0·30	—	—	0·29	—	0·04	—	—	—	—	—	22
23	0·78	—	—	0·15	0·38	0·22	0·29	—	—	—	0·50	0·08	23
24	1·50	0·18	—	0·13	—	—	0·04	—	—	—	0·03	—	24
25	0·10	0·69	—	0·56	—	—	0·06	—	—	—	0·02	0·04	25
26	0·16	—	—	0·14	—	—	0·02	—	—	—	0·32	—	26
27	0·22	0·08	—	—	0·04	—	0·22	—	—	—	0·82	—	27
28	0·35	0·24	—	0·09	0·27	—	0·03	—	—	0·22	—	—	28
29	0·42	×	—	—	0·34	—	0·06	—	—	0·50	0·04	—	29
30	0·04	×	—	0·04	0·12	—	—	—	—	—	—	—	30
31	0·01	×	—	×	0·24	×	—	—	×	—	×	—	31
TOTAL	5·24	6·17	0·16	3·65	2·80	5·64	3·25	5·32	3·81	1·95	6·85	1·68	YEAR'S TOTAL 46·52 ~~40·46~~
*Days with ·01 in. or more.	20	18	4	17	16	17	21	14	11	12	22	9	181
*Days with ·04 in. or more.	16	18	2	15	14	15	17	14	6	7	17	8	149

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) Sebergen C. Dawson

P.T.O.

3236

Section **A** for the entry COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at THE HAUGH END, SOWERBY

in the County of YORK W. R.

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft — in.

,, Ground ,, Sea Level 450. ft.

3236.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.14	—	0.25	—	—	0.02	0.03	—	—	1
2	0.07	0.35	—	0.64	0.04	0.89	—	—	1.83 }	0.06	0.20	0.52	2
3	—	—	—	0.03	—	0.06	0.18	—		0.01	1.84	0.14	3
4	—	—	—	0.33	—	—	0.09	0.26	1.39	0.04	0.02	0.32	4
5	—	—	—	—	0.14	1.09	0.01	0.71	0.01	—	—	0.42	5
6	—	0.45	—	—	—	0.12	0.70	—	0.01	0.51	0.21	—	6
7	—	—	0.02	—	—	0.70	—	0.32	—	—	0.27	0.06	7
8	—	0.09	—	0.12	0.01	—	0.21	0.30	—	—	0.05	—	8
9	0.02	1.04	0.06	0.14	—	0.24	—	0.34	0.09	0.25	0.28	—	9
10	—	0.18	0.05	—	0.08	0.07	—	0.04	0.01	—	0.25	—	10
11	—	0.80	—	—	—	0.13	0.02	—	0.23	—	0.48	—	11
12	0.07	0.35	—	—	—	—	0.51	—	—	0.29	0.16	—	12
13	0.26	—	—	—	0.05	0.02	0.19	—	—	—	—	—	13
14	—	0.04	—	—	—	0.72	0.05	1.02	—	—	0.54	0.07	14
15	—	0.69	—	0.05	0.06	0.02	0.04	0.33	—	—	0.01	—	15
16	0.03	0.20	—	0.35	0.46	0.45	0.08	0.55	0.20	—	—	—	16
17	0.70	0.09	—	0.46	—	0.10	0.15	0.04	—	0.01	0.12	—	17
18	0.70	—	—	0.25	—	0.47	0.26	0.14	—	0.01	0.61	—	18
19	0.54	0.35	—	0.03	—	—	—	1.10	0.02	0.02	—	—	19
20	0.16	—	0.03	—	0.27	—	—	0.09	—	—	0.08	0.03	20
21	0.10	0.05	—	—	0.01	0.09	—	0.08	—	—	—	—	21
22	0.01	0.30	—	—	0.29	—	0.04	—	—	—	—	—	22
23	0.78	—	—	0.15	0.38	0.22	0.29	—	—	—	0.50	0.08	23
24	0.50	0.18	—	0.13	—	—	0.04	—	—	—	0.03	—	24
25	0.10	0.69	—	0.56	—	—	0.06	—	—	—	0.02	0.04	25
26	0.16	—	—	0.14	—	—	0.02	—	—	—	0.32	—	26
27	0.22	0.08	—	—	0.04	—	0.22	—	—	—	0.82	—	27
28	0.35	0.24	—	0.09	0.27	—	0.03	—	—	0.22	—	—	28
29	0.42	×	—	—	0.34	—	0.06	—	—	0.50	0.04	—	29
30	0.04	×	—	0.04	0.12	—	—	—	—	—	—	—	30
31	0.01	×	—	×	0.24	×	—	—	×	—	×	—	31
TOTAL	5.24	6.17	0.16	3.65	2.80	5.64	3.25	5.32	3.81	1.95	6.85	1.68	YEAR'S TOTAL 46.52 ~~40.48~~
*Days with ·01 in. or more.	20	18	4	17.	16	17.	21.	14.	11.	12	22.	9	181.
*Days with ·04 in. or more.	16	18	2.	15	14	15	17	14	6	7	17	8	149.

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

P.T.O.

3237

Section **A** for the entry of Da FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Nov. 5 & 6 [illegible] [illegible] see 3238

Kept at RAMSDEN HILL

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1326 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	[illegible]								.10			1
2													2
3										.20			3
4							.50						4
5									2.20			1.30	5
6						2.50							6
7		.60	0								3.90		7
8								.60					8
9					.20								9
10	.30									1.60			10
11				.60			.60						11
12									.80			.80	12
13						2.0							13
14		2.90	.50								2.60		14
15								1.70					15
16					.40								16
17	2.10									.50			17
18				.90			2.20						18
19									.03			.10	19
20						2.50							20
21		1.40	0								1.60		21
22								3.30					22
23					.80								23
24	2.30									0			24
25				.70			1.03						25
26									0			.40	26
27						.50							27
28		2.40	.10								3.90		28
29								0					29
30		×		.70									30
31	2.40	×		×	1.20	×	1.30		×	1.20	×	.23	31
TOTAL	7.12	7.30	.60	2.90	2.60	7.50	5.63	5.60	3.03	3.60	12.0	2.83	YEAR'S TOTAL 60.71
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

(Signed) J Haddock

*See Instruction 2 (*f*) on other side.

[P.T.O.

3237

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at RAMSDEN HILL

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1326 ft.

Monthly totals adjusted for reallocation. 18/3/33.

March 1st to April 1st that WD?

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following 1·20 /

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40			·30 ~~1·80~~		~~·30~~		~~·30~~	~~·60~~	·20 ~~·40~~	·20 ~~1·20~~	·50 ~~1·80~~	1
2													2
3									2·50			·40	3
4													4
5			0								·50		5
6		0						0					6
7					·50								7
8						0				·80			8
9	4·4			1·90			·60						9
10									2·0			·30	10
11													11
12			1·0								·10		12
13		·20						·10					13
14					1·40								14
15										2·40			15
16	1·8			1·30			·90						16
17									1·30			1·00	17
18						·10							18
19			0								·50		19
20		0						·10					20
21					1·0								21
22										2·90			22
23	·40			·40			·60						23
24									·10			·40	24
25						·10							25
26			·50								1·90		26
27		·0						·60					27
28					1·50								28
29										1·40			29
30	·10	×		·90		·90	2·40		(·50)		(1·30)		30
31		×	(1·50)	×	(·30)	×	(30)	(·60)	×	(1·00)	×	1·20	31
TOTAL	✓ 4·40	✓ ·20	(3·00) ~~1·50~~	(5·10) ~~6·40~~	(4·70) ~~4·40~~	(1·10) ~~1·40~~	(4·80) ~~4·50~~	(1·40) ~~1·10~~	(6·40) ~~6·50~~	(9·00) ~~8·50~~	(4·50) ~~4·20~~	4·10 [illegible]	YEAR'S TOTAL 51·70 ~~60·50~~
*Days with ·01 in. or more.													
*Days with ·04 in. or more.													

40-9999

*See Instruction 2 (*f*) on other side.

(Signed)

[P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations.

Station No. 3237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at RAMSDEN HILL

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1326 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	1·20	~~·80~~	~~1·30~~	0	0	~~·40~~	0							1
2														2
3						·30								3
4		1·30	·90								·50			4
5								·10						5
6					·40									6
7	1·10									0				7
8				·30			·20							8
9									·10			·20		9
10						0								10
11		1·90	·80								·40			11
12								·20						12
13					·50									13
14	·60									4·10				14
15				·30			2·40							15
16									0					16
17						·60								17
18			·90								1·30			18
19								·60						19
20					·60									20
21	1·10									·60				21
22				0			0							22
23									·50			0		23
24						1·50								24
25			·60								·10			25
26								1·00						26
27					·20									27
28										·50				28
29		(1·30)		1·60			·20							29
30		X				·15			1·0					30
31	(·80)	X		X	·70	X	1·30	·30	X	1·10	X	·04		31
TOTAL	8 ~~4·00~~ (4·80)	(4·50) ~~4·00~~	4·50	2·20	(2·70) ~~2·00~~	(2·55) 3·25	4·10	2·20	1·60	6·30	2·30	·24	Year's Total 36·69	
*Days with ·01 in. or more.														
*Days with .04 in. or more.														

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Haddock

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 3237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at RAMSDEN HILL

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

,, Ground ,, Sea Level 1326 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·60

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1							0		1·0	·90	1·10	·10		1
2														2
3		0	·20								·30			3
4								·90						4
5					·10									5
6	·40									1·40				6
7				·10			0							7
8									·20			3·00		8
9						·90								9
10		·20	·90								1·90			10
11								1·30						11
12					·90									12
13	·80									1·50				13
14				1·20			·30							14
15									·50			·40		15
16						0								16
17		0	1·20								·20			17
18								·50						18
19					2·50									19
20	2·80									1·0				20
21				·40			·30							21
22									1·80			1·20		22
23						1·60								23
24		0	·90								·10			24
25								·50						25
26														26
27	·50									1·90				27
28		·30		1·30			2·0							28
29									2·20			1·80		29
30		X		·10		·90								30
31	·20	X	·10	X	·50	X	1·10		X		X			31
TOTAL	5·00	·50	3·30	3·10	4·00	3·40	3·40	3·20	5·40	4·00	3·60	6·50	Year's Total. 49·00	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) Braddock

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at RAMSDEN HILL

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1326 ft.

Sept oct nov adjusted by sum [illegible]

Adjust monthly totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·60	·10	·30	·10	0	0	·21	·09	0	(·40) ~~·40~~	~~4~~·31	·60		1
2														2
3								0						3
4					0									4
5	·40									1·40				5
6				·40			·85							6
7									1·20			1·36		7
8						1·60								8
9		1·90	·50								·83			9
10								0						10
11					0									11
12	·40									3·60				12
13				1·50			0							13
14									·30			·40		14
15						1·10								15
16		3·00	0								2·20			16
17								0						17
18					·80									18
19	·20									1·40				19
20							·90							20
21									3·30			·60		21
22						1·50								22
23		2·00	·30								1·40			23
24								·60						24
25					·10									25
26	·60									·80				26
27				2·00			·20							27
28									4·53			·80		28
29						·30								29
30		✕	·80						(·30)		1·20		W	30
31		✕		✕		✕		2·30	✕	(4·00)	✕	1·80		31
TOTAL	2·80	4·00	1·90	4·00	·90	4·50	2·16	2·99	9.63 ~~9·53~~	11·90 ~~8·20~~	6·24 ~~[illegible]~~	5·86	Year's Total 50·88	
* Days with ·01 in. or more.													—	
* Days with ·04 in. or more.													—	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) J. H. Braddock [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936.

Kept at RAMSDEN HILL

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 1326 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		2·88										·40		1
2														2
3														3
4	·10			·36										4
5									1·30			2·00		5
6														6
7			·42								·55			7
8								1·80						8
9		·40												9
10														10
11	1·85						1·40							11
12									2·40			·40		12
13						1·90								13
14			·50								4·00			14
15		0						·20						15
16					·10									16
17										·56				17
18	·40			·40			1·80							18
19									·45			2·10		19
20						·45								20
21			·13								1·96			21
22		1·10						1·40						22
23					·10									23
24										2·80				24
25	2·80			·60			1·60							25
26									·49			·20		26
27						1·00								27
28			·53											28
29		·80						·10						29
30		✕			·60	·40			·40					30
31		✕	1·15	✕		✕	·60		✕	3·50	✕			31
TOTAL	5·15	5·18	3·03	1·66	·80	4·35	5·40	3·50	5·64	6·86	6·51	5·40	Year's Total 53·48	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Haddock

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — **Station No.** 323

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937.

Kept at RAMSDEN HILL

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" Ground " Sea Level 1,326 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·40							·33					1
2				·12										2
3												·30		3
4						1·00			·46					4
5		1·20	·50											5
6								·60						6
7					·30									7
8	2·30													8
9				1·10			·80							9
10									·20					10
11														11
12		1·40				·20								12
13								·80						13
14					·56									14
15	1·80									·04				15
16				1·30			·40							16
17												1·40		17
18									1·45		·80			18
19		1·90	1·65			1·25								19
20								1·38						20
21					·60									21
22	·40									·45				22
23				1·10			1·50							23
24									·14					24
25														25
26		1·45	·50											26
27														27
28	·02				1·22									28
29				·15		·30			·10	1·40	·46			29
30		✕										·80		30
31		✕		✕		✕			✕		✕			31
TOTAL	4·82	6·65	2·65	3·44	2·68	2·45	3·00	2·48	2·41	1·80	1·56	2·50	Year's Total 34·46 ✓	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Braddock

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at RAMSDEN HILL

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 1,326 ft.

Annual total corrected for arithmetic.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2												.49		2
3						1.30								3
4		.22												4
5				-				1.70						5
6														6
7	.80				.08					5.47				7
8							1.40							8
9									.56			1.93		9
10						.38								10
11		1.00	.40								.10			11
12								2.73						12
13				-	.20									13
14	1.70									2.75				14
15							1.10							15
16									.12			.86		16
17						-								17
18			.20								1.02			18
19								1.77						19
20					.94									20
21	2.00									.89				21
22							.26							22
23				-					.55			.20		23
24						.68								24
25		.50	.50								2.40			25
26								.80						26
27		1.10			.83									27
28	1.83									.62				28
29							1.00		.66		1.90			29
30	1.00	✕	.30		1.65		.10	.25		.80		1.66		30
31		✕		✕		✕			✕		✕			31
TOTAL	7.33	2.82	1.40	-	3.70	2.36	3.86	7.25	1.89	10.53	5.42	5.14	Year's Total 51.7~~4~~0	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** **for the entry of Daily Observations** **Station No.** 3237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ramsden Hill

in the County of Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 1326 ft.

W

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1														1
2						–	–							2
3		–	·14								·12			3
4								1·08						4
5					·35									5
6	1·10									·20				6
7				–			2·65							7
8									1·23			2·98		8
9						–								9
10		1·28	1·35								1·30			10
11								1·02						11
12					·17									12
13	1·50									·65				13
14				·98			·75							14
15									·43			·84		15
16						2·62								16
17		·57	·40								·57			17
18								–						18
19														19
20	1·81				·76					·18				20
21				·80			·91							21
22									·04			–		22
23						·35								23
24		1·14	1·07					–			1·90			24
25														25
26					–									26
27	·40	1·83								·70				27
28							·88							28
29						1·0						·16		29
30		✕		·04			1·15		–	·24	3·92			30
31		✕	·15	✕		✕		2·21	✕		✕			31
TOTAL	4·81	4·82	3·11	1·82	1·28	3·97	6·34	4·31	1·70	1·97	7·81	3·98	Year's Total 45·92	
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

(*Signed*) Haddock

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3237

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40

Kept at Ramsden Hill

in the County of Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 1.326 ft.

Jan 25th - 26th ests from nearby stns
Mar.-April adjusted " " "

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				~~.14~~							.74			1
2														2
3														3
4														4
5	.05			.85			.41			.50				5
6												1.73		6
7					–	–								7
8			.02								1.65			8
9		.48						.48						9
10					.18									10
11										3.3				11
12	.25						1.72							12
13				.37					1.55			1.56		13
14						.08								14
15			1.11											15
16		s .16						.75			5.00			16
17														17
18										.32				18
19	.07			1.10			2.06							19
20									2.36			1.28		20
21						.34								21
22											2.10			22
23		.68						1.30						23
24					.50									24
25										.40				25
26	(1·64) ~~1.04~~			.44			.45							26
27									.43			.06		27
28		.34				.20								28
29			2.21	.28		.31					.02			29
30		✕			1.53		.76	.29		1.47		1.24		30
31		✕	·14	✕		✕			✕		✕			31
TOTAL	2·01 ~~1.41~~	1.66	·48 3.~~34~~	'04 3.~~18~~	2.21	.93	5.40	2.82	4.34	5.99	9.51	5.87	Year's Total ~~46.66~~	47·26
* Days with .01 in. or more.														
* Days with .04 in. or more.														

† Spare column, no entries required.

* See Instruction 3 (f) on other side. ✕ Rochdale Corpn ✕ (Signed) Haddock [P.T.O.

3238

Section **A** for the entry o

AIR MINISTR

FORM 1090.

REGIS

Kept at RAMSDEN RESE

in the County of YORK

Diameter of Funnel of Gauge

Height of top of Gauge above Grou

,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform to
year in the space on the right of th

—

3238

RAMSDEN RES.

1931 —— 40

780602

PY FOR OFFICIAL USE.

ORGANIZATION.

27/2/32

ent 24.2.32 for value of 1.1.'32

llowing

Jan. 1, following

·14

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	0	.50	.43	0	0	.06	0	.08	0	.08	.01	0	1
2	.07	.01	0	.05	0	.20	0	0	.07	.07	0	0	2
3	.09	.12	0	.77	0	1.31	.02	0	1.12	.10	.18	.28	3
4	0	0	0	.05	0	.04	.40	0	.31	.07	3.21	.51	4
5	0	.05	0	.32	0	0	.12	0	.74	.14	.19	.48	5
6	0	.14	0	0	.20	.94	.05	.47	.09	0	0	.48	6
7	0	.27	0	0	0	.30	.24	.01	.09	.91	.30	0	7
8	0	.10	.02	0	0	.93	0	.17	0	.31	.17	.19	8
9	.07	.52	.01	.07	.02	0	.20	.27	.03	.08	.28	0	9
10	.03	1.13	.03	.25	0	.22	0	.25	.16	.07	.37	.09	10
11	.20	.21	.02	0	.23	.39	0	.27	.09	0	.42	0	11
12	.33	.59	0	.04	0	.13	.17	.01	.32	0	1.19	0	12
13	.02	.29	0	.01	0	0	.73	0	.08	.39	.15	0	13
14	0	0	.43	0	.08	.02	.40	0	0	0	0	0	14
15	.11	.05	.01	0	.01	1.20	.07	.73	0	0	.42	0	15
16	.49	.62	0	.18	.08	0	.09	.43	0	0	0	.07	16
17	.88	.12	0	.33	.57	.51	.17	.76	.17	0	0	0	17
18	.02	.08	0	.30	.03	.12	.52	.15	0	0	.10	0	18
19	.41	0	0	.13	0	.86	.37	.14	0	0	.90	0	19
20	.15	.29	0	.03	0	0	0	1.51	.01	.02	0	0	20
21	.01	.22	.04	0	0	.05	0	.07	0	0	.17	0	21
22	.67	.13	.07	0	.02	.22	0	.24	0	0	0	0	22
23	.57	.16	0	.03	.18	.05	.07	0	0	0	.04	0	23
24	.49	.02	0	.47	.33	.27	.28	0	0	0	1.41	.22	24
25	.13	.35	0	.04	.35	0	.07	0	0	0	.15	.12	25
26	.17	1.10	0	.43	.04	0	.26	0	0	0	.12	.10	26
27	.06	.09	0	.13	0	0	0	0	0	0	.59	.04	27
28	.78	.05	0	.05	.08	0	.39	0	0	.40	1.58	.08	28
29	.40		0	.13	.16	0	.31	0	.04	0	0	.13	29
30	.36	×	0	0	.18	0	.28	0	0	.79	0	0	30
31	0	×	0	×	0	×	0	0	×	0	×	0	31
	·50	·43	–	–	·06	–	·08	–	·08	·01	–	·14	YEAR'S TOTAL 61.37
TOTAL	~~6.51~~ 7.81	~~7.21~~ 7.14	~~1.06~~ ·63	3.81 ✓	~~2.56~~ 2.62	~~7.82~~ 7.76	~~5.21~~ 5.29	~~5.56~~ 5.48	~~3.32~~ 3.40	~~3.43~~ 3.36	~~11.95~~ 11.94	~~2.79~~ 2.93	~~61.23~~
*Days with ·01 in. or more.	~~23~~ 24	25 ✓	~~9~~ 8	20 ✓	~~16~~ 17	~~19~~ 18	22 ~~21~~	15 ~~16~~	~~14~~ 15	13 ✓	~~21~~ 20	~~13~~ 14	~~210~~ 211
*Days with ·04 in. or more.	~~19~~ 20	23 ✓	~~4~~ 3	17 ✓	~~12~~ 13	~~18~~ 17	21 ~~20~~	13 ~~14~~	~~12~~ 13	~~12~~ 11	20	~~13~~ 14	~~184~~ 185

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) J. A. Braddock

[P.T.O.

3238

Section **A** for the entry o PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at RAMSDEN RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 993 ft.

WDS

27/2/32

corr. for WD + Fm. 906 sent 24.2.32 for value of 1.1.32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·14

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	.50	.43	0	0	.06	0	.08	0	.08	.01	0	1
2	.07	.01	0	.05	0	.20	0	0	.07	.07	0	0	2
3	.09	.12	0	.77	0	1.31	.02	0	1.12	.10	.18	.28	3
4	0	0	0	.05	0	.04	.40	0	.31	.07	3.21	.51	4
5	0	.05	0	.32	0	0	.12	0	.74	.14	.19	.48	5
6	0	.14	0	0	.20	.94	.05	.47	.09	0	0	.48	6
7	0	.27	0	0	0	.30	.24	.01	.09	.91	.30	0	7
8	0	.10	.02	0	0	.93	0	.17	0	.31	.17	.19	8
9	.07	.52	.01	.07	.02	0	.20	.27	.03	.08	.28	0	9
10	.03	1.13	.03	.25	0	.22	0	.25	.16	.07	.37	.09	10
11	.20	.21	.02	0	.23	.39	0	.27	.09	0	.42	0	11
12	.33	.59	0	.04	0	.13	.17	.01	.32	0	1.19	0	12
13	.02	.29	0	.01	0	0	.73	0	.08	.39	.15	0	13
14	0	0	.43	0	.08	.02	.40	0	0	0	0	0	14
15	.11	.05	.01	0	.01	1.20	.07	.73	0	0	.42	0	15
16	.49	.62	0	.18	.08	0	.09	.43	0	0	0	.07	16
17	.88	.12	0	.33	.57	.51	.17	.76	.17	0	0	0	17
18	.02	.08	0	.30	.03	.12	.52	.15	0	0	.10	0	18
19	.41	0	0	.13	0	.86	.37	.14	0	0	.90	0	19
20	.15	.29	0	.03	0	0	0	1.51	.01	.02	0	0	20
21	.01	.22	.04	0	0	.05	0	.07	0	0	.17	0	21
22	.67	.13	.07	0	.02	.22	0	.24	0	0	0	0	22
23	.57	.16	0	.03	.18	.05	.07	0	0	0	.04	0	23
24	.49	.02	0	.47	.33	.27	.28	0	0	0	1.41	.22	24
25	.13	.35	0	.04	.35	0	.07	0	0	0	.15	.12	25
26	.17	1.10	0	.43	.04	0	.26	0	0	0	.12	.10	26
27	.06	.09	0	.13	0	0	0	0	0	0	.59	.04	27
28	.78	.05	0	.05	.08	0	.39	0	0	.40	1.58	.08	28
29	.40		0	.13	.16	0	.31	0	.04	0	0	.13	29
30	.36	×	0	0	.18	0	.28	0	0	.79	0	0	30
31	0	×	0	×	0	×	0	0	×	0	×	0	31
TOTAL	·50 ~~6.51~~ 7.81	·43 ~~7.21~~ 7.14	– ~~1.06~~ ·63	– 3.81	·06 ~~2.56~~ 2.62	– ~~7.82~~ 7.76	·08 ~~5.21~~ 5.29	– ~~5.56~~ 5.48	·08 ~~3.32~~ 3.40	·01 ~~3.43~~ 3.36	– ~~11.95~~ 11.94	·14 ~~2.79~~ 2.93	YEAR'S TOTAL ~~61.23~~ 61.37
*Days with ·01 in. or more.	~~23~~24	25	~~9~~8	20	~~16~~17	~~19~~18	22 ~~21~~	15 ~~16~~	~~14~~15	13	~~21~~20	~~13~~14	~~210~~ 211
*Days with ·04 in. or more.	~~19~~20	23	~~4~~3	17	~~12~~13	~~18~~17	21 ~~20~~	13 ~~14~~	~~12~~13	~~12~~11	20	~~13~~14	~~184~~ 185

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) Braddock [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932. W.D.

June ·54 los

OK when corrected for W.D.
Birch
18/3/33.

WD

Kept at RAMSDEN RESERVOIR
in the County of YORKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 993 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·09 ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·14	0	0	·22	·01	·01	·58	·12	0	·05	·01	·49	1
2	·74	·02	0	·30	·21	0	·13	·02	·86	·22	·14	·14	2
3	·91	0	0	0	·25	0	·06	·02	1·66	·04	·28	·58	3
4	·08	0	0	0	0	0	·23	0	·10	0	·01	·23	4
5	·10	0	0	0	0	0	·23	0	·05	·02	·09	·02	5
6	1·51	0	·10	·31	·05	0	0	·01	·37	0	0	0	6
7	1·12	0	·20	·77	·04	0	0	0	·38	·02	0	0	7
8	·11	0	·73	·34	0	0	0	0	·75	·48	·01	0	8
9	0	0	0	·22	0	0	0	0	·24	·70	0	0	9
10	·21	·10	0	·85	·07	0	0	0	·05	·02	0	·07	10
11	·69	·02	0	·09	·02	0	0	0	·75	·70	·04	·07	11
12	·05	·01	0	·13	·63	·04	·60	0	·14	0	·03	0	12
13	·67	0	0	0	·51	·02	·06	·06	·01	·64	·03	0	13
14	0	·01	0	·16	·18	0	·10	·07	·33	·47	·03	·46	14
15	·18	·02	0	·07	0	0	·14	0	·03	·15	·10	·04	15
16	0	0	0	·04	·48	0	0	0	0	·08	·24	·15	16
17	·39	0	0	·05	0	0	·22	0	0	·17	0	·28	17
18	0	0	0	0	·07	0	·13	·04	·06	·82	0	·01	18
19	0	0	0	0	·10	0	0	0	·04	·01	·02	0	19
20	0	0	0	·14	·07	0	0	0	0	·61	0	0	20
21	0	0	0	·21	·41	0	·05	·34	0	·22	·10	0	21
22	·01	0	·26	·11	·27	0	·06	·32	0	·95	·20	·05	22
23	0	0	·25	·22	·01	0	·16	0	0	·06	1·01	·18	23
24	0	·02	0	·11	·44	0	·12	0	0	·11	·21	·12	24
25	·01	0	0	·02	0	·08	·45	0	·22	·01	·07	·01	25
26	0	·02	0	·14	·14	·01	·07	0	·10	·97	·28	0	26
27	0	0	0	·07	·26	0	·41	0	·11	·47	·56	0	27
28	0	0	·47	·30	·43	·18	·65	0	0	·04	·01	·23	28
29	0	0	·07	·15	·20	0	·28	0	0	0	0	·14	29
30	·08	X	·80	·13	·07	·13	·46	·60	·27	·98	·64	·48	30
31	0	X	·22	X +.01	0	X	·13	·02	X +.05	·20	X	·20	31
TOTAL	6.86 ~~7·00~~	·22	+.22 3.32 ~~3·10~~	4.94 ~~5·15~~	+.01 4.92 ~~4·92~~	+.58 1.04 ~~·47~~	+.12 4.86 ~~5·32~~	1.50 ~~1·62~~	6.57 ~~6·52~~	+.01 9.17 ~~9·21~~	+.49 4.59 ~~4·11~~	+.09 3.55 ~~3·95~~	YEAR'S TOTAL 51.54 ~~51·59~~
*Days with ·01 in. or more.	17	8	9	24	23	7	22	11	20	27	22	20	210
*Days with .04 in. or more.	15	1	9	23	20	4	22	7	18	22	14	14	172

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) JH Braddock

P.T.O.

Section **A** for the entry of Daily Observations.

COPY FOR OFFICIAL USE.

Station No. 3238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at RAMSDEN RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft 0 in.

„ Ground „ Sea Level 993 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·09	·69	0	·03	0	0	0	·41	·30	0	·42	0		1
2	·07	·74	·05	0	0	0	0	·04	·16	0	·51	0		2
3	·61	·02	·18	·24	·01	·28	0	·09	0	0	0	0		3
4	·01	·51	·63	·01	·35	0	0	0	0	0	·02	0		4
5	·23	·31	·28	0	·15	0	0	0	0	0	0	0		5
6	·22	·28	·10	0	·18	0	0	0	0	0	·01	0		6
7	·01	·11	·04	0	·30	0	0	0	0	0	0	·05		7
8	·12	·45	·21	0	·08	0	·26	·08	0	·78	0	·03		8
9	·33	·14	·19	·18	·03	0	·25	·02	0	0	·01	·10		9
10	0	·63	0	·12	·14	0	·91	·06	0	·78	·20	0		10
11	·12	·02	0	0	0	·05	·12	0	0	1·49	·15	0		11
12	·01	0	0	0	0	0	·33	0	0	·61	0	·02		12
13	·03	0	0	0	0	·20	·25	0	0	·10	0	0		13
14	0	0	·03	0	·28	0	·45	0	·07	·33	·33	0		14
15	·46	0	·06	0	·10	0	·15	·05	0	·01	·29	0		15
16	·26	0	·10	0	0	0	0	·17	0	·26	·48	0		16
17	·22	·04	·26	·02	·05	·38	0	0	0	·29	·06	0		17
18	·10	0	·41	0	0	·73	0	·34	·08	0	·09	0		18
19	·01	·07	·27	0	·12	·45	0	·09	·04	0	·01	0		19
20	0	0	·31	0	0	·12	0	·01	·17	0	·14	0		20
21	0	·13	0	0	0	0	0	·35	0	0	0	0		21
22	0	0	0	0	0	·05	0	·40	·15	·01	0	0		22
23	0	0	0	0	0	·15	0	·14	0	·12	0	0		23
24	0	0	0	·39	·11	0	0	·10	·06	·05	0	0		24
25	0	·29	0	·24	·12	·16	0	0	·79	0	0	·04		25
26	0	·31	0	·12	0	0	0	0	·18	0	0	·05		26
27	0	·55	0	·74	0	0	0	0	0	·35	0	0		27
28	0	·05	0	·01	·03	0	0	0	0	0	0	0		28
29	0		0	·09	0	0	·16	0	0	·25	0	0		29
30	0	×	0	·03	0	0	·15	0	0	·03	0	·04		30
31	·6903	×	·0301	×	·65	×	·4154	·300	×	·4239	×	·26		31
TOTAL	3·53 ~~2·98~~	4·65 ~~5·20~~	6 3·18	2·19 ~~2·22~~	2·40	2·54	3·98 ~~2·54~~	2·24 ~~2·25~~	1·70 ~~2·00~~	6·27 ~~5·85~~	2·30 ~~2·72~~	·59	Year's Total 38·88. ~~35·99~~	
*Days with ·01 in. or more.	18 ✓	~~18~~ 17	~~14~~ 17	~~13~~ 12	16	10	~~14~~ 12	15 ✓	~~10~~ 9	18 11	~~14~~ 13	8	1 16 ~~54~~	
*Days with ·04 in. or more.	12 ✓	~~17~~ 15	14 ✓	8 ✓	13	10	~~11~~ 12	13 ✓	~~10~~ 9	~~12~~ 14	~~10~~ 9	6	13 ~~65~~	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) J. Haddock

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

W.D

Kept at RAMSDEN RESERVOIR
in the County of YORKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 993 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·22

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	0	0	0	0	0	0	0	·31	·01	·41	·09	0		1
2	·16	0	·05	0	0	0	0	·08	·05	·03	·03	·54		2
3	0	·02	·13	0	·04	0	0	·43	·06	0	·24	·48		3
4	·14	·01	·01	0	0	0	0	·10	·05	·32	·11	·08		4
5	·25	0	·29	·08	·10	0	0	·02	·01	1·02	0	·40		5
6	0	0	·12	0	·10	0	0	·48	0	·33	·03	·20		6
7	0	0	·14	·05	·40	·09	0	·10	0	·24	0	·39		7
8	·45	·06	·16	·04	0	·04	0	0	0	·10	·45	·60		8
9	0	0	·03	0	·09	·41	0	·04	·04	·34	·82	·06		9
10	·02	·13	·15	·02	0	0	0	·24	·01	·02	·45	·03		10
11	0	0	·40	·20	0	0	0	·35	0	·62	·08	0		11
12	·23	0	·11	·40	0	0	0	·29	0	·03	·01	·18		12
13	·01	·01	·04	·20	0	0	·15	·05	0	·13	0	·04		13
14	·53	0	0	·03	·14	0	·19	·04	0	·23	0	·01		14
15	·14	0	·22	0	·04	·02	0	0	0	·48	·01	·08		15
16	·68	0	·18	0	1·04	0	·01	·13	·43	·02	0	·33		16
17	·53	0	·20	0	·32	0	0	0	0	0	·06	·04		17
18	·45	0	·32	0	·14	0	·24	0	·36	·08	0	·40		18
19	·45	0	·21	·25	·44	·21	0	·04	·01	0	0	·34		19
20	0	0	·14	·02	·08	·48	0	·02	·53	·22	0	·05		20
21	0	0	0	·14	·39	0	0	·18	·08	·14	·01	·01		21
22	·06	0	·03	0	·03	·88	0	·23	·04	·12	0	0		22
23	·03	0	·02	0	0	0	0	·14	·45	·15	·01	·01		23
24	·02	0	·10	·58	0	·01	·41	·02	·01	·24	·08	·02		24
25	0	·16	·02	·19	0	·04	·04	0	·61	·50	0	·01		25
26	·14	·09	·02	·11	·01	0	·34	0	·30	·53	0	·43		26
27	·15	0	·02	·13	0	·22	·61	0	·49	·16	·03	·14		27
28	0	0	0	·19	0	·44	·56	0	·04	·60	·02	·34		28
29	0		0	·09	0	·14	·65	·30	0	·04	0	·48		29
30	0	×	·04	0	0	0	·09	·52	·42	·09	0	·20		30
31	·15	×	0	×	0	×	·10	·15	×	·19	×	·14		31
TOTAL	4·62	·48	3·18	3·02	3·99	3·31	+·31 3.76 ~~3·45~~	+·01 4·29 ~~[illegible]~~	+·41 5·03 ~~[illegible]~~	+·09 7.15 ~~[illegible]~~	– 2·48 ~~2·54~~	+·22 6·80 ~~[illegible]~~	Year's Total. 48·17 ~~[illegible]~~	
* Days with .01 in. or more.	19	4	25	14	15	12	~~12~~ 13	23	20	28	~~14~~ 16	2~~8~~9	22[illegible]	
* Days with .04 in. or more.	15	4	18	14	13	10	~~11~~ 12	~~20~~ 19	1~~5~~6	2~~4~~1	1~~0~~9	2~~2~~3	1~~4~~7	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(Signed) [illegible] Braddock

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at RAMSDEN RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 993 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: .40

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.22	.06	.09	.04	.01	0	.24	0	0	.41	.29	.59		1
2	.61	.25	.04	.04	0	.05	.04	0	.27	1.[illegible]0	.24	.56		2
3	.01	.30	.08	0	0	.26	.01	0	.04	.25	.04	.21		3
4	.12	.68	.11	.10	0	.05	.60	0	.27	.01	.12	.26		4
5	.01	.03	.02	0	0	.18	.14	0	.33	.44	0	.22		5
6	0	.67	.21	.29	0	.18	.07	0	.30	.06	.19	.28		6
7	.01	0	.01	.08	0	.47	0	0	0	0	.01	.03		7
8	.04	0	0	.08	0	.35	0	0	0	.32	.18	.30		8
9	0	0	0	.13	0	.02	0	0	0	.36	.05	.37		9
10	.01	0	0	.61	0	.05	0	0	0	2.24	.13	0		10
11	0	.05	0	.61	0	.02	.01	0	0	.32	.16	0		11
12	.61	.48	0	0	0	.22	0	0	0	.23	.12	.04		12
13	.06	.36	0	0	0	.66	0	0	.14	0	.02	0		13
14	.12	.08	0	.08	.21	.01	0	0	.18	.17	.05	0		14
15	.01	.04	0	.13	.06	.13	0	0	.15	.01	1.46	.30		15
16	0	1.98	0	.33	.10	0	0	0	.62	.32	.21	.28		16
17	0	.56	.13	.33	.06	.14	.08	0	.83	0	.39	0		17
18	0	.05	0	.43	.40	.28	.12	0	.84	.10	.33	0		18
19	.01	.05	0	.08	.11	.06	.26	0	.83	.76	.11	0		19
20	0	.20	0	.15	0	.39	.42	0	.02	.24	.15	0		20
21	0	.77	0	.35	0	.17	.09	0	0	0	.48	0		21
22	0	.17	0	.01	0	0	0	0	1.44	.17	.21	.10		22
23	0	.10	.19	.01	0	0	0	0	.19	0	0	0		23
24	.04	.01	.59	.09	0	0	0	.62	.02	.32	0	.02		24
25	.37	.42	.02	0	0	0	0	0	2.02	.06	0	.18		25
26	.20	.05	.18	0	0	.40	0	0	0	0	.18	.24		26
27	0	0	0	0	0	0	.07	1.59	.54	.61	.14	.12		27
28	0	.09	0	0	0	.06	.68	0	.32	1.37	.56	.18		28
29	.02		0	0	0	0	0	.09	.07	.67	.20	.02		29
30	0	✕	.04	0	0	0	0	.01	.22	.41	.13	.27		30
31	.05	✕	0	✕	0	✕	0	.32	✕	1.16	✕	.07		31
TOTAL	2.52	7.45	1.72	3.97	.95	4.15	2.83	2.63	9.64	12.01	6.15	4.64	Year's Total 58.66	
* Days with .01 in. or more.	18	23	13	20	7	21	14	5	21	25	26	21	214	
* Days with .04 in. or more.	11	21	10	18	6	18	12	4	10	23	24	18	184	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Braddock

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at RAMSDEN RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 993 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ·95

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.40	0	.31	.04	0	.04	.05	.04	.02	0	0	.25		1
2	.04	.14	.05	.35	0	0	0	.42	0	0	.11	.71		2
3	.01	.08	.02	.01	0	.78	0	.27	.02	0	.03	.35		3
4	.03	0	0	0	0	.30	.01	.32	.68	0	0	.18		4
5	.48	.14	.19	0	0	.01	.01	.12	.57	0	.21	.73		5
6	.06	.04	.44	0	.06	0	0	.30	.55	.01	.04	.29		6
7	.17	0	.02	0	.01	0	.13	.35	.80	0	.14	0		7
8	.02	0	.16	0	0	0	.33	0	.92	0	.30	.20		8
9	.52	0	.25	0	0	0	0	0	0	0	.50	.17		9
10	.45	0	.07	0	0	.01	0	0	.10	0	.92	0		10
11	.15	0	0	0	0	0	.94	0	.01	0	1.28	0		11
12	0	0	0	.03	0	.20	.29	.03	.03	0	.63	.03		12
13	0	0	0	.12	.06	.61	.76	.02	.50	.09	.39	0		13
14	.05	0	.01	.09	.01	.03	.11	0	0	.25	.02	.74		14
15	0	0	0	.28	0	.34	.07	.13	.10	.22	.22	.85		15
16	.24	0	.06	.12	.01	.12	.14	.58	.15	0	.71	.11		16
17	.05	.08	.01	.04	.01	0	.03	0	0	0	.92	.02		17
18	.03	.42	.01	0	.04	0	.34	.18	0	.78	.09	.30		18
19	0	.09	0	.02	0	.15	.32	.12	0	2.31	0	.03		19
20	.26	.39	.04	0	0	.09	.21	.55	0	.21	0	0		20
21	.19	.09	0	0	0	0	.01	.01	0	.08	0	0		21
22	.06	0	.04	.05	0	0	0	0	0	.11	0	.01		22
23	.21	.30	.03	.01	.03	.96	.23	0	0	.01	0	.08		23
24	0	.05	.20	.34	.08	0	.79	.02	0	.13	0	0		24
25	.10	.03	0	.15	.30	0	0	.07	.21	1.14	0	.07		25
26	.48	0	.02	.06	0	0	.05	0	.58	.32	0	.02		26
27	.04	.41	.22	0	0	0	0	0	.20	.86	.01	0		27
28	1.15	0	.02	0	0	0	0	0	.16	.46	0	0		28
29	.36	.40	.13	0	0	0	.25	0	0	0	.01	.15		29
30	.10	✕	.95	0	.20	.65	0	0	0	.05	.12	.06		30
31	.30	✕ 31	.04 .03	✕	.04 .35	✕ .05	.04 .31	.02 0	✕	.66	✕ .25	.95 .08		31
TOTAL	5.55 ~~[illegible]~~	2.97 ~~[illegible]~~	3.01 ~~3.28~~	1.67 ~~1.41~~	1.20 ~~[illegible]~~	4.30 ~~[illegible]~~	5.37 ~~[illegible]~~	3.51 ~~[illegible]~~	5.58 ~~[illegible]~~	4.69	6.90 ~~[illegible]~~	6.13 ~~[illegible]~~	Year's Total ~~52.33~~	53.88 ✓
* Days with .01 in. or more.	~~26~~ 25	~~14~~ 15	23	~~15~~ 14	~~12~~ 13	14	21	17	~~17~~ 16	17	~~19~~ 20	22	217	✓
* Days with .04 in. or more.	~~22~~ 21	~~13~~ 14	14	~~11~~ 10	~~7~~ 8	11	14	~~13~~ 12	13	15	~~15~~ 16	14	168	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Maddock

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

Form 1090

REGISTER OF RAINFALL IN 1937.

Kept at RAMSDEN RESERVOIR
in the County of YORKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 993 ft.

NOT W D

2lb

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following
6

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·03	·12	·16	—	—	·02	·05	—	·41	—	—	·25		1
2	·10	·56	·15	·12	—	—	—	—	·01	—	—	·03		2
3	—	·51	·05	·10	·03	·91	·10	—	·04	—	—	—		3
4	·48	·06	·03	·31	·15	·01	·09	—	—	—	—	·35		4
5	1·48	—	·11	—	—	—	·09	—	—	—	—	—		5
6	·14	—	—	·17	·06	—	—	·59	·11	—	·07	·10		6
7	·07	·25	—	·44	·06	·03	—	—	·08	—	—	—		7
8	·01	·50	·09	·05	0	·17	·09	—	·01	—	·04	·03		8
9	·02	·12	—	·05	·31	—	·44	·19	—	—	—	—		9
10	·03	·15	·01	—	·03	—	—	—	—	—	—	·18		10
11	—	—	·42	—	·18	—	·02	·02	—	—	—	·05		11
12	·40	·38	·12	—	·04	·14	·04	·29	·19	—	—	·36		12
13	—	·16	·01	·03	—	1·01	—	·30	·05	—	—	·15		13
14	—	·06	·17	—	—	—	—	·23	·31	·02	—	·16		14
15	·36	·73	0	·49	—	—	·54	—	·40	—	—	·04		15
16	—	·53	·15	·75	—	—	—	·53	·19	—	—	—		16
17	·14	·05	·39	·26	·02	·05	—	·05	·30	—	—	—		17
18	·18	·25	·23	·13	—	·02	—	·30	·08	—	·28	—		18
19	·10	·17	·03	·27	·02	·19	—	·27	·01	—	·52	—		19
20	·22	·27	—	·18	·55	·02	—	—	—	—	·09	·12		20
21	—	·10	—	·15	—	—	·60	—	—	·09	—	·24		21
22	·08	—	·17	·09	·05	—	·34	—	—	·35	·13	·16		22
23	·12	—	—	—	·65	—	·52	—	—	·45	·14	—		23
24	·13	·20	·15	—	·08	—	·03	—	·07	·22	—	·09		24
25	·04	·42	·01	—	—	—	·01	·33	—	·09	—	·02		25
26	—	·43	·14	—	·44	—	—	—	·09	—	—	·14		26
27	—	·33	—	·15	—	—	—	·33	—	·49	—	—		27
28	—	·35	—	—	—	·07	—	—	—	·12	—	—		28
29	·02		—	—	—	·05	—	—	—	·04	·10	—		29
30	·15	✕	—	—	—	·10	—	·21	—	·19	·66	—		30
31	·25	✕	—	✕	—	✕	—	·11	✕	·10	✕	—		31
													Year's Total	
TOTAL	4·56	6·70	2·59	3·74	2·67	2·88	2·96	3·75	2·35	2·16	2·03	2·47	38·86	
* Days with .01 in. or more.	22	23	19	17	15	14	14	14	16	11	9	17	191	
* Days with .04 in. or more.	17	23	14	16	11	9	11	13	13	10	9	14	160	

† Spare column, no entries required.

(*Signed*) J. C. Braddock [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at RAMSDEN RESERVOIR

in the County of YORKSHIRE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

,, Ground ,, Sea Level 993 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.07	)	-	-	.71	-	.07	-	.17	.56	.19		1
2	.04	.10	-	.61	.07	.55	-	-	-	1.91	.15	.28		2
3	.01	-	-	-	-	.02	.18	-	.17	1.70	.19	.01		3
4	-	.05	-	.04	-	.02	.10	1.42	-	.27	.12	1.29		4
5	-	.04	-	.08	-	.08	.25	.18	.04	.76	-	.09		5
6	.30	-	-	-	-	.04	.26	.05	.09	.37	-	-		6
7	.43	-	-	-	-	-	.41	.01	.25	.29	-	-		7
8	.52	-	-	-	-	-	.20	.24	-	1.22	-	.25		8
9	.09	.75	.37	-	-	.10	.15	.05	-	.06	-	.29		9
10	-	.14	-	-	-	.14	.32	-	-	.12	-	.04		10
11	.14	.07	.01	-	.02	-	.17	.14	.03	.20	.10	.05		11
12	.51	-	)	-	.15	-	0	2.32	-	1.05	.26	.01		12
13	-	.02	-	-	.06	-	.07	-	.07	.10	.16	.44		13
14	.42	.02	-	-	.15	-	.04	-	.02	-	-	.02		14
15	.73	-	.04	-	.02	-	.35	.11	-	.07	-	.19		15
16	.86	-	.16	-	.20	-	.14	.39	-	.15	.23	.11		16
17	-	-	-	-	.44	-	.12	.50	.17	.33	.03	-		17
18	.16	-	-	-	.12	.07	-	.54	.05	.32	.34	.02		18
19	-	-	-	-	-	-	-	.23	.15	-	-	.10		19
20	.30	-	.03	-	-	-	-	.09	.10	--	.32	.01		20
21	-	-	.05	-	-	-	-	.25	.01	-	.08	.01		21
22	.03	-	-	-	-	.35	-	-	-	-	.55	.05		22
23	-	-	-	.01	.13	.08	-	.02	.07	-	.35	.01		23
24	.42	.04	.28	-	.08	.15	.11	.37	.03	-	.33	-		24
25	.21	.45	.14	-	.01	.13	.38	.07	-	.47	.75	.06		25
26	.25	.58	.14	-	.03	.17	-	-	.11	.15	.32	.05		26
27	.48	.24	-	-	.57	.62	.21	.17	.01	-	.73	-		27
28	.43	.24	.03	-	.22	.69	.04	.08	.19	-	.06	.05		28
29	.17		.10	-	1.03	.40	.35	-	-	.19	.22	.12		29
30	.40	×	-	-	.19	-	.08	-	.32	.09	.57	.33		30
31	.42	×	.02	×	.20	×	-	-	×	.46	×	1.05		31
TOTAL	7.32	2.81	1.37	.74	3.69	4.32	3.93	7.30	1.88	10.45	6.42	5.12	Year's Total 55.35	✓
* Days with .01 in. or more.	22	14	12	4	18	17	20	21	18	22	21	26	215	✓
* Days with .04 in. or more.	20	12	8	3	14	15	20	19	13	22	20	19	185	✓

† Spare column, no entries required.

(*Signed*) H W Braddock

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations Station No. 3238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Ramsden Reservoir

in the County of Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 993 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	–	·48	·03	–	–	·07	·06	·26	·08	–	·66		1
2	·06	–	·06	·17	–	–	·71	·62	·85	–	·03	·14		2
3	·04	–	–	·04	–	–	–	·40	·12	–	·09	·53		3
4	·08	–	·64	·41	·01	–	·62	–	–	·01	–	·46		4
5	–	–	–	–	·33	–	·39	·10	–	·12	·41	·08		5
6	·60	·25	·01	–	–	–	·79	–	–	–	·20	–		6
7	·28	·50	·26	–	·17	–	·07	–	–	–	·12	·33		7
8	·42	·21	·41	·02	–	–	·47	·08	–	·09	·53	·77		8
9	·08	·29	–	–	–	–	·01	·71	–	·35	–	·63		9
10	·18	·01	·03	–	–	·12	–	·02	·36	·20	·04	·19		10
11	·39	·12	·23	–	–	·23	–	·07	·02	·01	–	·01		11
12	·11	·44	–	–	–	·12	–	–	·01	–	·03	–		12
13	·02	–	·01	·26	·04	·16	·06	–	·04	·01	·04	–		13
14	·74	–	–	·03	·38	·35	·20	–	–	–	·26	–		14
15	·10	·06	·03	·62	·05	1·64	·09	–	–	–	·12	–		15
16	·27	–	·11	·03	·20	–	·02	–	–	–	·07	–		16
17	·56	·35	·01	·04	·08	·09	·04	–	–	·17	·05	–		17
18	·05	·04	·04	–	–	·08	·31	–	–	–	·81	–		18
19	·08	–	·02	–	–	·01	·25	–	–	–	–	–		19
20	·01	–	·01	–	–	·09	·20	·09	·01	–	–	–		20
21	·09	·21	·57	·11	·02	–	–	·04	·04	–	–	–		21
22	·07	·23	·34	·05	–	–	·11	·01	–	–	·84	–		22
23	–	·58	·07	·31	–	·07	–	–	–	·43	·22	·02		23
24	·01	·13	·02	·07	–	·01	·02	–	–	·02	·02	–		24
25	·15	·18	–	–	–	·03	–	–	–	–	1·65	·05		25
26	·04	·12	·01	–	–	–	–	2·09	–	·22	·42	·02		26
27	·03	1·44	·05	–	–	·46	·10	·08	–	·03	·25	·07		27
28	–	·09	·07	–	–	·45	·65	–	–	–	·79	–		28
29	–		–	·01	–	–	·74	–	–	·20	·36	–		29
30	–	✕	–	–	–	·05	·15	–	–	–	·45	–		30
31	–	✕	–	✕	–	✕	·26	–	✕	·04	✕	–		31
													Year's Total	
TOTAL	4·78	5·25	3·48	2·20	1·28	3·96	6·33	4·37	1·71	1·98	7·80	3·96	47·10	✓
* Days with .01 in. or more.	25	18	22	15	9	16	23	13	9	15	23	14	202	✓
* Days with .04 in. or more.	21	17	13	10	7	13	20	11	6	10	20	11	159	✓

† Spare column, no entries required.

(*Signed*) Haddock [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3238

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Ramsden Reservoir

in the County of Yorkshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 993 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Readings for January in spare column

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	JAN.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	.23	–	–	.02	–	–	–	.73	.20	–	1
2	–	s .21	–	.22	–	–	.19	–	–	–	1.05	.22	–	2
3	~~.05~~	s .02	–	.18	–	–	.04	–	–	.16	.02	.21	.05	3
4	–	.03	–	.22	–	–	.13	–	–	.34	.26	.36	–	4
5	–	.04	–	–	.12	–	.03	–	–	1.18	.16	.66	–	5
6	~~.11~~	.20	–	–	–	–	.08	–	–	.78	.05	.08	.11	6
7	~~.13~~	.20	–	.26	.06	–	–	.20	.18	.07	–	–	.13	7
8	~~.02~~	–	.02	.02	–	–	.03	.03	–	.28	.11	.25	–	8
9	–	–	.10	–	–	–	.99	.25	.23	.79	1.64	.21	–	9
10	–	–	.03	–	–	–	.32	.52	.01	.19	.64	1.10	–	10
11	–	s .02	.10	.09	–	.08	.09	–	–	–	1.91	–	–	11
12	–	–	.62	–	–	–	.21	.03	.66	–	.58	–	–	12
13	–	s .02	.16	–	–	–	.03	.12	.64	–	.12	–	–	13
14	–	s .08	.05	.25	.20	–	.12	.08	.18	–	.05	.65	–	14
15	–	–	.06	.02	.10	.01	–	–	–	.01	.06	.11	–	15
16	~~.08~~	s .04	.15	.12	–	–	.65	–	1.84	.29	.16	.12	.02	16
17	–	.01	.45	.02	.11	–	.76	–	.24	–	.56	–	–	17
18	~~.05~~	.04	.26	.52	–	–	.08	.31	.42	.01	.01	.40	.05	18
19	–	.19	.29	.16	–	–	.42	–	.43	.01	.48	–	–	19
20	–	.21	.13	.28	–	–	.24	.84	.25	.18	.22	–	–	20
21	–	–	.36	–	–	.33	.02	.09	–	.10	.65	–	–	21
22	–	.06	.05	–	.03	.06	–	.05	.35	.02	–	–	–	22
23	–	.16	.06	.09	.05	–	.19	–	.05	.01	.12	–	–	23
24	~~.58~~	–	.05	.04	–	–	–	.01	–	.04	–	.05	.58	24
25	~~.04~~	–	–	–	–	.10	–	–	–	.05	–	.01	–	25
26	~~.44~~	.17	.03	.03	.25	.03	–	.02	.02	–	.08	–	.44	26
27	~~.68~~	.76	–	.16	.04	–	.75	–	–	–	.27	–	s .68	27
28	~~.39~~	.40	–	–	1.23	–	–	.17	–	–	–	.11	–	28
29	–	–	.38	.03	–	.31	.01	–	–	.05	–	.65	–	29
30	–	✕	–	.08	–	–	–	–	–	.62	.02	.47	s –	30
31	~~s .08~~	✕	.14	✕	.01	✕	–	.07	✕	.80	✕	.01	s .08	31
TOTAL	2.14	2.86	3.49	3.02	2.20	.92	5.40	2.79	5.50	5.98	9.95	5.87	Year's Total 50.12	
* Days with .01 in. or more.	9	19	20	20	11	7	22	15	14	21	24	19	201	
* Days with .04 in. or more.	8	14	17	15	9	5	16	11	12	16	21	17	176	

s - snow.

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) Craddock

[P.T.O.

TODMORDEN.(GORPLE

3238/2

TODMORDEN, GORPLEY RES.
1939-40

780602

Section **A** for the entry
AIR MINIS

Station No. 3238/2
ALL ORGANIZATION

FORM 1090

REG

39

Kept at Gorpley Reservo

in the County of Yorkshi

Diameter of Funnel of Gauge.

Height of top of Gauge above

,, Ground ,,

10/38

THE MORNING MEAS

US DAY

An observer who does not conf
year in the space on the right

e following

Jan. 1, following

Date	Jan.	Feb.	Mar.							ov.	Dec.		Date
	in.	in.	in.	in.	in.	in.					in.	in.	†	
1	.48	–	.63	.03	–	–	.10	.05	.41	.13	–	.91		1
2	.02	–	.03	.19	–	–	.58	.76	.89	–	.05	.19		2
3	.09	–	–	.07	–	–	.01	.39	.04	.01	.12	.75		3
4	.15	–	.69	.59	.01	–	.63	–	–	.05	.01	.52		4
5	–	–	–	–	.49	–	.49	.14	–	.11	.46	.09		5
6	.93	.30	.05	–	–	–	.88	–	–	–	.21	–		6
7	.28	.50	.25	–	.13	–	.16	–	–	.01	.15	.60		7
8	.55	.26	.36	.02	–	–	.51	.07	–	.19	.68	.54		8
9	.10	.57	–	–	–	–	.03	.88	–	.27	–	.69		9
10	.18	.02	.04	–	–	.09	–	.01	.43	.26	.02	.77		10
11	.36	.10	.35	–	–	.41	–	.06	.05	.01	.01	–		11
12	.21	.09	–	–	–	.06	–	–	.01	–	.02	–		12
13	–	–	.01	.34	.11	.21	.09	–	.04	.02	.10	–		13
14	1.15	.01	.02	.06	.44	.74	.22	–	–	–	.57	–		14
15	.30	.07	.05	.63	.05	1.51	.14	–	.01	–	.18	–		15
16	.44	–	.11	.02	.35	–	.04	–	–	–	.07	–		16
17	.82	.51	.03	.04	.06	.17	.02	–	–	.14	.04	–		17
18	.08	.30	.04	–	–	.09	.39	–	–	–	.87	–		18
19	.28	–	.01	–	–	.01	.40	–	.01	–	–	–		19
20	.08	–	.01	–	.01	.09	.14	.12	–	–	–	–		20
21	.14	.42	.74	.17	–	–	–	.03	.01	–	–	–		21
22	.25	.31	.45	.07	.05	–	.13	.01	–	.01	.86	–		22
23	–	.81	.04	.38	–	.08	.04	.02	–	.62	.19	.02		23
24	.02	.20	.02	.05	–	.02	.02	–	–	.03	.01	.01		24
25	.14	.19	.02	.02	–	.02	–	–	–	–	1.88	.06		25
26	.04	.09	.01	–	–	–	–	2.04	–	.31	.58	–		26
27	–	2.45	.20	–	–	.43	.17	.03	–	.02	.33	.08		27
28	.01	.20	.11	–	–	.43	1.11	–	–	–	.94	–		28
29	–	X	.01	–	–	.01	1.63	–	–	.18	.43	–		29
30	–	X	–	–	–	.15	.20	–	–	–	.59	–		30
31	–	X	–	X	–	X	.35	.02	X	.08	X	–		31
TOTAL	7.10	7.40	4.28	2.68	1.70	4.52	8.48	4.63	1.90	2.45	9.37	5.23	Year's Total 59.74	
* Days with .01 in. or more.	24	19	25	15	10	17	25	15	10	18	25	13	216	
* Days with .04 in. or more.	21	17	15	11	8	13	21	9	6	11	20	11	163	

Print
CAE

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) F. Tunnell. [P.T.O.

THE BOROUGH ENGINEER

Water Engineer.

TODMORDEN. (GORPLE

Section A for the entry of Daily Observations. Station No. 3238/2.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Gorpley Reservoir (Todmorden Corpn.)

in the County of Yorkshire, West Riding.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 900' above O.D. ft.

833600/38

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.48	–	.63	.03	–	–	.10	.05	.41	.13	–	.91		1
2	.02	–	.03	.19	–	–	.58	.76	.89	–	.05	.19		2
3	.09	–	–	.07	–	–	.01	.39	.04	.01	.12	.75		3
4	.15	–	.69	.59	.01	–	.63	–	–	.05	.01	.52		4
5	–	–	–	–	.49	–	.49	.14	–	.11	.46	.09		5
6	.93	.30	.05	–	–	–	.88	–	–	–	.21	–		6
7	.28	.50	.25	–	.13	–	.16	–	–	.01	.15	.60		7
8	.55	.26	.36	.02	–	–	.51	.07	–	.19	.68	.54		8
9	.10	.57	–	–	–	–	.03	.88	–	.27	–	.69		9
10	.18	.02	.04	–	–	.09	–	.01	.43	.26	.02	.77		10
11	.36	.10	.35	–	–	.41	–	.06	.05	.01	.01	–		11
12	.21	.09	–	–	–	.06	–	–	.01	–	.02	–		12
13	–	–	.01	.34	.11	.21	.09	–	.04	.02	.10	–		13
14	1.15	.01	.02	.06	.44	.74	.22	–	–	–	.57	–		14
15	.30	.07	.05	.63	.05	1.51	.14	–	.01	–	.18	–		15
16	.44	–	.11	.02	.35	–	.04	–	–	–	.07	–		16
17	.82	.51	.03	.04	.06	.17	.02	–	–	.14	.04	–		17
18	.08	.30	.04	–	–	.09	.39	–	–	–	.87	–		18
19	.28	–	.01	–	–	.01	.40	–	.01	–	–	–		19
20	.08	–	.01	–	.01	.09	.14	.12	–	–	–	–		20
21	.14	.42	.74	.17	–	–	–	.03	.01	–	–	–		21
22	.25	.31	.45	.07	.05	–	.13	.01	–	.01	.86	–		22
23	–	.81	.04	.38	–	.08	.04	.02	–	.62	.19	.02		23
24	.02	.20	.02	.05	–	.02	.02	–	–	.03	.01	.01		24
25	.14	.19	.02	.02	–	.02	–	–	–	–	1.88	.06		25
26	.04	.09	.01	–	–	–	–	2.04	–	.31	.58	–		26
27	–	2.45	.20	–	–	.43	.17	.03	–	.02	.33	.08		27
28	.01	.20	.11	–	–	.43	1.11	–	–	–	.94	–		28
29	–	×	.01	–	–	.01	1.63	–	–	.18	.43	–		29
30	–	×	–	–	–	.15	.20	–	–	–	.59	–		30
31	–	×	–	×	–	×	.35	.02	×	.08	×	–		31
TOTAL	7.10	7.40	4.28	2.68	1.70	4.52	8.48	4.63	1.90	2.45	9.37	5.23	Year's Total 59.74	
* Days with .01 in. or more.	24	19	25	15	10	17	25	15	10	18	25	13	216	
* Days with .04 in. or more.	21	17	15	11	8	13	21	9	6	11	20	11	163	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) J. Tunnell. [P.T.O.

THE BOROUGH ENGINEER

Water Engineer.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3238/2

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at Gorpley Reservoir (Todmorden Corp)

in the County of Yorkshire, West Riding

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

,, Ground ,, Sea Level 900 above O.D. ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·01		·30			·03				·75	·29		1
2				·26			·18				1·29	·22		2
3	·03	·01		·24			·10			·16	·05	·15		3
4		·01		·16			·09			·40	·39	·32		4
5					·14		·04			1·34	·15	·72		5
6	·12	·21		·01			·13			·73	·03	·10		6
7	·10	·20		·28	·08		·02	·23	·16	·07	·01			7
8	·01		·04	·02			·04	·14		·36	·30	·25		8
9			·09	·01			1·18	·36	·36	1·01	1·75	·26		9
10			·04				·35	·43		·15	·97	·97		10
11		·05	·12	·08		·05	·10				2·21			11
12			·55				·26	·03	·87		·75			12
13		·09	·18					·17	·44		·12	·01		13
14		·24	·02	·34	·26		·16	·13	·21		·09	·83		14
15				·07	·02	·02			·01	·02	·06	·13		15
16	·07	·15	·26	·16			·69		2·00	·29	·19	·10		16
17			·41	·01	·08		·81	·01	·24		·60	·01		17
18	·11	·04	·33	·67			·07	·34	·43	·03	·01	·45		18
19		·19	·41	·18			·49		·39	·03	·69	·01		19
20		·01	·08	·35			·13	·88	·33	·23	·19			20
21	·01		·48	·01		·37	·01	·10		·01	·60			21
22		·02	·08		·01	·05		·07	·28	·02	·01			22
23		·21	·05	·11	·09		·19		·08	·02	·10			23
24	·98	·01	·02	·05				·01	·09	·05		·03		24
25	·04				·01	·20				·04		·01		25
26	·49	·23	·04	·16	·30	·02	·01	·01	·01		·06			26
27	1·08	·97		·05	·02		·63				·20			27
28	·02	·16		·01	1·13			·20				·10		28
29			·48	·04		·28	·04			·05	·01	·99		29
30		✕		·08						·76	·05	·37		30
31		✕	·15	✕	·02	✕		·13	✕	·75	✕	·05		31
													Year's Total	
TOTAL	3·06	2·81	3·83	3·65	2·16	0·99	5·75	3·24	5·88	6·52	11·63	6·37	55·89	-
* Days with .01 in. or more.	12	18	19	24	12	7	23	16	15	21	27	22	216	-
* Days with .04 in. or more.	8	12	17	18	7	5	19	12	13	15	23	17	166	-

1·63

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

Water Engineer

[P.T.O.

3239

Section **A** for the entry

AIR MINIST

FOR OFFICIAL USE.

LL ORGANIZATION.

FORM 1090.

REGI

Kept at Fielden Hospital

in the County of York

Diameter of Funnel of Gauge

Height of top of Gauge above Gr

,, Ground ,, Se

THE MORNING MEA

Y.

An observer who does not conform
year in the space on the right of

following

Jan. 1, following

3239

FIELDEN HOSPITAL

1931 — 40

780602

Date	Jan.	Feb.	Marc							.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·01	-	·16	-	·31	-	-	·21	·01	-	·01	1
2	·02	·16	-	·66	·03	1·25	·03	-	·78	·08	·14	·49	2
3	-	·01	-	·03	-	·05	·19	-	·91	·02	2·97	·17	3
4	-	·09	-	·56	-	·01	·12	·05	1·14	·06	·13	·38	4
5	-	·08	-	-	·23	1·05	·03	·59	·09	-	-	·49	5
6	-	·36	·02	·01	-	·18	·16	·02	·02	·46	·09	-	6
7	-	·09	·04	-	-	·84	-	·18	-	·35	·23	·08	7
8	-	·21	·06	·23	·03	·02	·17	·61	·02	·10	·31	-	8
9	·04	·92	·02	·10	-	·18	-	·05	·24	·05	·35	·05	9
10	·17	·19	·03	-	·18	·33	-	·13	·10	-	·41	-	10
11	·45	·81	-	·03	-	·09	·07	·02	·26	-	·89	-	11
12	·04	·37	-	·01	-	·01	·68	·01	·06	·44	·12	-	12
13	·01	-	·51	·01	·12	·03	·41	·03	-	-	·01	-	13
14	·16	·07	-	·03	·01	·71	·08	·67	-	-	·55	·02	14
15	·61	·52	-	·21	·14	·03	·06	·56	-	-	·04	·07	15
16	·98	·16	·05	·29	·63	·47	·09	·54	·25	-	-	-	16
17	-	·14	-	·68	·04	·08	·32	·13	-	-	·21	-	17
18	·25	·02	-	·17	-	·56	·29	·13	-	·08	·76	-	18
19	·12	·15	·01	·06	-	·01	·06	·91	·01	-	·02	·03	19
20	·03	·28	·06	·02	-	·04	-	·03	-	-	·17	-	20
21	·49	·09	·04	-	·09	·15	·03	·26	-	-	·01	-	21
22	·67	-	-	·11	·15	·04	·05	·01	-	-	·03	-	22
23	·53	·09	-	·46	·21	·21	·35	-	·01	·01	·69	·17	23
24	·11	·49	·02	·15	·43	-	·09	-	-	-	·09	·12	24
25	·04	1·27	-	·49	·02	-	·12	-	-	-	·08	·11	25
26	·07	·04	-	·41	-	-	·01	-	·01	-	·43	-	26
27	·72	·02	-	·14	·01	·01	·26	-	-	·36	1·24	·09	27
28	·59	·28	-	·05	·25	-	·07	-	-	·04	·02	·10	28
29	·31		-	·01	·31	-	·11	-	-	·62	·01	-	29
30	-	✕	-	·02	·23	·01	-	-	·04	-	-	-	30
31	·37	✕	-	✕	·17	✕	-	-	✕	·02	✕	-	31
TOTAL	6·84	6·92	·86	5·10	3·28	6·67	3·87	4·93	4·15	2·70	10·00	2·38	YEAR'S TOTAL 57·70
*Days with ·01 in. or more.	23	26	11	26	19	25	~~21~~ 24	19	16	15	26	15	24~~2~~5
*Days with ·04 in. or more.	20	22	6	17	14	17	20	13	11	11	20	12	18~~2~~3

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) X L. A. Crabtree [P.T.O.

3239

Section | **A** | **for the entry** FOR OFFICIAL USE.
AIR MINISTRY. LL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937 .

Kept at Fielden Hospital
in the County of York
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
„ Ground „ Sea Level 650 ft.

[illegible]

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	·01	-	·16	-	·31	-	-	·21	·01	-	·01	1
2	·02	·16	-	·66	·03	1·25	·03	-	·78	·08	·14	·49	2
3	-	·01	-	·03	-	·05	·19	-	·91	·02	2·97	·17	3
4	-	·09	-	·56	-	·01	·12	·05	1·14	·06	·13	·38	4
5	-	·08	-	-	·23	1·05	·03	·59	·09	-	-	·49	5
6	-	·36	·02	·01	-	·18	·16	·02	·02	·46	·09	-	6
7	-	·09	·04	-	-	·84	-	·18	-	·35	·23	·08	7
8	-	·21	·06	·23	·03	·02	·17	·61	·02	·10	·31	-	8
9	·04	·92	·02	·10	-	·18	-	·05	·24	·05	·35	·05	9
10	·17	·19	·03	-	·18	·33	-	·13	·10	-	·41	-	10
11	·45	·81	-	·03	-	·09	·07	·02	·26	-	·89	-	11
12	·04	·37	-	·01	-	·01	·68	·01	·06	·44	·12	-	12
13	·01	-	·51	·01	·12	·03	·41	·03	-	-	·01	-	13
14	·16	·07	-	·03	·01	·71	·08	·67	-	-	·55	·02	14
15	·61	·52	-	·21	·14	·03	·06	·56	-	-	·04	·07	15
16	·98	·16	·05	·29	·63	·47	·09	·54	·25	-	-	-	16
17	-	·14	-	·68	·04	·08	·32	·13	-	-	·21	-	17
18	·25	·02	-	·17	-	·56	·29	·13	-	·08	·76	-	18
19	·12	·15	·01	·06	-	·01	·06	·91	·01	-	·02	·03	19
20	·03	·28	·06	·02	-	·04	-	·03	-	-	·17	-	20
21	·49	·09	·04	-	·09	·15	·03	·26	-	-	·01	-	21
22	·67	-	-	·11	·15	·04	·05	·01	-	-	·03	-	22
23	·53	·09	-	·46	·21	·21	·35	-	·01	·01	·69	·17	23
24	·11	·49	·02	·15	·43	-	·09	-	-	-	·09	·12	24
25	·04	1·27	-	·49	·02	-	·12	-	-	-	·08	·11	25
26	·07	·04	-	·41	-	-	·01	-	·01	-	·43	-	26
27	·73	·02	-	·14	·01	·01	·26	-	-	·36	1·24	·09	27
28	·59	·28	-	·05	·25	-	·07	-	-	·04	·02	·10	28
29	·31		-	·01	·31	-	·11	-	-	·62	·01	-	29
30	-	X	-	·02	·23	·01	-	-	·04	-	-	-	30
31	·37	X	-	X	·17	X	-	-	X	·02	X	-	31
TOTAL	6·84	6·92	·86	5·10	3·28	6·67	3·87	4·93	4·15	2·70	10·00	2·38	YEAR'S TOTAL 57·70
*Days with ·01 in. or more.	23	26	11	26	19	25	24~~21~~	19	16	15	26	~~16~~15	24~~2~~5
*Days with ·04 in. or more.	20	22	6	17	14	17	20~~19~~	13	11	11	20	12	18~~2~~3

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) X L. A. Crabtree [P.T.O.

3239

Section **A** **for the entry of Daily Observations.** **FOR OFFICIAL USE.**

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Fielden Hospital

in the County of York

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·37	·17	-	·06	·03	·47	·15	·11	·39	1
2	·93	-	-	·01	·31	-	·02	-	·99	·06	·09	·11	2
3	·10	-	-	-	-	-	·10	-	·17	·01	·06	·41	3
4	·07	-	-	-	·03	-	·16	·01	·03	-	·03	·03	4
5	1·03	-	·13	·33	·04	-	·02	·01	·22	-	-	-	5
6	·99	-	·22	·78	·02	-	-	-	·21	·05	·01	-	6
7	·05	-	·73	·31	-	-	-	-	·61	·29	·02	-	7
8	-	-	-	·18	-	-	-	-	·20	·76	·01	·	8
9	·18	snow ·18	-	·51	·06	-	-	-	·08	-	-	·07	9
10	·43	snow ·07	snow ·01	·03	·01	-	-	-	·53	·47	·02	·19	10
11	-	-	snow ·02	·07	·41	·25	·94	-	·06	-	·04	-	11
12	·49	-	-	·01	·39	·02	·16	·08	·01	·59	·05	·02	12
13	·03	·06	-	·25	·15	-	·05	·05	·22	·41	·07	·21	13
14	·12	-	-	·04	-	-	·07	-	·01	·17	·11	·09	14
15	·02	-	-	-	·46	-	-	-	-	·14	·32	·08	15
16	·32	-	-	·07	·02	-	·09	-	-	·13	·01	·16	16
17	-	-	-	·01	·14	-	·12	·06	·08	·46	-	·02	17
18	-	-	-	-	·09	-	·01	-	·02	-	·04	-	18
19	-	-	-	·17	·11	-	·02	-	·02	·20	-	-	19
20	-	-	·04	·17	·46	-	·04	·34	·01	·20	·10	·01	20
21	-	-	·27	·16	·37	-	·01	·35	-	1·03	·22	·06	21
22	·02	-	·11	·17	·03	-	·16	-	·02	·13	·65	·22	22
23	-	·04	-	·09	·42	-	·02	-	-	·09	·08	·09	23
24	-	·01	-	·06	·01	·09	·64	-	-	·14	·06	·02	24
25	-	·06	-	·20	·17	·03	·06	·01	·23	·26	·26	-	25
26	-	·01	-	·08	·35	-	-	-	·07	·41	·25	-	26
27	-	-	-	·31	·23	·21	·91	-	-	·41	·05	·01	27
28	-	-	·02	·08	·22	·01	·24	-	-	·02	-	·02	28
29	-	-	·98	·09	·12	·08	·30	·54	·22	·47	·37	-	29
30	-	✕	·21	·04	·02	·32	no reading taken	·01	·15	·21	·31	·01	30
31	-	✕	·18	✕	·01	✕	·24	-	✕	·07	✕	-	31
TOTAL	4·78	·43	2·92	4·59	4·82	1·01	4·44	1·49	4·63	7·33	3·34	2·22	YEAR'S TOTAL 42·00
*Days with ·01 in. or more.	14	7	12	26	27	8	23	11	23	26	25	20	222
*Days with ·04 in. or more.	11	5	9	22	19	5	17	6	16	24	19	12	165

40-9999

(Signed) L. A. Crabtree

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No 3239

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at FIELDEN HOSPITAL, TODMORDEN.

in the County of YORKSHIRE.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	·56	·09	-	-	-	-	·20	·08	-	·42	-	1
2	·59	-	·21	·16	-	·31	-	·01	-	-	·03	-	2
3	·02	·41	·23	·02	·31	-	-	·02	-	-	·04	-	3
4	·29	·22	·52	-	·20	-	-	-	-	-	·01	-	4
5	·32	·15	·06	-	·08	-	-	-	-	-	·02	-	5
6	·02	·17	·23	-	·37	-	-	-	-	-	·01	·06	6
7	·08	·31	·05	-	-	-	·05	·02	-	·78	-	·10	7
8	·25	·09	·13	·19	-	-	·32	·02	-	·01	·01	·07	8
9	-	·57	-	·13	-	·03	·63	-	-	·59	·09	-	9
10	·14	·03	-	·02	·24	·02	·07	-	-	1·48	·03	-	10
11	-	-	-	-	-	-	·29	·04	-	·72	-	-	11
12	·03	-	-	-	-	·21	·55	-	-	·16	-	·04	12
13	-	-	·04	-	·26	-	·06	·02	·28	·11	·27	-	13
14	·86	-	·06	-	·16	-	·11	·04	-	·02	·53	-	14
15	snow ·29	-	·09	-	·01	·05	-	·10	-	·32	·64	·02	15
16	snow ·21	·02	·30	·01	·07	·22	·06	-	-	·14	·10	-	16
17	snow ·05	-	·51	·02	-	·54	-	·38	·10	·01	·03	-	17
18	-	snow ·15	·95	-	·15	·42	-	·05	-	-	·16	·01	18
19	-	snow ·04	·29	snow. ·04	-	·02	-	·14	·09	-	·04	·03	19
20	-	·11	-	-	-	·01	-	·28	-	-	·02	-	20
21	-	snow ·02	-	-	-	·19	-	·39	·09	·01	·01	·01	21
22	-	-	-	-	-	·81	-	·07	-	·11	-	-	22
23	-	snow ·02	-	·31	·06	-	-	·10	·12	·02	-	-	23
24	-	-	-	·16	·09	·19	-	-	·89	·01	·02	-	24
25	-	-	-	·15	·06	-	-	-	·33	·01	-	-	25
26	-	snow ·75	-	·42	-	-	-	-	-	·34	·03	-	26
27	-	·04	-	·09	·04	-	-	-	·01	·02	-	-	27
28	-	·05	-	·03	-	-	-	-	·01	·31	-	-	28
29	-	-	·01	·02	·14	-	·09	-	·01	·10	-	-	29
30	·04	X	·02	·01	·37	-	·06	-	-	·23	-	·38	30
31	·64	X	·06	X	-	X	·29	·09	X	·29	X	·01	31
TOTAL	3·90	3·71	3·85	1·78	2·61	3·02	2·58	1·97	2·01	5·79	2·51	·73	YEAR'S TOTAL 34·46
*Days with ·01 in. or more.	16	18	18	16	16	13	12	17	11	22	20	10	189
*Days with .04 in. or more.	13	14	16	9	15	9	12	12	8	14	9	5	136

40-9999

*See Instruction 2 (*f*) on other side.

D

(*Signed*) L. A. Crabtree

P.T.O.

3239

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.**

Station No. ~~777137/27~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Fielden Hospital

in the County of York

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	-	·02	-	-	-	-	·18	·02	·01	snow ·01	·25	1
2	-	·02	·12	-	·03	-	-	·72	·13	-	·01	·26	2
3	·04	·03	·01	-	-	-	-	·06	·07	·21	·18	·06	3
4	·18	-	·35	·04	·06	-	-	-	-	1·29	·02	1·07	4
5	-	-	·15	·02	·16	-	-	·40	-	·25	·16	·26	5
6	-	-	·07	·03	·76	·07	-	·18	-	·16	-	·30	6
7	·37	·06	·11	·06	-	·02	-	-	-	·09	·51	·62	7
8	-	·01	·01	-	·06	1·02	-	·08	·05	·28	·56	·05	8
9	·03	·07	·01	·04	-	-	-	·17	·02	·04	·52	·04	9
10	·01	-	·74	·27	-	-	-	·30	-	·29	·05	·01	10
11	·31	-	·22	·54	-	-	-	·15	-	·02	·03	·23	11
12	·01	-	·07	·13	-	-	·23	·02	-	·04	-	·09	12
13	·61	·01	·02	·06	·06	-	·15	·04	-	·18	·01	·02	13
14	·11	-	·52	-	·04	·04	-	·07	·01	·41	·01	·18	14
15	·68	·02	·10	-	·89	·01	-	-	·32	·03	·01	·36	15
16	·43	-	·29	-	·26	·01	-	-	-	·01	·06	·03	16
17	·16	-	·38	·02	·39	-	·27	-	·32	·08	-	·37	17
18	·45	-	·27	·15	·57	·21	-	-	·13	-	·01	·32	18
19	·01	·01	·56	·05	·11	·35	-	·03	·24	·09	-	·01	19
20	-	·01	·01	·06	·31	·02	-	·19	·08	·14	·02	-	20
21	·06	-	·01	·09	·02	·67	-	·14	·06	·13	·01	-	21
22	·01	-	·03	-	-	-	-	·19	·52	·18	·01	·01	22
23	-	·01	·08	·54	-	·01	·28	·02	·01	·25	·04	·08	23
24	-	·11	·01	·15	-	·10	·04	-	·33	·33	·01	·02	24
25	·36	·01	·01	·22	·02	-	·41	·01	·36	·53	-	·75	25
26	·39	-	·02	·23	-	·15	·22	-	·44	·24	·04	·20	26
27	-	-	-	·09	-	·77	·40	-	·05	·47	·03	·50	27
28	-	-	-	·27	-	·12	·22	·16	-	·08	-	·71	28
29	-		·04	-	-	-	·05	·64	·34	·02	·01	·19	29
30	·07	✕	·01	-	-	-	·09	·16	·01	snow ·26	·02	·17	30
31	·01	✕	-	✕	-	✕	·34	-	✕	snow. ·02	✕	·09	31
TOTAL	4·38	·37	4·24	3·06	3·74	3·57	2·70	3·91	3·51	6·13	2·34	7·35	YEAR'S TOTAL 45·30
*Days with ·01 in. or more.	21	12	28	20	15	15	12	21	20	29	24	29	246
*Days with .04 in. or more.	15	3	16	17	12	10	12	17	15	23	9	23	172

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) L. A. Crabtree

P.T.O.

3239

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.
Station No.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Fieldem Hospital
in the County of York
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·47	·09	·08	·02	-	·06	·02	-	·13	·68	·08	·52		1
2	·02	·57	-	-	-	·20	-	-	·04	·21	·06	·31		2
3	·09	·73	·16	·13	-	·04	·43	·01	·35	·24	·14	·16		3
4	-	·05	·05	·01	-	·14	·12	-	·18	·27	-	·01		4
5	-	·74	·11	·13	-	1·33	·06	·01	·30	·12	·12	·17		5
6	·03	-	·05	·02	-	·78	-	-	-	-	·01	·01		6
7	·01	-	-	·05	-	·43	-	-	-	·46	·13	·23		7
8	·04	-	-	·20	-	·03	-	-	-	·38	·16	·35		8
9	·03	-	·01	·69	-	·09	-	-	-	1·97	·18	-		9
10	·02	·07	snow ·01	·71	-	·01	-	-	-	·32	·14	-		10
11	snow ·59	·38	-	-	-	·51	-	·01	·01	·30	·18	·05		11
12	·06	·29	-	-	-	·72	-	-	·09	-	·01	-		12
13	·41	·13	-	·08	·27	-	-	·01	·21	·09	·09	-		13
14	-	·03	-	·17	snow ·14	·12	-	·02	·13	·01	1·44	snow ·09		14
15	-	1·94	-	·29	·09	·13	·01	-	·62	·25	·03	snow ·36		15
16	·01	·49	·09	·41	·14	·47	·01	-	·74	-	·29	-		16
17	·01	·08	-	·47	snow ·35	·29	·29	·01	·65	·06	·37	-		17
18	·03	·05	-	·03	·04	·08	·08	·01	·72	·89	·06	-		18
19	-	·29	-	·18	-	·31	·42	-	·08	·21	·36	-		19
20	-	·84	-	·52	-	·12	·03	-	-	-	·85	-		20
21	-	·14	·01	·01	-	-	-	·01	1·49	·21	·36	·01		21
22	-	(snow) ·02	·23	-	-	-	-	-	·36	-	-	·01		22
23	·06	·03	·81	·18	-	-	-	·58	·03	·29	-	-		23
24	·61	(snow) ·49	·02	-	-	-	-	-	1·91	·03	-	·45		24
25	·14	·05	·23	-	-	·50	-	-	-	·02	·13	·05		25
26	-	-	-	-	-	-	·06	1·31	·39	·65	·14	·30		26
27	snow ·02	·28	-	-	-	·05	·62	-	·35	1·13	·52	·06		27
28	·03	·37	-	-	-	-	-	-	·06	·46	·21	·01		28
29	·02	-	·08	-	-	-	-	·05	·27	·49	·22	·34		29
30	·06	×	·02	·05		·25	-	·27	·33	1·09	·94	·08		30
31	·09	×	·06	×	-	×	-	-	×	·35	×	·37		31
TOTAL	2·85	8·15	2·02	4·35	1·03	6·66	2·15	2·30	9·44	11·18	7·22	3·94	Year's Total. 61·29	
* Days with .01 in. or more.	22	23	16	20	6	22	12	12	23	26	26	21	229	
* Days with .04 in. or more.	11	20	11	14	6	20	8	4	21	23	23	16	177	

40-9999
* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. A. Crabtree

[P.T.O.

COPY FOR OFFICIAL USE.

3239

Section **A** for the entry of Daily Observations. **Station No.** ~~777137/27~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Ielden Hospital Todmorden

in the County of York

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 650 ft.

Jan: and annual total. B.A.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	·02	·03	·09	-	-	·03	·34	·05	-	·08	·87		1
2	·02	snow ·05	-	-	-	1·02	·05	·13	·02	-	·03	·24		2
3	·07	-	-	-	-	·37	-	·23	·62	-	-	·10		3
4	·51	snow ·14	·11	-	-	·04	-	·21	·48	·02	·21	·79		4
5	·12	-	·19	-	·03	-	·01	·38	·29	·01	·04	snow ·35		5
6	·31	-	-	-	·01	·01	·15	·35	·74	-	·31	-		6
7	·06	snow ·04	·08	-	-	·01	·23	-	1·09	-	·34	·28		7
8	·44	-	·19	-	-	-	-	-	-	-	·61	·02		8
9	·35	-	·01	-	-	-	·18	-	·17	-	·98	-		9
10	·26	-	-	-	-	·01	·43	-	·02	-	1·24	-		10
11	-	-	-	snow ·09	-	·19	·15	·02	·04	-	·78	·05		11
12	-	-	-	·16	·05	·76	·69	·01	·40	·04	·42	·03		12
13	·02	-	·01	·14	-	·03	·09	-	-	·25	·01	1·16		13
14	-	-	-	·19	-	·32	·04	·11	·20	·08	·25	·87		14
15	snow ·25	-	·06	·12	-	·06	·02	·44	·21	-	·65	·14		15
16	snow ·02	snow ·03	-	·07	·03	-	·03	-	-	·05	·88	·08		16
17	snow ·02	·54	-	·01	·06	-	·17	·13	-	·71	·07	·37		17
18	-	·02	-	-	-	·13	·09	·14	-	·91	-	·04		18
19	snow ·34	·12	·05	-	-	·12	·15	·35	-	·14	-	-		19
20	snow ·29	·02	-	·02	-	·01	·02	-	·02	·06	-	·01		20
21	snow ·16	-	·04	·01	-	·19	-	-	-	·03	-	·03		21
22	snow ·19	snow ·04	·03	-	·03	1·34	·34	-	-	-	-	·06		22
23	-	-	·29	·25	·04	·02	·76	·01	-	·10	-	-		23
24	·21	·01	-	·14	·15	-	-	·03	·15	1·21	-	·04		24
25	·32	-	·04	·06	-	·03	·05	-	·73	·26	·01	·01		25
26	·29	·12	·25	-	-	-	-	-	·20	·78	·02	-		26
27	1·03	·03	·01	-	-	-	-	-	·08	·35	-	-		27
28	·42	snow ·05	·21	-	-	-	·29	-	-	-	·02	·14		28
29	·09	snow ·07	·46	-	·21	·76	-	-	-	·05	·13	·04		29
30	·17	✕	-	-	·08	·01	·23	-	-	·66	·22	·09		30
31	·07	✕	·01	✕	·03	✕	·02	·01	✕	-	✕	1·09	Year's Total	31
TOTAL	6 5·08	1·30	2·07	1·35	·72	5·43	4·22	2·89	5·51	5·71	7·30	6·90	48·78	49·48
* Days with .01 in. or more.	26	15	18	13	11	20	23	16	18	18	21	24	223	
* Days with .04 in. or more.	22	9	12	10	6	12	17	11	15	15	16	19	164	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. A. Crabtree. [P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3239

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at FIELDEN HOSPITAL, TODMORDEN

in the County of YORK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12		snow ·16	-	-	-	·07	-	·09	·02	-	·16		1
2	·39	·69	snow ·25	·19	-	-	·02	-	·11		-	·04		2
3	-	·41	snow ·07	·17	·05	·61	·03	-	·03	-	-	·06		3
4	·36	·04	snow ·12	·15	·14	·01	·03	·03	·01	-	-	·13		4
5	·45	-	snow ·06	·03	·01	-	·02	-	·03	-	·01	·05		5
6	-	-	snow ·14	·16	·04	·01	-	·76	·10	·02	·07	·10		6
7	·03	·67	snow ·01	·33	·07	·04	-	-	·05	·01	·01	-		7
8	-	·42	-	·06	-	·12	·14	·02	·03	-	·05	·04		8
9	-	·19	snow ·03	·07	·28	·01	·19	·14	-	-	-	-		9
10	·04	·15	-	-	·02	·01	·01	-	-		·02	-		10
11	-	-	snow ·38	-	·23	-	·03	·01	-	-	-	-		11
12	·39	-	·23	·09	·04	·12	·04	·04	·12	-	-	snow ·73		12
13	-	-	-	-	-	1·80	-	·23	·04		-	snow ·25		13
14	-	·56	·11	-	-	·03	-	·13	·19	·04	-	snow ·14		14
15	·45	·78	-	·43	-	-	·75	-	·22	-	-	snow ·13		15
16	·08	·69	·23	·59	-	-	·01	·37	·23	-	-	snow ·08		16
17	·12	·08	·33	·14	·06	·13	-	·03	·31	-	-	-		17
18	·23	-	·22	·12	-	·03	·01	·22	·07	-	·76	-		18
19	-	·42	·04	·23	·02	·19	·03	·05	·15	-	snow ·43	-		19
20	·32	·39	·01	·18	·69	·08	·15	-	-	-	-	·13		20
21	·03	-	·02	·09	·01	-	·34	-	-	~~·40~~	-	·12		21
22	·11	-	snow ·15	·05	·07	-	·15	-	-	·34	·34	·15		22
23	·17	-	·02	-	·42	-	·49	-	-	·53	·18	·01		23
24	·15	·39	·16	-	·12	-	·03	-	·06	·21	·02	·07		24
25	·03	·82	-	-	-	-	·01	·23	·04	·15	-	·05		25
26	-	·56	snow ·17	-	·43	-	-	-	-	·01	·01	·07		26
27	-	-	-	·15	-	-	-	-	-	·52	-	·02		27
28	-	·28	·01	-	-	·07	-	-	·05	·17	-	-		28
29	·02	-	-	-	-	·02	-	-	-	·06	·11	·01		29
30	·25	✕	-	-	-	·14	-	·06	-	·12	·19	·04		30
31	·44	✕	-	✕	-	✕	-	·37	✕	·15	✕	·01		31
TOTAL	4·18	7·54	2·92	3·23	2·70	3·42	2·55	2·69	1·93	2·45	2·20	2·59	Year's Total 38·40	
* Days with .01 in. or more.	20	17	22	18	17	17	20	15	19	15	13	23	216	
* Days with .04 in. or more.	16	17	16	17	13	10	9	11	15	11	8	19	162	

† Spare column, no entries required.

(*Signed*) L. A. Crabtree

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations — Station No. 3239

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at FIELDEN HOSPITAL, TODMORDEN,

in the County of YORKSHIRE,

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" Ground " Sea Level 650 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·09	·01	·02	·04	·96	·02	·09	–	·09	·57	·23		1
2	·07	·07	–	·17	·06	·45	·01	·01	·01	1·78	·23	·36		2
3	·03	·01	·01	·04	–	·10	·12	–	·21	1·92	·26	·14		3
4	·05	·04	–	·22	–	·01	·11	·75	–	·49	·34	1·03		4
5	·01	·05	–	·06	–	·08	·20	·25	·09	·58	·02	·09		5
6	·43	·01		·01	–	·14	·35	·04	·01	·61	·03	·02		6
7	·32	·09	–	–	–	–	·48	·11	·32	·29	–	–		7
8	·61	·41	–	–	–	–	·33	·03	–	1·26	–	·31		8
9	·09	·14	·21	–	–	·16	·22	·06	–	·12	–	·37		9
10	·02	·05	·02	–	–	·06	·41	·02	·01	·18	·01	·09		10
11	·21	·12	–	–	·01	·04	·16	·01	·02	·27	·12	·06		11
12	·49	·01	·01	–	·22	·01	·01	·42	–	·96	·28	·01		12
13	·02	snow ·06	–	–	·06	–	·02	–	·11	·18	·32	·52		13
14	·53	snow ·03	–	–	·07	–	·09	–	·05	·08	·09	·02		14
15	·68	·01	·07	–	·01	–	·42	·19	–	·02	·01	·41		15
16	·62	–	·12	–	·29	–	·04	·39	·01	·09	·12	·11		16
17	·01	–	–	–	·42	–	·12	·32	·12	·35	·02	·03		17
18	·20	·02	·01	–	·08	·07	–	·23	·16	·48	·63	·02		18
19	·02	–	–	–	–	·01	–	·21	·09	·02	·02	snow ·11		19
20	·15	–	·06	–	–	–	–	·15	·03	–	·52	snow ·03		20
21	·02	–	·07	–	–	–	–	·09	·03	–	·08	snow ·06		21
22	·01	–	–	·02	·01	·32	–	–	·01	–	·58	·08		22
23	·03	·01	·01	·01	·28	·40	–	–	·13	–	·56	snow ·02		23
24	·38	·06	·23	–	·09	·17	·74	·41	·02	·03	·38	·01		24
25	·21	·31	·06	–	·01	·08	·11	·02	·01	·42	·82	snow ·03		25
26	·22	·49	·12	–	·04	·29	·08	·04	·17	·25	·23	·12		26
27	·26	·16	·03	–	·54	·39	·14	·17	·02	·03	·64	·01		27
28	·48	·17	·24	–	·43	·98	·10	·21	·12	·01	·04	·13		28
29	·10	×	·20	·01	·98	·42	·25	·01	–	·01	·27	·39		29
30	·29	×	–	–	·20	·02	·12	–	·34	·13	1·02	snow ·24		30
31	·44	×	·05	×	·39	×	–	–	×	·68	×	snow ·49		31
													Year's Total	
TOTAL	7·01	2·41	1·53	·56	4·20	5·19	4·65	4·23	3·09	11·33	8·21	5·54	56·95	
* Days with .01 in. or more.	31	22	18	9	20	21	24	24	23	27	27	30	276	
* Days with .04 in. or more.	20	15	11	4	16	17	20	18	12	21	21	20	196	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3239 - ~~40~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at FIELDEN HOSPITAL, TODMORDEN,
in the County of YORK,
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·37	-	·42	·05	·01	-	·03	·06	·04	·09	·01	·72		1
2	·05	-	·09	·11	-	-	·48	·74	·67	·04	·10	·18		2
3	·04	-	·01	·08	-	-	·01	·38	·12	·03	·19	·58		3
4	·26	-	·49	·60	·01	-	·63	·01	·01	·07	·02	·55		4
5	·02	·02	·01	·01	·37	-	·41	·16	-	·47	·55	·03		5
6	·29	·28	·04	-	·01	-	·63	-	·01	·02	·20	·02		6
7	·33	·27	·37	-	·11	-	·07	·01	-	-	·16	·33		7
8	·58	·19	·35	·01	-	-	·49	·16	-	·14	·62	·63		8
9	·14	·47	-	-	-	-	·05	·63	-	·51	·02	·56		9
10	·67	·01	·03	-	-	·06	-	·05	·40	·12	·02	·09		10
11	·12	·12	·25	·01	-	·46	-	·10	·03	·01	·01	·03		11
12	·06	·11	·01	-	·01	·23	-	-	·02	·02	·03	·01		12
13	·01	·01	·02	·27	·10	·18	·03	-	·02	·02	·03	·01		13
14	1·02	·01	·04	·04	·33	·45	·29	-	-	·02	·31	-		14
15	·31	·07	·03	·43	·11	1·24	·18	-	·02	-	·25	·01		15
16	·47	·01	·08	·05	·30	·01	·01	-	-	·01	·07	-		16
17	·69	·36	·03	·05	·08	·06	-	-	-	·20	·03	-		17
18	·05	·25	·04	-	·01	·10	·31	-	-	·01	·85	-		18
19	·08	·01	·03	-	·02	·02	·45	-	·02	-	·01	-		19
20	·08	-	·01	-	·02	·14	·60	·06	·02	·01	·01	·01		20
21	·09	·25	·62	·14	·10	·01	-	·23	·03	-	-	·01		21
22	·24	·53	·16	·04	·01	-	·12	·01	·01	·02	·69	-		22
23	-	·58	·02	·25	·01	·03	·03	·01	-	·42	·17	·02		23
24	·02	·16	·05	·07	-	·03	·08	·01	-	·04	·02	·01		24
25	·09	·18	·01	-	-	·09	-	·01	-	-	1·82	·02		25
26	·04	·11	·05	·01	·01	-	·01	·45	-	·33	·48	·08		26
27	·05	2·03	·33	·01	-	·58	·09	·11	-	·14	·49	Snow ·05		27
28	·07	·13	·21	·06	-	·38	·73	·01	-	·02	·75	-		28
29	·01		·01	·02	-	·01	1·40	-	-	·33	·45	-		29
30	-		-	-	-	·03	·13	·01	-	·01	·43	-		30
31	-		-		-		·48	·03		·09		-		31
													Year's Total	
TOTAL	6·25	6·16	3·81	2·31	1·62	4·11	7·74	3·24	1·42	3·19	8·79	3·95	52·59	✓
* Days with .01 in. or more.	28	23	28	20	18	19	25	21	14	26	29	21	272	✓
* Days with .04 in. or more.	24	17	16	14	8	12	19	12	4	14	18	10	168	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) L. A. Crabtree

[P.T.O.

File No. 777137/27

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3239 ~~[illegible]~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940

Kept at FIELDEN HOSPITAL, TODMORDEN

in the County of YORK

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 650 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	-	·07	·01	·28	·01	-	·03	-	·02	-	·62	·20		1
2	-	·15	-	·36	-	-	·12	-	-	-	1·25	·13		2
3	·09	·07	-	·25	-	-	·06	-	·01	·12	·06	·11		3
·4 4	-	·10	·01	·45	-	-	·14	·01	-	·27	·36	·24		4
5	-	·02	-	·01	·11	-	·04	-	-	·98	·18	·79		5
6	·10	·18	-	-	-	-	·02	-	-	·93	·09	·08		6
7	·10	·16	·01	·19	·16	-	·01	·14	·09	·05	·02	-		7
95 8	·02	·02	·03	·03	·01	-	·02	·03	-	·35	·10	·20		8
9	-	-	·09	·02	-	-	1·05	·26	·18	·87	1·33	·17		9
10	-	-	·04	-	-	-	·31 ✓	·39	-	·11	·67	1·05		10
11	-	·05	·10	·05	-	·06	·06	-	·46	-	1·83	-		11
12	-	·01	·65	-	-	·02	·12	·02	·47	·01	·70	-		12
13	-	·07	·19	·02	-	-	·02	·11	·45	-	·23	·04		13
14	-	·05	·05	·41	·19	-	·04	·09	·17	-	·03	·55		14
15	-	-	·10	·10	·09	·01	-	-	·01	-	·18	·07		15
16	snow ·06	·06	·07	·13	-	-	·30	-	1·33	·30	·08	·10		16
17	-	·02	·37	·03	-	-	·70	·01	·30	·02	·65	·02		17
18	·10	·14	·37	·44	-	-	·09	·23	·36	·01	·01	·31		18
19	-	·25	·32	·16	-	·01	·31	-	·43	·04	·51	·02		19
20	-	·03	·25	·53	-	-	·14	·49	·28	·22	·23	-		20
21	-	·01	·50	·02	-	·33	·05	·12	-	·12	·90	-		21
22	-	·05	·06	·01	·03	·05	-	·05	·36	·02	·01	·01		22
23	-	·21	·06	·06	·30	·01	·21	-	·09	·06	·08	-		23
24	·62	·01	·04	·05	·01	-	-	-	·01	·07	·01	·07		24
25	·05	-	·01	·01	·01	·11	-	-	·01	·06	-	·01		25
26	·25	·15	·02	·03	·05	·03	·01	·01	·02	-	·06	-		26
27	·28	·74	-	·64	·14	-	·02	-	·01	-	·22	·01		27
1·36 28	snow ·28	·26	·01	·01	·65	-	-	·09	-	-	-	·01		28
1·06 29	-	·05	·37	·03	·01	·32	·02	-	-	·05	·01	·62		29
30	snow ·25	✕	·02	·12	-	-	-	-	-	·49	·03	·28		30
31	snow ·25	✕	·01	✕	·02	✕	-	·06	✕	·75	✕	·03		31
													Year's Total	
TOTAL	2·45	2·93	3·76	4·44	1·79	·95	3·89	2·11	5·06	5·90	10·65	5·12	49·05	✓
* Days with .01 in. or more.	13	25	26	27	15	10	24	16	20	22	28	24	250	✓
* Days with .04 in. or more.	12	18	17	16	8	5	16	11	13	18	21	17	172	✓

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. Albattrée

[P.T.O.

X Todmor

Section **A** for the entry o
AIR MINISTR

FORM 1090. **REGIS**

3239/5

TODMORDEN LOWERLOUTH

1937—40

280602

OPY FOR OFFICIAL USE.
ORGANIZATION

3239/5

22234/37

[illegible]

rrected for. W.D.

bs. agrees with altered totals 11/5

Kept at Lower Lauth
in the County of York
Diameter of Funnel of Gauge 5
Height of top of Gauge above Grou
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform t
year in the space on the right of th

llowing

Jan. 1, following
(NIL)

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	1·01	·39	·01	–	–	–	·15	–	·01	–	·12	·43	1
2	·99	·05	snow ·14	–	–	·01	·06	–	·42	·01	·02	·21	2
3	·40	·50	·11	·14	–	·01	·07	–	·02	–	–	·03	3
4	–	·49	·06	·16	·05	·67	·04	–	·03	–	–	·04	4
5	·48	·03	·11	·19	·15	–	·05	·01	·01	–	–	snow ·50	5
6	1·32	·01	snow ·08	·06	·02	·01	·01	–	·01	–	–	·03	6
7	·26	–	·08	·11	·04	·01	–	·64	·11	–	·04	·29	7
8	·04	·42	–	·33	·04	·03	–	–	·06	–	·02	–	8
9	·02	·48	·02	·05	–	·13	·23	·01	·02	–	·04	snow ·04	9
10	·02	·20	–	·06	·17	·01	·10	·19	·01	–	–	–	10
11	·02	·14	snow ·02	–	·04	–	–	·01	–	·02	·02	snow ·68	11
12	–	–	snow ·66	·01	·18	–	–	·01	–	–	–	sleet ·07	12
13	·43	·45	·20	·02	·02	·18	–	·03	·19	–	–	sleet ·25	13
14	–	·12	·02	·03	–	·10	–	·24	·02	–	–	sleet ·17	14
15	–	·05	·20	·01	–	·02	–	·21	·15	·02	–	snow ·06	15
16	·50	·75	–	·43	–	–	·69	·01	·20	–	–	snow ·22	16
17	·06	·60	·25	·66	–	–	–	·39	·20	–	–	·03	17
18	·13	·03	·31	·24	·03	·14	–	·02	·24	–	–	–	18
19	·32	·29	·27	·34	–	·04	–	·27	·06	–	snow ·50	–	19
20	·15	·16	·02	·21	–	·16	·04	·04	·21	–	–	–	20
21	·15	·50	–	·25	·50	·01	·02	–	·01	–	–	·06	21
22	·10	·10	·02	·08	·01	–	·40	–	·01	·09	–	·23	22
23	·30	·02	snow ·21	·05	·05	·01	·15	–	–	·30	·21	·13	23
24	·14	–	·02	–	·45	–	·50	–	–	·50	·19	·02	24
25	·17	·45	·18	–	·10	–	·02	–	·07	·25	·02	·05	25
26	·04	·73	·01	–	·01	–	–	·15	·09	·10	–	·02	26
27	–	·44	·15	–	·42	–	–	–	–	–	–	·02	27
28	–	·10	·02	·14	·01	–	–	–	–	·41	–	·02	28
29	–	·01	–	·01	–	[illegible]	–	–	–	·19	–	–	29
30	·06	✕	·01	–	–	·35	–	–	–	·05	·06	–	30
31	·23	✕	–	✕	–	✕	–	·07	✕	·10	✕	–	31
TOTAL	·39 5·03 ~~6·44~~	7·12 ~~7·93~~	– 3·17 ~~2·18~~	– 3·58	– 2·39	·15 2·14 ~~1·96~~	– 2·38 ~~2·19~~	·01 2·31 ~~2·30~~	– 2·24 ~~2·25~~	·12 2·16 ~~2·24~~	·43 1·55 ~~1·24~~	– 3·17 ~~3·10~~	37·91 YEAR'S TOTAL ~~39·98~~
*Days with ·01 in. or more.	24	25	24 ~~28~~	22	18	19 ~~17~~	14 ~~18~~	17 ~~16~~	21 ~~22~~	13 ~~12~~	11	22 ~~23~~	230
*Days with ·04 in. or more.	21	20 ~~21~~	~~15~~	17	12	10 ~~7~~	11 ~~12~~	9	12	10 ~~9~~	7	15 ~~16~~	159 ~~158~~

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) D. ~~Stopd~~ [P.T.O.

X D.A. Lord Esq. X

X Toelmore

Section **A** for the entry o … OPY FOR OFFICIAL USE. 1/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

3239/5

222734/37

7 W.D

Corrected for [illegible]

Corrected for. W.D.

Obs. agrees with altered totals [illegible]

Kept at Lower Laith

in the County of York by David A. Lord

Diameter of Funnel of Gauge 5" in.

Height of top of Gauge above Ground ... ft. 7" in.

,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: (NIL) ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·01	·39	·01	–	–	–	·15	–	·01	–	·12	·43	1
2	·99	·05	snow ·14	–	–	·01	·06	–	·42	·01	·02	·21	2
3	·40	·50	·11	·14	–	·01	·07	–	·02	–	–	·03	3
4	–	·49	·06	·16	·05	·67	·04	–	·03	–	–	·04	4
5	·48	·03	·11	·19	·15	–	·05	·01	·01	–	–	snow ·50	5
6	1·32	·01	snow ·08	·06	·02	·01	·01	–	·01	–	–	·03	6
7	·26	–	·08	·11	·04	·01	–	·64	·11	–	·04	·29	7
8	·04	·42	–	·33	·04	·03	–	–	·06	–	·02	–	8
9	·02	·48	·02	·05	–	·13	·23	·01	·02	–	·04	snow ·04	9
10	·02	·20	–	·06	·17	·01	·10	·19	·01	–	–	–	10
11	·02	·14	snow ·02	–	·04	–	–	·01	–	·02	·02	snow ·68	11
12	–	–	snow ·66	·01	·18	–	–	·01	–	–	–	sleet ·07	12
13	·43	·45	·20	·02	·02	·18	–	·03	·19	–	–	sleet ·25	13
14	–	·12	·02	·03	–	·10	–	·24	·02	–	–	sleet ·17	14
15	–	·05	·20	·01	–	·02	–	·21	·15	·02	–	snow ·06	15
16	·50	·75	–	·43	–	–	·69	·01	·30	–	–	snow ·22	16
17	·06	·60	·25	·66	–	–	–	·39	·20	–	–	·03	17
18	·13	·03	·31	·24	·03	[illegible]	–	·02	·24	–	–	–	18
19	·32	·29	·27	·34	–	·04	–	·27	·06	–	snow ·50	–	19
20	·15	·16	·02	·21	–	·16	·04	·04	·21	–	–	–	20
21	·15	·50	–	·25	·50	·01	·02	–	·01	–	–	·06	21
22	·10	·10	·02	·08	·01	–	·40	–	·01	·09	–	·23	22
23	·30	·02	snow ·21	·05	·05	·01	·15	–	–	·30	·21	·13	23
24	·14	–	·02	–	·45	–	·50	–	–	·50	·19	·02	24
25	·17	·45	·18	–	·10	–	·02	–	·07	·25	·02	·05	25
26	·04	·73	·01	–	·01	–	–	·15	·09	·10	–	·02	26
27	–	·44	·15	–	·42	–	–	–	–	–	–	·02	27
28	–	·10	·02	·14	·01	–	–	–	–	·41	–	·02	28
29	–	·01	–	·01	–	·07	–	–	–	·19	–	–	29
30	·06	X	·01	–	–	·35	–	–	–	·05	·06	–	30
31	·23	X	–	X	–	X	–	·07	X	·10	X	–	31 37·91
TOTAL	·39 ~~6·44~~ 5·83	7·12 ~~7·93~~	3·17 ~~3·18~~	3·58	2·29	·15 ~~1·96~~ 2·11	~~2·19~~ 2·38	·01 ~~2·30~~ 2·31	~~2·25~~ 2·24	·12 ~~2·04~~ 2·16	·43 ~~1·12~~ 1·55	~~3·60~~ 3·17	YEAR'S TOTAL ~~39·98~~
*Days with ·01 in. or more.	24	25	24 ~~28~~	22	18	19 ~~17~~	14 ~~18~~	17 ~~16~~	21 ~~22~~	~~12~~ 13	11	22 ~~23~~	230
*Days with ·04 in. or more.	21	20 ~~21~~	~~18~~	17	12	10 ~~7~~	11 ~~12~~	9	12	10 ~~9~~	7	15 ~~16~~	159 ~~158~~

40-9999

*See Instruction 2 (*f*) on other side.

N

(Signed) D. ~~[illegible]~~

X D. A. Lord Esq. X

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3239/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Lower Laith Todmorden

in the County of ....

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

,, Ground ,, Sea Level 500 ft.

Copy by B.R.O. from original return lent by the Borough of Todmorden

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the **Notes and Instructions** Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·09	·01	·01	·01	1·14	–	·11	–	·22	·63	·42		1
2	·05	·07	·01	·50	·07	·39	·02	TRACE	·01	1·86	·20	·35		2
3	·02	·01	·01	·01	–	·02	·10	–	·19	FLOOD 2·22	·31	·05		3
4	·03	·03	–	·04	–	·01	·18	·67	TRACE	·23	·40	1·09		4
5	·02	·03	–	·06	–	·09	·24	·22	·07	·84	·01	·12		5
6	·31	·01	–	·01	–	·10	·34	·02	TRACE	·63	·02	·03		6
7	·45	·01	–	–	–	·01	·50	·06	·32	·32	–	–		7
8	·60	·01	–	–	–	–	·50	·03	·01	1·24	–	·25		8
9	·03	·50	·23	–	·01	·14	·20	·08	TRACE	·08	–	·27		9
10	·01	·08	·02	–	–	·05	·40	·01	·01	·12	–	·10		10
11	·15	·10	·01	–	·02	·01	·22	·26	–	·34	·14	·08		11
12	·65	·01	–	–	·23	–	–	FLOOD 1·07	–	1·07	·5	–		12
13	·03	·03	–	–	·01	–	–	–	–	·15	·28	·33		13
14	·41	SNOW ·05	–	–	·10	–	·02	–	·11	·02	·09	·04		14
15	·85	SLEET ·01	·04	–	·02	–	·33	·18	·01	·07	–	·24		15
16	·75	–	·11	–	·19	–	·15	·45	–	·04	·18	·15		16
17	·01	–	–	–	·40	–	·13	·29	·13	·54	·01	·02		17
18	·21	–	–	–	·16	·08	–	·30	·15	·5	·70	–		18
19	·02	–	·01	–	·01	·01	–	·35	·12	·01	·01	·20		19
20	·22	–	·02	–	–	–	–	·14	·03	–	·41	·04		20
21	·01	–	·06	–	–	·02	–	·13	·02	–	·03	·30		21
22	·02	·01	–	–	–	·32	–	·01	·01	–	·5	·05		22
23	·02	–	–	·02	·24	·41	–	·01	·03	–	·65	·01		23
24	·25	·02	·21	–	·09	·15	·50	·37	·05	·02	·43	–		24
25	·30	·42	·16	–	·02	·07	·16	·14	TRACE	·46	·70	·12		25
26	·25	·50	·15	–	·05	·19	·01	·02	·13	·35	·42	–		26
27	·26	·15	·01	–	·68	·50	·23	·18	·01	·03	·69	–		27
28	·60	·15	·21	–	·50	1·05	·09	·12	·13	·01	·05	·08		28
29	·11		·23	–	1·15	·50	·26	·01	·01	·10	·25	·35		29
30	·34	✕	·01	–	·25	·02	·09	–	·34	·08	1·15	·25		30
31	4 ·35	✕	–	✕	·52	✕	–	–	✕	·66	✕	·97		31
TOTAL	7·34	2·29	1·51	·65	4·73	5·28	4·67	5·23	1·89	12·21	8·76	5·91	Year's Total 60·47	
* Days with .01 in. or more.	31	21	18	7	21	22	21	25	21	27	25	25	264	
* Days with .04 in. or more.	19	10	9	3	14	15	18	18	11	22	20	22	181	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) D. A. Lord

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3239/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Lower Laith, Todmorden,

in the County of Yorkshire.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level ~~650~~ 500 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.52	-	.47	.06	-	-	.10	.04	.05	.15	.01	.66		1
2	.01	-	.09	.10	-	-	.40	.72	.5	-	.08	.22		2
3	.09	-	.01	.06	-	-	.01	.47	.06	.02	.13	.63		3
4	.18	-	.63	.55	.01	-	.64	.01	.01	.31	.02	.5		4
5	-	-	.01	.01	.35	-	.39.	.13	-	-	.34	.06		5
6	.5	.22	.04	.01	.01	-	.70	.01	-	-	.29	.01		6
7	.36	.40	.28	-	.11	-	.06	-	-	.01	.16	.19		7
8	.5	.17	.41	.02	.01	--	.5	.11	-	.15	.60	.75		8
9	.15	.46	.01	.01	-	-	.02	.5	-	.56	.01	.5		9
10	.32	-	.02	-	-	.07	-	.08	.34	.13	.01	.11		10
11	.5	.14	.24	-	-	.46	-	.11	.02	.02	.01	.01		11
12	.25	.07	.02	-	-	.09	-	.01	-	.01	.02	-		12
13	.03	-	.05	.26	.09	.22	.05	-	.01	.01	.04	-		13
14	1.10	-	.04	.05	.36	.46	.28	-	.01	.01	.31	-		14
15	.22	-	.06	.42	.10	1.25	.30	-	.01	-	.28	-		15
16	.40	-	.03	.01	.33	.01	-	-	.01	-	.05	.01		16
17	.94	.37	.04	.08	.09	.09	.25	--	-	.20	.02	-		17
18	.01	.24	.02	.01	.01	.07	.43	-	-	-	.86	-		18
19	.26	.01	.02	-	-	.02	.47	-	.01	-	.01	-		19
20	.07	-	-	.18	.02	.13	-	.09	.01	-	-	-		20
21	.07	.31	.71	.09	.06	.01	.07	.35	.02	.01	-	-		21
22	.21	.5	.20	.20	.01	-	.05	.01	.01	.03	.62	-		22
23	.01	.65	.04	.09	-	.02	.05	.01	-	.40	.21	.01		23
24	-	.15	.03	.02	-	.05	.06	-	-	.04	.01	-		24
25	.38	.22	.02	.01	-	.05	.01	.01	-	.01	1.67	.06		25
26	.03	.09	.05	.01	.01	-	-	1.46	-	.47	.44	-		26
27	.02	1.93	.32	.04	-	.35	.06	.06	-	.06	.47	-		27
28	.02	.16	.18	.09	-	.56	.81	-	-	.01	.73	-		28
29	-		.01	.02	-	.02	1.43	-	-	.30	.38	-		29
30	-		.01		-	.07	.14	-	-	.01	.39	-		30
31	-		-		-		.5	.02		.05.		-		31
TOTAL	6.65	5.79	4.06	2.40	1.57	3.93	7.71	4.16	1.07	2.97	8.44	3.72	Year's Total 52.47	
* Days with .01 in. or more.	26	17	29	24	15	19	25	19	14	23	28	14	253	
* Days with .04 in. or more.	19	16	17	15	7	14	22	12	4	12	19	10	167	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) D. A. Lord F.R.MET.SOC.

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3239/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN ~~193~~ 1940.

Kept at Lower Laith,
in the County of Yorkshire.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 650 ft.

Jan. corrd. for snow

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.05	.01	.26	.01	-	.03	-	-	-	.62	.25		1
2	-	-	-	.19	-	-	.10	-	-	-	1.25	.16		2
3	.06	-	-	.09	-	-	.06	-	.01	.13	.04	.14		3
4	-	.05	-	.46	-	-	.09	-	-	.29	.32	.28		4
5	-	.01	-	.01	.10	-	.04	-	-	1.01	.14	.74		5
6	.10	.14	-	.01	-	-	.14	-	.01	.86.	.09	.08		6
7	.06	.21	-	.21	.11	-	.01	.14	.09	.05	.01	.01		7
8	.01	.01	.04	.04	.01	-	.02	.03	.01	.32	.15	.19		8
9	-	-	.11	.01	-	-	.95	.26	.25	.83	1.63	.23		9
10	-	-	.02	.01	-	-	.27	.37	.01	.12	.76	1.20		10
11	-	.03	.07	.05	-	.10	.05	.01	-	.01	1.95	-		11
12	-	-	.53	-	-	.01	.09	.01	.48	.01	.74	-		12
13	-	.03	.19	.01	-	-	.02	.11	.5	.01	.25	.02		13
14	-	.06	.02	.38	.14	-	.08	.08	.19	-	.04	.70		14
15	-	-	.05	.10	.09	.02	.01	.01	.01	.01	.19	.04		15
16	.07	.10	.18	.15	-	-	.32	-	1.43	.25	.19	.08		16
17	-	-	.32	.03	.02	-	.75	-	.81	.01	.45	.01		17
18	.05	-	.27	.74	-	-	.08	.21	.31	-	.01	.35		18
19	-	.25	.40	.15	-	-	.35	.01	.43	.03	.48	.01		19
20	-	.09	.24	.46	-	-	.17	.51	.25	.18	.25	--		20
21	.02	.01	.48	.01	-	.32	.02	.11	.01	.10	.76	-		21
22	-	.04	.05	-	.01	.09	-	.05	.29	.01	.01	.01		22
23	-	.21	.04	.07	.21	.01	.21	.01	.10	.02	.07	-		23
24	.70	.01	.04	.05	.01	.01	.01	.01	.02	.06	.01	.06		24
25	- ✓	-	.01	.01	.01	.12	-	-	.01	.07	-	-		25
26	.50 ✓	.15	.04	-	.13	.04	-	.01	.01	.01	.05	-		26
27	(1.20) ✓	.73	.01	.60	.05	.01	.41	-	-	.01	.17	-		27
28	~~2.0~~ ✓	.39	-	.01	.78	-	-	.09	-	-	.01	.05		28
29		.01	.35	.02	.01	.27	.01	-	-	.04	.01	.80		29
30		✕	.01	.09	-	-	-	-	-	.64	.04	.20		30
31		✕	.13	✕	-	✕	-	.08	✕	.76	✕	.01		31
TOTAL	~~3.82~~ 3.02	2.58	3.61	4.22	1.69	1.0	4.29	2.11	4.73	5.84.	10.69	5.32	Year's Total ~~49.90~~	49.10
* Days with .01 in. or more.	~~10~~ 12	20	24	27	15	11.	25	19	21	26.	29	23	25~~0~~2	
* Days with .04 in. or more.	8 10	13	18	17	8	5.	17	11	11	16.	23.	17	16~~4~~6	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) David Lord F.R.Met.Soc. [P.T.O.

3240

Section **A** for the entry
AIR MINIST

FORM 1090. **REGI**

FOR OFFICIAL USE.
LL ORGANIZATION.

3240

SOURHALL HOSPITAL
1931 — 40

780602

Kept at Sourhall Hospital
in the County of York
Diameter of Funnel of Gauge
Height of top of Gauge above Gro
,, Ground ,, Sea

THE MORNING MEAS

An observer who does not conform … *following*
year in the space on the right of

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	-	·10	-	·34	-	-	·10	·11	-	-	1
2	·04	·15	-	·76	·03	1·32	·04	-	1·20	·13	·30	·77	2
3	-	-	-	·05	-	·08	·32	-	·61	·04	3·52	·23	3
4	-	-	-	·60	-	·02	·25	-	1·13	·07	·18	·42	4
5	-	·04	-	-	·25	1·15	·04	·55	·10	-	-	·56	5
6	-	·10	-	-	-	·19	·18	·02	·13	·60	·30	-	6
7	-	·12	-	-	-	·86	-	·20	-	·48	·10	·14	7
8	-	·53	-	·12	-	·06	·16	·30	·01	·15	·23	-	8
9	·06	·95	·02	·25	·02	·19	-	·53	·40	·08	·42	·10	9
10	·20	·23	·03	-	·21	·38	-	·22	·06	-	·50	-	10
11	·52	·75	-	·05	-	·09	·14	-	·37	-	·75	-	11
12	·03	·15	-	·03	-	·03	1·22	-	·04	·45	·10	-	12
13	-	-	·36	·01	·13	·05	·36	-	-	-	-	-	13
14	·20	·14	-	-	-	·74	·60	·80	-	-	·45	·05	14
15	·70	-	-	·25	·10	·04	·06	·50	-	-	·20	·06	15
16	1·15	-	-	·67	·50	·57	·14	1·03	·25	-	-	-	16
17	·03	-	-	·40	·05	·08	·61	·17	·02	-	·17	-	17
18	·55	-	-	·25	-	·58	·47	·18	-	·02	·93	-	18
19	·18	1·05	-	·05	-	·08	-	1·42	-	·03	-	·05	19
20	·03	·11	·10	-	-	·06	-	·03	-	-	·17	-	20
21	·65	·24	-	-	·14	·15	·02	·32	-	-	-	-	21
22	·83	-	-	-	·18	·08	·12	-	-	-	·02	-	22
23	·50	·02	-	·50	·40	·26	·31	-	-	-	1·42	·22	23
24	·12	·52	-	·04	·38	-	·15	-	-	-	·12	·14	24
25	·10	1·45	-	·50	·10	-	·06	-	-	-	·13	·15	25
26	·05	·04	-	·35	-	-	·02	-	-	-	·61	·03	26
27	·80	·01	-	·06	·06	·04	·30	-	-	·45	1·55	·12	27
28	·70	·15	-	·11	·20	-	·18	-	·02	-	-	·11	28
29	·33	-	-	-	·23	-	·28	-	-	·87	-	-	29
30	-	X	-	-	·10	·05	-	-	·08	-	·03	-	30
31	·40	X	-	X	·04	X	·07	-	X	·03	X	·10	31
TOTAL	8·27	6·75	·51	5·14	3·12	7·49	6·10	6·27	4·52	3·51	12·20	3·25	YEAR'S TOTAL 47·13
*Days with ·01 in. or more.	23	19	4	20	18	25	24	14	15	14	22	16	214
*Days with ·04 in. or more.	20	17	2	18	16	23	22	12	12	11	20	15	188

40-9999

(Signed) X L. A. Crabtree

[P.T.O.

*See Instruction 2 (*f*) on other side

3240

Section **A** for the entry [redacted] FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931 .

Kept at Sowhall Hospital

in the County of York

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

,, Ground ,, Sea Level 1020 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	-	·10	-	·34	-	-	·10	·11	-	-	1
2	·04	·15	-	·76	·03	1·32	·04	-	1·20	·13	·30	·77	2
3	-	-	-	·05	-	·08	·32	-	·61	·04	3·52	·23	3
4	-	-	-	·60	-	·02	·25	-	1·13	·07	·18	·42	4
5	-	·04	-	-	·25	1·15	·04	·55	·10	-	-	·56	5
6	-	·10	-	-	-	·19	·18	·02	·13	·60	·30	-	6
7	-	·12	-	-	-	·86	-	·20	-	·48	·10	·14	7
8	-	·53	-	·12	-	·06	·16	30	·01	·15	·23	-	8
9	·06	·95	·02	·25	·02	·19	-	·53	·40	·08	·42	·10	9
10	·20	·23	·03	-	·21	·38	-	·22	·06	-	·50	-	10
11	·52	·75	-	·05	-	·09	·14	-	·37	-	·75	-	11
12	·03	·15	-	·03	-	·03	1·22	-	·04	·45	·10	-	12
13	-	-	·36	·01	·13	·05	·36	-	-	-	-	-	13
14	20	·14	-	-	-	·74	·60	·80	-	-	·45	·05	14
15	·70	-	-	·25	·10	·04	·06	·50	-	-	·20	·06	15
16	1·15	-	-	·67	·50	·57	·14	1·03	·25	-	-	-	16
17	·03	-	-	·40	·05	·08	·61	·17	·02	-	·17	-	17
18	·55	-	-	·25	-	·58	·47	·18	-	·02	·93	-	18
19	·18	1·05	-	·05	-	·08	-	1·42	-	·03	-	·05	19
20	·03	·11	·10	-	-	·06	-	·03	-	-	·17	-	20
21	·65	·24	-	-	·14	·15	·02	·32	-	-	-	-	21
22	·83	-	-	-	·18	·08	·12	-	-	-	·02	-	22
23	·50	·02	-	·50	·40	·26	·31	-	-	-	1·42	·22	23
24	·12	·52	-	·04	·38	-	·15	-	-	-	·12	·14	24
25	·10	1·45	-	·50	·10	-	·06	-	-	-	·13	·15	25
26	·05	·04	-	·35	-	-	·02	-	-	-	·61	·03	26
27	·80	·01	-	·06	·06	·04	·30	-	-	·45	1·55	·12	27
28	·70	·15	-	·11	·20	-	·18	-	·02	-	-	·11	28
29	·33	-	-	-	·23	-	·28	-	-	·87	-	-	29
30	-	✕	-	-	·10	·05	-	-	·08	-	·03	-	30
31	·40	✕	-	✕	·04	✕	·07	-	✕	·03	✕	·10	31
TOTAL	8·27	6·75	·51	5·14	3·12	7·49	6·10	6·27	4·52	3·51	12·20	3·25	YEAR'S TOTAL 67·13
*Days with ·01 in. or more.	23	19	4	20	18	25	24	14	15	14	22	16	214
*Days with ·04 in. or more.	20	17	2	18	16	23	22	12	12	11	20	15	188

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) L. A. Crabtree [P.T.O.

3240

Section **A** for the entry of Daily Observations. COPY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Scarhall Hospital

in the County of York

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 1020 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·82	·03	-	·43	·13	-	·16	·05	·90	·51	·11	118	1
2	1·32	-	-	-	·27	-	·04	·01	1·60	·06	·20	·36	2
3	·10	-	-	-	-	-	·20	-	·12	-	·02	·45	3
4	·12	-	-	-	-	-	·22	·01	·02	·03	·08	·04	4
5	1·40	-	·10	·40	·10	-	-	·03	·24	-	·01	-	5
6	1·11	-	·08	·90	·04	-	-	-	·36	·02	-	-	6
7	·10	-	·80	·40	-	-	-	-	·64	·56	·01	-	7
8	-	·03	-	·21	-	-	-	-	·30	·55	-	-	8
9	·30	-	-	·66	·08	-	-	-	·08	·01	-	·02	9
10	·87	-	-	·04	-	-	-	-	·60	·60	·01	·08	10
11	·03	-	-	·06	·50	·04	·72	-	·09	·01	·05	-	11
12	·83	-	·02	-	·53	·08	·04	·10	·01	·57	·02	-	12
13	·02	·05	-	·30	·16	-	·06	·06	·40	·52	·05	·56	13
14	·30	-	-	·07	-	-	·08	-	·04	·12	·05	·04	14
15	·02	-	-	-	·46	-	-	-	-	·15	·35	·18	15
16	·80	-	-	·08	-	-	·25	·01	-	·26	-	·22	16
17	-	-	-	-	·11	-	·18	·08	·14	·57	-	·01	17
18	-	-	-	-	·16	-	-	-	-	-	·02	-	18
19	-	-	-	·24	·09	-	·01	·01	·01	·30	-	-	19
20	-	-	-	·12	·44	-	·02	·38	-	·24	·10	-	20
21	·03	-	·23	·10	·34	-	·02	·35	-	1·10	·22	·14	21
22	-	-	·20	·21	·03	-	·21	-	-	·15	·83	·26	22
23	-	·03	-	·16	·23	-	·08	-	-	·10	·12	·10	23
24	·04	·02	-	·01	·02	·10	·36	-	·16	·02	·08	·01	24
25	-	·04	-	·25	·18	·01	·09	·01	·09	·87	·38	-	25
26	-	-	·03	·08	·36	-	·40	-	·16	·52	·25	-	26
27	-	-	·63	·40	·30	·28	·55	-	-	·02	·08	·12	27
28	-	-	·11	·17	·20	-	·30	-	-	-	·01	·04	28
29	·06	-	·95	·12	·15	·14	·30	·56	·27	1·04	·48	·52	29
30	-	X	·30	·02	-	·68	·12	·04	·04	·15	·52	·16	30
31	·01	X	·10	X	·01	X	·22	-	X	·01	X	·09	31
TOTAL	8·28	·20	3·55	5·43	4·99	1·33	4·63	1·70	6·27	9·06	4·05	3·58	YEAR'S TOTAL 53·07
*Days with ·01 in. or more.	19	6	12	23	23	7	23	14	21	27	24	20	219
*Days with ·04 in. or more.	14	2	10	21	20	6	20	8	18	20	17	17	173

40-9999

(Signed) L. A. Crabtree. [P.T.O.

*See Instruction 2 (*f*) ou other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at SOURHALL HOSPITAL, TODMORDEN.
in the County of YORKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
„ Ground „ Sea Level 1020 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	·52	·19	·01	-	-	-	·05	·14	-	·48	-	1
2	·73	-	·30	·24	-	·30	-	·08	-	-	-	-	2
3	·02	·60	·48	·02	·42	-	-	·01	-	-	·06	-	3
4	·38	·26	·35	-	·22	-	-	-	-	-	-	-	4
5	·22	·35	·20	-	·18	-	-	-	-	-	·02	-	5
6	·03	·10	·04	-	·38	-	-	-	-	-	-	·05	6
7	·14	·36	·25	-	·16	-	·08	·06	-	·76	-	·03	7
8	·40	·14	·18	·20	·03	-	·30	·03	-	·01	-	·09	8
9	-	·70	-	·26	·08	-	·83	·06	-	·86	·13	-	9
10	·20	·04	-	-	-	·13	·14	-	-	1·62	·06	-	10
11	·03	-	-	-	-	-	·20	·01	-	·76	-	-	11
12	·01	-	-	-	-	·15	·29	-	-	·18	-	-	12
13	-	-	·05	-	·27	-	·55	·02	·12	·26	·34	-	13
14	1·02	-	·08	-	·05	-	·18	·02	-	·02	·49	·02	14
15	·28	-	·15	-	-	·07	·03	·09	-	·30	·48	·01	15
16	·12	·02	·26	-	·06	·30	·02	-	-	·22	·13	-	16
17	·08	-	·50	·01	-	·65	-	·55	·12	·01	·08	-	17
18	-	·18	·30	-	·12	·66	-	·05	-	-	·08	-	18
19	-	-	·26	·02	-	·08	·01	·16	·15	-	·20	·03	19
20	-	·14	-	-	-	-	-	·36	-	-	·02	-	20
21	-	-	-	-	·02	·08	-	·46	·09	-	·01	-	21
22	-	-	-	-	-	·24	-	·06	-	·10	-	-	22
23	-	-	-	·33	·14	-	-	·10	·11	·04	-	-	23
24	-	Snow	-	·22	·14	·14	-	-	·77	·02	-	-	24
25	-	Blizzard Snow	-	·19	·02	-	-	-	·28	-	-	·05	25
26	-	·60	-	·58	-	-	-	-	-	·36	·02	·01	26
27	-	·02	-	-	·23	-	-	-	-	·02	-	-	27
28	-	·01	-	·12	-	-	·11	-	-	·38	-	-	28
29	-		-	·04	·04	-	·09	-	·01	·05	-	·08	29
30	·03	X	·07	-	·48	-	·64	-	-	·45	-	·26	30
31	·85	X	·10	X	-	X	·56	·28	X	·38	X	-	31
TOTAL	4·58	4·04	3·67	2·24	3·04	2·80	4·03	2·45	1·79	6·80	2·60	·63	YEAR'S TOTAL 38·67
*Days with ·01 in. or more.	17	15	17	13	18	11	15	18	9	20	15	10	178
*Days with .04 in. or more.	11	12	17	9	15	11	13	13	8	15	12	5	140

40-9999

*See Instruction 2 (*f*) on other side.

(Signed) L. A. Crabtree.

P.T.O.

3240

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. Station No. ~~777~~ 37/27

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Sowhall Hospital

in the County of York

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 1020 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	-	·03	-	-	-	-	·10	·05	·01	snow. ·04	·29	1
2	·01	-	·12	-	·03	-	-	·82	·07	·01	·25	·56	2
3	·10	·05	·02	-	-	-	-	·12	·08	·27	·04	·06	3
4	·20	-	·39	·08	·15	-	-	-	·05	1·04	-	·96	4
5	-	-	·16	·01	·12	-	-	·45	-	·25	·09	·39	5
6	-	-	·10	·06	·83	·07	-	·12	·01	·28	-	·30	6
7	·53	·08	·16	·10	-	·05	-	-	-	·10	snow. ·21	·78	7
8	-	·01	·02	-	·08	·89	-	·08	·02	·32	·63	·10	8
9	·03	·16	snow. ·02	·05	-	-	-	·24	·01	·05	·47	·04	9
10	-	·01	snow ·48	·24	-	-	-	·37	-	·55	·05	·01	10
11	·41	-	·09	·75	-	-	-	·22	-	·06	·05	·28	11
12	·02	-	·07	·22	-	-	·31	·02	-	·14	-	·10	12
13	·54	-	-	·06	·10	-	·08	·08	-	·35	-	·08	13
14	·20	-	·27	·01	·03	·03	-	-	-	·36	·03	·10	14
15	·85	-	·16	-	·92	-	·01	·10	·64	·05	·02	·40	15
16	·48	·01	·36	-	·38	·01	-	-	-	-	·05	·04	16
17	·35	-	·38	·04	·18	-	·30	-	·42	·08	-	·51	17
18	·48	-	·33	·18	·81	·20	-	-	·02	-	-	·55	18
19	-	-	·24	·03	·10	·40	-	·13	·45	·22	-	·04	19
20	-	-	·01	·09	·41	-	-	·10	·09	·16	·02	-	20
21	·07	-	·03	·01	·06	·71	-	·13	·08	·11	-	-	21
22	·02	-	·02	-	-	·01	-	·30	·51	·16	·04	·02	22
23	-	-	·12	·56	-	·01	·36	-	·01	·24	·04	·03	23
24	-	·20	·02	·15	-	·08	·10	-	·39	·38	-	·02	24
25	134	·11	·01	·20	-	-	·46	-	·36	·64	-	·62	25
26	·35	-	·01	·24	-	·15	·36	-	·60	·22	·04	·16	26
27	-	-	-	·36	-	·87	·51	-	·04	·41	·05	·52	27
28	-	-	-	·10	-	·19	·32	·29	-	·06	-	·88	28
29	-	-	·02	-	-	-	·08	·81	·36	·05	-	·22	29
30	·15	×	-	-	-	-	·12	·11	·35	snow. ·04	-	·15	30
31	-	×	-	×	-	×	·32	·02	×	snow. ·06	×	·21	31
TOTAL	5·23	·63	3·64	3·54	4·20	3·67	3·33	4·61	4·61	6·67	2·12	8·42	YEAR'S TOTAL 50·67
*Days with ·01 in. or more.	19	8	26	21	14	14	13	20	21	29	17	29	231
*Days with .04 in. or more.	15	5	15	17	12	10	12	18	16	27	14	25	186

40-9999

*See Instruction 2 (*f*) on other side

(*Signed*) L. A. Crabtree

P.T.O.

3240

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No ~~3220/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Sowhall Hospital
in the County of York
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft - in.
,, Ground ,, Sea Level 1020 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·48	·48	·05	1·06	-	-	·05	-	·18	·52	·18	·45		1
2	·02	·20	·03	-	-	·35	-	-	·06	·30	·09	·28		2
3	·15	·82	·16	·18	-	·09	·66	·04	·44	·03	·17	·30		3
4	-	·04	·08	·01	-	·18	·16	-	·20	·62	-	-		4
5	-	·89	·20	·16	-	·42	·10	·01	·40	·10	·16	·22		5
6	·02	·02	·01	·09	-	·48	-	-	-	-	-	·03		6
7	·02	-	-	·05	-	·28	-	-	-	·52	·16	·26		7
8	-	-	-	·15	-	·03	-	-	-	·35	·08	·46		8
9	·02	·10	-	·74	-	·11	-	-	-	1·92	·20	-		9
10	·03	·24	·02	·68	-	·03	·03	·01	-	·44	·18	-		10
11	snow. ·48	·12	-	·01	-	·46	-	·01	-	·33	·20	·06		11
12	snow ·02	·28	-	-	-	·54	-	-	·09	·01	·07	-		12
13	·10	·16	-	·10	1·26	-	-	-	·22	·12	·14	-		13
14	·01	·06	-	·20	snow ·12	·10	-	·01	·25	·01	1·44	(snow) ·22		14
15	-	2·05	-	·32	·11	-	-	-	·65	·33	·10	(snow) ·33		15
16	-	·48	·12	·46	·05	·55	·07	-	·77	·03	·38	-		16
17	-	·05	-	·48	snow ·48	·30	·20	·01	·56	·09	·48	-		17
18	03	·08	-	·05	·04	·06	·17	-	·73	·62	·05	-		18
19	-	·26	-	·20	·02	·30	·40	-	·12	·33	·24	-		19
20	-	·88	-	·50	-	·12	·05	-	-	-	·62	-		20
21	-	·16	·02	·02	-	-	-	-	1·52	·26	·18	(snow) ·04		21
22	-	·02	·21	-	-	-	-	-	·25	-	·01	-		22
23	·07	·02	·88	·36	-	-	-	·60	·03	·45	-	-		23
24	·66	·25	·04	·01	-	-	-	·01	1·90	·02	-	122		24
25	13	·02	·30	-	-	·36	-	-	-	-	·12	·12		25
26	-	-	-	-	-	-	·12	1·24	·45	·84	·11	·35		26
27	-	·16	-	-	-	·05	·79	-	·30	1·65	·55	·08		27
28	·03	·15	-	-	-	-	-	·05	·11	·72	·18	·04		28
29	·01	-	·06	-	-	-	-	-	·33	·48	·20	·43		29
30	·07	×	·01	·02	-	·24	-	·27	·40	·80	·85	·10		30
31	·09	×	·06	×	-	×	-	-	×	·29	×	·55		31
TOTAL	2·44 ✓	7·99 ✓	2·25 ✓	4·85 ✓	1·08 ✓	5·05 ✓	2·80 ✓	2·26 ✓	9·96 ✓	12·18 ✓	7·14 ✓	4·54 ✓	Year's Total. ·54 62·84	
* Days with .01 in. or more.	19	25	16	22	7	20	12	11	22	27	26	19	226	
* Days with .04 in. or more.	8	21	11	17	6	18	11	5	21	22	25	18	183	

40-9999

† Spare column, no entries required.

(*Signed*) L. A. Crabtree

* See Instruction 2 (f) on other side.

[P.T.O.

3240

COPY FOR OFFICIAL USE.

Section **A** **for the entry of Daily Observations.** **Station No.** 777 137/27

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1936.

Kept at Sowhall Hospital, Todmorden

in the County of York

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 1020 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	**Jan.**	**Feb.**	**Mar.**	**April**	**May**	**June**	**July**	**Aug.**	**Sept.**	**Oct.**	**Nov.**	**Dec.**		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·15	·02	·30	-	-	-	·32	·03	-	·13	·95		**1**
2	·02	snow ·02	·02	·01	-	·76	·02	·16	·05	-	·03	·31		**2**
3	·05	-	-	-	-	·78	·02	·24	·52	-	-	·11		**3**
4	·61	snow ·03	·22	-	·01	·05	·01	·28	·44	-	·20	·68		**4**
5	·10	snow ·03	·61	-	·02	·02	-	·20	·45	-	-	snow ·12		**5**
6	·42	-	-	-	·02	·01	·15	·55	·67	-	·26	-		**6**
7	·02	-	·26	-	·01	-	·33	-	1·15	-	·36	·28		**7**
8	·56	-	·36	-	-	-	-	-	·01	-	·51	·19		**8**
9	·54	-	·01	-	-	·01	·20	-	·09	·03	·85	-		**9**
10	·19	-	-	-	-	-	·79	·01	·01	-	1·41	·		**10**
11	-	-	-	snow ·11	-	·20	·21	-	·06	-	·91	·03		**11**
12	-	-	-	snow ·10	·05	·61	·81	·05	·50	·04	·38	·02		**12**
13	-	-	-	·10	·02	·02	·18	-	-	·33	-	1·26		**13**
14	-	-	-	·16	-	·33	·10	·12	·05	·18	·31	·90		**14**
15	snow ·03	-	·05	·15	·06	·10	·02	·13	·10	·01	·55	·20		**15**
16	-	·02	·02	·06	·02	-	·02	-	-	·06	·92	·06		**16**
17	snow ·03	·68	·01	-	·03	-	·46	·14	-	·84	·11	·40		**17**
18	-	·10	-	·01	-	·24	·26	·13	·01	·94	-	·06		**18**
19	snow ·06	·46	·08	-	-	·06	·18	·46	-	·13	-	-		**19**
20	snow ·12	·10	-	·01	-	·01	·01	·02	-	·10	-	·01		**20**
21	snow ·03	snow ·13	·03	-	-	·80	-	-	-	·06	-	·03		**21**
22	snow ·04	·04	·04	·05	·03	-	·28	-	-	·02	-	·10		**22**
23	snow ·03	·08	·24	·28	·05	-	1·06	·03	-	·12	-	·01		**23**
24	·06	-	-	·15	·40	-	·03	·08	·20	1·15	-	·08		**24**
25	·64	·39	·06	·04	-	-	·07	-	·70	·28	-	·03		**25**
26	·19	·01	·21	·01	-	-	·01	-	·21	·82	-	-		**26**
27	1·09	snow ·30	·01	-	-	-	-	-	·11	·36	-	-		**27**
28	·24	[illegible]	·26	·01	-	·52	·18	-	-	-	·02	·14		**28**
29	·11	-	·78	-	·22	·02	-	·01	-	·08	·22	·03		**29**
30	·25	X	·03	-	·48	-	·33	-	-	·68	·25	·10		**30**
31	·01	X	·02	X	·05	X	·06	·03	X	-	X	1·06		**31**
TOTAL	5·48	2·80	3·34	1·55	1·47	4·54	5·79	2·96	5·36	6·23	7·32	7·16	Year's Total 54·00	✓
* Days with .01 in. or more.	25	16	21	16	15	17	25	18	19	19	17	25	233	✓
* Days with .04 in. or more.	18	11	12	11	7	11	17	13	15	16	15	18	164	✓

40-9999

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(Signed) L. Ablabtree

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Sourhall Hospital, Todmorden

in the County of York

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 1020 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·16	·05	snow ·13	–	–	·01	·10	–	·56	·01	·01	·22		1
2	·40	·62	snow ·12	·13	–	·01	–	–	·01	·01	–	·06		2
3	·03	·33	snow ·05	·11	·03	·84	·06	–	·01	–	–	·08		3
4	·45	·03	snow ·02	·27	·21	·02	·03	–	–	–	–	·12		4
5	1·29	–	snow ·05	·03	·02	–	·03	·01	·02	–	–	·08		5
6	·22	–	snow ·08	·11	·06	·01	·01	·56	·12	–	·05	·12		6
7	·05	·29	–	·35	·05	·04	–	–	·10	–	·03	–		7
8	·02	·61	snow ·02	·07	–	·15	·16	·02	·06	–	·04	·04		8
9	·01	·20	–	·09	·33	–	·28	·15	–	–	·02	–		9
10	·03	·13	snow ·04	–	·03	–	·01	·01	·01	·01	·03	–		10
11	–	–	snow ·10	–	·21	–	·03	·01	–	–	–	–		11
12	·48	snow ·19	·33	–	·02	·14	·02	·04	·18	–	–	·68		12
13	–	·16	·02	·03	–	·92	–	·27	·06	·01	–	snow ·22		13
14	–	·10	snow ·16	–	–	·03	–	·28	·19	·03	–	snow ·10		14
15	·52	·88	–	·45	–	·01	·60	–	·30	–	–	snow ·16		15
16	·11	·66	·19	·92	–	–	–	·43	·18	–	–	snow ·06		16
17	·10	·07	·36	·28	·04	·13	–	·02	·26	–	–	–		17
18	·26	·29	·30	·26	–	·03	–	·36	·10	–	·18	–		18
19	Snow ·10	·16	·05	·21	·02	·30	·06	·09	·19	–	snow ·36	–		19
20	·19	snow ·25	–	·28	·55	–	·04	–	–	–	–	snow ·15		20
21	·03	·11	·03	·16	·02	–	·40	–	–	·12	–	snow ·16		21
22	·09	–	snow ·15	·10	·07	–	·16	–	–	·34	·18	·13		22
23	·20	–	snow ·03	·01	·48	–	·60	–	–	·51	·12	·03		23
24	·19	snow ·09	·24	–	·09	–	·05	–	·10	·23	·01	·08		24
25	·03	·77	–	–	–	–	·03	·19	·08	·11	–	·03		25
26	–	·46	snow ·15	–	·40	–	·01	–	·04	–	–	·09		26
27	–	snow ·12	–	·18	–	–	–	–	–	·55	–	·01		27
28	·01	snow ·08	snow ·02	–	–	·09	–	–	·02	·14	–	–		28
29	·02	–	–	–	–	·06	–	–	–	·07	·12	·01		29
30	Snow ·21	✕	–	–	–	·36	–	·09	·01	·13	·44	·03		30
31	·34	✕	–	✕	·01	✕	–	·06	✕	·13	✕	·01		31
TOTAL	5·54	6·65	2·64	4·04	2·64	3·15	2·68	2·59	2·60	2·40	1·59	2·67	Year's Total 39·19	
* Days with .01 in. or more.	26	23	22	19	18	17	19	16	21	15	13	23	232	
* Days with .04 in. or more.	18	22	16	16	11	10	11	11	15	10	8	17	165	

† Spare column, no entries required.

*See Instruction 3 (f) on other side.

(*Signed*) L. A. Crabtree

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938.

Kept at SOURHALL HOSPITAL, TODMORDEN,
in the County of YORKSHIRE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 1020 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·02	·10	·01	·01	·03	·88	-	·18	-	·21	·55	·40		1
2	·05	·09	–	·73	·10	·39	·03	–	·01	2·12	·20	·39		2
3	·03	·01	·02	-	–	·03	·10	–	·21	2·33	·33	·02		3
4	·04	·05	·01	·10	-	·03	·31	1·74	–	·38	·50	1·19		4
5	·04	·04	–	·09	-	·21	·27	·15	·06	·69	·03	·12		5
6	·41	·01	–	–	-	·13	·30	·02	·01	·82	·02	·02		6
7	·36	·01	–	–	-	·01	·85	·06	·39	·27	-	·01		7
8	·29	·03	-	–	–	·01	·38	·08	-	1·21	-	·36		8
9	·31	·65	·36	–	–	·19	·25	·07	–	·11	-	·40		9
10	·02	·04	·07	–	–	·05	·58	–	·01	·23	-	·07		10
11	·15	·17	-	–	·01	·01	·32	·07	·03	·34	·17	·05		11
12	·72	-	-	–	·26	-	-	1·08	·01	1·11	·66	·02		12
13	·04	snow ·03	–	–	·06	–	·06	–	·12	·12	·34	·57		13
14	·69	snow ·04	–	–	·12	–	·10	=	·09	·03	·09	·01		14
15	·72	snow ·02	·02	–	·06	·01	·35	·23	-	·08	-	·38		15
16	·81	–	·24	–	·23	-	·13	·47	–	·05	·25	·15		16
17	-	–	–	-	·38	–	·19	·38	·17	·52	·02	·04		17
18	·22	–	–	-	·16	·12	-	·28	·23	·52	·70	·02		18
19	·04	·01	–	–	·01	-	-	·25	·17	–	·02	snow ·05		19
20	·29	-	·06	–	–	–	-	·12	·11	–	·42	snow ·03		20
21	·02	-	·03	·01	–	·04	-	–	·02	–	·06	snow ·05		21
22	·02	·01	-	·03	–	·30	-	·01	·01	–	·72	snow ·10		22
23	·04	-	-	·01	·37	·54	-	–	·11	–	·53	·02		23
24	·35	·03	·22	-	·05	·26	·61	·48	·02	·03	·41	–		24
25	·26	·48	·15	-	·01	·10	·29	·09	·01	·51	·68	snow ·02		25
26	·25	·62	·25	·01	·09	·19	–	·02	·11	·29	·35	·14		26
27	·57	·20	·02	-	·66	·53	·33	·16	·02	·03	·72	–		27
28	·55	·15	·33	-	·40	1·09	·12	·10	·22	·02	·06	·11		28
29	·18	X	·35	·01	1·32	·48	·29	–	-	·09	·39	·44		29
30	·33	✕	–	–	·19	·03	·09	–	·31	·11	1·01	snow ·21		30
31	·40	✕	·04	✕	·69	✕	-	–	✕	·62	✕	snow ·55		31
TOTAL	8·22	2·79	2·18	1·00	5·20	5·63	5·95	5·44	2·45	12·84	9·23	5·94	Year's Total 66·87	
* Days with .01 in. or more.	30	21	16	9	20	23	21	21	23	26	25	29	264	
* Days with .04 in. or more.	25	12	10	3	16	16	20	18	13	22	21	20	196	

† Spare column, no entries required.

(*Signed*) L. Crabtree

* See Instruction 3 (f) on other side.

[P.T.O.

32-40

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~3239~~ - ~~40~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at SOURHALL HOSPITAL, TODMORDEN,
in the County of YORK,
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 1020 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·30	-	·52	·03	-	-	·09	·07	·31	·18	·01	·66		1
2	-	-	·11	·19	-	-	·55	·85	·83	-	·04	·20		2
3	Snow. ·05	-	·01	·08	-	-	·01	·42	·03	·02	·14	·53		3
4	Snow ·09	-	·73	Snow ·54	·04	-	·72	-	-	·04	·04	Snow. ·29		4
5	-	-	·01	·03	·52	-	·33	·11	-	·20	·48	·09		5
6	Snow ·88	·27	·05	-	-	-	·94	-	-	-	·24	·01		6
7	·19	·36	·41	-	·08	-	·12	·18	-	-	·18	·40		7
8	·48	·24	·29	·03	-	-	·56	·04	-	·13	·53	·62		8
9	·11	·55	·01	-	-	-	·10	·95	·01	·48	·01	·56		9
10	Snow. ·10	·01	·03	-	-	·11	-	·02	·40	·22	·05	·21		10
11	Snow ·10	·10	·38	-	-	·39	-	·08	·02	·02	-	·04		11
12	Snow ·12	·11	-	-	-	·10	·01	-	·02	-	·02	·01		12
13	·02	-	·04	·30	·13	·22	·11	-	·03	·03	·06	-		13
14	1·14	·02	·03	·05	·56	·57	·22	-	-	·02	·48	-		14
15	·29	·12	·03	·61	·09	1·22	·20	-	-	-	·24	-		15
16	·44	-	·10	·06	·44	-	·02	-	-	-	·10	-		16
17	·84	·38	·05	·04	·12	·16	-	-	-	·18	·03	-		17
18	·09	·28	·06	-	-	·08	·36	-	-	-	·83	-		18
19	·11	-	·04	-	·01	·03	·36	-	-	-	-	-		19
20	·06	-	·03	-	·01	·12	·12	·10	·01	-	-	-		20
21	·09	·44	·72	·19	·04	-	-	·24	·02	-	-	-		21
22	·32	·46	·26	·06	·02	-	·09	·01	-	·01	·71	-		22
23	-	·72	·02	·36	-	·03	·08	·02	-	·48	·16	·04		23
24	Snow ·03	·15	·04	·12	·01	-	·04	·01	-	·04	·02	-		24
25	Snow ·05	·19	·03	·04	-	·05	·01	·01	-	-	1·72	·97		25
26	Snow. ·06	·10	·03	-	·01	-	-	1·74	-	·32	·42	-		26
27	Snow. ·03	1·56	·28	-	-	·64	·11	·03	-	·05	·52	Snow ·06		27
28	Snow ·03	·26	·21	·03	-	·43	·80	-	-	·01	·82	-		28
29	-	-	·01	-	-	·01	1·40	-	-	·22	·44	-		29
30	-	✕	-	-	-	·11	·16	-	-	-	·52	-		30
31	-	✕	-	✕	-	✕	·31	-	✕	·07	✕	-		31
TOTAL	6·02	6·32	4·53	2·76	2·08	4·27	7·82	4·88	1·68	2·72	8·81	3·79	Year's Total 55·68	
* Days with .01 in. or more.	25	19	28	17	14	16	26	17	10	19	26	15	232	
* Days with .04 in. or more.	21	17	17	13	9	13	22	11	3	13	21	13	173	

† Spare column, no entries required.

(*Signed*) L. A. Crabtree [P.T.O.

* See Instruction 3 (f) on other side.

File No. 777137/27

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~3239-40~~ 3240

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1930

Kept at Sourhall Hospital, Todmorden

in the County of York

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 1020 ft.

Jan pt estd. and apportioned

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	snow ~~·25~~ (·05)	-	·26	·02	-	·04	-	-	-	·67	·24		1
2	-	-	-	·16	-	-	·22	-	-	-	1·10	·13		2
3	snow ·03	-	·01	·19	-	-	·08	-	-	·06	·03	·13		3
4	-	-	-	·33	-	-	·10	·01	-	·41	·40	·24		4
5	-	-	-	-	·11	-	·05	-	-	·88	·10	·70		5
6	·07	·16	-	-	-	-	·26	-	-	·84	·06	·11		6
7	·09	·15	-	·26	·06	-	·01	·18	·16	·07	·02	-		7
8	·03	·03	·06	·02	-	-	·02	·09	-	·30	·14	·24		8
9	-	-	·10	-	-	-	1·12	·26	·33	·61	2·10	·26		9
10	-	-	·08	·02	-	-	·31	·32	-	·13	·92	·65		10
11	-	snow ·10	·12	·10	-	·05	·10	-	-	-	2·16	-		11
12	-	-	·52	-	-	-	·18	·03	·68	-	·68	-		12
13	-	snow ·12	snow ·15	·01	-	-	·02	·19	·54	-	·28	·12		13
14	-	snow ·18	snow ·12	·39	·21	-	·23	·09	·33	-	·09	·92		14
15	-	-	snow ·09	·10	·09	·04	-	-	-	·01	·11	·08		15
16	snow ·06	snow ·30	·22	snow ·21	-	-	·39	·01	1·40	·29	·10	·10		16
17	snow ·04	snow ·03	·41	snow ·02	·07	-	·85	·01	·26	-	·73	·01		17
18	snow ·03	snow ·10	·28	snow ·30	-	-	·11	·29	·31	·02	·02	·40		18
19	snow ·06	·22	·48	snow ·50	-	-	·33	·01	·33	·05	·55	·02		19
20	-	·06	·23	·41	-	·01	·21	·72	·24	·19	·26	-		20
21	snow ·03	-	·50	·03	-	·33	·05	·10	-	·08	·84	-		21
22	-	·19	·12	-	·03	·05	-	·05	·24	·03	·01	-		22
23	-	·30	·09	·10	·10	-	·21	-	·11	·02	·07	-		23
24	snow ·56	·03	·02	·05	·03	·01	-	·02	·05	·06	·01	·05		24
25	·03	-	-	-	·01	·17	-	-	-	·06	-	-		25
26	snow ·30	·25	-	·02	·26	·03	·01	·02	·01	·02	·08	-		26
·93 2·03 27	Blizzard	·89	-	·44	·01	-	·49	-	-	-	·09	·01		27
28	(·90)	snow ·12	·03	·02	·96	-	-	·15	-	-	-	·05		28
29	"	-	·40	·02	-	·24	·04	-	-	·05	-	·98		29
30	~~·20~~	✕	·02	·05	-	-	-	-	-	·73	·05	·36		30
31	(·20)	✕	·14	✕	·01	✕	-	·13	✕	·80	✕	·02		31
TOTAL	2·43 ~~1·93~~	3·28 ~~3·48~~	4·19	4·01	1·97	·93	5·43	2·68	4·99	5·71	11·67	5·82	Year's Total ~~52·81~~	53·11
* Days with .01 in. or more.	13	18	22	24	14	9	24	19	14	22	27	22	228	
* Days with .04 in. or more.	8	15	18	16	8	6	20	12	13	17	22	18	173	

* See Instruction 3 (f) on other side.

† Spare column, no entries required.

(*Signed*) L. A. Crabtree [P.T.O.

3241

Section A for the entry of

AIR MINISTRY

PY FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGIST

3241

HALIFAX PUBLIC LIBRARY

1931 — 40

780602

Kept at Public Library

in the County of Yorks

Diameter of Funnel of Gauge

Height of top of Gauge above Ground

,, Ground ,, Sea Le

THE MORNING MEASUR

An observer who does not conform to t
year in the space on the right of this

wing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	-	-	·08	·22	-	·67	-	-	·02	·02	-	-	1
2	-	·09	-	·69	·04	·86	·02	-	·90	·06	·07	·27	2
3	-	-	-		-	·04	·12	-	·98	-	1·41	·29	3
4	-	·10	·01	·24	-	Tr	·10	·02	1·46	·01	·06	·26	4
5	-	·05	-	-	·13	1·11		1·02	·10	-	-	-	5
6	-	·25	·01	-	-	-	·58	·02		·25	·20	-	6
7	-	-	·03	-	-	·87	·19	·24	-	·25	·38	·29	7
8	·03	·04	-	·03	-	Tr	·22	·22	-	·06		-	8
9	Tr	·80	·07	·22	-	·10	-		·19	Tr	·25	Tr	9
10	·17	·13	·04	-	·10	·14	-	·57	Tr	-	·19	-	10
11		·48	-	-	·01	·09	-		·21	-	·42	-	11
12	·07	·35	-	·02	-	Tr	·80	·01	-	·26	·07	-	12
13	-	-	·11	-	·03	·66	·23	·03	·01	-	-	-	13
14	·02	·48	-	-	Tr		·02	1·07	-	-	·51	·05	14
15	·13		-	·03	·06	·02	·11	·78	-	-	-	·05	15
16	·48	·10	-	·25	·38	·43	·08		·18	-	-	-	16
17	·27	·12	-	·44		·07	·07	·08	-	-	·14	-	17
18		·02	-	·30	-	·43	·21	·16	-	·04	·63	-	18
19	·08	·05	-		-	-	-	·47	-	·02	-	Tr	19
20	Tr	·13	·02	·03	-	·06	-	·05	·07	-	Tr	-	20
21	·13	·19	-	Tr	·12		-	·05	-	-	-	-	21
22	·32		-	Tr	·13	·01	Tr	-	-	-	·02	-	22
23	·39	·01	-	·17		·22	·29	-	Tr	-	·43	·09	23
24	-	·19	-	·21	·67	-	·05	-	-	-	Tr.	Tr	24
25	·15	·56	-	·80		-	-	-	-	-	·03	-	25
26	·22	·05	-		-	-	·06	-	-	-	·35	-	26
27	·23	-	-	·04	·04	-	·10	-	-	·27	·62	·10	27
28	·33	·08	-	·10	·25	-	·02	-	-	-	-	-	28
29	·26	-	-	·02	·34	-	·01	-	-	·34	·04	-	29
30	Tr	×	-	·03	·57	-	-	-	-	-	-	-	30
31	·43	×	-	×		×	-	-	×	-	×	-	31
TOTAL	3·71	4·27	·37	3·84	2·87	5·78	3·28	4·79	4·12	1·58	5·82	1·40	YEAR'S TOTAL 41·83
*Days with ·01 in. or more.	~~19~~	~~22~~	~~9~~	~~21~~	~~18~~	~~18~~	~~20~~	~~18~~	~~11~~	~~11~~	~~19~~	~~8~~	~~194~~
*Days with ·04 in. or more.	~~17~~	~~21~~	~~4~~	~~15~~	~~16~~	~~14~~	~~16~~	~~14~~	~~9~~	~~8~~	~~17~~	~~8~~	~~159~~

40-9999

(*Signed*) Edward Green

P.T.O.

*See Instruction 2 (*f*) on other side.

3241

Section **A** for the entry of [redacted] PY FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Public Library, Halifax

in the County of Yorks

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 625 ft.

Totals

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	–	·08	·22	-	·67	–	–	·02	·02	–	–	1
2	-	·09	-	·69	·04	·86	·02	–	·90	·06	·07	·27	2
3	-	-	-		–	·04	·12	–	·98	–	1·41	·29	3
4	–	·10	·01	·24	–	Tr	·10	·02	1·46	·01	·06	·26	4
5	-	·05	-	-	·13	1·11		1·02	·10	-	–	-	5
6	-	·25	·01	-	-	-	·58	·02		·25	·20	-	6
7	-	-	·03	-	-	·87	·19	·24	-	·25	·38	·29	7
8	·03	·04	-	·03	-	Tr	·22	·22	-	·06		-	8
9	Tr	·80	·07	·22	-	·10	-		·19	Tr	·25	Tr	9
10	·17	·13	·04	-	·10	·14	-	·57	Tr	-	·19	-	10
11		·48	–	-	·01	·09	-		·21	-	·42	-	11
12	·07	·35	–	·02	-	Tr	·80	·01	-	·26	·07	-	12
13	-	-	·11	-	·03	·66	·23	·03	·01	-	-	-	13
14	·02	·48	-	-	Tr		·02	1·07	-	-	·51	·05	14
15	·13		-	·03	·06	·02	·11	·78	-	-	-	·05	15
16	·48	·10	-	·25	·38	·43	·08		·18	-	-	-	16
17	·27	·12	-	·44		·07	·07	·08	-	-	·14	-	17
18		·02	-	·30	-	·43	·21	·16	-	·04	·63	-	18
19	·08	·05	-		-	–	-	·47	-	·02	-	Tr	19
20	Tr	·13	·02	·03	-	·06	-	·05	·07	-	Tr	-	20
21	·13	·19	-	Tr	·12		-	·05	-	-	-	-	21
22	·32		-	Tr	·13	·01	Tr	-	-	-	·02	-	22
23	·39	·01	-	·17		·22	·29	-	Tr	-	·43	·09	23
24	-	·19	-	·21	·67	-	·05	-	-	-	Tr.	Tr	24
25	·15	·56	-	·80		-	-	-	-	-	·03	-	25
26	·22	·05	-		-	-	·06	-	-	-	·35	-	26
27	·23	-	-	·04	·04	-	·10	-	-	·27	·62	·10	27
28	·33	·08	-	·10	·25	-	·02	-	-	-	-	-	28
29	·26	-	-	·02	·34	-	·01	-	-	·34	·04	-	29
30	Tr	×	-	·03	·57	-	-	-	-	-	-	-	30
31	·43	×	-	×		×	-	-	×	-	×	-	31
TOTAL	3·71	4·27	·37	3·84	2·87	5·78	3·28	4·79	4·12	1·58	5·82	1·40	YEAR'S TOTAL 41·83
*Days with ·01 in. or more.	19	22	9	21	18	18	20	18	11	11	19	8	194
*Days with ·04 in. or more.	17	21	4	15	16	14	16	14	9	8	17	8	159

40-9999

(Signed) Edward Green

P.T.O.

*See Instruction 2 (*f*) on other side.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at HALIFAX

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft 8 in.

,, Ground ,, Sea Level 625 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·02	-	·14	-	-	·17	·03	·41	-	·06	·14	1
2	·52	tr	-	-	·18	-	·16	-	·59	·45	·10	·19	2
3		-	-	tr	·43	tr		-	-	-	·04	·31	3
4	·05	-	-	-	·01	-	·02	·04	·02	tr	·04	-	4
5	·66	-	·24	·20	·02	-	-	·03	·03	-	-	-	5
6	·76	-		·46	·03	-	-	-	·14	tr	-	-	6
7	·09	-	·39	·27	·07	-	-	-	·42	·33	·03	-	7
8	-	-	-	·07	-	-	-	-	·02	·42	-	tr	8
9	·40	tr	tr	1·00	-	-	-	-	tr	-	-	·07	9
10		·19	-		·05	-	-	-	-	·36	-	·08	10
11	-	·04	-	·03	tr	·04	·67	-	·47	-	·04	-	11
12	·30	-	-	-	·28		·29	-	tr	·31	-	tr	12
13	tr	-	-	·07	·21	-	·02	-	·13	·44	·12	·20	13
14	·07	·07	-	·01	·07	-	·03	tr	tr	·14	·12	·06	14
15	tr	-	-	tr	-	-	-	-	-	-	·20	·07	15
16	·33	-	-	-	-	-	-	-	-	·10	·01	·06	16
17		-	-	·10	·16	-	·16	·02	-	·44	-	-	17
18	-	-	-	-	-	-	tr	-	tr	·02	·03	-	18
19	-	-	·06	·09	·05	-	tr	tr	-	·12	-	-	19
20	-	-		·14	·11	-	-	-	-	·14	·05	-	20
21	tr	-	·27	tr	·45	-	tr	1·12	-	1·05	·16	·05	21
22	-	-	·09	·10	-	-	·07	-	tr	-	·49	·08	22
23	-	tr	-	·05	·36	-	·48	-	-	·07	·14	·03	23
24	-	·04	-		·27	·01		-	-	·01	·09	-	24
25	-	·03	-	·14	tr	-	·06	-	·15	·53	·14	-	25
26	-	-	·56	·14	·08	-	·25	-	·11	·32	·22	-	26
27	-	-		·21	·43	·08	·24	-	-	-		tr	27
28	-	tr		·21	·27	·01	·29	·03	-	-	tr	-	28
29	tr	-		·07	·31	·01	·12	·17	·17	·42	·11	·09	29
30	-	×	·11	·18		·21	·17	·03	·14		·18	·09	30
31	tr	×	·16	×	tr	×		tr	×	tr	×	-	31
TOTAL	3·55	·39	1·88	3·68	3·84	·36	3·20	1·47	2·80	5·67	2·37	1·52	YEAR'S TOTAL 30·73
*Days with ·01 in. or more.	~~13~~	~~6~~	13	~~22~~	~~21~~	~~7~~	~~19~~	~~8~~	~~13~~	~~19~~	21	~~14~~	~~176~~
*Days with .04 in. or more.	13	~~4~~	~~11~~	~~18~~	18	~~2~~	~~15~~	~~3~~	~~10~~	~~17~~	18	~~13~~	~~142~~

40-9999

*See Instruction 2 (*f*) on other side,

(*Signed*) Edward Green

P.T.O.

COPY FOR OFFICIAL USE.

Section A for the entry of Daily Observations. **Station No.** 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Halifax

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 8 in.

,, Ground ,, Sea Level 625 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·56	·48	·05					Tr.	·02		·28			1
2			·28	·06		·03					·08			2
3	·03	·16	·13		·20						·05			3
4	·15				·22			·10			Tr.			4
5	·16	·33	·12		·10									5
6	Tr.	·09	·10		·45		Tr.					·06		6
7	·16	·10	·02				·12			·83		·04		7
8		·06	·06		·01		·72					·10		8
9		·34		·18	·04	·01		·01		·68	·04	·01		9
10	·06	·06				·06	·02			·98	·08			10
11				Tr.			·37	·01		·43				11
12		Tr				·22	·06			·04		·02		12
13	Tr		·02			·03	·48		·11	·05	·16			13
14	·67		·04		·33		·03			·17	·24	Tr.		14
15			·04			·03	·32	·08			·69	·05		15
16	·23		·16		·11	·09		Tr		·04	·10			16
17	·02		·70		·01	·71	·01	·34	·05		·11			17
18	Tr.	·12	·44	·05	·10			·03			·10			18
19				·07		·12	Tr.	·21	·12					19
20		·04				·04			·01		·02			20
21		Tr.				·13		·24	·09		·01			21
22						·04			·01	·20				22
23		·05		·27	·14			·10	1·26	·02				23
24		·16		·21	·04	·18		·01			·03			24
25		1·05		·27	Tr.				·16	Tr.	Tr.	·05		25
26				·11						·17				26
27		·04			·03				·02	·03				27
28		Tr.		·07			·03			·22				28
29							·20					·02		29
30	·05	×	Tr.	·09	·35					·19		·16		30
31	·48	×	Tr.	×		×	·07	·02	×	·17	×		Year's Total	31
TOTAL	2·57	3·08	2·16	1·38	2·13	1·69	2·43	1·15	1·85	4·22	1·99	·51	25·16	
*Days with ·01 in. or more.	13	16	14	10	16	14	15	12	11	17	15	10	163	
*Days with ·04 in. or more.	11	16	12	10	13	10	11	7	7	15	12	5	129	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Edward Green

P.T.O.

COPY FOR OFFICIAL USE.

Section **A.** for the entry of Daily Observations. Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Halifax

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft 8 in.

,, Ground ,, Sea Level 625 ft.

Duplicate

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·56	·48	·05					Tr.	·02		·28			1
2			·28	·06		·03					·08			2
3	·03	·16	·13		·20						·05			3
4	·15				·22			·10			Tr			4
5	·16	·33	·12		·10									5
6	Tr.	·09	·10		·45		Tr.					·06		6
7	·16	·10	·02				·12			·83		·04		7
8		·06	·06		·01		·72					·10		8
9		·34		·18	·04	·01		·01		·68	·04	·01		9
10	·06	·06				·06	·02			·98	·08			10
11				Tr.			·37	·01		·43				11
12		Tr.				·22	·06			·04		·02		12
13	Tr.		·02			·03	·48		·11	·05	·16			13
14	·67		·04		·33		·03			·17	·24	Tr		14
15			·04			·03	·32	·08			·69	·05		15
16	·23		·16		·11	·09		Tr.		·04	·10			16
17	·02		·70		·01	·71	·01	·34	·05		·11			17
18	Tr.	·12	·44	·05	·10			·03			·10			18
19				·07		·12	Tr.	·21	·12					19
20		·04				·04			·01		·02			20
21		Tr.				·13		·24	·09		·01			21
22						·04			·01	·20				22
23		·05		·27	·14			·10	1·26	·02				23
24		·16		·21	·04	·18		·01			·03			24
25		1·05		·27	Tr.				·16	Tr.	Tr.	·05		25
26				·11						·17				26
27		·04			·03				·02	·03				27
28		Tr.		·07			·03			·22				28
29							·20					·02		29
30	·05	×	Tr.	·09	·35					·19		·16		30
31	·48	×	Tr.	×		×	·07	·02	×	·17	×			31
TOTAL	2·57	3·08	2·16	1·38	2·13	1·69	2·43	1·15	1·85	4·22	1·99	·51	Year's Total 25·16	
*Days with ·01 in. or more.	13	16	14	10	16	14	15	12	11	17	15	10	163	
*Days with .04 in. or more.	11	16	12	10	13	10	11	7	7	15	12	5	129	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) Edward Green

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A·** for the entry of Daily Observations. Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Halifax

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 625 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09		Tr					·10	·02	Tr.		·04		1
2		·02	·06		Tr.			·36	·04		·13	·22		2
3	·02	·03	·26					·03	·02	·02		·03		3
4	·09			·12	·05				·02	·81	·01	1·12		4
5			·06	·01				·35		·20	·05	·41		5
6			·05	·02	·36	·13		·11		·11	·02	·33		6
7	·22	·06	·05	·01	Tr.	·11				·04	·23	·18		7
8			·01		·09	·36		·11	Tr.	·18	·61	·06		8
9	·02	·05	·10	·11				·07	Tr.	·01	·65	·03		9
10			·75	·21				·32		·12	·26			10
11	·16			·60				·04		·01		·04		11
12	Tr		·10	·08			1·39			·01		·06		12
13	·35		·02	·05	·04		·04	·03		·05	Tr.	·01		13
14			·27		·03	·05				·34	·12	·12		14
15	·56		·07		·47			·01	·17	·01	·02	·29		15
16	·30		·10		·23					·02	·09	Tr.		16
17	·23		·45		·09		·26		·13	·04		·20		17
18	·47			·14	·29	·11		·02				·14		18
19			·37	·02	·17	·08		·01	·18	·06		·01		19
20			·02	·03		·07		·06	·04	·01				20
21	·03				·01	·31		·06	·05	·05		·01		21
22					·01			·28	·23	·05	Tr.	·01		22
23	Tr.		·14	·22			·19	·04		·09	·01	·07		23
24		·05	·02	·12		·05	·03	·01	·07	·05		·02		24
25	·07			·14	·02	·02	·23		·17	·20		·57		25
26	·27		·02	·23		·06	·09		·18	·19	·03	·06		26
27	·01	·03		·33		·44	·20		·02	·34	·02	·17		27
28				·15		·05	·13	·14		·03		·53		28
29							·03	·26	·36			·05		29
30	·04	×	·03				·07	·21	·10	·24		·19		30
31	·02	×		×		×	·22	Tr.	×	·02	×	·06		31
TOTAL	2·95	0·24	2·95	2·59	1·86	1·84	2·88	2·62	1·80	3·30	2·25	5·03	Year's Total. 30·~~7~~31	
* Days with .01 in. or more.	18	8	24	18	14	13	12	21	16	27	15	28	214	
* Days with .04 in. or more.	13	2	17	13	9	12	10	15	12	18	9	21	141	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Edward Gilles

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 193 .

Kept at Halifax

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 625 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09		Tr.					·10	·02	Tr		·04		1
2		·02	·06		Tr.			·36	·04		·13	·22		2
3	·02	·03	·26					·03	·02	·02		·03		3
4	·09			·12	·05				·02	·81	·01	1·12		4
5			·06	·01				·35		·20	·05	·41		5
6			·05	·02	·36	·13		·11		·11	·02	·33		6
7	·22	·06	·05	·01	Tr.	·11				·04	·23	·18		7
8			·01		·09	·36		·11	Tr.	·18	·61	·06		8
9	·02	·05	·10	·11				·07	Tr.	·01	·65	·03		9
10			·75	·21				·32		·12	·26			10
11	·16			·60				·04		·01		·04		11
12	Tr.		·10	·08			1·39			·01		·06		12
13	·35		·02	·05	·04		·04	·03		·05	Tr.	·01		13
14			·27		·03	·05				·34	·12	·12		14
15	·56		·07		·47			·01	·17	·01	·02	·29		15
16	·30		·10		·23					·02	·09	Tr.		16
17	·23		·45		·09		·26		·13	·04		·20		17
18	·47			·14	·29	·11		·02				·14		18
19			·37	·02	·17	·08		·01	·18	·06		·01		19
20			·02	·03		·07		·06	·04	·01				20
21	·03				·01	·31		·06	·05	·05		·01		21
22					·01			·28	·23	·05	Tr.	·01		22
23	Tr.		·14	·22			·19	·04		·09	·01	·07		23
24		·05	·02	·12		·05	·03	·01	·07	·05		·02		24
25	·07			·14	·02	·02	·23		·17	·20		·57		25
26	·27		·02	·23		·06	·09		·18	·19	·03	·06		26
27	·01	·03		·33		·44	·20		·02	·34	·02	·17		27
28				·15		·05	·13	·14		·03		·53		28
29							·03	·26	·36			·05		29
30	·04	×	·03				·07	·21	·10	·24		·19		30
31	·02	×		×		×	·22	Tr	×	·02	×	·06		31
TOTAL	2·95	0·24	2·95	2·59	1·86	1·84	2·88	2·62	1·80	3·30	2·25	5·03	Year's Total. 30·~~7~~31	
* Days with .01 in. or more.	18	8	24	18	14	13	12	21	16	27	15	28	214	
* Days with .04 in. or more.	13	2	17	13	9	12	10	5	12	18	9	21	141	

40-9999

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Edward Gallen [P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Belle Vue, HALIFAX

in the County of YORKSHIRE

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground ft. 8 in.

,, Ground ,, Sea Level 625 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·32	·06	·16	·03	—	·03	·06	—	·03	·47	·04	·48		1
2	·01	·12	·04	Tr.	—	·24	Tr.	Tr.	·01	·20	·05	·43		2
3	·05	·36	·12	·08	—	·03	·20	·02	·21	·01	·17	·11		3
4	Tr.	·03	·03	·03	—	·06	·15	—	·15	·87	Tr.	—		4
5	Tr.	·48	·05	·08	—	·45	·03	—	·20	·02	·05	·14		5
6	·03	—	—	·01	—	·20	—	—	—	—	—	·01		6
7	·04	Tr.	—	·06	—	·46	—	—	—	·25	·28	·09		7
8	—	—	·01	·13	—	·01	—	—	—	·21	·09	·17		8
9	—	—	·02	·38	—	·15	—	—	—	1·29	·20	—		9
10	·01	·03	·02	·53	—	·01	—	—	—	·27	·22	—		10
11	·50	·15	—	—	—	·12	—	—	Tr.	·21	·10	·07		11
12	·02	·12	—	—	—	·47	—	—	·02	·01	—	·01		12
13	·06	·05	—	·05	·14	—	—	—	·09	·05	·03	—		13
14	—	·06	—	·31	·15	·06	—	—	·08	—	·81	·21		14
15	—	1·06	—	·48	·06	·01	·01	—	·19	—	·04	·26		15
16	—	·53	·15	·13	·06	·31	·04	—	·59	—	·53	—		16
17	—	·04	—	·18	·35	·34	·17	—	·44	—	·45	·01		17
18	·03	·01	—	—	·03	·06	·07	—	·30	·60	·04	—		18
19	—	·09	—	·49	—	·24	·14	—	·02	·12	·38	—		19
20	·01	·62	—	·37	—	·05	·02	—	—	—	1·00	—		20
21	—	·16	—	Tr.	—	—	—	—	·80	·12	·17	·07		21
22	—	·12	·11	—	—	—	—	—	·07	—	Tr.	Tr.		22
23	·03	Tr.	·42	·59	—	—	—	·56	·05	·28	—	—		23
24	·33	·70	·01	—	—	—	—	—	1·70	·03	—	·23		24
25	·09	·06	·11	—	—	·10	—	—	—	·01	·12	·08		25
26	·01	·01	—	—	—	—	·03	·63	·28	·34	·04	·18		26
27	—	·10	—	—	—	·02	·28	—	·44	·41	·28	·15		27
28	·02	Tr.	—	—	Tr.	—	—	—	·05	·18	·15	·07		28
29	—	—	·06	—	—	—	—	·01	·21	·50	·05	·19		29
30	·03	✕	—	·02	—	·16	—	·04	·20	·96	·48	·07		30
31	·05	✕	·02	✕	—	✕	—	—	✕	·23	✕	·27		31
TOTAL	1·64	4·96	1·33	3·95	·79	3·58	1·20	1·26	6·13	7·64	5·77	3·30	Year's Total 41·55	
* Days with .01 in. or more.	18	22	15	18	6	22	12	5	22	24	24	21	209	
* Days with .04 in. or more.	8	18	9	14	5	16	8	3	18	19	23	18	159	

40-9999.

† Spare column, no entries required.

* See Instruction 2 (f) on other side.

(*Signed*) Edward Green

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Halifax

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft. 8 in.

,, Ground ,, Sea Level 625 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	Snow ·12	·36				·13	·04		·03	·40		1
2		Snow ·06	Part snow ·05	·02		1·26		·05	·01			·11		2
3	·02	Snow ·02				·50		·15	·59			·05		3
4	·18	Snow ·11	·07			·04	·01	·05	·54		·12	Hail Sleet ·45		4
5	·05		·30		·03	·01		·26	}·78		·10	Hail Snow ·21		5
6	·08		·01	Trace	Trace	·02	·15	·30			·11	Snow ·01		6
7	·07		·03				·18		·51		·06	·13		7
8	·35		·22							Trace	·32			8
9	·25		·06				·01		·23	·03	·53			9
10	·16		Trace				·35		·01	·01	·62			10
11				Snow ·10		·12	·07	·01	·03		·70			11
12				Snow ·21	·03	·73	·54		·34	·02	·37	·07		12
13	Part Snow ·02			Snow. Hail ·15		·08	·08			·14		·85		13
14				Snow. Hail ·25		·15	·05		·43	·03	·22	·68		14
15	Snow ·16	·02	Trace	·23	·11	·03	·01	·20	·18	·01	·54	·06		15
16	Snow ·10	Snow ·04		·05	·02		·02			·03	1·89	·01		16
17	Snow ·01	·45		Trace	·16		·08	·04		·50	·04	·21		17
18		·05		Snow ·02		·04	·03	·03		·61		·03		18
19	Snow ·74	·19	·03	Snow Trace		·12	·02	·50	Trace	·04		·01		19
20	Snow ·12	·08						·02	·02	·03				20
21	Snow ·03		·02	·05		·11				·01		·03		21
22	Snow ·23	Snow ·47		Snow ·01	·05	·73	·33					·06		22
23	·01	Snow ·03	·23	·12	·13		·59	Trace		·04				23
24	Part snow ·27	Part snow ·08	Trace	·05	·34		·03	Trace	·16	·55		·03		24
25	·20	·01	·04				·02		·66	Sleet ·14				25
26	·07	·20	·47	·01					·07	Sleet ·49				26
27	Part snow ·58	Trace	·01					Trace	·13	Hail ·40	·07			27
28	·26	Snow ·77	·22				·27					·05		28
29	·06	Snow ·27	·40		·07	·55	·05			·03	·05	·06		29
30	·08	✕	·01		·47		·10			·74	·26	·02		30
31	·01	✕	·07	✕	·01	✕	·01		✕	Trace	✕	·34		31
													Year's Total	
TOTAL	4·12	2·86	2·36	1·63	1·42	4·49	3·00	1·74	4·73	3·85	5·03	3·87	39·10	✓
* Days with .01 in. or more.	26	17	18	14	11	15	22	12	18	19	17	22	211	✓
* Days with .04 in. or more.	19	12	12	10	7	12	13	9	14	10	16	15	149	✓

† Spare column, no entries required.

(*Signed*) Edward Green [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ....

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Halifax

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground — ft. 8 in.

,, Ground ,, Sea Level 625 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	·01	Snow ·12	·36				·13	·04		·03	·40		1
2		Snow ·06	Part snow ·05	·02		1·26		·05	·01			·11		2
3	·02	Snow ·02				·50		·15	·59			·05		3
4	·18	Snow ·11	·07			·04	·01	·05	·54		·12	Hail Sleet ·45		4
5	·05		·30		·03	·01		·26	·78		·10	Hail Snow ·21		5
6	·08		·01	Trace	Trace	·02	·15	·30			·11	Snow ·01		6
7	·07		·03				·18		·51		·06	·13		7
8	·35		·22							Trace	·32			8
9	·25		·06				·01		·23	·03	·53			9
10	·16		Trace				·35		·01	·01	·62			10
11				Snow ·10		·12	·07	·01	·03		·70			11
12				Snow ·21	·03	·73	·54		·34	·02	·37	·07		12
13	Part snow ·02			Snow Hail ·15		·08	·08			·14		·85		13
14				Snow. Hail ·25		·15	·05		·43	·03	·22	·68		14
15	Snow ·16	·02	Trace	·23	·11	·03	·01	·20	·18	·01	·54	·06		15
16	Snow ·10	Snow ·04		·05	·02		·02			·03	·89	·01		16
17	Snow ·01	·45		Trace	·16		·08	·04		·50	·04	·21		17
18		·05		Snow ·02		·04	·03	·03		·61		·03		18
19	Snow ·74	·19	·03	Snow Trace		·12	·02	·50	Trace	·04		·01		19
20	Snow ·12	·08						·02	·02	·03				20
21	Snow ·03		·02	·05		·11				·01		·03		21
22	Snow ·23	Snow ·47		Snow ·01	·05	·73	·33					·06		22
23	·01	Snow ·03	·23	·12	·13		·59	Trace		·04				23
24	Part snow ·27	Part snow ·08	Trace	·05	·34		·03	Trace	·16	·55		·03		24
25	·20	·01	·04				·02		·66	Sleet ·14				25
26	·07	·20	·47	·01					·07	Sleet ·49				26
27	Part snow ·58	Trace	·01					Trace	·13	Hail ·40	·07			27
28	·26	Snow ·77	·22				·27					·05		28
29	·06	Snow ·27	·40		·07	·55	·05			·03	·05	·06		29
30	·08	✕	·01		·47		·10			·74	·26	·02		30
31	·01	✕	·07	✕	·01	✕	·01		✕	Trace	✕	·34		31
													Year's Total	
TOTAL	4·12	2·86	2·36	1·63	1·42	4·49	3·00	1·74	4·73	3·85	5·03	3·87	39·10	
* Days with .01 in. or more.	26	17	18	14	11	15	22	12	18	19	17	22	211	
* Days with .04 in. or more.	19	12	12	10	7	12	13	9	14	10	16	15	149	

† Spare column, no entries required.

(*Signed*) Edward [P.T.O.

* See Instruction 3 (f) on other side.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Halifax

in the County of Yorkshire

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

„ Ground „ Sea Level 625 ft.

Totals

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·13	·07	·12			·01	·01		·25			·22		1
2	·17	·35	·03	·22		Tr.	Tr.					·05		2
3	Tr	·05	·01	·32	·15	·21	Tr.	·22	·09			·02		3
4	·29		·09	·13	·08	·01		·04				·26		4
5	·91	Tr.	·12	·02							Tr.	·08		5
6	·16		·11	·06	·07			·22	·04	·01	·04	·33		6
7	·04	·49	·01	·24	·14	·04			·05	·01	·04	·08		7
8		·50	·05	·03		·03	·17	·01	Tr.		·05	·05		8
9		·10	·02	·04	·35		·18	·09	·01	·02		·05		9
10		·14	·03		·02		·01				·04	·27		10
11			·90		·43		·02					·06		11
12	·18	·33	·20	·05		·36	·02	·06	·22			·17		12
13		·07	·07	·03	·01	1·85		·04	Tr.			·13		13
14		·02	·05	Tr.		·02		·13	·03			·23		14
15	·16	·35	·01	·47			·99		·19			·11		15
16	·04	·34	·15	·30	Tr.	Tr.		·06	·23			·04		16
17	·02	·03	·28	·22		·11		·02	·34			Tr.		17
18	·48	·11	·10	·08		Tr.		·13	·04		·60			18
19	·11	·15	·04	·02		·23	·02	·02	Tr.		·47			19
20	·04	·40	·08	·12	·72	·05	·04		Tr.			·10		20
21	·04	·04	·03	·07			·21			·02		·10		21
22	·01		·30	·02	·03		·06			·17	·30	·03		22
23	·17		·03	Tr.	·09		·40			·85	·18			23
24	·22	·27	·07		·02		·01		·02	·27	·01	·01		24
25	·07	·53						·14	·05	·17		Tr.		25
26		·42	·11		·33			·01	·02			·05		26
27	·01	·79	Tr.	·17						·45		·02		27
28	Tr.	·28	·01			·03				·18		Tr.		28
29	·04					Tr.				·08	·02	·01		29
30	·29	✗	Tr.			·04		·12		·05	·19	·03		30
31	·51	✗		✗		✗		·07	✗	·18	✗			31
													Year's Total	
TOTAL	4·09	5·83	3·02	2·61	2·44	2·99	2·14	1·38	1·58	2·46	1·94	2·50	32·98	✓
* Days with .01 in. or more.	22	22	26	19	13	13	13	16	14	13	11	24	206	✓
* Days with .04 in. or more.	19	20	17	14	9	8	7	12	10	9	9	17	151	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edward Green

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at HALIFAX

in the County of YORKSHIRE (W.R.)

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" Ground " Sea Level 625 ft.

Aws

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·06	·01		·03	1·44	·22	·13		·22	·59	·24		1
2	·08	·03		·34	·04	·09	·02		Tr.	1·33	·17	·25		2
3	·04	Tr.	Tr.	Tr.		·01	·11		·14	1·81	·13	·01		3
4	·08	Tr.		·02		·02	·12	·03		·30	·20	·44		4
5	Tr.	·04		·01		·09	·28	1·16	·07	·48	·01	·09		5
6	·15	Tr.				·04	·38	·51	·02	·27	·01	·02		6
7	·29	Tr.					·42	·24	·27	·24		·01		7
8	·42	·01					·29	·40		1·09		·20		8
9	·04	·31	·08		Tr.	·13	·14	·14	·01	·23		·25		9
10	·01	·02	Tr.			·08	·28			·14	Tr.	·06		10
11	·21	·05				·03	·22	·02	Tr.	·14	·02	·03		11
12	·37	Tr.			·20		Tr.	·01		·54	·26			12
13	·02	·03			Tr.		·02		·08	·11	·27	·15		13
14	·46	·05			·03		·09		·07	·02	·10	·01		14
15	·42		·02		·09		·30	·05		✓	·01	·22		15
16	·68		·03		·13		·22	·30		·08	·07	·14		16
17	Tr.	Tr.			·12			·12	·02	·15				17
18	·13				·08	·08		·13	·16	·39	·38	·01		18
19	Tr.							·31	·03		Tr.	·16		19
20	·10		·03					·05	·01		·40	·02		20
21			·03	·01		Tr.		·16			·07	·09		21
22	Tr.	Tr.		·02		·30		·01			·19	·07		22
23	Tr.				·16	·34			·15		·56	·01		23
24	·27	Tr.	·16		·05	·05	1·28	·44	·07		·19	·01		24
25	·13	·06	·09			·04	·06			·36	·66	·06		25
26	·07	·43	·10		·02	·20			·09	·13	·17	·02		26
27	·07	·12	·01		·58	·47	·12	·17	·01	·01	·21			27
28	·45	·06	·09		·72	·62	·02	·20	·06		·03	·08		28
29	·07	×	·11	·01	1·26	·22	·04			·01	·19	·16		29
30	·10	×	Tr.		·11	·07			·25	·04	·67	·26		30
31	·31	×	·06	×	·44	×	·01		×	·40	×	·82		31
TOTAL	4·97	1·27	·82	·41	4·06	4·32	4·64	4·58	1·51	8·49	5.56	3·90	Year's Total 44·53 ✓	
* Days with .01 in. or more.	24	13	13	6	16	19	22	20	17	24	24	28	226 ✓	
* Days with .04 in. or more.	22	9	7	1	13	16	18	16	11	~~21~~ 20	19	18	~~171~~ 170 ✓	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Edward Green

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Central Public Library, Halifax
in the County of Yorkshire
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 625 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·20		·13	·04			Tr.	·01	·01	·01	Tr.	·29		1
2	·03		·04	·07			·21	·47	·73	·03	·07	·59		2
3	·12			·20			Tr.	·16		·01	·11			3
4	·05		·21	·60	·01		·24	Tr.		·16	·57	·29		4
5			·02		·30		·14	·12		·40		·10		5
6	·56	·17	·03				·38	Tr.			·07	Tr.		6
7	·08	·12	·26		·01		·04				·17	·35		7
8	·53	·08	·20		Tr.		·64	·38		·04	·20	·31		8
9	·09	·28					·01	·39	·22	·41	Tr.	·25		9
10	·49	Tr.	Tr.			·02		·02		·04	·01	–		10
11	·51	·09	·17			·65		·03	Tr.	·09	·03	·01		11
12	·11	·15				·02			Tr.	Tr.	✓	Tr.		12
13	·03		·03	·07	·06	·16	·09			·03	·01	Tr.		13
14	·90			·02	·39	·16	·13		Tr.		·23	Tr.		14
15	·15	·03	·05	·19	·18	·49	·36		·02	·03	·11	Tr.		15
16	·16	Tr.	·14	·02	·27	Tr.				Tr.	·03	Tr. –		16
17	·87	·22	·03	·13	·06	·10	·01		Tr.	·21	Tr.	–		17
18	·13	·15	·03		–		·44			·05	·77	Tr.		18
19	·21					·05	·30		·01	Tr.		Tr.		19
20	·01		Tr.			·11	1·22	·12	·02	Tr.	Tr.	Tr.		20
21	·10	·04	·42	·07	·05	·01		·43	·02		·01	Tr.		21
22	·09	·42	·10	·03			·06	Tr.		Tr.	·37	Tr.		22
23	·01	·28	·07	·12		·05	·13	Tr.	Tr.	·21	·10	✓		23
24	·02	·05	·02	·04		·01		·01		·06	Tr.	·03		24
25	·45	·07	·02	Tr.		·03	·03			Tr.	1·27	✓		25
26	·09	·07	·02	Tr.		Tr.		·02	Tr.	·31				26
27	·03	1·11	·42	Tr.	Tr.	·23		✓		·21	·35	Tr.		27
28	·03	·04	·24	·06		·09	·26	Tr.	Tr.	–	·49			28
29			·09	·01		Tr.	·86	Tr.		·33	·22			29
30				Tr.		·05	·04	Tr.		Tr.	·25			30
31							·20	·02		·07				31
TOTAL	6·05	3·37	2·74	1·67	1·33	2·23	5·79	2·18	1·03	2·70	5·44	2·22	Year's Total 36·75	
* Days with .01 in. or more.	27	17	22	15	9	17	22	14	9 8	~~21~~ 19	24 ~~25~~	~~13~~ 11	~~211~~	205
* Days with .04 in. or more.	20	16	14	11	7	16 ~~12~~	19	7	~~4~~3	14	19	~~9~~ 8	~~152~~	149

† Spare column, no entries required.

(Signed) Frank Haigh

* See Instruction 3 (f) on other side.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3241

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 19~~3~~40.

Kept at Belle Vue, Halifax. (Public Library)
in the County of Yorkshire
Diameter of Funnel of Gauge 8 ins
Height of top of Gauge above Ground 1 ft. – in.
,, Ground ,, Sea Level 625 ft.

Accs.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		·06		·12	Tr.		·02		·03		·32	·05		1
2		Tr.		·23	Tr.		·05			Tr.	·68	·02		2
3	·04	·33		·11			·01			·11	✓	·01		3
4	Tr.	✓	Tr.	·29			Tr.			·16	·24	·24		4
5		Tr.	Tr.	Tr.	·05		·07			1·17	·20	·49		5
6	·06	·23					·06			✓	·06	·10		6
7	✓	·15	Tr.	·06	·18		✓	·09	·05	·02	Tr.	·11		7
8	·01	Tr.	Tr.	·09	Tr.		Tr.	·01		·21	Tr.	✓		8
9			·07	Tr.			·39	·12	·05	·70	1·48	·07		9
10			✓				·41			·07	✓	·64		10
11		·08	·07	·01		·01	·11	·17			·98	Tr.		11
12		Tr.	·45			Tr.	·04		·29		·43			12
13		·04	·23				·05	·04	·41		·15	Tr.		13
14		·03	·02	·22	·13		–	·03		Tr.	·01	·27		14
15	Tr.		Tr.	·10	Tr.				·02	·03	·17	✓		15
16	·07	·09	·43	·02			·22		·77	·31	·47	·03		16
17		·21	✓	Tr.	·03		·55		·22	Tr.	✓	Tr.		17
18	·08	✓	·14	·56			·03	·13	·17	·01	·01	·22		18
19	Tr.	·20	·18	·13		Tr.	·26	Tr.	·36	·17	·25	Tr.		19
20		·01	·09	·64			·11	·31	·16	✓	·15			20
21	·01	Tr.	·43	✓		·29	✓	·01		·12	·81			21
22	Tr.	·03	✓	Tr.	·02	·07		·02	·49	·04	Tr.	Tr.		22
23		·14	·02	·02	·02		·13		·11	·07	·02	·01		23
24	·18	Tr.		·02	Tr.		Tr.		Tr.	·03		✓		24
25	·05	Tr		Tr.	·03	·03				·05	Tr.	·04		25
26	·65	·03		Tr.	✓	·04	Tr.	Tr.	Tr.	Tr.	·04			26
27	1·17	·48	Tr.	·03					Tr.		·07	Tr.		27
28	✓	·18	Tr.	–	·11			·04		Tr.	Tr.			28
29	Tr.	Tr.	·15	·04	·05	·10	·01		Tr.	·02	Tr.	·24		29
30	·08	×		·25	Tr.					·32	·05	·16		30
31	·16	×	·07	×	Tr.	×			×	·74	×	·04		31
TOTAL	2·56	2·29	2·35	2·94	·62	·54	2·52	·97	3·13	4·35	6·59	2·74	Year's Total 31·6	"d"
* Days with .01 in. or more.	14	18	16	~~20~~ 19	~~10~~ 9	6	~~20~~ 19	11	13	21	23	~~21~~ 18	~~193~~	187
* Days with .04 in. or more.	10	1~~4~~3	~~12~~ 11	~~14~~ 13	5	4	12	7	11	16	~~20~~ 19	14	~~139~~	135

* See Instruction 3 (f) on other side. The Librarian

† Spare column, no entries required.

(Signed) Frank Haigh

P.T.O.

Section **A** for the entry of

AIR MINISTRY.

Y FOR OFFICIAL USE.

ORGANIZATION.

3242

FORM 1090.

REGIST

3242

DEWSBURY, MITCHELL LAITHES

1931—40

780602

Kept at Mitchell Laithes

in the County of YORK.

Diameter of Funnel of Gauge 8"

Height of top of Gauge above Ground

,, Ground ,, Sea Le

Sent a measure 19/4/32

THE MORNING MEASU

An observer who does not conform to th
year in the space on the right of this

wing

Jan. 1, following

Date	Jan.	Feb.	March								Nov.	Dec.	*Date*
	in.	in.	in.								in.	in.	
1	-	.05	.11	.01	-	.31	-	-	-	-	-	-	1
2	-	.03	-	.47	-	.70	-	-	.44	-	-	.11	2
3	-	-							.58	-	.17	.25	3
4	-	.0							2.30	-	.11	.07	4
5	-	.0							.04	-	-	.13	5
6	-	.1							-	.17	.10	-	6
7	-	.0							-	.16	.17	-	7
8	-	-							-	.01	.12	-	8
9	-	.3							.09	-	.21	-	9
10	.07	.0							.03	-	.09	-	10
11	.05	.4							.17	-	.14	-	11
12	.06	.1							.02	.03	.08	-	12
13	-	-							-	-	-	-	13
14	-	.0							-	-	.44	-	14
15	-	.3							-	-	.02	.03	15
16	.10	.0							.24	-	-	-	16
17	-	.0							-	-	.02	-	17
18	.04	.0							-	-	.80	-	18
19	.03								.04	.03	-	-	19
20	-	.05		.07	-	-	-	.25	-	-	.01	.03	20
21	.04	.02	-	-	.13	-	-	-	-	-	.02	-	21
22	.01	.09	-	-	.21	-	-	-	-	-	.01	-	22
23	.32	-	-	.06	.17	.22	.21	-	-	-	.26	-	23
24	.03	.05	-	.25	.62	-	.07	-	.01	.01	-	-	24
25	.03	.20	-	.71	.01	-	.05	-	-	-	-	.02	25
26	.05	.07	-	.26	-	-	-	-	-	-	.30	-	26
27	.07	.11	-	.02	.02	-	.02	-	-	.19	.27	.07	27
28	.09	.08	-	.11	.25	-	-	-	-	-	-	.22	28
29	.30	X	-	-	.27	-	-	-	-	.26	-	.05	29
30	-	✕	-	.02	.06	-	-	-	.01	-	-	-	30
31	.15	✕	-	✕	.48	✕	-	-	✕	-	✕	-	31
TOTAL	1.44	2.63	.23	3.48	2.57	4.66	2.48	3.86	3.97	.86	3.34	.98	YEAR'S TOTAL 30.50
*Days with ·01 in. or more.	16	23	4	18	16	16	17	12	12	8	19	10	171
*Days with ·04 in. or more.	12	18	2	14	12	13	10	12	8	4	14	7	126

Dr. Glasspoole.

Ref. minute 4 please see letters attached.

Last year we had

Mitchell Laithes Sew. Wks. 28.41

Crow Nest Park 32.57

This ~~year~~ you will note the difference is slightly less 3½" instead of 4".

Please indicate pending action

13/4/32

Possibly [illegible] very

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. H. Staynes.

[illegible] gauge overexposed

P.T.O.

3242

Section **A** for the entry of Y FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1931.

Kept at Mitchell Laithes, Dewsbury,

in the County of YORK.

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft - in.

" Ground " Sea Level 115 ft.

Letter sent re exposure 19/4/32

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.05	.11	.01	-	.31	-	-	-	-	-	-	1
2	-	.03	-	.47	-	.70	-	-	.44	-	-	.11	2
3	-	-	-	.05	-	.03	.02	-	.58	-	.17	.25	3
4	-	.09	-	.13	-	-	.21	.04	2.30	-	.11	.07	4
5	-	.03	-	-	.09	.92	.01	1.13	.04	-	-	.13	5
6	-	.16	-	-	-	.10	.42	-	-	.17	.10	-	6
7	-	.03	-	-	-	.59	-	.46	-	.16	.17	-	7
8	-	-	-	-	.05	-	.14	.35	-	.01	.12	-	8
9	-	.37	.08	.29	.05	.04	-	.21	.09	-	.21	-	9
10	.07	.08	.03	-	.02	.10	-	.09	.03	-	.09	-	10
11	.05	.40	-	-	-	.03	.01	-	.17	-	.14	-	11
12	.06	.16	-	-	-	-	.61	-	.02	.03	.08	-	12
13	-	-	.01	-	-	.02	.03	-	-	-	-	-	13
14	-	.05	-	-	.03	.55	.29	.75	-	-	.44	-	14
15	-	.34	-	.06	-	-	.12	.16	-	-	.02	.03	15
16	.10	.06	-	.11	.11	.23	.03	.13	.24	-	-	-	16
17	-	.08	-	.53	-	.16	-	-	-	-	.02	-	17
18	.04	.03	-	.31	-	.53	.21	.13	-	-	.80	-	18
19	.03	-	-	.02	-	.13	.03	.16	.04	.03	-	-	19
20	-	.05	-	.07	-	-	-	.25	-	-	.01	.03	20
21	.04	.02	-	-	.13	-	-	-	-	-	.02	-	21
22	.01	.09	-	-	.21	-	-	-	-	-	.01	-	22
23	.32	-	-	.06	.17	.22	.21	-	-	-	.26	-	23
24	.03	.05	-	.25	.62	-	.07	-	.01	.01	-	-	24
25	.03	.20	-	.71	.01	-	.05	-	-	-	-	.02	25
26	.05	.07	-	.26	-	-	-	-	-	-	.30	-	26
27	.07	.11	-	.02	.02	-	.02	-	-	.19	.27	.07	27
28	.09	.08	-	.11	.25	-	-	-	-	-	-	.22	28
29	.30	X	-	-	.27	-	-	-	-	.26	-	.05	29
30	-	X	-	.02	.06	-	-	-	.01	-	-	-	30
31	.15	X	-	X	.48	X	-	-	X	-	X	-	31
TOTAL	1.44	2.63	.23	3.48	2.57	4.66	2.48	3.86	3.97	.86	3.34	.98	YEAR'S TOTAL 30.50
*Days with ·01 in. or more.	16	23	4	18	16	16	17	12	12	8	19	10	171
*Days with ·04 in. or more.	12	18	2	14	12	13	10	12	8	4	14	7	126

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*) E. H. Staynes.

P.T.O.

Put with [illegible] gauges overexposed

File Number 2247/30.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1932.

Kept at Mitchell Laithes, Dewsbury

in the County of York

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft - in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·01	-	·05	·43	-	·07	-	·09	·14	·03	-	1
2	·13	-	-	-	·36	-	-	-	·20	·04	·03	·04	2
3	-	-	-	-	-	-	·25	-	-	-	-	·21	3
4	-	-	-	·07	-	-	-	-	-	-	·01	-	4
5	·12	·01	·06	·01	·04	-	-	-	·03	-	-	-	5
6	·57	-	·12	·17	-	-	·03	-	·04	-	-	-	6
7	·09	-	·23	·13	·05	-	-	-	·27	·05	·01	-	7
8	-	-	-	·03	-	-	-	-	·03	·18	-	·01	8
9	·08	·09	-	·18	-	-	-	-	-	-	-	·05	9
10	·06	·04	·01	·05	-	-	-	-	·19	·17	-	·03	10
11	·02	-	-	·03	·11	·05	1·40	-	·02	-	·03	-	11
12	·12	-	-	-	·05	-	·32	-	·03	·23	·04	-	12
13	·02	-	-	·06	·01	-	·03	-	·04	·33	·03	·03	13
14	·03	-	-	·13	-	-	·02	-	-	·02	·13	-	14
15	-	-	-	-	·14	-	-	-	-	·04	·06	·03	15
16	·19	-	-	·09	-	-	·03	-	-	-	·01	-	16
17	-	-	-	-	-	-	·10	·01	-	·24	-	-	17
18	-	-	-	-	·03	-	-	-	·01	-	·01	-	18
19	-	·01	·01	·09	·03	-	·03	·01	-	·05	-	-	19
20	-	-	-	·15	·42	-	-	·64	-	·12	·02	-	20
21	-	-	·07	·04	1·42	-	-	·26	-	·71	·06	·01	21
22	-	-	·20	·03	·04	-	·12	-	·03	-	·15	·03	22
23	-	·01	-	·09	·14	-	·05	-	-	·09	·11	·05	23
24	-	-	-	-	-	-	·19	-	·05	-	·06	-	24
25	-	·03	-	·23	·02	-	·03	-	-	·32	·01	-	25
26	-	-	-	·02	·40	-	·07	-	-	·19	·08	-	26
27	-	-	·12	·07	·40	·03	·11	-	-	-	·05	-	27
28	·02	-	·06	·06	·17	-	·32	·10	-	-	-	-	28
29	-	-	·08	·11	·21	-	·04	·04	·13	·26	-	·02	29
30	-	✕	·09	·08	-	·13	-	·05	·17	·01	·09	·09	30
31	-	✕	·07	✕	-	✕	·30	-	✕	-	✕	·04	31
TOTAL	1·53	·20	1·12	1·97	4·47	·21	3·51	1·11	1·33	3·19	1·02	·64	YEAR'S TOTAL 20·30
*Days with ·01 in. or more.	13	7	12	23	19	3	19	7	15	18	20	13	169
*Days with .04 in. or more.	9	2	10	18	15	2	13	5	9	16	10	6	115

40-9999

*See Instruction 2 (*f*) on other side, Note change of site on 10 yrs sheet (*Signed*) E H Staynes. Print 8 P.T.O.

3242

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No 3242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1933.

Kept at Mitchell Laithes, Dewsbury.

in the County of York.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.22	.11	-	-	-	-	-	-	-	.04	-		1
2	.10	-	.23	-	-	-	-	-	-	-	.11	-		2
3	.03	.02	.06	-	.28	-	-	-	-	-	.09	-		3
4	.07	.05	-	-	.16	-	-	-	-	-	-	-		4
5	.10	.01	.03	-	.08	-	-	-	-	-	-	-		5
6	-	.07	-	-	.58	-	-	-	-	-	-	.04		6
7	.01	.14	.12	-	.19	-	.45	-	-	.83	-	.04		7
8	.01	.01	.03	-	-	-	.51	-	-	-	-	.08		8
9	-	.15	-	.01	-	-	.18	-	-	.18	.02	-		9
10	.01	.05	-	-	-	.15	.02	-	-	.68	.09	-		10
11	-	-	-	-	-	-	.25	.04	-	.39	-	-		11
12	-	-	-	-	-	.22	.06	-	-	-	-	.04		12
13	-	-	-	-	.25	.01	.15	-	-	.04	.12	-		13
14	.04	-	-	-	.05	-	-	.02	-	-	.16	-		14
15	.62	-	-	-	-	-	.30	.12	-	.07	.83	.05		15
16	.41	-	.17	.13	.09	-	1.02	.02	-	.09	.03	-		16
17	.08	-	.65	-	.01	.06	-	.09	-	-	.16	-		17
18	-	.20	.12	-	.02	.22	-	-	-	-	.08	-		18
19	-	.08	.38	-	-	-	-	-	.16	-	.04	-		19
20	-	-	-	-	-	-	-	.05	.02	-	.02	-		20
21	-	-	-	-	.81	.21	-	.14	.02	.02	.02	.01		21
22	-	-	-	-	-	.20	-	.06	-	.48	-	.01		22
23	-	.08	-	.11	-	-	-	.04	.31	-	-	-		23
24	-	.56	-	.19	.05	.32	-	-	.80	.02	.02	.03		24
25	-	.64	-	.11	.06	-	-	-	.19	-	-	.07		25
26	-	1.75	-	.11	-	-	-	-	-	.04	-	-		26
27	-	.03	-	-	.03	-	-	-	.01	.13	-	-		27
28	-	-	-	.03	-	-	.02	-	-	.21	-	.02		28
29	-	X	-	.60	-	-	.05	-	-	.10	-	.02		29
30	.02	X	-	.23	-	-	.02	-	-	.06	.01	.06		30
31	.08	X	.03	X	-	X	-	-	X	.06	X	-		31
TOTAL	1.69	4.06	1.93	1.52	2.66	1.39	3.03	.58	1.51	3.40	1.84	.47	Year's Total 24.08	
*Days with ·01 in. or more.	14	16	11	9	14	8	12	9	7	16	16	12	144	
*Days with ·04 in. or more.	9	12	8	7	11	7	9	7	4	14	10	7	105	

40-9999

*See Instruction 2 (*f*) on other side.

D

† Spare column, no entries required.

(*Signed*) E. H. Maynes.

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

Kept at Mitchell Laithes Dewsbury

in the County of York

Diameter of Funnel of Gauge 8" in.

Height of top of Gauge above Ground 1 ft – in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·05	–	–	–	–	–	–	·06	–	·03	–	·15		1
2	–	·01	·04	–	–	–	–	·10	·06	–	·13	·35		2
3	–	·03	–	–	–	–		–	–	·15	·01	–		3
4	·04	–	·07	·14	–	–	–	–	·07	·28	–	·69		4
5	–	–	·03	–	·03	–	–	·29	–	·08	·03	·18		5
6	–	–	·04	–	·22	·01	–	·02	–	·12	–	·58		6
7	·04	·03	·02	–	–	·26	–	–	–	·05	·19	·11		7
8	–	–	–	–	·06	·68	–	·06	–	·09	·52	·02		8
9	–	–	·14	·07	–	–	–	·02	–	·03	·66	·06		9
10	–	–	·54	·26	–	–	–	·06	–	·05	·01	–		10
11	·09	–	·10	·46	–	–	–	–	–	–	–	·07		11
12	–	–	·08	·09	–	–	·03	·03	–	–	–	·06		12
13	·26	–	–	–	·03	–	·38	·02	–	–	·02	·01		13
14	·05	–	·32	–	·03	·05	–	–	–	·15	·11	·10		14
15	·32	–	·09	–	·12	–	–	–	·64	·05	·01	·05		15
16	·05	–	·04	–	·26	–	–	–	–	–	·06	·04		16
17	·10	–	·12	–	·02	–	·44	–	·14	–	–	·07		17
18	·25	–	·11	·22	·05	–	–	–	–	–	–	·07		18
19	–	–	·17	·02	·03	·05	–	–	·03	–	–	–		19
20	–	–	–	–	·02	·11	–	–	·01	–	–	–		20
21	·03	–	–	–	–	·13	–	–	·09	·05	–	·02		21
22	–	–	–	–	–	–	–	·10	·16	·03	–	–		22
23	–	–	·09	·06	–	·01	·26	–	–	·03	·05	·09		23
24	–	–	·03	·32	–	·02	·06	–	·03	·02	–	·01		24
25	·03	–	–	·06	·02	–	·04	–	·12	·06	–	·37		25
26	·11	–	–	·27	–	–	–	–	·05	–	·03	·03		26
27	·01	·15	–	·34	–	·24	·11	–	·02	·19	–	·16		27
28	–	–	–	·24	–	–	–	·05	–	·01	–	·33		28
29	–	X	·03	–	–	–	–	·07	·54	–	–	·03		29
30	·08	X	–	–	–	–	·74	–	·04	·22	–	·12		30
31	·01	X	–	X	–	X	–	–	X	·01	X	·04		31
TOTAL	1·52	·22	2·06	2·55	·89	1·56	2·09	·88	2·00	1·70	1·83	3·81	Year's Total 21·11	
*Days with ·01 in. or more.	16	4	18	13	12	10	8	12	14	20	13	26	166	
*Days with ·04 in. or more.	12	1	14	12	5	7	7	8	10	13	7	20	116	

40-9999

*See Instruction 2 (*f*) on other side.

† Spare column, no entries required.

(*Signed*) E H Stayner

[P.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations. Station No. 3242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Kept at Mitchell Laithes Dewsbury

in the County of York

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·23	—	·03	—	—	—	·02	—	·14	·13	·04	·25		1
2	—	·04	·02	—	—	·01	—	·05	—	·38	·23	·12		2
3	—	·08	·10	·03	—	·19	·11	—	·03	·07	·26	·02		3
4	—	—	·01	—	—	·08	·12	—	·07	·94	·01	—		4
5	·03	·30	·08	—	—	·09	·01	—	·02	·02	·05	·04		5
6	·09	—	—	—	—	·09	—	—	—	—	·37	—		6
7	·02	—	—	·06	—	—	—	—	—	·11	·03	·10		7
8	·02	—	—	·10	—	·15	—	—	—	·04	·12	·05		8
9	—	—	—	·26	—	—	—	·05	—	1·11	·15	·01		9
10	—	—	—	·23	—	·09	—	—	—	·22	·10	—		10
11	·33	·02	—	—	—	·03	—	—	—	·07	—	·08		11
12	·04	·03	—	—	—	—	—	—	—	—	·02	—		12
13	·06	·03	—	·01	·09	·14	—	—	·02	—	·51	—		13
14	—	·26	—	·08	·12	·02	—	—	·02	—	·08	·12		14
15	—	·34	—	·29	·05	·01	·01	—	·06	—	·59	·12		15
16	—	·03	·11	·07	—	·04	·04	—	·37	—	·58	—		16
17	—	—	—	·10	·24	·04	·17	1·30	0·21	·02	·04	—		17
18	·03	·01	—	·06	—	·48	·04	·69	·07	·21	·14	—		18
19	·01	·13	—	·14	—	·09	·05	—	—	·10	·57	—		19
20	·01	·27	—	·84	—	·31	·06	—	—	—	·10	—		20
21	—	·14	—	·01	—	·07	—	·08	·67	·04	—	·04		21
22	—	—	·10	—	—	—	—	—		—	—	—		22
23	·01	·59	·18	·35	—	—	—	·89	·03	·21	—	—		23
24	·28	·09	—	—	—	—	—	—	1·17	·02	—	·25		24
25	·05	—	·02	—	—	·02	—	—	—	·02	—	·13		25
26	·03	·11	—	—	—	—	·04	·30	·33	·11	·05	·18		26
27	—	—	—	—	—	—	·08	—	·40	·10	·07	·37		27
28	·02	—	—	—	—	—	—	—	·04	·03	·03	·16		28
29	·04	×	·11	—	—	—	—	·06	·42	·30	·44	·12		29
30	·04	×	—	·03	—	·03	—	·05	·04	·30	—	·02		30
31	·02	×	—	×	—	×	—	—	×	·23	×	·15	30·05	31
TOTAL	1·36 ✓	2·47 ✓	0·76 ✓	2·66 ✓	0·50 ✓	1·98 ✓	·75 ✓	3·47 ✓	4·11 ✓	5·08 ✓	4·58 ✓	2·33 ✓	Year's Total 30·05	
* Days with .01 in. or more.	19	16	10	16	4	19	12	9	19	23	23	19	189	
* Days with .04 in. or more.	9	11	6	12	4	13	9	9	14	18	19	16	140	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) E H Haynes

P.T.O.

COPY FOR OFFICIAL USE

Section A **for the entry of Daily Observations** **Station No.** 3242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936

Kept at Mitchell Laithes, Dewsbury

in the County of York.

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. - in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.07	.22	.36	-	-	.01	.17	.05	-	.01	.09		1
2	-	.01	.10	-	-	1.31	-	-	-	-	.02	.08		2
3	.06	-	-	.01	-	.13	-	.10	.37	-	-	.02		3
4	.03	-	.02	-	-	.03	-	.02	.19	-	.14	.19		4
5	.11	.05	.30	-	-	-	-	.24	-	-	.06	.16		5
6	-	-	-	-	-	.02	.12	.19	.53	.02	.11	-		6
7	.13	-	.03	-	-	-	.75	-	.14	.01	.01	.02		7
8	.13	-	.07	-	-	-	-	-	-	.02	.27	.03		8
9	.28	.02	.18	-	-	.01	.13	-	.27	.04	.22	-		9
10	.06	-	-	.04	-	.04	.26	-	.01	.01	.47	-		10
11	-	-	-	-	-	-	-	-	.26	-	.54	.02		11
12	-	-	-	.17	.06	.74	.39	-	.37	-	.17	.08		12
13	-	-	-	.10	-	.07	.05	-	-	.02	-	.33		13
14	-	-	-	.20	-	.06	-	.03	.14	-	.13	.21		14
15	.17	-	-	.12	.04	.02	-	.14	-	-	.26	.41		15
16	.03	.03	.01	-	-	-	.04	-	-	-	.64	-		16
17	-	.39	-	-	.01	-	.07	-	-	.19	.03	.07		17
18	-	.03	-	-	-	.01	.01	.09	-	.33	.01	.02		18
19	.68	.21	.03	-	-	.11	.02	.18	-	.12	-	-		19
20	.15	.10	-	-	-	.07	-	-	.01	.03	-	-		20
21	-	-	.01	.04	-	.09	-	-	-	-	.01	-		21
22	.07	.50	.08	-	-	.59	.22	-	-	-	-	.03		22
23	-	.01	.15	.12	.08	-	.30	-	.09	-	-	-		23
24	.17	.03	-	.01	.08	-	-	-	.41	.23	-	-		24
25	.13	-	.02	-	.30	-	-	-	.04	.11	.03	-		25
26	.01	.05	.44	-	-	-	-	-	.04	.35	-	-		26
27	.39	-	.04	-	-	-	-	-	-	.24	-	-		27
28	.25	.70	.06	-	-	-	.06	-	-	-	.01	.02		28
29	.12	.41	.09	-	.07	.33	.05	-	-	.03	.03	.02		29
30	.03	✕	-	-	.37	.01	.08	-	-	.60	.20	-		30
31	-	✕	.02	✕	.02	✕	-	-	✕	.01	✕	.08		31
TOTAL	3.00	2.51	1.87	1.27	1.03	3.64	2.56	1.17	2.92	2.36	3.37	1.88	Year's Total 27.58	✓
* Days with .01 in. or more.	19	15	18	10	9	17	16	9	15	17	21	18	184	✓
* Days with .04 in. or more.	16	9	11	8	7	11	13	7	13	9	12	10	126	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) EHHaynes

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3242

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1937

Kept at Mitchell Laithes, Dewsbury

in the County of York

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.11	.07	.06	.25	–	–	–	–	–	–	.01	–		1
2	.04	.11	.02	.18	–	.02	–	–	–	–	–	.14		2
3	.–	.04	–	.14	.09	.03	–	–	–	–	–	–		3
4	.15	–	.07	–	.02	–	–	.30	–	–	–	.12		4
5	.27	–	.09	–	–	–	–	–	–	–	–	.09		5
6	.12	–	.07	.02	.13	–	1.23	.17	–	.01	.03	.39		6
7	.01	.50	.01	.35	.08	.03	–	–	.20	–	.04	.05		7
8	–	.41	–	.04	–	–	.05	–	–	–	–	.07		8
9	–	.02	–	–	.01	–	.27	.15	–	–	.02	.01		9
10	–	.07	.01	–	.03	–	–	.02	–	–	.03	.03		10
11	–	–	.88	–	.56	–	–	.02	.14	–	–	.09		11
12	.06	.23	.49	.03	.12	.13	–	.03	.02	–	–	.06		12
13	–	.03	.06	–	.03	.61	–	–	.02	–	–	.24		13
14	.–	.01	.01	–	–	.03	–	.18	–	–	–	.03		14
15	.11	.30	–	.28	–	–	1.37	–	.03	–	–	.11		15
16	.05	.14	.30	.50	–	–	–	.05	.27	–	–	–		16
17	.12	.04	.20	.36	–	.03	–	–	.60	–	–	–		17
18	1.08	.06	.12	.01	–	.04	.01	.11	.01	–	.58	–		18
19	.02	.06	.05	.01	–	.14	.04	–	–	–	.56	–		19
20	.08	.28	–	.11	.70	.01	.03	–	–	–	–	.05		20
21	.05	.04	.02	.02	–	–	.12	–	–	–	–	–		21
22	–	–	.02	–	.04	–	.02	–	–	.09	.25	–		22
23	.22	–	–	–	–	–	.24	–	–	1.00	–	–		23
24	.20	.21	–	–	.06	–	–	–	–	.33	–	–		24
25	.07	.48	.12	–	–	–	–	.03	–	.16	–	.05		25
26	–	.34	.04	–	.36	–	–	.02	–	–	–	.01		26
27	–	.33	.02	.21	–	–	–	–	–	.49	–	–		27
28	–	.56	–	–	–	.02	–	–	–	.08	–	.01		28
29	.35		–	–	–	–	–	–	–	.03	.04	.03		29
30	.07	✕	–	–	–	–	–	–	–	.01	.18	–		30
31	.11	✕	–	✕	–	✕	–	–	✕	.18	✕	–		31
TOTAL	3.29	4.33	2.66	2.51	2.23	1.09	3.38	1.08	1.09	2.38	1.74	1.58	Year's Total 27.36	✓ ✓
* Days with .01 in. or more.	20	22	20	15	13	11	10	11	8	10	10	18	168	✓ ✓
* Days with .04 in. or more.	17	19	13	10	9	4	7	6	4	7	6	12	114	✓ ✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E. Haynes

[P.T.O.

COPY FOR OFFICIAL USE

Station No. 3242

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Mitchell Laithes Dewsbury

in the County of York

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·09	–	–	·03	·70	·78	·12	–	·01	·28	·13		1
2	·07	–	–	·07	–	·01	–	–	–	·35	·09	·24		2
3	·02	·03	–	–	–	·03	·06	–	·09	1·03	·02	–		3
4	·11	–	–	–	–	·06	·17	–	–	·19	·07	·20		4
5	–	–	–	–	–	·02	·11	·29	·03	·29	–	·03		5
6	·05	·01	–	–	–	·01	·37	·10	·02	·04	–	·01		6
7	·16	·01	–	–	–	–	·14	·39	·31	·39	–	·02		7
8	·33	–	–	–	–	–	·22	·03	–	·38	–	·15		8
9	·06	·08	–	–	–	·12	·03	·52	–	·03	–	·23		9
10	·02	·03	–	–	–	·01	·05	–	·01	·02	–	·06		10
11	·19	·01	–	–	–	–	·08	·03	–	·03	·03	·03		11
12	·16	–	–	–	·01	–	–	·12	–	·18	·04	–		12
13	–	·04	–	–	–	–	·01	·04	·11	·09	·06	·19		13
14	·22	·01	–	–		–	·25	–	·08	–	·03	·01		14
15	·26	–	–	–	·01	–	·34	·01	–	·01	–	·13		15
16	·22	–	–	–	·01	–	·54	·09	–	·01	·08	·20		16
17	·01	–	–	–	·09	–	·13	–	·01	·16	–	–		17
18	–	–	–	–	·06	·11	–	·01	·30	·22	·15	–		18
19	–	–	–	–	·02	–	–	·18	–	·13	–	·16		19
20	·02	–	–	–	–	–	–	–	–	–	·33	–		20
21	–	–	–	–	–	–	–	·09	·01	–	·02	·10		21
22	–	–	–	–	–	·25	–	–	–	–	·26	·08		22
23	–	–	–	–	·16	·09	–	–	·40	–	·41	–		23
24	·04	–	·17	–	–	–	·01	·37	·08	–	·05	–		24
25	·11	–	·12	–	–	–	·03	–	–	·30	·67	·07		25
26	·01	·34	·05	–	·01	·06	–	–	·10	·08	·04	·02		26
27	·02	·02	–	–	·45	·15	·04	·21	·03	–	·05	–		27
28	·18	·01	–	–	·66	·22	·05	·31	·05	–	–	·08		28
29	·02	×	·05	·01.	1·04	·04	–	–	–	–	·06	·02		29
30	–	×	–	–	·07	·05	–	–	·70	–	·39	·05		30
31	·20	×	–	×	·23	×	–	–	×	·07	×	·59		31
TOTAL	2·48	·68	·39	·08	2·85	1·93	3·41	2·91	2·33	4·01	3·13	2·80	Year's Total 24·00.	✓
* Days with .01 in. or more.	22	12	4	2	14	16	19	17	16	21	20	23	186	✓
* Days with .04 in. or more.	15	4	4	1	8	11	15	13	10	15	16	16	128.	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) E H Haynes.

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3242.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939.

Kept at Dewsbury.

in the County of York.

Diameter of Funnel of Gauge ~~8~~ 5 in.

Height of top of Gauge above Ground 1 ft. – in.

,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	.09	-	.06	.06	-	-	.01	-	.04	.01	-	.02		1
2	.06	-	-	.07	-	-	.08	.14	.78	.02	.07	.01		2
3	.10	-	-	.09	-	-	-	.20	.02	.02	.15	.26		3
4	.06	-	.10	.51	-	-	.05	.01	-	.15	-	.35		4
5	-	-	-	-	.07	-	.04	.04	-	.34	.40	.15		5
6	.28	-	-	-	-	-	.17	-	-	.02	.04	-		6
7	.07	.03	.11	-	.13	-	.04	-	-	.01	.20	.24		7
8	.21	.01	.13	-	-	-	.84	-	-	.03	.06	.31		8
9	.10	.07	-	-	-	-	.02	.15	-	.63	-	.16		9
10	.40	-	.02	-	-	-	-	.05	.01	.05	-	-		10
11	.42	.03	.20	-	.01	.40	-	-	.02	-	-	-		11
12	.03	.10	-	-	-	.01	-	-	-	-	.02	.01		12
13	-	-	.01	.08	.05	.14	.01	-	-	.04	-	-		13
14	.67	-	.01	.01	.18	.11	.25	-	-	.01	.09	-		14
15	.07	.01	-	.03	.19	.25	.56	-	.01	-	-	-		15
16	.01	-	.15	-	.83	-	.35	-	.02	-	.04	-		16
17	.77	.05	.03	.12	.07	-	.03	-	-	.26	-	-		17
18	.22	.05	.03	-	-	.13	.23	-	-	.03	.91	-		18
19	.29	-	-	-	-	.25	.38	-	.02	-	-	-		19
20	-	-	-	-	-	.10	2.01	.02	.05	-	-	-		20
21	.10	.03	.22	.04	.01	.01	.08	-	.03	-	-	-		21
22	.09	.32	.02	-	-	-	.05	-	-	-	.17	.01		22
23	.03	.16	.01	.05	-	.02	.16	-	-	.05	.15	-		23
24	.01	.01	.01	.01	-	-	-	-	-	-	-	-		24
25	.48	.08	.05	-	-	-	-	.28	-	-	.44	.01		25
26	.08	.01	.01	-	-	-	-	-	-	.12	.26	.02		26
27	.09	.26	.36	-	-	.07	.02	-	-	.09	.17	-		27
28	.01	.04	.23	.11	-	.01	.12	-	-	-	.30	-		28
29	-	x	-	-	-	-	.82	.01	-	.25	.07	-		29
30	-	X	-	-	-	.03	.01	-	-	-	.08	-		30
31	-	X	-	X	-	X	.16	.02	X	.05	X	-		31
TOTAL	4.74	1.26	1.76	1.18	1.54	1.53	6.49	0.92	1.00	2.18	3.62	1.55	Year's Total 27.77	✓
* Days with .01 in. or more.	25	16	19	12	9	13	24	10	10	19	18	12	187	✓
* Days with .04 in. or more.	20	9	10	9	7	8	18	6	3	11	17	6	124	✓

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) EH Straynes

[P.T.O.

File No. 2247/30.

COPY FOR OFFICIAL USE

Station No. 3242.

Section **A** for the entry of Daily Observations

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1940.

Kept at DEWSBURY
in the County of YORK
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
,, Ground ,, Sea Level 115 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	.09	-	.02	-	-	-	-	-	-	.14	.01		1
2	-	-	-	.20	-	-	.03	-	-	-	.10	.03		2
3	.04	.19	-	.09	-	-	-	-	-	.20	.04	-		3
4	-	.17	-	.17	-	-	-	-	-	.10	.24	.17		4
5	-	-	-	-	.04	-	.75	-	-	.03	.19	.17		5
6	.10	.25	-	-	-	-	-	-	-	.62	-	.02		6
7	.02	.22	-	-	.07	-	-	.03	.08	-	-	-		7
8	-	-	-	.02	-	-	-	-	-	.11	-	.08		8
9	-	-	.17	-	-	-	.14	.07	.05	.32	.93	.01		9
10	-	-	-	-	-	.25	.35	.01	-	.03	.20	.21		10
11	-	.08	.01	-	-	.03	.25	-	-	-	.45	-		11
12	-	-	.24	-	-	-	.02	-	.26	-	.15	-		12
13	-	.02	.27	-	-	-	.02	-	.33	-	-	-		13
14	-	-	.01	.06	.10	-	.07	-	-	-	-	.20		14
15	-	-	-	.01	-	-	-	-	.02	-	.17	.01		15
16	.03	.11	.02	-	-	-	.55	-	.15	.38	.22	.02		16
17	-	-	.46	-	-	-	.38	-	.11	-	.08	-		17
18	.07	.13	.15	.81	-	-	.11	.08	.12	.03	-	.07		18
19	-	.18	.06	.11	-	-	.33	-	.22	.03	.12	.01		19
20	-	-	.02	.51	-	-	.08	.13	.08	.12	.04	-		20
21	.02	-	.20	-	-	.21	.02	-	.18	.05	.95	-		21
22	-	-	-	-	.02	.03	-	-	.16	-	-	.01		22
23	-	.25	.01	-	-	-	.03	-	.01	.03	.01	.02		23
24	.02	-	-	-	-	-	-	-	.02	.02	-	.08		24
25	.02	-	-	-	-	-	-	-	-	.02	-	-		25
26	.43	.02	-	-	-	-	.13	.11	.02	.02	.02	-		26
27	.62	.38	-	.04	-	-	-	-	-	-	.01	-		27
28	.63	.23	-	-	.07	-	-	-	-	-	-	-		28
29	-	-	.22	.02	-	.06	-	-	-	-	-	.19		29
30	.08	X	-	.22	-	-	-	-	-	.24	-	.07		30
31	.17	X	.01	X	-	X	-	-	X	.59	X	.08		31
TOTAL	2.25	2.32	1.85	2.28	0.30	0.58	3.26	0.43	1.81	2.94	4.06	1.46	Year's Total 23.54	
* Days with .01 in. or more.	13	14	14	13	5	5	16	6	15	18	18	19	156	
* Days with .04 in. or more.	8	12	8	9	4	3	11	4	11	10	15	10	105	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

X The Manager X

(Signed) E. H. Staynes

P.T.O.

3242/5

DEWSBURY. MUNICIPAL OFFICES

1933 — 40

780602

Section **A** for the entry
AIR MINIS
LL ORGANIZATION.

Station No. 3242/5

FORM 1090.

REG

3 .

W. Riding

8

Kept at Municipal Offices
in the County of Y

Diameter of Funnel of Gauge
Height of top of Gauge above Gr
,, Ground ,, Se

THE MORNING MEA
Y.

An observer who does not conform
year in the space on the right o
following

Jan. 1, following

Date	Jan.	Feb.	Mar							ov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·29	·07	–	–	–	–	–	–	–	·05	–		1
2	·09	–	·23	–	–	·01	–	–	–	–	·12	–		2
3	–	·03	·10	–	·26	–	–	–	–	–	·11	–		3
4	·07	·09	–	–	·06	–	–	–	–	–	–	–		4
5	·09	·10	·01	–	·15	–	–	–	–	–	–	–		5
6	–	·05	–	–	·56	–	–	·01	–	–	–	·04		6
7	–	·15	·12	–	·21	–	·29	–	–	·85	–	·05		7
8	–	·01	·01	–	–	–	·93	–	–	–	–	·09		8
9	–	·13	–	–	–	–	·22	–	–	·18	tr.	–		9
10	·01	·06	–	–	–	·09	·01	–	–	·70	·08	–		10
11	–	–	–	–	–	–	·25	·02	–	·34	tr.	–		11
12	–	–	–	–	–	·25	·04	–	–	·02	–	·03		12
13	–	–	–	–	·23	–	·09	–	·08	·04	·13	–		13
14	·05	–	–	–	·11	–	–	·03	–	–	·15	–		14
15	·25	–	–	–	–	–	·04	·05	–	·06	·69	·03		15
16	·15	–	·15	·17	·09	–	·40	–	–	·04	–	–		16
17	·07	–	·63	–	·01	·10	–	·08	–	–	·13	–		17
18	–	·11	·14	–	·01	·24	–	·01	–	–	·09	–		18
19	–	·01	·44	·02	–	–	·10	·02	·18	–	·04	·01		19
20	–	–	–	–	–	–	–	·02	–	·01	·03	·01		20
21	–	–	–	–	1·10	·22	–	·17	·04	·01	·02	–		21
22	·03	–	–	–	–	·25	–	·08	–	·44	–	–		22
23	·04	·01	–	·11	·03	–	–	·02	·27	–	–	–		23
24	–	·50	–	·18	·05	·30	–	–	·77	·01	·03	·04		24
25	–	1·24	–	·13	·03	–	–	–	·21	–	–	·04		25
26	–	1·00	–	·10	–	–	–	–	–	·05	–	·01		26
27	–	·04	–	–	·05	–	–	–	–	·10	–	–		27
28	–	–	–	·03	–	–	·01	–	·01	·13	–	–		28
29	–	×	–	·67	–	–	·02	–	–	·06	–	·01		29
30	·03	×	–	·10	–	–	·03	–	–	·10	–	·08		30
31	·09	×	·01	×	–	×	–	–	×	·08	×	–		31
TOTAL	1·06	3·82	1·91	1·51	2·95	1·46	2·43	0·51	1·56	3·22	1·67	0·44	Year's Total 22·54	
*Days with ·01 in. or more.	13	16	11	9	15	8	13	11	7	18	13	12	146	not recorded
*Days with ·04 in. or more.	10	12	8	7	11	7	9	4	6	14	10	6	104	

40-9999

*See Instruction 2 (*f*) on other side.

N D

† Spare column, no entries required.

(*Signed*) Ernest Shaw

THE BOROUGH ENGINEER

[P. T. O.

Section **A** for the entry of Daily Observations. Station No. 3242/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1000.

REGISTER OF RAINFALL IN 1933.

W Riding 8

Kept at Municipal Offices ~~Halifax Road~~ Dewsbury

in the County of YORK.

Diameter of Funnel of Gauge 6 (six) in.

Height of top of Gauge above Ground one ft six in.

,, Ground ,, Sea Level 225 ft.

C 1933

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·09	·29	·07	—	—	—	—	—	—	—	·05	—		1
2	·09	—	·23	—	—	·01	—	—	—	—	·12	—		2
3	—	·03	·10	—	·26	—	—	—	—	—	·11	—		3
4	·07	·09	—	—	·06	—	—	—	—	—	—	—		4
5	·09	·10	·01	—	·15	—	—	—	—	—	—	—		5
6	—	·05	—	—	·56	—	—	·01	—	—	—	·04		6
7	—	·15	·12	—	·21	—	·29	—	—	·85	—	·05		7
8	—	·01	·01	—	—	—	·93	—	—	—	—	·09		8
9	—	·13	—	—	—	—	·22	—	—	·18	tr.	—		9
10	·01	·06	—	—	—	·09	·01	—	—	·70	·08	—		10
11	—	—	—	—	—	—	·25	·02	—	·34	tr.	—		11
12	—	—	—	—	—	·25	·04	—	—	·02	—	·03		12
13	—	—	—	—	·23	—	·09	—	·08	·04	·13	—		13
14	·05	—	—	—	·11	—	—	·03	—	—	·15	—		14
15	·25	—	—	—	—	—	·04	·05	—	·06	·69	·03		15
16	·15	—	·15	·17	·09	—	·40	—	—	·04	—	—		16
17	·07	—	·63	—	·01	·10	—	·08	—	—	·13	—		17
18	—	·11	·14	—	·01	·24	—	·01	—	—	·09	—		18
19	—	·01	·44	·02	—	—	·10	·02	·18	—	·04	·01		19
20	—	—	—	—	—	—	—	·02	—	·01	·03	·01		20
21	—	—	—	—	1·10	·22	—	·17	·04	·01	·02	—		21
22	·03	—	—	—	—	·25	—	·08	—	·44	—	—		22
23	·04	·01	—	·11	·03	—	—	·02	·27	—	—	—		23
24	—	·50	—	·18	·05	·30	—	—	·77	·01	·03	·04		24
25	—	1·24	—	·13	·03	—	—	—	·21	—	—	·04		25
26	—	1·00	—	·10	—	—	—	—	—	·05	—	·01		26
27	—	·04	—	—	·05	—	—	—	—	·10	—	—		27
28	—	—	—	·03	—	—	·01	—	·01	·13	—	—		28
29	—	×	—	·67	—	—	·02	—	—	·06	—	·01		29
30	·03	×	—	·10	—	—	·03	—	—	·10	—	·08		30
31	·09	×	·01	×	—	×	—	—	×	·08	×	—		31
TOTAL	1·06	3·82	1·91	1·51	2·95	1·46	2·43	0·51	1·56	3·22	1·67	0·44	Year's Total 22·54	
*Days with ·01 in. or more.	13	16	11	9	15	8	13	11	7	18	13	12	146	[illegible]
*Days with .04 in. or more.	10	12	8	7	11	7	9	4	6	14	10	6	104	

40-9999

*See Instruction 2 (*f*) on other side.

14 D

† Spare column, no entries required.

(*Signed*) Ernest Shaw

THE BOROUGH ENGINEER

[P.T.O.

COPY FOR OFFICIAL USE. f2 50578/33

Section **A** **for the entry of Daily Observations.** **Station No.** 3242/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1934.

IX/W. Riding/8

Kept at (Municipal Offices) ~~Halifax Rd.~~ Dewsbury.

in the County of York.

c.1933. Recorder ovfc.

Diameter of Funnel of Gauge five inch (standard.) six in. (hyetograph).

Two Standard g. from 1/4/24. Hyetograph: Jan–March.

Height of top of Gauge above Ground one ft six in.

,, Ground ,, Sea Level 224.6 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1., following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	.05	--	--	--	--	--	--	.05	--	.04	Tr	.12		1
2	.01	Tr	.02	--	--	--	--	.15	.04	--	.11	.35		2
3	.02	.03	--	--	--	--	--	--	--	.07	Tr	.02		3
4	.03	--	.06	.14	--	--	--	--	.09	.32	Tr	.82		4
5	--	--	.03	--	.04	--	--	.26	--	.10	.02	.20		5
6	--	--	Tr	--	.20	.03	--	.02	--	.13	--	.49		6
7	.03	.03	.03	--	Tr	.43	--	--	--	.06	.23	.11		7
8	--	--	--	--	.06	.50	--	.04	--	.11	.50	.01		8
9	--	.01	.13	.09	--	Tr	--	.01	Tr	.02	.62	.03		9
10	--	--	.43	.25	--	--	--	.03	--	.05	.07	--		10
11	.07	--	.59	.48	--	--	--	--	--	--	.02	.13		11
12	--	--	.09	.03	--	--	Tr	.02	--	--	Tr	.03		12
13	.24	--	--	--	.01	--	.28	.03	--	--	Tr	Tr.		13
14	.04	--	.33	--	.01	.06	--	--	--	.20	.11	.10		14
15	.31	--	.03	--	.11	--	--	--	.32	.05	.02	.09		15
16	.08	--	.03	--	.27	--	--	--	--	--	.05	.01		16
17	.10	--	.12	--	.03	--	.36	--	.22	Tr	--	.07		17
18	.27	--	.12	.21	.05	.06	Tr	--	--	--	Tr	.07		18
19	--	--	.22	.02	.02	.08	--	--	.07	--	--	Tr		19
20	--	--	--	--	.02	.05	--	--	Tr	--	--	--		20
21	.03	--	--	--	--	.17	--	--	.08	.02	--	Tr		21
22	.02	--	--	Tr	--	--	--	.10	.16	.02	--	--		22
23	--	--	.10	.06	--	.01	.26	--	--	.04	.04	.07		23
24	--	--	.01	.37	--	.01	.12	--	.02	Tr	--	.01		24
25	.01	--	--	.07	.04	--	.08	--	.16	.08	--	.37		25
26	.18	--	--	.30	--	Tr	.03	--	.05	--	.05	.02		26
27	Tr	.13	--	.31	--	.26	.12	--	.01	.22	--	.17		27
28	--	--	--	.20	--	.02	--	.07	--	.02	--	.33		28
29	Tr	X	.04	--	--	--	Tr	.07	.58	--	--	.02		29
30	.11	X	--	--	--	--	.16	--	--	.25	--	.07		30
31	.01	X	--	X	--	X	--	--	X	.01	X	.03		31
TOTAL	1.61	0.20	2.38	2.53	0.86	1.68	1.41	0.85	1.80	1.81	1.84	3.74	Year's Total. 20.71	Part 1
* Days with .01 in. or more.	18	4	17	13	12	12	8	12	12	19	12	25	164	
* Days with .04 in. or more.	10	1	11	11	7	8	7	7	10	14	9	16	111	

40-9999

ee Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest Shaw

THE BOROUGH ENGINEER

X.T.O.

COPY FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

Station No. 32

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1935.

Duration

acf

Kept at Municipal Bldgs., Halifax Rd., Dewsbury.

in the County of York.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 7.25 in.

,, Ground ,, Sea Level 223.27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.24	--	0.08	tr.	--	--	0.01	--	0.21	0.48	0.02	0.18		1
2	tr.	0.04	--	0.01	--	0.19	--	--	--	0.30	0.18	0.12		2
3	--	0.10	0.11	0.03	--	0.01	0.12	--	0.08	0.03	0.26	--		3
4	--	0.02	0.02	tr.	--	0.09	0.10	--	0.02	0.91	tr.	--		4
5	0.02	0.31	0.08	--	--	0.11	0.01	--	0.10	0.01	0.04	tr.		5
6	0.09	tr.	--	✓ 0.11	--	0.09	--	--	--	--	--	--		6
7	0.02	--	--	✗	--	0.18	--	--	--	0.09	0.34	✗		7
8	tr.	--	--	0.12	--	--	--	tr.	--	0.04	0.02	0.15 ✗		8
9	tr.	--	--	0.22	--	0.11	--	--	--	1.10	0.10	0.01		9
10	--	tr.	tr.	0.30	--	--	--	0.01	--	0.24	0.12	--		10
11	0.32	--	--	--	--	--	--	--	--	0.09	0.07	0.07		11
12	--	tr.	--	--	--	0.13	--	--	--	--	tr.	tr.		12
13	0.05	0.04	--	--	0.09	0.02	--	--	0.02	--	0.02	--		13
14	--	0.02	--	0.07	0.10	0.02	--	--	0.02	--	0.49	✓		14
15	--	0.35	--	0.29	0.05	tr.	tr.	--	0.08	tr.	0.05	0.22 ✗		15
16	--	0.34	0.10	0.06	--	0.03	0.02	--	0.39	--	✗	--		16
17	--	tr.	--	0.06	Snow 0.27	0.36	0.08	1.22	0.27	tr	1.14 ✗	0.01		17
18	0.02	--	--	0.05	--	0.10	0.15	0.35	0.06	0.25	0.01	--		18
19	--	tr.	--	0.14	--	0.29	0.09	--	--	0.12	0.14	--		19
20	0.01	0.14	--	0.83	--	0.08	0.06	--	--	--	0.53	--		20
21	--	0.21	--	0.03	--	--	--	0.03	0.71	0.05	0.10	0.06		21
22	--	0.12	0.11	--	--	--	--	--	0.02	tr.	tr.	--		22
23	--	--	0.19	1.01	--	--	--	0.81	0.03	0.21	--	tr.		23
24	0.34	0.55	--	--	--	--	--	--	1.14	0.01	--	✗		24
25	0.04	0.05	0.03	--	--	0.01	--	--	--	tr.	0.02	0.44 ✗		25
26	✗ 0.04	0.01	--	--	--	--	0.04	0.26	0.36	0.15	0.04	✗		26
27	-	0.09	--	--	--	--	0.13	--	0.52	0.14	0.08	0.32		27
28	0.02	tr.	--	--	--	--	--	tr.	0.04	0.04	0.06	0.11		28
29	--	✗	0.11	--	--	--	--	0.03	0.33	0.23	0.01	0.04		29
30	0.04	✗	--	0.02	--	0.03	--	0.06	0.16	0.29	0.38	--		30
31	0.02	✗	--	✗	--	✗	--	--	✗	0.18	✗	0.11		31
TOTAL	1.27	2.39	0.83	3.35	0.51	1.85	0.81	2.77	4.56	4.96	4.22	1.84	Year's Total 29.36	
* Days with .01 in. or more.	14 ✓	15.	9.	~~16~~ 17	4.	17.	11.	8.	19.	21.	~~23~~ 24	~~13~~ 17	~~168~~ 176	
* Days with .04 in. or more.	~~7~~ 8	12.	7.	12 ✓	4.	11.	8.	5.	14.	18.	~~17~~ 18	~~11~~ 15	~~126~~ 132	

40-9999.

* See Instruction 2 (f) on other side.

† Spare column, no entries required.

(*Signed*) Ernest Shaw

[P.T.O.

3242/5

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~3292/5~~

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1936. D

Kept at Municipal Offices, Dewsbury

in the County of York.

Diameter of Funnel of Gauge 5ins. in.

Height of top of Gauge above Ground 1 ft. 7¼ in.

" Ground " Sea Level 223.27 ft.

Ack.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	--	0.12	0.18	0.35	--	--	tr.	0.15	0.05	tr.	--	0.07		1
2	--		0.04	tr.	--	1.39	0.18	--	tr.	--	0.01	0.07		2
3	0.04	0.01	tr.	--	--	0.25	--	0.16	0.29	--	--	0.01		3
4	0.04	0.04	0.01	--	--	0.02	--	0.03	0.20	--	0.13	0.21		4
5	0.07	--	0.21	--	--	tr.	--	0.34	--	tr.	0.13	0.16		5
6	tr.	--	--	--	tr.	0.01	0.15	0.12	0.46	--	0.10	--		6
7	0.12	--	0.15	--	--	--	0.24	--	0.17	tr.	0.01	0.02		7
8	0.13	--		--	--	--	--	--	tr.	0.03	0.18	0.02		8
9	0.17	tr.	0.08	--	0.01	tr.	0.11	--	0.21	0.09	0.24	--		9
10	0.50	--	tr.	--	--	--	0.30	--	--	--	0.48	--		10
11	--	--	--	0.05	--	0.06	--	--	0.20	--	0.46	--		11
12	--	--	--	0.21	0.05	0.79	0.37	--	0.45	0.02	0.25	0.06		12
13	--	--	--	0.05	--	0.05	0.03	--		--	tr.	0.28		13
14	--	--	--	0.27	--	0.04	tr.	0.01	0.12	--	0.19	0.20		14
15	Snow. 0.18	tr.	0.01	0.10	0.05	tr.	--	0.21	tr.	tr.	0.25	0.01		15
16	--	0.07	--	tr.	--	--	0.03	--	--	--	0.59	--		16
17	--	0.38	--	--	0.01	--	0.07	--	--	0.30	0.02	0.06		17
18	0.69	0.02	--	--	--	0.01	--	0.09	--	0.08	tr.	0.01		18
19		0.20	0.03	tr.	--	0.09	0.01	0.21	--	0.44	--	--		19
20	--	0.08	--	--	--	0.06	--	--	tr.	0.02	--	--		20
21	0.03	--	--	0.04	--	0.07	--	--	--	0.28	--	--		21
22	0.05	0.50	0.09	--	0.06	0.57	0.22	--	--		--	0.04		22
23	--		0.13	0.07	0.37	--	0.28	--	--		--	tr.		23
24	0.17	0.03	--	--		--	--	--	0.13		--	--		24
25	0.10	--	0.03	--	--	tr.	--	--	0.36		--	--		25
26	--	0.03	0.39	--	--	--	--	--	0.04	0.35	--	--		26
27	0.39	--	0.01	--	--	--	--	--	0.02	0.19	0.01	--		27
28	0.22	Snow 0.66	0.12	--	--	tr.	0.11	--	0.03	tr.	0.02	0.02		28
29	0.10	0.42		--	0.03	0.29	0.08	--	--	--	0.01	0.03		29
30	0.02	✕	--	--	0.33	--	0.08	--	--	0.64	0.16	--		30
31	0.02	✕	0.02	✕	0.04	✕	tr.	--	✕	--	✕	0.05		31
TOTAL	3.06	2.56	1.35	1.14	0.95	3.70	2.26	1.32	2.73	2.44	3.24	1.32	Year's Total 26.07	✓
* Days with .01 in. or more.	~~19~~ 18	15 ✓	17 ✓	8	10 ✓	14	15	9	~~15~~ 14	12 ✓	18	17	~~169~~	167
* Days with .04 in. or more.	15 ✓	9 ✓	~~9~~ 11	8	~~6~~ 7	11	12	7	12 ✓	~~8~~ 9	12	10	~~119~~	123

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ernest Shaw

[P.T.O.

~~COPY FOR OFFICIAL USE~~

Section **A** for the entry of Daily Observations. Station No. 3242/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1937.

Kept at Municipal Offices, Halifax Rd. DEWSBURY.

in the County of York.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 7.25 in.

,, Ground ,, Sea Level 223.27 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following ✓

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.07	0.09	snow 0.03	-	-	-	-	-	0.06	-	-	0.20	1
2	)	0.11	0.02	0.22	-	tr.	-	-	-	-	-	0.12	2
3	)0.03	0.03	tr	0.08	0.04	0.01	tr	-	-	-	-	tr	3
4	0.14	-	0.04	0.28	0.01	-	-	0.08	-	-	-	snow 0.20	4
5	0.30	-	snow 0.10	tr	-	-	0.01	-	-	-	-	-	5
6	0.17	-	0.04	0.02	0.13	-	0.46	0.28	tr	0.02	0.03	snow 0.36	6
7	0.01	0.34	-	0.27	0.11	0.02	-	-	-	-	0.02	0.03	7
8	tr	0.36	tr	tr	-	-	0.02	-	tr	-	0.02	0.06	8
9	-	0.03	tr	-	0.29	-	0.28	0.27	-	-	-	-	9
10	-	0.07	tr	-	0.03	-	-	0.02	-	-	0.01	0.14	10
11	-	-	snow 1.05	-	0.31	-	tr	0.03	-	-	-	0.02	11
12	0.06	0.20	0.28	0.03	0.35	0.11	-	-	0.16	-	-	0.10	12
13	tr	0.02	0.08	-	0.03	0.58	-	tr	0.01	-	-	0.04	13
14	-	-	0.01	-	-	0.02	-	0.15	0.01	-	-	0.25	14
15	0.08	0.29	tr	0.26	-	-	1.01	-	0.02	-	-	0.07	15
16	0.04	0.14	0.28	0.49	-	-	-	0.06	0.25	-	-	0.06	16
17	0.08	0.04	0.21	0.26	-	0.03	-	-	0.52	-	-	-	17
18	0.90	0.06	0.10	0.07	-	0.03	-	0.15	-	-	0.61	-	18
19	0.01	0.04	0.03	-	-	) 0.17	0.05	-	-	-	0.47	-	19
20	0.05	0.08	-	0.11	0.66	)	-	-	tr	-	-	0.07	20
21	0.03	0.20	0.02	0.01	-	-	0.12	-	-	-	-	0.06	21
22	-	tr	0.02	-	0.02	-	0.02	-	-	0.19	0.20	-	22
23	0.20	-	-	-	0.01	-	0.26	-	-	0.89	0.28	-	23
24	0.20	0.16	0.03	-	0.06	-	-	-	-	0.31	-	0.01	24
25	0.04	0.51	snow 0.13	-	-	-	-	0.02	-	0.19	-	-	25
26	-	0.35	snow 0.07	-	0.31	-	-	0.02	0.03	-	-	0.04	26
27	-	0.02	0.02	0.24	-	-	-	-	-	0.46	tr	-	27
28	-	snow 0.55	0.02	-	-	0.02	-	-	-	0.08	-	-	28
29	snow 0.03	-	-	-	-	tr	-	-	-	0.02	-	0.01	29
30	0.31	×	-	-	-	tr	-	-	-	0.01	0.06	0.02	30
31	0.44	×	-	×	-	×	-	-	×	0.16	×	-	31
TOTAL	3.19	3.69	2.58	2.34	2.36	0.99	2.23	1.08	1.06	2.33	1.70	1.86	YEAR'S TOTAL 25.41✓
*Days with ·01 in. or more.	20	21	20	13	14	9	9	10	8	10	9	19	162✓
*Days with ·04 in. or more.	15	17	11	10	9	3	6	6	4	7	5	14	107✓

40-9999

*See Instruction 2 (*f*) on other side.

(*Signed*)

[P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. ~~3292/5.~~ 324 24/5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1938

Kept at Municipal Bldgs, Halifax Rd, Dewsbury.

in the County of York.

Diameter of Funnel of Gauge Five. in.

Height of top of Gauge above Ground 1 ft. 7.25 in.

,, Ground ,, Sea Level 223.27 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following: 0.15

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.06	-	-	tr	0.61	0.67	0.10	-	-	0.46	0.11		1
2	0.10	tr	-	0.09	0.02	0.01	-	-	-	0.41	0.18	0.23		2
3	0.01	-	-	-	-	0.02	0.04	-	0.13	1.04	0.02	-		3
4	0.06	-	-	-	-	-	0.19	-	-	0.11	0.12	0.21		4
5	tr	0.02	-	-	-	0.05	0.14	0.37	0.02	0.37	-	0.05		5
6	0.04	-	-	-	-	-	0.37	0.09	0.04	0.03	-	tr		6
7	0.13	-	-	-	-	-	0.17	0.40	0.27	0.15	-	0.02		7
8	-	-	-	-	-	-	0.19	0.01	-	0.51	-	0.18		8
9	0.42	0.08	tr	-	-	0.06	0.03	0.33	-	0.02	-	0.24		9
10	0.01	0.03	tr	-	-	0.03	0.05	-	-	0.02	tr	0.06		10
11	0.20	tr	-	-	-	-	0.11	tr	-	0.05	0.02	0.03		11
12	0.16	snow 0.01	-	-	0.01	-	tr	0.13	-	0.18	0.03	-		12
14	0.20	-	-	-	0.02	-	0.20	-	0.07	-	0.01	tr		14
15	0.25	-	-	-	0.02	-	0.38	0.01	-	0.01	tr	0.12		15
16	0.17	-	tr	-	0.04	-	0.54	0.17	-	-	0.10	0.18		16
17	-	tr	-	-	0.07	-	0.14	tr	-	0.21	-	-		17
18	0.02	-	-	-	0.05	0.05	-	0.02	0.30	0.31	0.16	-		18
19	-	-	-	-	tr	-	-	0.17	-	0.03	-	snow 0.18		19
20	0.01	-	-	-	-	-	-	0.03	-	-	0.33	snow 0.07		20
21	-	-	-	-	-	-	-	0.07	-	-	0.03	snow 0.13		21
22	-	tr	-	tr	-	0.26	-	-	-	-	0.22	snow 0.07		22
23	-	-	-	-	0.11	0.15	-	-	0.32	-	0.45	tr		23
24	0.06	-	0.14	-	tr	-	-	0.31	0.09	-	0.05	-		24
25	0.13	-	0.07	-	-	-	0.03	tr	-	0.30	0.68	0.08		25
26	0.01	0.32	0.05	-	0.01	0.03	-	-	0.11	0.09	0.04	tr		26
27	0.01	0.01	-	-	0.50	0.28	0.04	0.20	0.03	-	0.03	-		27
28	0.32	-	-	-	0.69	0.19	0.05	0.34	0.06	-	-	0.08		28
29	0.03	-	0.03	-	1.01	0.11	-	-	tr	-	0.07	0.02		29
30	0.01	✕	-	-	0.10	0.03	-	-	0.69	-	0.50	0.05		30
31	0.23	✕	-	✕	0.24	✕	-	-	✕	0.08	✕	0.59		31
TOTAL	2.58	0.59	0.29	0.09	2.89	1.88	3.34	2.87	2.25	3.99	3.56	2.87	Year's Total 27.20	
* Days with .01 in. or more.	22	8	4	1	14	14	17	17	13	19	20	21	170	
* Days with .04 in. or more.	14	4	3	1	9	9	15	13	11	14	14	18	125	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ernest Shaw

P.T.O.

COPY FOR OFFICIAL USE

Section **A** for the entry of Daily Observations

Station No. 3242/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 1939

Kept at Municipal Bldgs, Halifax Rd, Dewsbury

in the County of York.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft. 7.25 in.

,, Ground ,, Sea Level 223.27 ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	0.15	-	0.05	0.06	-	-	0.01	0.02	0.01	tr.	-	0.01		1
2	0.07	-	-	0.07	-	-	0.11	0.18	0.65	0.02	0.06	0.01		2
3	snow 0.11	-	-	0.09	-	-	-	0.24	-	0.02	0.12	0.24		3
4	snow 0.06	-	0.07	0.40	-	-	0.05	-	-	0.12	-	0.36		4
5	tr	-	-	tr	0.06	-	0.06	0.06	-	0.31	0.36	0.03		5
6	0.31	-	-	tr	-	-	0.16	-	-	0.01	0.04	tr		6
7	0.02	0.02	0.14	-	0.13	-	0.06	-	-	0.03	0.16	0.30		7
8	0.25	tr	0.11	-	-	-	0.77	0.01	-	tr	0.11	0.25		8
9	0.08	0.14	-	-	-	-	0.01	0.13	-	0.59	-	0.19		9
10	snow 0.56	tr	0.02	-	-	tr	-	0.13	-	0.05	tr	-		10
11	0.36	0.07	0.19	-	0.01	0.34	-	tr	0.02	0.01	-	tr		11
12	0.02	0.09	-	-	-	0.06	-	-	tr	-	0.01	tr		12
13	-	-	tr	0.08	0.05	0.27	0.02	-	tr	0.04	-	-		13
14	0.58	tr	tr	0.04	0.17	0.09	0.28	-	tr	tr	0.12	-		14
15	0.07	-	-	0.02	0.32	0.27	0.49	-	tr	tr	tr	-		15
16	tr	-	0.15	-	0.50	-	0.27	-	tr	-	0.03	-		16
17	0.79	0.05	0.01	0.12	0.13	-	0.12	-	-	0.23	tr	-		17
18	0.14	0.06	0.03	-	tr	0.22	0.17	-	-	0.02	0.83	-		18
19	0.27	-	-	-	-	0.20	0.54	-	0.04	tr	-	-		19
20	tr	-	-	-	-	0.14	2.23	0.01	0.03	-	tr	-		20
21	0.11	0.02	0.24	0.04	0.05	tr	0.08	tr	0.05	tr	-	-		21
22	0.07	0.27	0.02	-	-	-	0.07	-	tr	tr	0.18	-		22
23	0.02	0.13	tr	0.05	-	0.03	0.12	-	-	0.05	0.14	-		23
24	snow 0.02	tr	0.0	0.02	-	tr	-	tr	-	-	-	-		24
25	0.43	0.04	0.03	0.01	-	tr	-	0.21	-	-	0.45	-		25
26	0.04	0.01	0.02	-	-	-	-	tr	-	0.15	0.30	0.04		26
27	0.08	0.36	0.32	-	-	0.08	0.01	tr	-	0.07	0.25	tr		27
28	0.01	0.04	0.18	0.07	-	0.01	0.12	-	-	-	0.32	-		28
29	-	X	tr	-	-	-	0.85	-	-	0.24	0.09	-		29
30	tr	X	-	-	-	0.06	0.02	-	-	-	0.09	-		30
31	-	X	tr	X	-	X	0.11	-	X	0.05	X	-		31
TOTAL	4.62	1.30	1.58	1.07	1.42	1.77	6.73	0.99	0.80	2.01	3.66	1.43	Year's Total 27.38	
* Days with .01 in. or more.	24	13	15	13	9	12	24	9	6	17	18	9	169.	
* Days with .04 in. or more.	19	10	9	10	8	10	19	6	3	11	16	6	127.	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) ....

[P.T.O.

COPY FOR OFFICIAL USE

Section A for the entry of Daily Observations

Station No. 3242/5.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

FORM 1090

REGISTER OF RAINFALL IN 193 40.

Kept at Municipal Bldgs, Halifax Rd, Dewsbury.

in the County of York.

Diameter of Funnel of Gauge Five in.

Height of top of Gauge above Ground 1 ft 7.25 in.

,, Ground ,, Sea Level 223.27 ft.

Afcs.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	-	0.09	-	0.01	tr	-	tr	-	-	-	0.19	0.02		1
2	-	tr	-	0.21	-	-	0.01	-	-	-	0.15	0.02		2
3	0.03	0.33	-	0.09	-	-	-	-	-	0.17	0.08	tr		3
4	-		-	0.14	-	-	0.01	-	-	0.10	0.22	0.14		4
5	-	tr	-	-	0.04	-	0.23	-	-	0.04	0.19	0.28		5
6	0.10	0.27	-	-	-	-	0.05	-	-	0.66	0.02	0.03		6
7	0.02	0.19	-	tr	0.04	-	-	0.03	0.10	-	-	-		7
8	-	tr	-	0.01	tr	-	-	tr	-	0.10	-	0.08		8
9	-	-	0.18	-	-	-	0.14	0.10	0.03	0.38	1.20	0.02		9
10	-	-	-	-	-	0.11	0.35	0.03	tr	0.03		0.20		10
11	-	0.09	0.03	tr	-	0.03	0.68	-	-	tr	0.54	-		11
12	-	tr	0.28	-	-	-	0.02	0.01	0.30	-	0.19	-		12
13	-	0.02	0.25	-	-	-	0.05	tr	0.38	-	0.01	tr		13
14	-	-	0.04	0.12	0.07	-	0.17	-	-	tr	-	0.19		14
15	-	-	tr	0.04	0.01	-	-	-	0.01	tr	0.15	-		15
16	0.10	0.24	0.01	tr	-	tr	0.49	-	0.22	0.31	0.21	0.02		16
17	-	0.17	0.49	-	tr	-	0.41	-	0.15	-	0.07	-		17
18	0.08		0.12	0.74	-	-	0.13	0.08	0.12	0.03	0.02	0.09		18
19	tr	0.14	0.09	0.13	-	-	0.14	tr	0.24	0.03	0.12	0.01		19
20	-	tr	0.02	0.53	-	--	0.15	0.13	0.14	0.13	0.09	tr		20
21	0.04	-	0.25	-	-	0.18	0.08	-	0.11	0.07	0.86	-		21
22	tr	-	-	tr	tr	0.05	-	-	0.28	0.01	tr	-		22
23	-	0.25	0.01	0.01	tr	-	0.04	-	0.01	0.02	0.01	0.01		23
24	0.01	tr	-	0.01	0.01	-	-	-	0.01	0.01	-	0.07		24
25	0.02	-	-	-	tr	tr	tr	-	-	0.09	-	-		25
26	0.79	0.04	-	-	0.13	0.01	tr	0.07	0.02	0.01	0.03	tr		26
27	0.77	0.39	-	0.06	-	-	0.13	-	tr	0.01	0.01	tr		27
28		0.33	-	tr	0.09	-	-	-	-	-	tr	-		28
29	-	tr	0.16	0.02	tr	0.05	tr	-	-	-	-	0.15		29
30	0.12	✕	-	0.23	-	-	-	-	-	0.24	-	0.12		30
31	0.12	✕	0.02	✕	tr	✕	-	-	✕	0.54	✕	0.06		31
TOTAL	2.20	2.55	1.95	2.35	0.39	0.43	3.28	0.45	2.12	2.98	4.36	1.51	Year's Total 24.57	
* Days with .01 in. or more.	13	15	14	15	7	6	18	7	15	20	21	17	168	
* Days with .04 in. or more.	9	13	9	10	5	4	15	4	10	12	15	10	116	

† Spare column, no entries required.

* See Instruction 3 (f) on other side.

(*Signed*) Ernest Shaw

[P.T.O.